

Heidi E Hamm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/209074/publications.pdf>

Version: 2024-02-01

216
papers

18,652
citations

18436

62
h-index

12558

132
g-index

229
all docs

229
docs citations

229
times ranked

11969
citing authors

#	ARTICLE	IF	CITATIONS
1	Presynaptic mechanisms underlying GABAB-receptor-mediated inhibition of spontaneous neurotransmitter release. <i>Cell Reports</i> , 2022, 38, 110255.	2.9	13
2	Phototransduction in retinal cones: Analysis of parameter importance. <i>PLoS ONE</i> , 2021, 16, e0258721.	1.1	5
3	Specificities of G α 2 β 3 subunits for the SNARE complex before and after stimulation of β 2a adrenergic receptors. <i>Science Signaling</i> , 2021, 14, eabc4970.	1.6	2
4	Discovery and Optimization of a Novel Series of Competitive and Central Nervous System-Penetrant Protease-Activated Receptor 4 (PAR4) Inhibitors. <i>ACS Chemical Neuroscience</i> , 2021, 12, 4524-4534.	1.7	2
5	Physiological roles for neuromodulation via Gi/o GPCRs working through G α 2 β 3-SNARE interaction. <i>Neuropsychopharmacology</i> , 2020, 45, 221-221.	2.8	5
6	Repurposing of a Thromboxane Receptor Inhibitor Based on a Novel Role in Metastasis Identified by Phenome-Wide Association Study. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 2454-2464.	1.9	12
7	Sexual Dimorphism in Stress-Induced Hyperthermia in SNAP25 β 3 mice, a mouse model with disabled G α 2 β 3 regulation of the exocytotic fusion apparatus. <i>European Journal of Neuroscience</i> , 2020, 52, 2815-2826.	1.2	5
8	Position of rhodopsin photoisomerization on the disk surface confers variability to the rising phase of the single photon response in vertebrate rod photoreceptors. <i>PLoS ONE</i> , 2020, 15, e0240527.	1.1	5
9	G α 2 β 3 SNARE Interactions and Their Behavioral Effects. <i>Neurochemical Research</i> , 2019, 44, 636-649.	1.6	4
10	The expanding roles and mechanisms of G protein-mediated presynaptic inhibition. <i>Journal of Biological Chemistry</i> , 2019, 294, 1661-1670.	1.6	26
11	The in vivo specificity of synaptic G α 2 and G α 3 subunits to the β 2a adrenergic receptor at CNS synapses. <i>Scientific Reports</i> , 2019, 9, 1718.	1.6	17
12	Disabling the G α 2 β 3-SNARE interaction disrupts GPCR-mediated presynaptic inhibition, leading to physiological and behavioral phenotypes. <i>Science Signaling</i> , 2019, 12, .	1.6	33
13	Heterosynaptic GABA _B Receptor Function within Feedforward Microcircuits Gates Glutamatergic Transmission in the Nucleus Accumbens Core. <i>Journal of Neuroscience</i> , 2019, 39, 9277-9293.	1.7	29
14	Disabling G α 2 β 3-SNAP-25 interaction in gene-targeted mice results in enhancement of long-term potentiation at Schaffer collateral-CA1 synapses in the hippocampus. <i>NeuroReport</i> , 2019, 30, 695-699.	0.6	6
15	Local, nonlinear effects of cGMP and Ca ²⁺ reduce single photon response variability in retinal rods. <i>PLoS ONE</i> , 2019, 14, e0225948.	1.1	5
16	Protease-activated receptor 4 activity promotes platelet granule release and platelet-leukocyte interactions. <i>Platelets</i> , 2019, 30, 126-135.	1.1	27
17	The role of coagulation and platelets in colon cancer-associated thrombosis. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 316, C264-C273.	2.1	48
18	G Protein Preassembly Rescues Efficacy of W ^{6.48} Toggle Mutations in Neuropeptide Y ₂ Receptor. <i>Molecular Pharmacology</i> , 2018, 93, 387-401.	1.0	22

#	ARTICLE	IF	CITATIONS
19	GHSR-D2R heteromerization modulates dopamine signaling through an effect on G protein conformation. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 4501-4506.	3.3	55
20	GPCR regulation of secretion. , 2018, 192, 124-140.		18
21	G α 1 β 3 directly modulates vesicle fusion by competing with synaptotagmin for binding to neuronal SNARE proteins embedded in membranes. Journal of Biological Chemistry, 2017, 292, 12165-12177.	1.6	32
22	A Presynaptic Group III mGluR Recruits G α 1 β 3/SNARE Interactions to Inhibit Synaptic Transmission by Cone Photoreceptors in the Vertebrate Retina. Journal of Neuroscience, 2017, 37, 4618-4634.	1.7	17
23	Contributions of Protease-Activated Receptors PAR1 and PAR4 to Thrombin-Induced GPIIb/IIIa Activation in Human Platelets. Molecular Pharmacology, 2017, 91, 39-47.	1.0	29
24	Quantitative Multiple-Reaction Monitoring Proteomic Analysis of G α 12 and G α 13 Subunits in C57Bl6/J Brain Synaptosomes. Biochemistry, 2017, 56, 5405-5416.	1.2	14
25	Improved in Vitro Folding of the Y2 G Protein-Coupled Receptor into Bicelles. Frontiers in Molecular Biosciences, 2017, 4, 100.	1.6	22
26	Collybolide is a novel biased agonist of μ -opioid receptors with potent antipruritic activity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 6041-6046.	3.3	29
27	A Conserved Hydrophobic Core in G α 11 Regulates G Protein Activation and Release from Activated Receptor. Journal of Biological Chemistry, 2016, 291, 19674-19686.	1.6	23
28	Loss of Serotonin Transporter Function Alters ADP-mediated Glycoprotein α IIb β 3 Activation through Dysregulation of the 5-HT2A Receptor. Journal of Biological Chemistry, 2016, 291, 20210-20219.	1.6	26
29	Development of a Series of (1-Benzyl-3-(6-methoxypyrimidin-3-yl)-5-(trifluoromethoxy)-1 <i>H</i> -indol-2-yl)methanols as Selective Protease Activated Receptor 4 (PAR4) Antagonists with in Vivo Utility and Activity Against β -Thrombin. Journal of Medicinal Chemistry, 2016, 59, 7690-7695.	2.9	13
30	Identification of the minimum PAR4 inhibitor pharmacophore and optimization of a series of 2-methoxy-6-arylimidazo[2,1- <i>b</i>][1,3,4]thiadiazoles. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 5481-5486.	1.0	11
31	G α 12 β 3 Binds to the Extreme C Terminus of SNAP25 to Mediate the Action of G α o-Coupled G Protein-Coupled Receptors. Molecular Pharmacology, 2016, 89, 75-83.	1.0	29
32	Evaluation of the F2R IVS-14A/T PAR1 polymorphism with subsequent cardiovascular events and bleeding in patients who have undergone percutaneous coronary intervention. Journal of Thrombosis and Thrombolysis, 2016, 41, 656-662.	1.0	7
33	Platelet Lipidomic Profiling: Novel Insight into Cytosolic Phospholipase A ₂ Activity and Its Role in Human Platelet Activation. Biochemistry, 2015, 54, 5578-5588.	1.2	14
34	Functional Stability of Rhodopsin in a Bicelle System: Evaluating G Protein Activation by Rhodopsin in Bicelles. Methods in Molecular Biology, 2015, 1271, 67-76.	0.4	1
35	Using Peptide Arrays Created by the SPOT Method for Defining Protein-Protein Interactions. Methods in Molecular Biology, 2015, 1278, 307-320.	0.4	4
36	A survey of conformational and energetic changes in G protein signaling. AIMS Biophysics, 2015, 2, 630-648.	0.3	1

#	ARTICLE	IF	CITATIONS
37	A Conserved Phenylalanine as a Relay between the $\alpha 5$ Helix and the GDP Binding Region of Heterotrimeric G α Subunit. <i>Journal of Biological Chemistry</i> , 2014, 289, 24475-24487.	1.6	42
38	Energetic analysis of the rhodopsin-G-protein complex links the $\alpha 5$ helix to GDP release. <i>Nature Structural and Molecular Biology</i> , 2014, 21, 56-63.	3.6	64
39	Racial Differences in Resistance to P2Y ₁₂ Receptor Antagonists in Type 2 Diabetic Subjects. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 351, 33-43.	1.3	4
40	The hyperglycemic byproduct methylglyoxal impairs anticoagulant activity through covalent adduction of antithrombin III. <i>Thrombosis Research</i> , 2014, 134, 1350-1357.	0.8	10
41	A Transient Interaction between the Phosphate Binding Loop and Switch I Contributes to the Allosteric Network between Receptor and Nucleotide in G α i1. <i>Journal of Biological Chemistry</i> , 2014, 289, 11331-11341.	1.6	7
42	Modulation of Neurotransmission by GPCRs Is Dependent upon the Microarchitecture of the Primed Vesicle Complex. <i>Journal of Neuroscience</i> , 2014, 34, 260-274.	1.7	31
43	Substituted indoles as selective protease activated receptor 4 (PAR-4) antagonists: Discovery and SAR of ML354. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4708-4713.	1.0	35
44	Differential Localization of G Protein $\beta\gamma$ Subunits. <i>Biochemistry</i> , 2014, 53, 2329-2343.	1.2	16
45	Linking receptor activation to changes in Sw I and II of G α proteins. <i>Journal of Structural Biology</i> , 2013, 184, 63-74.	1.3	9
46	Gpr125 modulates Dishevelled distribution and planar cell polarity signaling. <i>Development (Cambridge)</i> , 2013, 140, 3028-3039.	1.2	56
47	Protease-Activated Receptor (PAR) 1 and PAR4 Differentially Regulate Factor V Expression from Human Platelets. <i>Molecular Pharmacology</i> , 2013, 83, 781-792.	1.0	55
48	Dichotomous effects of exposure to bivalirudin in patients undergoing percutaneous coronary intervention on protease-activated receptor-mediated platelet activation. <i>Journal of Thrombosis and Thrombolysis</i> , 2013, 35, 209-222.	1.0	4
49	Conformational Flexibility and Structural Dynamics in GPCR-Mediated G Protein Activation: A Perspective. <i>Journal of Molecular Biology</i> , 2013, 425, 2288-2298.	2.0	89
50	Extracellular Loop II Modulates GTP Sensitivity of the Prostaglandin EP3 Receptor. <i>Molecular Pharmacology</i> , 2013, 83, 206-216.	1.0	5
51	Correction to "Protease-Activated Receptor (PAR) 1 and PAR4 Differentially Regulate Factor V Expression from Human Platelets". <i>Molecular Pharmacology</i> , 2013, 84, 487-487.	1.0	0
52	Synthesis of Indole Derived Protease-Activated Receptor 4 Antagonists and Characterization in Human Platelets. <i>PLoS ONE</i> , 2013, 8, e65528.	1.1	27
53	Communicating a Nobel Signal: Exploration of the Heterotrimeric G protein. <i>FASEB Journal</i> , 2013, 27, lb164.	0.2	0
54	Platelet Microparticle Production Is Regulated By STIM1 Dependent Entry Of Extracellular Ca ²⁺ Through Orai1. <i>Blood</i> , 2013, 122, 1059-1059.	0.6	0

#	ARTICLE	IF	CITATIONS
55	Myristoylation Exerts Direct and Allosteric Effects on G $\beta\gamma$ Conformation and Dynamics in Solution. <i>Biochemistry</i> , 2012, 51, 1911-1924.	1.2	16
56	Label-Free Detection of G Protein-SNARE Interactions and Screening for Small Molecule Modulators. <i>ACS Chemical Neuroscience</i> , 2012, 3, 69-78.	1.7	11
57	GPCR mediated regulation of synaptic transmission. <i>Progress in Neurobiology</i> , 2012, 96, 304-321.	2.8	114
58	G $\beta\gamma$ Inhibits Exocytosis via Interaction with Critical Residues on Soluble N-Ethylmaleimide-Sensitive Factor Attachment Protein-25. <i>Molecular Pharmacology</i> , 2012, 82, 1136-1149.	1.0	31
59	Molecular Determinants of GPCR-G Protein Complex Formation. <i>Biophysical Journal</i> , 2012, 102, 31a-32a.	0.2	0
60	Fracture healing in protease-activated receptor-2 deficient mice. <i>Journal of Orthopaedic Research</i> , 2012, 30, 1271-1276.	1.2	5
61	Thrombin induces osteosarcoma growth, a function inhibited by low molecular weight heparin in vitro and in vivo. <i>Cancer</i> , 2012, 118, 2494-2506.	2.0	28
62	Allosteric Mechanisms of G Protein-Coupled Receptor Signaling: A Structural Perspective. <i>Methods in Molecular Biology</i> , 2012, 796, 133-174.	0.4	13
63	Rhodopsin Expression Level Affects Rod Outer Segment Morphology and Photoresponse Kinetics. <i>PLoS ONE</i> , 2012, 7, e37832.	1.1	50
64	Coupling Efficiency of Rhodopsin and Transducin in Bicelles. <i>Biochemistry</i> , 2011, 50, 3193-3203.	1.2	25
65	Mathematical model of PAR1-mediated activation of human platelets. <i>Molecular BioSystems</i> , 2011, 7, 1129.	2.9	24
66	Protease-Activated Receptor Signaling in Platelets Activates Cytosolic Phospholipase A ₂ Differently for Cyclooxygenase-1 and 12-Lipoxygenase Catalysis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 435-442.	1.1	56
67	Identification of key factors that reduce the variability of the single photon response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7804-7807.	3.3	31
68	Interaction of a G protein with an activated receptor opens the interdomain interface in the alpha subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9420-9424.	3.3	145
69	Coagulation Cofactor Presentation and Complex Assembly on Platelets by Protease Activated Receptors (PARs): PAR4 Stimulation Leads to More FV and FVIII and More Thrombin Generation Than PAR1. <i>Blood</i> , 2011, 118, 1135-1135.	0.6	0
70	2010 Young Investigator Award Winner: Therapeutic Aprotinin Stimulates Osteoblast Proliferation but Inhibits Differentiation and Bone Matrix Mineralization. <i>Spine</i> , 2010, 35, 1008-1016.	1.0	9
71	Kinetics of Rhodopsin Deactivation and Its Role in Regulating Recovery and Reproducibility of Rod Photoresponse. <i>PLoS Computational Biology</i> , 2010, 6, e1001031.	1.5	23
72	G $\beta\gamma$ Activates GSK3 to Promote LRP6-Mediated β -Catenin Transcriptional Activity. <i>Science Signaling</i> , 2010, 3, ra37.	1.6	51

#	ARTICLE	IF	CITATIONS
73	Role of $G_{i2/3}$ in regulation of class II histone deacetylases. <i>FASEB Journal</i> , 2010, 24, 457.1.	0.2	0
74	Coupling Efficiency of Rhodopsin and Transducin in the Bicelle Mixtures. <i>FASEB Journal</i> , 2010, 24, 769.7.	0.2	0
75	Suboptimal Activation of Protease-activated Receptors Enhances β_2 Integrin-mediated Platelet Adhesion to Collagen. <i>Journal of Biological Chemistry</i> , 2009, 284, 34640-34647.	1.6	15
76	Irreversible Platelet Activation Requires Protease-Activated Receptor 1-Mediated Signaling to Phosphatidylinositol Phosphates. <i>Molecular Pharmacology</i> , 2009, 76, 301-313.	1.0	27
77	$G_{12/13}$ regulate epiboly by inhibiting E-cadherin activity and modulating the actin cytoskeleton. <i>Journal of Cell Biology</i> , 2009, 184, 909-921.	2.3	60
78	Trp fluorescence reveals an activation-dependent cationic interaction in the Switch II region of G_{i1} proteins. <i>Protein Science</i> , 2009, 18, 2326-2335.	3.1	17
79	Helix Dipole Movement and Conformational Variability Contribute to Allosteric GDP Release in G_{i1} Subunits. <i>Biochemistry</i> , 2009, 48, 2630-2642.	1.2	21
80	Overexpression of Rhodopsin Alters the Structure and Photoresponse of Rod Photoreceptors. <i>Biophysical Journal</i> , 2009, 96, 939-950.	0.2	74
81	How do GPCRs Catalyze G Protein Activation?. <i>FASEB Journal</i> , 2009, 23, 330.1.	0.2	0
82	Myristoylation and its role in conformational changes associated with $G_{\alpha i}$ subunit activation. <i>FASEB Journal</i> , 2009, 23, 879.9.	0.2	0
83	Heterotrimeric G protein activation by G-protein-coupled receptors. <i>Nature Reviews Molecular Cell Biology</i> , 2008, 9, 60-71.	16.1	981
84	Diffusion of the Second Messengers in the Cytoplasm Acts as a Variability Suppressor of the Single Photon Response in Vertebrate Phototransduction. <i>Biophysical Journal</i> , 2008, 94, 3363-3383.	0.2	47
85	RACK1 Regulates Directional Cell Migration by Acting on $G_{i2/3}$ at the Interface with Its Effectors $PLC_{\beta 2}$ and $PI3K_{\beta 3}$. <i>Molecular Biology of the Cell</i> , 2008, 19, 3909-3922.	0.9	53
86	G protein $\beta\gamma$ Subunits Modulate the Number and Nature of Exocytotic Fusion Events in Adrenal Chromaffin Cells Independent of Calcium Entry. <i>Journal of Neurophysiology</i> , 2008, 100, 2929-2939.	0.9	34
87	Receptor-Mediated Changes at the Myristoylated Amino Terminus of G_{i1} Proteins. <i>Biochemistry</i> , 2008, 47, 10281-10293.	1.2	17
88	An intramolecular binding site for the myristoylated amino terminus of G_{i1} . <i>FASEB Journal</i> , 2008, 22, 812.9.	0.2	0
89	PAR1-mediated stable platelet aggregation requires temporal regulation of Rap1 activity by phosphatidylinositol phosphates (PIPs). <i>FASEB Journal</i> , 2008, 22, 646.3.	0.2	0
90	PAR1, but Not PAR4, Activates Human Platelets through a G_i /Phosphoinositide-3 Kinase Signaling Axis. <i>Molecular Pharmacology</i> , 2007, 71, 1399-1406.	1.0	73

#	ARTICLE	IF	CITATIONS
91	How do Receptors Activate G Proteins?. <i>Advances in Protein Chemistry</i> , 2007, 74, 67-93.	4.4	51
92	Protease-Activated Receptors Differentially Regulate Human Platelet Activation through a Phosphatidic Acid-Dependent Pathway. <i>Molecular Pharmacology</i> , 2007, 71, 686-694.	1.0	37
93	G β 13 Interferes with Ca ²⁺ -Dependent Binding of Synaptotagmin to the Soluble N-Ethylmaleimide-Sensitive Factor Attachment Protein Receptor (SNARE) Complex. <i>Molecular Pharmacology</i> , 2007, 72, 1210-1219.	1.0	75
94	Regulation of Protease-Activated Receptor (PAR) 1 and PAR4 Signaling in Human Platelets by Compartmentalized Cyclic Nucleotide Actions. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 778-788.	1.3	18
95	Roles of G-protein-coupled receptor signaling in cancer biology and gene transcription. <i>Current Opinion in Genetics and Development</i> , 2007, 17, 40-44.	1.5	66
96	Mapping allosteric connections from the receptor to the nucleotide-binding pocket of heterotrimeric G proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 7927-7932.	3.3	59
97	Dendritic Molecular Transporters Provide Control of Delivery to Intracellular Compartments. <i>Bioconjugate Chemistry</i> , 2007, 18, 403-409.	1.8	49
98	The crystal structure of the fast exchange mutant I56C/Q333C in G β 1 suggests a mechanism for receptor-mediated allosteric nucleotide exchange. <i>FASEB Journal</i> , 2007, 21, A613.	0.2	0
99	PI3K differentially regulates protease activated receptor-mediated platelet activation in humans through Rap1. <i>FASEB Journal</i> , 2007, 21, A603.	0.2	0
100	Irreversible Platelet Activation Requires PAR1 Regulation of Phosphatidylinositol Phosphates (PIPns) Activation of Rap1.. <i>Blood</i> , 2007, 110, 3889-3889.	0.6	0
101	Structural basis of function in heterotrimeric G proteins. <i>Quarterly Reviews of Biophysics</i> , 2006, 39, 117-166.	2.4	193
102	Modeling the Role of Incisures in Vertebrate Phototransduction. <i>Biophysical Journal</i> , 2006, 91, 1192-1212.	0.2	28
103	DEP Domains: More Than Just Membrane Anchors. <i>Developmental Cell</i> , 2006, 11, 436-438.	3.1	36
104	Differential regulation of endothelial exocytosis of P-selectin and von Willebrand factor by protease-activated receptors and cAMP. <i>Blood</i> , 2006, 107, 2736-2744.	0.6	89
105	RGS4-dependent attenuation of M4 autoreceptor function in striatal cholinergic interneurons following dopamine depletion. <i>Nature Neuroscience</i> , 2006, 9, 832-842.	7.1	227
106	Mechanism of the receptor-catalyzed activation of heterotrimeric G proteins. <i>Nature Structural and Molecular Biology</i> , 2006, 13, 772-777.	3.6	171
107	Selective interactions between G protein subunits and RGS4 with the C-terminal domains of the μ - and δ -opioid receptors regulate opioid receptor signaling. <i>Cellular Signalling</i> , 2006, 18, 771-782.	1.7	94
108	Structural and dynamical changes in an α -subunit of a heterotrimeric G protein along the activation pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16194-16199.	3.3	68

#	ARTICLE	IF	CITATIONS
109	Erythrocyte G Protein as a Novel Target for Malarial Chemotherapy. <i>PLoS Medicine</i> , 2006, 3, e528.	3.9	64
110	Direct Modulation of Phospholipase D Activity by $G_{i2/3}$. <i>Molecular Pharmacology</i> , 2006, 70, 311-318.	1.0	41
111	G protein beta γ -subunits activated by serotonin mediate presynaptic inhibition by regulating vesicle fusion properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4281-4286.	3.3	68
112	PAR4, but Not PAR1, Signals Human Platelet Aggregation via Ca^{2+} Mobilization and Synergistic P2Y ₁₂ Receptor Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 26665-26674.	1.6	99
113	Endothelial Nitric-Oxide Synthase Reveals a New Face in G Protein Signaling: Fig. 1.. <i>Molecular Pharmacology</i> , 2006, 69, 677-679.	1.0	1
114	Structural basis of receptor ϵ -dependent G protein activation. <i>FASEB Journal</i> , 2006, 20, A918.	0.2	0
115	Ga _{12/13} signaling regulates epiboly by inhibiting E α ϵ -cadherin function. <i>FASEB Journal</i> , 2006, 20, A544.	0.2	0
116	$G_{i2/3}$ reduces the number and quantal size of exocytotic events in neurosecretory chromaffin cells. <i>FASEB Journal</i> , 2006, 20, A242.	0.2	2
117	RACK1 negatively regulates SDF1 β /CXCL12 ϵ -stimulated chemotaxis of Jurkat cells. <i>FASEB Journal</i> , 2006, 20, A696.	0.2	0
118	Calcium Mobilization in Human Platelets is Differentially Modulated by PAR ϵ 1 and PAR ϵ 4 through Gi/o and PI3K. <i>FASEB Journal</i> , 2006, 20, .	0.2	1
119	Protease Activated Receptors Differentially Regulate Human Platelet Activation through Phosphatidic Acid-Dependent DAG Formation.. <i>Blood</i> , 2006, 108, 3906-3906.	0.6	7
120	G protein $\beta\gamma$ directly regulates SNARE protein fusion machinery for secretory granule exocytosis. <i>Nature Neuroscience</i> , 2005, 8, 421-425.	7.1	154
121	$G_{i2/3}$ acts at the C terminus of SNAP-25 to mediate presynaptic inhibition. <i>Nature Neuroscience</i> , 2005, 8, 597-605.	7.1	170
122	Phosducin-like protein acts as a molecular chaperone for G protein $\beta\gamma$ dimer assembly. <i>EMBO Journal</i> , 2005, 24, 1965-1975.	3.5	100
123	Thrombin Modulates the Expression of a Set of Genes Including Thrombospondin-1 in Human Microvascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 22172-22180.	1.6	58
124	Essential roles of $G_{i2/13}$ signaling in distinct cell behaviors driving zebrafish convergence and extension gastrulation movements. <i>Journal of Cell Biology</i> , 2005, 169, 777-787.	2.3	101
125	Fluctuations of the Single Photon Response in Visual Transduction. <i>AIP Conference Proceedings</i> , 2005, , .	0.3	1
126	Functional Selectivity of G Protein Signaling by Agonist Peptides and Thrombin for the Protease-activated Receptor-1*. <i>Journal of Biological Chemistry</i> , 2005, 280, 25048-25059.	1.6	173

#	ARTICLE	IF	CITATIONS
127	G $\beta\gamma$ Binds Histone Deacetylase 5 (HDAC5) and Inhibits Its Transcriptional Co-repression Activity. Journal of Biological Chemistry, 2005, 280, 41769-41776.	1.6	53
128	RACK1 Binds to a Signal Transfer Region of G $\beta\gamma$ and Inhibits Phospholipase C β 2 Activation. Journal of Biological Chemistry, 2005, 280, 33445-33452.	1.6	37
129	RACK1 Regulates Specific Functions of G $\beta\gamma$. Journal of Biological Chemistry, 2004, 279, 17861-17868.	1.6	58
130	RGS9-2 modulates D2 dopamine receptor-mediated Ca ²⁺ channel inhibition in rat striatal cholinergic interneurons. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 16339-16344.	3.3	93
131	G Protein Signaling: Insights from New Structures. Science Signaling, 2004, 2004, re3-re3.	1.6	47
132	Competition between lithium and magnesium ions for the G-protein transducin in the guanosine 5' γ -diphosphate bound conformation. Journal of Inorganic Biochemistry, 2004, 98, 691-701.	1.5	20
133	Interaction of G $\beta\gamma$ with RACK1 and other WD40 repeat proteins*1. Journal of Molecular and Cellular Cardiology, 2004, 37, 399-406.	0.9	64
134	The Myristoylated Amino Terminus of G β 1 Plays a Critical Role in the Structure and Function of G β 1 Subunits in Solution. Biochemistry, 2003, 42, 7931-7941.	1.2	39
135	Mathematical Model of the Spatio-Temporal Dynamics of Second Messengers in Visual Transduction. Biophysical Journal, 2003, 85, 1358-1376.	0.2	36
136	Insights into G Protein Structure, Function, and Regulation. Endocrine Reviews, 2003, 24, 765-781.	8.9	565
137	Erythrocyte G Protein-Coupled Receptor Signaling in Malarial Infection. Science, 2003, 301, 1734-1736.	6.0	141
138	A Specific Domain of G β Required for the Transactivation of G β by Tubulin Is Implicated in the Organization of Cellular Microtubules. Journal of Biological Chemistry, 2003, 278, 15285-15290.	1.6	26
139	Closely Related G-protein-coupled Receptors Use Multiple and Distinct Domains on G-protein β -Subunits for Selective Coupling. Journal of Biological Chemistry, 2003, 278, 50530-50536.	1.6	47
140	G-Protein Organization and Signaling. , 2003, , 335-341.		1
141	Aspartic Acid 564 in the Third Cytoplasmic Loop of the Luteinizing Hormone/Choriogonadotropin Receptor Is Crucial for Phosphorylation-independent Interaction with Arrestin2. Journal of Biological Chemistry, 2002, 277, 17916-17927.	1.6	55
142	The $\beta\gamma$ Subunit of Heterotrimeric G Proteins Interacts with RACK1 and Two Other WD Repeat Proteins. Journal of Biological Chemistry, 2002, 277, 49888-49895.	1.6	82
143	G β COOH-Terminal Minigene Vectors Dissect Heterotrimeric G Protein Signaling. Science Signaling, 2002, 2002, pl1-pl1.	1.6	44
144	Thrombin Receptors Activate Go Proteins in Endothelial Cells to Regulate Intracellular Calcium and Cell Shape Changes. Journal of Biological Chemistry, 2002, 277, 34143-34149.	1.6	54

#	ARTICLE	IF	CITATIONS
145	Dissecting Receptor-G Protein Specificity Using G α Chimeras. <i>Methods in Enzymology</i> , 2002, 344, 69-81.	0.4	3
146	Design and Use of C-Terminal Minigene Vectors for Studying Role of Heterotrimeric G Proteins. <i>Methods in Enzymology</i> , 2002, 344, 58-69.	0.4	25
147	Defining G Protein G α Specificity for Effector Recognition. <i>Methods in Enzymology</i> , 2002, 344, 421-434.	0.4	2
148	Structural Characterization of Intact G Protein G β Subunits by Mass Spectrometry. <i>Methods in Enzymology</i> , 2002, 344, 586-597.	0.4	2
149	Conformational Changes in the Amino-Terminal Helix of the G Protein G α 1 Following Dissociation From G β Subunit and Activation. <i>Biochemistry</i> , 2002, 41, 9962-9972.	1.2	60
150	Effect of Li ⁺ upon the Mg ²⁺ -Dependent Activation of Recombinant G α 1. <i>Archives of Biochemistry and Biophysics</i> , 2001, 388, 7-12.	1.4	20
151	An Intramolecular Contact in G α Transducin That Participates in Maintaining Its Intrinsic GDP Release Rate. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2001, 4, 282-291.	1.7	7
152	G Protein beta gamma Subunit-Mediated Presynaptic Inhibition: Regulation of Exocytotic Fusion Downstream of Ca ²⁺ Entry. <i>Science</i> , 2001, 292, 293-297.	6.0	246
153	G α Minigenes Expressing C-terminal Peptides Serve as Specific Inhibitors of Thrombin-mediated Endothelial Activation. <i>Journal of Biological Chemistry</i> , 2001, 276, 25672-25679.	1.6	96
154	Modulation of the G Protein Regulator Phosphducin by Ca ²⁺ /Calmodulin-dependent Protein Kinase II Phosphorylation and 14-3-3 Protein Binding. <i>Journal of Biological Chemistry</i> , 2001, 276, 23805-23815.	1.6	51
155	Activation of the Luteinizing Hormone/Choriogonadotropin Hormone Receptor Promotes ADP Ribosylation Factor 6 Activation in Porcine Ovarian Follicular Membranes. <i>Journal of Biological Chemistry</i> , 2001, 276, 33773-33781.	1.6	31
156	A Novel Bifunctional Phospholipase C That Is Regulated by G α 12 and Stimulates the Ras/Mitogen-activated Protein Kinase Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 2758-2765.	1.6	245
157	Structural Requirements for the Stabilization of Metarhodopsin II by the C Terminus of the G α subunit of Transducin. <i>Journal of Biological Chemistry</i> , 2001, 276, 2333-2339.	1.6	47
158	How activated receptors couple to G proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 4819-4821.	3.3	196
159	[33] Fluorescent probes as indicators of conformation changes in transducin on activation. <i>Methods in Enzymology</i> , 2000, 315, 490-502.	0.4	0
160	[34] chimeras used to define structural basis of specific functions of G α t. <i>Methods in Enzymology</i> , 2000, 315, 502-524.	0.4	6
161	[26] Use of peptides-on-plasmids combinatorial library to identify high-affinity peptides that bind rhodopsin. <i>Methods in Enzymology</i> , 2000, 315, 388-404.	0.4	1
162	Dopamine Receptors in Striatal Medium Spiny Neurons Reduce L-Type Ca ²⁺ Currents and Excitability via a Novel PLC β 1-IP ₃ -Calcineurin-Signaling Cascade. <i>Journal of Neuroscience</i> , 2000, 20, 8987-8995.	1.7	460

#	ARTICLE	IF	CITATIONS
163	A G α s-Carboxyl-Terminal Peptide Prevents GsActivation by the A2AAdenosine Receptor. <i>Molecular Pharmacology</i> , 2000, 58, 226-236.	1.0	39
164	Functional Roles of the Two Domains of Phosducin and Phosducin-like Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 30399-30407.	1.6	45
165	Endothelial Cell-Surface Gp60 Activates Vesicle Formation and Trafficking via Gi-Coupled Src Kinase Signaling Pathway. <i>Journal of Cell Biology</i> , 2000, 150, 1057-1070.	2.3	270
166	Roles of Gi and Gq/11 in Mediating Desensitization of the Luteinizing Hormone/Choriogonadotropin Receptor in Porcine Ovarian Follicular Membranes*. <i>Endocrinology</i> , 1999, 140, 1612-1621.	1.4	18
167	Two Amino Acids within the α 4 Helix of G α i1 Mediate Coupling with 5-Hydroxytryptamine1B Receptors. <i>Journal of Biological Chemistry</i> , 1999, 274, 14963-14971.	1.6	41
168	The α -Helical Domain of G α t Determines Specific Interaction with Regulator of G Protein Signaling 9. <i>Journal of Biological Chemistry</i> , 1999, 274, 8770-8778.	1.6	65
169	A Dominant-Negative Strategy for Studying Roles of G Proteins in Vivo. <i>Journal of Biological Chemistry</i> , 1999, 274, 6610-6616.	1.6	89
170	Conformational Changes at The Carboxyl Terminus of G α Occur during G Protein Activation. <i>Journal of Biological Chemistry</i> , 1999, 274, 2379-2385.	1.6	39
171	Thrombin Induces Proteinase-activated Receptor-1 Gene Expression in Endothelial Cells via Activation of Gi-linked Ras/Mitogen-activated Protein Kinase Pathway. <i>Journal of Biological Chemistry</i> , 1999, 274, 13718-13727.	1.6	117
172	How G α s activates adenylyl cyclase. <i>Nature Structural Biology</i> , 1998, 5, 88-92.	9.7	20
173	The Many Faces of G Protein Signaling. <i>Journal of Biological Chemistry</i> , 1998, 273, 669-672.	1.6	977
174	Molecular Basis for Interactions of G Protein Subunits with Effectors. <i>Science</i> , 1998, 280, 1271-1274.	6.0	409
175	Antagonists of the Receptor-G Protein Interface Block Gi-coupled Signal Transduction. <i>Journal of Biological Chemistry</i> , 1998, 273, 14912-14919.	1.6	92
176	Molecular Determinants of Selectivity in 5-Hydroxytryptamine1B Receptor-G Protein Interactions. <i>Journal of Biological Chemistry</i> , 1997, 272, 32071-32077.	1.6	195
177	Activation of Transducin Guanosine Triphosphatase by Two Proteins of the RGS Family. <i>Biochemistry</i> , 1997, 36, 7638-7643.	1.2	55
178	NMR structure of a receptor-bound G-protein peptide. <i>Nature</i> , 1997, 390, 424-424.	18.7	5
179	Cyclic AMP-Dependent Phosphoprotein Components I and II Interact with $\beta\gamma$ Subunits of Transducin in Frog Rod Outer Segments. <i>Biochemistry</i> , 1996, 35, 290-298.	1.2	4
180	Heterotrimeric G proteins. <i>Current Opinion in Cell Biology</i> , 1996, 8, 189-196.	2.6	240

#	ARTICLE	IF	CITATIONS
181	Mechanism of photoreceptor cGMP phosphodiesterase inhibition by its gamma-subunits.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 5407-5412.	3.3	59
182	The 2.0 Å... crystal structure of a heterotrimeric G protein. Nature, 1996, 379, 311-319.	13.7	1,159
183	Crystal structure of a GA protein $\hat{\alpha}$ $\hat{\beta}$ dimer at 2.1 Å... resolution. Nature, 1996, 379, 369-374.	13.7	770
184	Subunit Structure of Rod cGMP-Phosphodiesterase. Journal of Biological Chemistry, 1996, 271, 25382-25388.	1.6	24
185	Mapping of Effector Binding Sites of Transducin $\hat{\alpha}$ -Subunit Using $\hat{\alpha}$ $\hat{\beta}$ /G $\hat{\beta}$ Chimeras. Journal of Biological Chemistry, 1996, 271, 413-424.	1.6	146
186	Interaction of Transducin with Light-activated Rhodopsin Protects It from Proteolytic Digestion by Trypsin. Journal of Biological Chemistry, 1996, 271, 30034-30040.	1.6	44
187	Potent Peptide Analogues of a G Protein Receptor-binding Region Obtained with a Combinatorial Library. Journal of Biological Chemistry, 1996, 271, 361-366.	1.6	140
188	Structural and functional relationships of heterotrimeric G $\hat{\alpha}$ proteins. FASEB Journal, 1995, 9, 1059-1066.	0.2	154
189	An Effector Site That Stimulates G-protein GTPase in Photoreceptors. Journal of Biological Chemistry, 1995, 270, 14319-14324.	1.6	67
190	The Carboxyl Terminus of the $\hat{\beta}$ -Subunit of Rod cGMP Phosphodiesterase Contains Distinct Sites of Interaction with the Enzyme Catalytic Subunits and the $\hat{\alpha}$ -Subunit of Transducin. Journal of Biological Chemistry, 1995, 270, 13210-13215.	1.6	65
191	Structural determinants for activation of the $\hat{\alpha}$ -subunit of a heterotrimeric G protein. Nature, 1994, 369, 621-628.	13.7	703
192	GTPase mechanism of Gproteins from the 1.7-Å... crystal structure of transducin $\hat{\alpha}$ - GDP AlF $\hat{\alpha}$ ⁴ . Nature, 1994, 372, 276-279.	13.7	594
193	Probing G-protein function. Nature Structural Biology, 1994, 1, 752-754.	9.7	3
194	[32] Specific peptide probes for G-protein interactions with receptors. Methods in Enzymology, 1994, 237, 423-436.	0.4	54
195	Interaction of rhodopsin with the G-protein, transducin. BioEssays, 1993, 15, 43-50.	1.2	181
196	Tryptophan207 is involved in the GTP-dependent conformational switch in the $\hat{\beta}$ subunit of the G protein transducin: Chymotryptic digestion patterns of the GTP $\hat{\beta}$ S and GDP-bound forms. The Protein Journal, 1993, 12, 215-221.	1.1	19
197	NMR structure of a receptor-bound G-protein peptide. Nature, 1993, 363, 276-281.	13.7	269
198	The 2.2 Å... crystal structure of transducin- $\hat{\alpha}$ complexed with GTP $\hat{\beta}$ S. Nature, 1993, 366, 654-663.	13.7	901

#	ARTICLE	IF	CITATIONS
199	Rod cGMP-Phosphodiesterase β -Subunit: Structure-Function Relationships. <i>Methods</i> , 1993, 5, 220-228.	1.9	4
200	A site on rod G protein alpha subunit that mediates effector activation. <i>Science</i> , 1992, 256, 1031-1033.	6.0	106
201	Disturbing Gtp-Binding Protein Function Through Microinjection Into The Visual Cell Of Limulus. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1992, 47, 915-921.	0.6	10
202	Molecular interactions between the photoreceptor G protein and rhodopsin. <i>Cellular and Molecular Neurobiology</i> , 1991, 11, 563-578.	1.7	30
203	A blue-light-activated GTP-binding protein in the plasma membranes of etiolated peas.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8925-8929.	3.3	179
204	Regulation by light of cyclic nucleotide-dependent protein kinases and their substrates in frog rod outer segments.. <i>Journal of General Physiology</i> , 1990, 95, 545-567.	0.9	121
205	Visual transduction in vertebrate photoreceptors. <i>Cell Biophysics</i> , 1989, 14, 129-137.	0.4	9
206	Effect of monoclonal antibody binding on .alpha.-.beta..gamma. subunit interactions in the rod outer segment G protein, Gt. <i>Biochemistry</i> , 1989, 28, 9873-9880.	1.2	27
207	A monoclonal antibody to the alpha subunit of Gk blocks muscarinic activation of atrial K ⁺ channels. <i>Science</i> , 1988, 241, 828-831.	6.0	89
208	Site of G protein binding to rhodopsin mapped with synthetic peptides from the alpha subunit. <i>Science</i> , 1988, 241, 832-835.	6.0	572
209	Protein complement of rod outer segments of the frog retina. <i>Biochemistry</i> , 1986, 25, 4512-4523.	1.2	216
210	Preparation and characterization of monoclonal antibodies to several frog rod outer segment proteins.. <i>Journal of General Physiology</i> , 1984, 84, 251-263.	0.9	42
211	A monoclonal antibody to guanine nucleotide binding protein inhibits the light-activated cyclic GMP pathway in frog rod outer segments.. <i>Journal of General Physiology</i> , 1984, 84, 265-280.	0.9	46
212	Light-induced decrease of serotonin N-acetyltransferase activity and melatonin in the chicken pineal gland and retina. <i>Brain Research</i> , 1983, 266, 287-293.	1.1	89
213	Calcium and cyclic GMP regulation of light-sensitive protein phosphorylation in frog photoreceptor membranes.. <i>Journal of General Physiology</i> , 1982, 79, 633-655.	0.9	160
214	Pineal and Retinal Serotonin N-Acetyltransferase Activity: Modulation by Phosphate. <i>Journal of Neurochemistry</i> , 1981, 37, 1567-1572.	2.1	13
215	Circadian rhythms of melatonin release from individual superfused chicken pineal glands in vitro.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980, 77, 2319-2322.	3.3	226
216	Retinal rhythms in chicks: circadian variation in melatonin and serotonin N-acetyltransferase activity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1980, 77, 4998-5002.	3.3	238