

Tripier Raphael

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2090754/tripier-raphael-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

1,523

citations

23

h-index

35

g-index

95

ext. papers

1,808

ext. citations

5

avg, IF

4.41

L-index

#	Paper	IF	Citations
82	Investigation of Zr(IV) and ⁸⁹ Zr(IV) complexation with hydroxamates: progress towards designing a better chelator than desferrioxamine B for immuno-PET imaging. <i>Chemical Communications</i> , 2013 , 49, 1002-4	5.8	84
81	Accelerating water exchange for Gd(III) chelates by steric compression around the water binding site. <i>Chemical Communications</i> , 2002 , 2630-1	5.8	83
80	Supramolecular luminescent lanthanide dimers for fluoride sequestering and sensing. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 7259-63	16.4	77
79	Monopicolinate cyclen and cyclam derivatives for stable copper(II) complexation. <i>Inorganic Chemistry</i> , 2012 , 51, 6916-27	5.1	67
78	Lanthanide(III) complexes with ligands derived from a cyclen framework containing pyridinecarboxylate pendants. The effect of steric hindrance on the hydration number. <i>Inorganic Chemistry</i> , 2012 , 51, 2509-21	5.1	58
77	Near infrared two photon imaging using a bright cationic Yb(III) bioprobe spontaneously internalized into live cells. <i>Chemical Communications</i> , 2017 , 53, 6005-6008	5.8	49
76	Stable Mn(2+), Cu(2+) and Ln(3+) complexes with cyclen-based ligands functionalized with picolinate pendant arms. <i>Dalton Transactions</i> , 2015 , 44, 5017-31	4.3	49
75	Lanthanide(III) complexes with a reinforced cyclam ligand show unprecedented kinetic inertness. <i>Journal of the American Chemical Society</i> , 2014 , 136, 17954-7	16.4	44
74	Monopicolinate-dipicolyl derivative of triazacyclononane for stable complexation of Cu ²⁺ and ⁶⁴ Cu ²⁺ . <i>Inorganic Chemistry</i> , 2013 , 52, 5246-59	5.1	42
73	Monopicolinate cross-bridged cyclam combining very fast complexation with very high stability and inertness of its copper(II) complex. <i>Inorganic Chemistry</i> , 2014 , 53, 5269-79	5.1	40
72	Hyperfine coupling constants on inner-sphere water molecules of a triazacyclononane-based Mn(II) complex and related systems relevant as MRI contrast agents. <i>Inorganic Chemistry</i> , 2013 , 52, 11173-84	5.1	39
71	Cyclen-based bismacrocycles for biological anion recognition. A potentiometric and NMR study of AMP, ADP and ATP nucleotide complexation. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 1743-50	3.9	38
70	Solution structure of Ln(III) complexes with macrocyclic ligands through theoretical evaluation of ¹ H NMR contact shifts. <i>Inorganic Chemistry</i> , 2012 , 51, 13419-29	5.1	36
69	Cyclen based bis-macrocyclic ligands as phosphates receptors. A potentiometric and NMR study. <i>Dalton Transactions</i> , 2005 , 3016-24	4.3	35
68	Cationic Two-Photon Lanthanide Bioprobes Able to Accumulate in Live Cells. <i>Inorganic Chemistry</i> , 2016 , 55, 7020-5	5.1	35
67	Investigating the Complexation of the Pb(2+)/Bi(3+) Pair with Dipicolinate Cyclen Ligands. <i>Inorganic Chemistry</i> , 2015 , 54, 7045-57	5.1	34
66	Pyclen-Based Ln(III) Complexes as Highly Luminescent Bioprobes for and One- and Two-Photon Bioimaging Applications. <i>Journal of the American Chemical Society</i> , 2020 , 142, 10184-10197	16.4	33

65	Monopropionate analogues of DOTA4- and DTPA5-: kinetics of formation and dissociation of their lanthanide(III) complexes. <i>Dalton Transactions</i> , 2007 , 3572-81	4.3	33
64	New synthesis of phenyl-isothiocyanate C-functionalised cyclams. Bioconjugation and (64)Cu phenotypic PET imaging studies of multiple myeloma with the te2a derivative. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 11302-14	3.9	26
63	Radiolabeling of HTE1PA: A new monopicolinate cyclam derivative for Cu-64 phenotypic imaging. In vitro and in vivo stability studies in mice. <i>Nuclear Medicine and Biology</i> , 2014 , 41 Suppl, e49-57	2.1	26
62	Full control of the regiospecific N-functionalization of C-functionalized cyclam bisaminal derivatives and application to the synthesis of their TETA, TE2A, and CB-TE2A analogues. <i>Journal of Organic Chemistry</i> , 2014 , 79, 1885-99	4.2	25
61	Expanding the Family of Pyclen-Based Ligands Bearing Pendant Picolinate Arms for Lanthanide Complexation. <i>Inorganic Chemistry</i> , 2018 , 57, 6932-6945	5.1	25
60	HfMe-do2pa: an attractive chelator with fast, stable and inert (nat)Bi ^{III} and ²¹³ PbBi ^{III} complexation for potential ²¹³ Pb radioimmunotherapy applications. <i>Chemical Communications</i> , 2014 , 50, 12371-4	5.8	23
59	A "Multi-Heavy-Atom" Approach toward Biphotonic Photosensitizers with Improved Singlet-Oxygen Generation Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 9026-9034	4.8	22
58	trans-Methylpyridine cyclen versus cross-bridged trans-methylpyridine cyclen. Synthesis, acid-base and metal complexation studies (metal = Co ²⁺ , Cu ²⁺ , and Zn ²⁺). <i>Dalton Transactions</i> , 2011 , 40, 4514-26	4.3	22
57	Combining a pyclen framework with conjugated antenna for the design of europium and samarium luminescent bioprobes. <i>Chemical Communications</i> , 2018 , 54, 6173-6176	5.8	21
56	Complexation of Ln(3+) Ions with Cyclam Dipicolinates: A Small Bridge that Makes Huge Differences in Structure, Equilibrium, and Kinetic Properties. <i>Inorganic Chemistry</i> , 2016 , 55, 2227-39	5.1	20
55	Comparison of Immuno-PET of CD138 and PET imaging with CuCl and F-FDG in a preclinical syngeneic model of multiple myeloma. <i>Oncotarget</i> , 2018 , 9, 9061-9072	3.3	20
54	Investigation of the complexation of Zr(IV) and Y(III) by hydroxypyridinones for the development of chelators for PET imaging applications. <i>Dalton Transactions</i> , 2017 , 46, 4749-4758	4.3	18
53	Stable and Inert Yttrium(III) Complexes with Pyclen-Based Ligands Bearing Pendant Picolinate Arms: Toward New Pharmaceuticals for ⁹⁰ Y-Radiotherapy. <i>Inorganic Chemistry</i> , 2018 , 57, 2051-2063	5.1	18
52	The role of the capping bond effect on pyclen Y/Y chelates: full control of the regiospecific N-functionalization makes the difference. <i>Chemical Communications</i> , 2017 , 53, 9534-9537	5.8	18
51	Mono- and Dinuclear Cu(I) and Zn(II) Complexes of Cyclen-Based Bis(macrocycles) Containing Two Aminoalkyl Pendant Arms of Different Lengths. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2044-2053	2.3	18
50	Improving the stability and inertness of Cu(II) and Cu(I) complexes with methylthiazolyl ligands by tuning the macrocyclic structure. <i>Dalton Transactions</i> , 2016 , 45, 7406-20	4.3	17
49	Definition of the Labile Capping Bond Effect in Lanthanide Complexes. <i>Chemistry - A European Journal</i> , 2017 , 23, 1110-1117	4.8	17
48	A Coordination Chemistry Approach to Fine-Tune the Physicochemical Parameters of Lanthanide Complexes Relevant to Medical Applications. <i>Chemistry - A European Journal</i> , 2018 , 24, 3127-3131	4.8	17

47	What is the Best Radionuclide for Immuno-PET of Multiple Myeloma? A Comparison Study Between Zr- and Cu-Labeled Anti-CD138 in a Preclinical Syngeneic Model. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	14
46	Pyclen Tri-n-butylphosphonate Ester as Potential Chelator for Targeted Radiotherapy: From Yttrium(III) Complexation to (90)Y Radiolabeling. <i>Inorganic Chemistry</i> , 2016 , 55, 8003-12	5.1	14
45	Catching anions with coloured assemblies: binding of pH indicators by a giant-size polyammonium macrocycle for anion naked-eye recognition. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 8309-21	3.9	13
44	1,4,7-Triazacyclononane-Based Bifunctional Picolinate Ligands for Efficient Copper Complexation. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 2435-2443	2.3	12
43	Cyclams with Ambidentate Methylthiazolyl Pendants for Stable, Inert, and Selective Cu(II) Coordination. <i>Inorganic Chemistry</i> , 2016 , 55, 619-32	5.1	12
42	Complexation of Mn(II) by Rigid Pyclen Diacetates: Equilibrium, Kinetic, Relaxometric, Density Functional Theory, and Superoxide Dismutase Activity Studies. <i>Inorganic Chemistry</i> , 2021 , 60, 1133-1148	5.1	12
41	Unexpected Trends in the Stability and Dissociation Kinetics of Lanthanide(III) Complexes with Cyclen-Based Ligands across the Lanthanide Series. <i>Inorganic Chemistry</i> , 2020 , 59, 8184-8195	5.1	11
40	Proton-sponge behaviour of new pendant armed cross-bridged bis-cyclens: Synthesis, NMR, X-ray, and potentiometric investigations. <i>Comptes Rendus Chimie</i> , 2007 , 10, 832-838	2.7	11
39	The Relationship between NMR Chemical Shifts of Thermally Polarized and Hyperpolarized Y Complexes and Their Solution Structures. <i>Chemistry - A European Journal</i> , 2016 , 22, 16657-16667	4.8	11
38	Straightforward and mild deprotection methods of N-mono- and N1,N7-functionalised bisaminal cyclens. <i>Tetrahedron</i> , 2015 , 71, 3857-3862	2.4	10
37	Steric Effects on the Binding of Phosphate and Polyphosphate Anions by Zinc(II) and Copper(II) Dinuclear Complexes of m-Xylyl-bis-cyclen. <i>Inorganic Chemistry</i> , 2018 , 57, 6466-6478	5.1	10
36	Cyclam te1pa for ⁶⁴ Cu PET imaging. Bioconjugation to antibody, radiolabeling and preclinical application in xenografted colorectal cancer. <i>RSC Advances</i> , 2017 , 7, 9272-9283	3.7	9
35	Cationic Biphotonic Lanthanide Luminescent Bioprobes Based on Functionalized Cross-Bridged Cyclam Macrocycles. <i>ChemPhysChem</i> , 2020 , 21, 1036-1043	3.2	9
34	Kinetics Are Crucial When Targeting Copper Ions to Fight Alzheimer's Disease: An Illustration with Azamacrocyclic Ligands. <i>Chemistry - A European Journal</i> , 2018 , 24, 8447-8452	4.8	9
33	Synthesis of C-functionalized TE1PA and comparison with its analogues. An example of bioconjugation on 9E7.4 mAb for multiple myeloma Cu-PET imaging. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 4261-4271	3.9	9
32	Methylthiazolyl Tacn Ligands for Copper Complexation and Their Bifunctional Chelating Agent Derivatives for Bioconjugation and Copper-64 Radiolabeling: An Example with Bombesin. <i>Inorganic Chemistry</i> , 2019 , 58, 2669-2685	5.1	8
31	A [two-step/one week] synthesis of C-functionalized homocyclens and cyclams. Application to the preparation of conjugable BCAs without chelating properties alteration. <i>RSC Advances</i> , 2015 , 5, 85898-85910	2.7	8
30	exo-Diastereoisomer of 10-aryl-1,4,7-triazabicyclo[5.2.1]decane as intermediary in specific derivatisation of triazacyclononane. <i>Tetrahedron</i> , 2012 , 68, 5637-5643	2.4	8

29	Spectroscopic Properties of a Family of Mono- to Trinuclear Lanthanide Complexes. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 2122-2129	2.3	7
28	Synthesis, Conformational Analysis, and Complexation Study of an Iminosugar-Aza-Crown, a Sweet Chiral Cyclam Analog. <i>Organic Letters</i> , 2020 , 22, 2344-2349	6.2	7
27	TE1PA as Innovating Chelator for Cu Immuno-TEP Imaging: A Comparative in Vivo Study with DOTA/NOTA by Conjugation on 9E7.4 mAb in a Syngeneic Multiple Myeloma Model. <i>Bioconjugate Chemistry</i> , 2019 , 30, 2393-2403	6.3	7
26	Phosphate and polyphosphate anion recognition by a dinuclear copper(ii) complex of an unsymmetrical squaramide. <i>Dalton Transactions</i> , 2019 , 48, 10104-10115	4.3	6
25	Highly Stable and Inert Complexation of Indium(III) by Reinforced Cyclam Dipicolinate and a Bifunctional Derivative for Bead Encoding in Mass Cytometry. <i>Chemistry - A European Journal</i> , 2019 , 25, 15387-15400	4.8	6
24	Design and Synthesis of Hybrid PEGylated Metal Monopicolinate Cyclam Ligands for Biomedical Applications. <i>ACS Omega</i> , 2019 , 4, 2500-2509	3.9	5
23	Enabling Indium Channels for Mass Cytometry by Using Reinforced Cyclam-Based Chelating Polylysine. <i>Bioconjugate Chemistry</i> , 2020 , 31, 2103-2115	6.3	5
22	Efficient luminescence control in dithienylethene functionalized cyclen macrocyclic lanthanide complexes. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2979-2989	6.8	5
21	A squaraine-based dipicolylamine derivative acting as a turn-on mercury(II) fluorescent probe in water. <i>New Journal of Chemistry</i> , 2020 , 44, 6589-6600	3.6	5
20	Tuning the copper(ii) coordination properties of cyclam by subtle chemical modifications. <i>Dalton Transactions</i> , 2017 , 46, 11479-11490	4.3	5
19	Synthesis of an unsymmetrical N-functionalized triazacyclononane ligand and its Cu(II) complex. <i>Inorganica Chimica Acta</i> , 2014 , 417, 201-207	2.7	5
18	Ga-Labelled Carbon Nanoparticles for Ventilation PET/CT Imaging: Physical Properties Study and Comparison with Technegas. <i>Molecular Imaging and Biology</i> , 2021 , 23, 62-69	3.8	5
17	Formation of Heteropolynuclear Lanthanide Complexes Using Macrocyclic Phosphonated Cyclam-Based Ligands. <i>Inorganic Chemistry</i> , 2020 , 59, 10311-10327	5.1	4
16	Expanding the Scope of PycLen-Picolinate Lanthanide Chelates to Potential Theranostic Applications. <i>Inorganic Chemistry</i> , 2020 , 59, 11736-11748	5.1	4
15	Reactivities of cyclam derivatives with metal-amyloid. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 4222-4238	6.8	4
14	PycLen-Based Ligands Bearing Pendant Picolinate Arms for Gadolinium Complexation. <i>Inorganic Chemistry</i> , 2021 , 60, 2390-2405	5.1	4
13	Radiopharmaceutical Labelling for Lung Ventilation/Perfusion PET/CT Imaging: A Review of Production and Optimization Processes for Clinical Use. <i>Pharmaceuticals</i> , 2022 , 15, 518	5.2	4
12	Fully Automated ⁶⁸ Ga-Labeling and Purification of Macroaggregated Albumin Particles for Lung Perfusion PET Imaging 2021 , 1,		3

11	Picolinate-appended tacn complexes for bimodal imaging: Radiolabeling, relaxivity, photophysical and electrochemical studies. <i>Journal of Inorganic Biochemistry</i> , 2020 , 205, 110978	4.2	3
10	endo- versus exo-Cyclic coordination in copper complexes with methylthiazolylcarboxylate tacn derivatives. <i>Dalton Transactions</i> , 2019 , 48, 8740-8755	4.3	2
9	Design of polyazamacrocyclic Gd ³⁺ theranostic agents combining magnetic resonance imaging and two-photon photodynamic therapy. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2213-2224	6.8	2
8	Cyclam-Based Chelators Bearing Phosphonated Pyridine Pendants for Cu-PET Imaging: Synthesis, Physicochemical Studies, Radiolabeling, and Bioimaging. <i>Inorganic Chemistry</i> , 2021 , 60, 2634-2648	5.1	2
7	Synthesis of Orthogonal N-Protected C-Functional Side-Bridged Cyclams to Give Access to Unsymmetrical Constrained BCAs. <i>European Journal of Organic Chemistry</i> , 2019 , 2019, 5955-5962	3.2	1
6	Reply to the Comment on "Investigation of Zr(IV) and Zr(IV) complexation with hydroxamates: progress towards designing a better chelator than desferrioxamine B for immuno-PET imaging" by A. Bianchi and M. Savastano, Chem. Commun., 2020, 56, D0CC01189D. <i>Chemical Communications</i> , 2020 , 56, 12117-12118	5.8	1
5	In Vivo Albumin-Binding of a C-Functionalized Cyclam Platform for Cu-PET/CT Imaging in Breast Cancer Model. <i>ChemMedChem</i> , 2021 , 16, 809-821	3.7	1
4	A different approach: highly encapsulating macrocycles being used as organic tectons in the building of CPs. <i>CrystEngComm</i> , 2021 , 23, 453-464	3.3	1
3	Palladium(II) coordination with polyazacycloalkanes. <i>Coordination Chemistry Reviews</i> , 2022 , 455, 214343	23.2	0
2	Complexation of C-Functionalized Cyclams with Copper(II) and Zinc(II): Similarities and Changes When Compared to Parent Cyclam Analogues. <i>Inorganic Chemistry</i> , 2021 , 60, 10857-10872	5.1	0
1	Importance of ligand design in lanthanide azamacrocyclic complexes relevant to biomedical applications. <i>Fundamental Theories of Physics</i> , 2022 ,	0.8	