List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2090823/publications.pdf Version: 2024-02-01



Ρεήρο Ελαινιμά

#	Article	IF	CITATIONS
1	ALK+ hyalineâ \in vascular Castleman disease: A new kid on the block. Histopathology, 2022, , .	1.6	Ο
2	Primary cutaneous follicle center lymphoma of the medial canthus of the eye in an 11â€year old. Pediatric Blood and Cancer, 2022, 69, e29630.	0.8	4
3	Impact of MYC and BCL2 structural variants in tumors of DLBCL morphology and mechanisms of false-negative MYC IHC. Blood, 2021, 137, 2196-2208.	0.6	18
4	BCL2 Expression in First-Line Diffuse Large B-Cell Lymphoma Identifies a Patient Population With Poor Prognosis. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 267-278.e10.	0.2	8
5	Long-term results of PET-guided radiation in patients with advanced-stage diffuse large B-cell lymphoma treated with R-CHOP. Blood, 2021, 137, 929-938.	0.6	57
6	Mutational landscape of gray zone lymphoma. Blood, 2021, 137, 1765-1776.	0.6	60
7	Characterization of DLBCL with a PMBL gene expression signature. Blood, 2021, 138, 136-148.	0.6	19
8	Prognostic significance of <i>FCGR2B</i> expression for the response of DLBCL patients to rituximab or obinutuzumab treatment. Blood Advances, 2021, 5, 2945-2957.	2.5	7
9	Outcome of limited-stage nodular lymphocyte-predominant Hodgkin lymphoma and the impact of a PET-adapted approach. Blood Advances, 2021, 5, 3647-3655.	2.5	4
10	Mutations in the transcription factor FOXO1 mimic positive selection signals to promote germinal center B cell expansion and lymphomagenesis. Immunity, 2021, 54, 1807-1824.e14.	6.6	12
11	Single-cell profiling reveals the importance of CXCL13/CXCR5 axis biology in lymphocyte-rich classic Hodgkin lymphoma. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	26
12	The impact of surveillance imaging after curativeâ€intent radiotherapy for limitedâ€stage follicular lymphoma. British Journal of Haematology, 2021, 195, 802-805.	1.2	1
13	Diffuse Large B-Cell Lymphoma (DLBCL) Patients with Late Relapses Who Are Transplant-Eligible Have Excellent Outcomes and May Represent Unique Biology. Blood, 2021, 138, 2499-2499.	0.6	8
14	Constrained FL: A Genetically Distinct Subgroup of Follicular Lymphoma with Low Rates of Somatic Hypermutation and a Reduced Propensity for Histologic Transformation. Blood, 2021, 138, 807-807.	0.6	0
15	Immune Profiling of Diagnostic DLBCL Biopsies Dramatically Improves upon Cell-of-Origin Risk Stratification. Blood, 2021, 138, 719-719.	0.6	0
16	Single Cell Phenotypic Profiling of 27 DLBCL Cases Reveals Marked Intertumoral and Intratumoral Heterogeneity. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2020, 97, 620-629.	1.1	12
17	Single-Cell Transcriptome Analysis Reveals Disease-Defining T-cell Subsets in the Tumor Microenvironment of Classic Hodgkin Lymphoma. Cancer Discovery, 2020, 10, 406-421.	7.7	155
18	Gene expression profiling of gray zone lymphoma. Blood Advances, 2020, 4, 2523-2535.	2.5	32

#	Article	IF	CITATIONS
19	Outcome of primary mediastinal large B-cell lymphoma using R-CHOP: impact of a PET-adapted approach. Blood, 2020, 136, 2803-2811.	0.6	46
20	TBL1XR1 Mutations Drive Extranodal Lymphoma by Inducing a Pro-tumorigenic Memory Fate. Cell, 2020, 182, 297-316.e27.	13.5	63
21	TMEM30A loss-of-function mutations drive lymphomagenesis and confer therapeutically exploitable vulnerability in B-cell lymphoma. Nature Medicine, 2020, 26, 577-588.	15.2	46
22	Cathepsin S Regulates Antigen Processing and T Cell Activity in Non-Hodgkin Lymphoma. Cancer Cell, 2020, 37, 674-689.e12.	7.7	55
23	Intravascular large B-cell lymphoma presenting with acute encephalopathy. Blood, 2020, 135, 1916-1916.	0.6	Ο
24	Single Cell Profiling Reveals Unique CXCL13 Positive T Cell Subsets in the Tumor Microenvironment of Lymphocyte Rich Classic Hodgkin Lymphoma. Blood, 2020, 136, 32-33.	0.6	0
25	Early progression after bendamustine-rituximab is associated with high risk of transformation in advanced stage follicular lymphoma. Blood, 2019, 134, 761-764.	0.6	77
26	Molecular and Genetic Characterization of MHC Deficiency Identifies EZH2 as Therapeutic Target for Enhancing Immune Recognition. Cancer Discovery, 2019, 9, 546-563.	7.7	213
27	Cell of origin in diffuse large B-cell lymphoma in systemic lupus erythematosus: molecular and clinical factors associated with survival. Lupus Science and Medicine, 2019, 6, e000324.	1.1	16
28	Identification of highâ€risk <i><scp>DUSP</scp>22</i> â€rearranged <scp>ALK</scp> â€negative anaplastic large cell lymphoma. British Journal of Haematology, 2019, 186, e28-e31.	1.2	56
29	Double-Hit Gene Expression Signature Defines a Distinct Subgroup of Germinal Center B-Cell-Like Diffuse Large B-Cell Lymphoma. Journal of Clinical Oncology, 2019, 37, 190-201.	0.8	257
30	COO and MYC/BCL2 status do not predict outcome among patients with stage I/II DLBCL: a retrospective multicenter study. Blood Advances, 2019, 3, 2013-2021.	2.5	40
31	Single Cell Transcriptome Analysis Reveals Disease-Defining T Cell Subsets in the Tumor Microenvironment of Classic Hodgkin Lymphoma. Blood, 2019, 134, 547-547.	0.6	2
32	TP53 Expression Correlates with TP53 Mutations and Is an Independent Predictor of Clinical Outcome in Patients with DLBCL Treated with R-CHOP. Blood, 2019, 134, 3964-3964.	0.6	2
33	Long-Term Follow-up of a PET-Guided Approach to Treatment of Limited-Stage Diffuse Large B-Cell Lymphoma (DLBCL) in British Columbia (BC). Blood, 2019, 134, 401-401.	0.6	18
34	PRAME Expression Is Correlated with Treatment Outcome and Specific Features of the Tumor Microenvironment in Classical Hodgkin Lymphoma. Blood, 2019, 134, 1509-1509.	0.6	1
35	High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements with diffuse large B-cell lymphoma morphology. Blood, 2018, 131, 2060-2064.	0.6	167
36	FOXP1 expression is a prognostic biomarker in follicular lymphoma treated with rituximab and chemotherapy. Blood, 2018, 131, 226-235.	0.6	31

#	Article	IF	CITATIONS
37	High-resolution architecture and partner genes of MYC rearrangements in lymphoma with DLBCL morphology. Blood Advances, 2018, 2, 2755-2765.	2.5	74
38	Genome-wide discovery of somatic regulatory variants in diffuse large B-cell lymphoma. Nature Communications, 2018, 9, 4001.	5.8	102
39	Interim PET-directed therapy in limited-stage Hodgkin lymphoma initially treated with ABVD. Haematologica, 2018, 103, e590-e593.	1.7	16
40	Molecular and Genetic Characterization of MHC Deficiency Identifies EZH2 As a Therapeutic Target for Restoring MHC Expression in Diffuse Large B-Cell Lymphoma. Blood, 2018, 132, 1560-1560.	0.6	2
41	The Double-Hit Gene Expression Signature Defines a Clinically and Biologically Distinct Subgroup within GCB-DLBCL. Blood, 2018, 132, 921-921.	0.6	1
42	Genetic profiling of MYC and BCL2 in diffuse large B-cell lymphoma determines cell-of-origin–specific clinical impact. Blood, 2017, 129, 2760-2770.	0.6	112
43	Aberrant cytoplasmic expression of MHCII confers worse progression free survival in diffuse large B-cell lymphoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 470, 113-117.	1.4	5
44	Fever and generalised lymphadenopathy in an HIV-positive patient: a diagnostic challenge. BMJ Case Reports, 2017, 2017, bcr-2017-220740.	0.2	0
45	Impact of dual expression of MYC and BCL2 by immunohistochemistry on the risk of CNS relapse in DLBCL. Blood, 2016, 127, 2182-2188.	0.6	145
46	Diffuse large B-cell lymphoma patient-derived xenograft models capture the molecular and biological heterogeneity of the disease. Blood, 2016, 127, 2203-2213.	0.6	68
47	Histological Transformation and Progression in Follicular Lymphoma: A Clonal Evolution Study. PLoS Medicine, 2016, 13, e1002197.	3.9	185
48	Targeted Sequencing Reveals Novel Gene Mutations Associated with Transformation and Early Progression in Follicular Lymphoma. Blood, 2016, 128, 2919-2919.	0.6	5
49	Divergent Modes of Tumor Evolution Underlie Histological Transformation and Early Progression of Follicular Lymphoma. Blood, 2016, 128, 1091-1091.	0.6	0
50	Genomic Alterations in CIITA Are Frequent in Primary Mediastinal Large B Cell Lymphoma and Are Associated with Diminished MHC Class II Expression. Cell Reports, 2015, 13, 1418-1431.	2.9	112
51	Cell of origin of transformed follicular lymphoma. Blood, 2015, 126, 2118-2127.	0.6	91
52	Prognostic Significance of Diffuse Large B-Cell Lymphoma Cell of Origin Determined by Digital Gene Expression in Formalin-Fixed Paraffin-Embedded Tissue Biopsies. Journal of Clinical Oncology, 2015, 33, 2848-2856.	0.8	334
53	The Prognostic Impact of CD163-Positive Macrophages in Follicular Lymphoma: A Study from the BC Cancer Agency and the Lymphoma Study Association. Clinical Cancer Research, 2015, 21, 3428-3435.	3.2	101
54	Comprehensive MYC and BCL2 Genetic Profiling in De Novo Diffuse Large B-Cell Lymphoma Demonstrates Clinically Relevant Genetic Alterations According to Cell of Origin Subtype. Blood, 2015, 126, 109-109.	0.6	1

#	Article	IF	CITATIONS
55	Genetic Alterations of Gα13 Signaling Pathway with BCL2 over-Expression Confers Lymphoma Dissemination and Inferior Outcome in Germinal Center B Cell Diffuse Large B Cell Lymphoma. Blood, 2015, 126, 111-111.	0.6	0
56	Hepatosplenic T-cell lymphoma: a rare cause of hepatosplenomegaly. BMJ Case Reports, 2014, 2014, bcr2013009423-bcr2013009423.	0.2	3
57	Sustained complete remission of primary effusion lymphoma with adjunctive ganciclovir treatment in an HIV-positive patient. BMJ Case Reports, 2014, 2014, bcr2014204533-bcr2014204533.	0.2	10
58	Cell-of-Origin Assignment in Diffuse Large B-Cell Lymphoma Determined By Gene Expression in Formalin-Fixed Paraffin-Embedded Tissue Has Prognostic Significance Independent of IPI and MYC/BCL2 Immunohistochemistry. Blood, 2014, 124, 1624-1624.	0.6	1
59	The Impact of Concurrent MYC BCL2 Protein Expression on the Risk of Secondary Central Nervous System Relapse in Diffuse Large B-Cell Lymphoma (DLBCL). Blood, 2014, 124, 495-495.	0.6	8
60	Clinical Significance of Genetic Aberrations in Diffuse Large B Cell Lymphoma. Blood, 2014, 124, 703-703.	0.6	5
61	MicroRNA Signature Obtained From the Comparison of Aggressive With Indolent Non-Hodgkin Lymphomas: Potential Prognostic Value in Mantle-Cell Lymphoma. Journal of Clinical Oncology, 2013, 31, 2903-2911.	0.8	37
62	Gene Expression–Based Model Using Formalin-Fixed Paraffin-Embedded Biopsies Predicts Overall Survival in Advanced-Stage Classical Hodgkin Lymphoma. Journal of Clinical Oncology, 2013, 31, 692-700.	0.8	176
63	Blastic plasmacytoid dendritic cell neoplasm. Anais Brasileiros De Dermatologia, 2013, 88, 158-161.	0.5	11
64	Gene expression profiling of microdissected Hodgkin Reed-Sternberg cells correlates with treatment outcome in classical Hodgkin lymphoma. Blood, 2012, 120, 3530-3540.	0.6	122
65	Macrophages predict treatment outcome in Hodgkin's lymphoma. Haematologica, 2011, 96, 186-189.	1.7	50
66	MHC class II transactivator CIITA is a recurrent gene fusion partner in lymphoid cancers. Nature, 2011, 471, 377-381.	13.7	551
67	Vascularization predicts overall survival and risk of transformation in follicular lymphoma. Haematologica, 2010, 95, 2157-2160.	1.7	44
68	Correlations between BCL6 rearrangement and outcome in patients with diffuse large B-cell lymphoma treated with CHOP or R-CHOP. Haematologica, 2010, 95, 96-101.	1.7	63
69	The architectural pattern of FOXP3-positive T cells in follicular lymphoma is an independent predictor of survival and histologic transformation. Blood, 2010, 115, 289-295.	0.6	173
70	Genome-wide copy number analysis of Hodgkin Reed-Sternberg cells identifies recurrent imbalances with correlations to treatment outcome. Blood, 2010, 116, 418-427.	0.6	152
71	The pre-B-cell receptor associated protein VpreB3 is a useful diagnostic marker for identifying c-MYC translocated lymphomas. Haematologica, 2010, 95, 2056-2062.	1.7	28
72	Lymphoma cell VEGFR2 expression detected by immunohistochemistry predicts poor overall survival in diffuse large B cell lymphoma treated with immunochemotherapy (R HOP). British Journal of Haematology, 2010, 148, 235-244.	1.2	38

#	Article	IF	CITATIONS
73	Transformation of a Cutaneous Follicle Center Lymphoma to a Diffuse Large B-Cell Lymphoma—An Unusual Presentation. Case Reports in Medicine, 2010, 2010, 1-5.	0.3	5
74	Hypoxia-Inducible Factor-1 α Expression Predicts Superior Survival in Patients With Diffuse Large B-Cell Lymphoma Treated With R-CHOP. Journal of Clinical Oncology, 2010, 28, 1017-1024.	0.8	57
75	Tumor-Associated Macrophages and Survival in Classic Hodgkin's Lymphoma. New England Journal of Medicine, 2010, 362, 875-885.	13.9	1,141
76	Prognostic Factors in Follicular Lymphoma. Journal of Clinical Oncology, 2010, 28, 2902-2913.	0.8	136
77	MYC gene rearrangements are associated with a poor prognosis in diffuse large B-cell lymphoma patients treated with R-CHOP chemotherapy. Blood, 2009, 114, 3533-3537.	0.6	566
78	The BCL6 transcriptional program features repression of multiple oncogenes in primary B cells and is deregulated in DLBCL. Blood, 2009, 113, 5536-5548.	0.6	205
79	HLA-DR Protein Expression Correlates with Non-Neoplastic T-Cell Infiltration and Predicts Survival in Patients with Primary Mediastinal Large B Cell Lymphoma (PMBCL) Treated with CHOP Chemotherapy Blood, 2009, 114, 133-133.	0.6	3
80	The Percentage of Cytotoxic T-Cells in Mantle Cell Lymphoma (MCL) Biopsies Predicts Response to Rituximab Blood, 2009, 114, 2923-2923.	0.6	1
81	Number of Lymphoma-Associated-Macrophages (LAM) Is An Independent Predictor of Survival in Patients with Mantle Cell Lymphoma (MCL) Blood, 2009, 114, 3944-3944.	0.6	2
82	Gene Expression Profiling of Microdissected Hodgkin Reed Sternberg Cells: Molecular Subtypes and Treatment Outcome Correlations Blood, 2009, 114, 268-268.	0.6	12
83	Sequential Transcription Factor Targeting for Diffuse Large B-Cell Lymphomas. Cancer Research, 2008, 68, 3361-3369.	0.4	30
84	LMO2 Protein Expression Predicts Survival in Patients With Diffuse Large B-Cell Lymphoma Treated With Anthracycline-Based Chemotherapy With and Without Rituximab. Journal of Clinical Oncology, 2008, 26, 447-454.	0.8	159
85	Cooperative signaling through the signal transducer and activator of transcription 3 and nuclear factor-IºB pathways in subtypes of diffuse large B-cell lymphoma. Blood, 2008, 111, 3701-3713.	0.6	315
86	Expression of Hypoxia-Inducible Factor (HIF) Is An Independent Favorable Prognostic Factor in Diffuse Large B-Cell Lymphoma (DLBCL) Treated with R-CHOP. Blood, 2008, 112, 479-479.	0.6	2
87	Combined FOXP3+ and PD1+ T Cell Density and Architectural Patterns Predict Overall Survival and Risk of Transformation in Uniformly Treated Patients with Follicular Lymphoma. Blood, 2008, 112, 2815-2815.	0.6	2
88	HLA-DR protein status predicts survival in patients with diffuse large B-cell lymphoma treated on the MACOP-B chemotherapy regimen. Leukemia and Lymphoma, 2007, 48, 542-546.	0.6	43
89	PD2-2-7: Two wrongs make a right: the use of whole genome amplification for pair-wise genome-wide copy number analysis of limited patient material. Journal of Thoracic Oncology, 2007, 2, S442-S443.	0.5	0
90	Predicting Survival in Follicular Lymphoma Using Tissue Microarrays. Methods in Molecular Biology, 2007, 377, 255-268.	0.4	5

#	Article	IF	CITATIONS
91	The Architecural Pattern of FOXP3+ T Cells Predicts Risk of Transformation in Patients with Follicular Lymphoma (FL) Blood, 2007, 110, 358-358.	0.6	3
92	Vascularization Predicts Overall Survival (OS) & Risk of Transformation (RT) in Uniformly Treated Patients with Follicular Lymphoma (FL) Blood, 2007, 110, 184-184.	0.6	0
93	The Tumor Microenvironment Measured by Flow Cytometry Predicts Overall Survival (OS) and Transformation Risk (TR) in Follicular Lymphoma Blood, 2006, 108, 2406-2406.	0.6	5
94	Strong p53 Expression Is an Independent Predictor of Outcome in De Novo Diffuse Large B Cell Lymphoma (DLBCL) Treated with Either CHOP or CHOP-R Blood, 2006, 108, 812-812.	0.6	15
95	Addition of Rituximab (R) to CHOP Improves Survival in the Non-GCB Subtype of Diffuse Large B Cell Lymphoma (DLBCL) Blood, 2006, 108, 816-816.	0.6	6
96	Analysis of multiple biomarkers shows that lymphoma-associated macrophage (LAM) content is an independent predictor of survival in follicular lymphoma (FL). Blood, 2005, 106, 2169-2174.	0.6	427
97	Molecular Pathogenesis of Mucosa-Associated Lymphoid Tissue Lymphoma. Journal of Clinical Oncology, 2005, 23, 6370-6378.	0.8	172
98	Helicobacter pylori and MALT Lymphoma. Gastroenterology, 2005, 128, 1579-1605.	0.6	184
99	Expression of the FOXP1 transcription factor is strongly associated with inferior survival in patients with diffuse large B-cell lymphoma. Clinical Cancer Research, 2005, 11, 1065-72.	3.2	130
100	Confirmation of the molecular classification of diffuse large B-cell lymphoma by immunohistochemistry using a tissue microarray. Blood, 2004, 103, 275-282.	0.6	3,574
101	Mechanisms of Bcl-2 Protein Expression in Diffuse Large B-Cell Lymphoma (DLBCL) Blood, 2004, 104, 26-26.	0.6	9
102	Lymphoma-Associated Macrophage (LAM) Content Is an Independent Predictor of Survival in Patients with Follicular Lymphoma (FL) Blood, 2004, 104, 3259-3259.	0.6	1
103	HLA-DR Protein Status Predicts Survival in Patients with Diffuse Large B Cell Lymphoma (DLBCL) Treated with the MACOP-B Chemotherapy Regimen Blood, 2004, 104, 3273-3273.	0.6	0
104	Title is missing!. Applied Immunohistochemistry & Molecular Morphology, 2002, 10, 115-120.	2.0	12
105	High Frequency of MALT Lymphoma in a Series of 14 Cases of Primary Breast Lymphoma. Applied Immunohistochemistry and Molecular Morphology, 2002, 10, 115-120.	0.6	20
106	Diffuse large Bâ€cell lymphoma versus Burkitt lymphoma with discordant diagnostic cytogenetics: Morphology trumps. EJHaem, 0, , .	0.4	0
107	Predicting Survival in Follicular Lymphoma Using Tissue Microarrays. , 0, , 255-268.		Ο