

Nigel Mongan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/209359/nigel-mongan-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

3,912
citations

33
h-index

60
g-index

122
ext. papers

4,807
ext. citations

6
avg, IF

5.23
L-index

#	Paper	IF	Citations
117	Endothelial Cell RNA-Seq Data: Differential Expression and Functional Enrichment Analyses to Study Phenotypic Switching.. <i>Methods in Molecular Biology</i> , 2022 , 2441, 369-426	1.4	0
116	Ubiquitin-conjugating enzyme 2C (UBE2C) is a poor prognostic biomarker in invasive breast cancer.. <i>Breast Cancer Research and Treatment</i> , 2022 , 192, 529	4.4	1
115	All-Retinoic Acid Combined With Valproic Acid Can Promote Differentiation in Myeloid Leukemia Cells by an Autophagy Dependent Mechanism.. <i>Frontiers in Oncology</i> , 2022 , 12, 848517	5.3	0
114	Association of L-type amino acid transporter 1 (LAT1) with the immune system and prognosis in invasive breast cancer.. <i>Scientific Reports</i> , 2022 , 12, 2742	4.9	2
113	PIP5K1 β s Required for Promoting Tumor Progression in Castration-Resistant Prostate Cancer.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 798590	5.7	1
112	Two zinc finger proteins with functions in mA writing interact with HAKAI.. <i>Nature Communications</i> , 2022 , 13, 1127	17.4	0
111	Untangling the clinicopathological significance of MRE11-RAD50-NBS1 complex in sporadic breast cancers. <i>Npj Breast Cancer</i> , 2021 , 7, 143	7.8	1
110	Comparative pathology of dog and human prostate cancer. <i>Veterinary Medicine and Science</i> , 2021 ,	2.1	5
109	Molecular disruption of DNA polymerase β for platinum sensitisation and synthetic lethality in epithelial ovarian cancers. <i>Oncogene</i> , 2021 , 40, 2496-2508	9.2	2
108	Histological and immunohistochemical investigation of canine prostate carcinoma with identification of common intraductal carcinoma component. <i>Veterinary and Comparative Oncology</i> , 2021 ,	2.5	3
107	Ligase 1 is a predictor of platinum resistance and its blockade is synthetically lethal in XRCC1 deficient epithelial ovarian cancers. <i>Theranostics</i> , 2021 , 11, 8350-8361	12.1	1
106	Clinicopathological and Functional Evaluation Reveal NBS1 as a Predictor of Platinum Resistance in Epithelial Ovarian Cancers. <i>Biomedicines</i> , 2021 , 9,	4.8	2
105	Retroviral integrations contribute to elevated host cancer rates during germline invasion. <i>Nature Communications</i> , 2021 , 12, 1316	17.4	7
104	Immunohistochemical Characterisation of GLUT1, MMP3 and NRF2 in Osteosarcoma. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 704598	3.1	0
103	Assessment of proliferation in breast cancer: cell cycle or mitosis? An observational study. <i>Histopathology</i> , 2021 , 79, 1087-1098	7.3	0
102	Thiamethoxam exposure deregulates short ORF gene expression in the honey bee and compromises immune response to bacteria. <i>Scientific Reports</i> , 2021 , 11, 1489	4.9	2
101	A novel prognostic two-gene signature for triple negative breast cancer. <i>Modern Pathology</i> , 2020 , 33, 2208-2220	9.8	13

100	Immunosuppressive properties of cytochalasin B-induced membrane vesicles of mesenchymal stem cells: comparing with extracellular vesicles derived from mesenchymal stem cells. <i>Scientific Reports</i> , 2020 , 10, 10740	4.9	16
99	Lipidomic Biomarkers in Polycystic Ovary Syndrome and Endometrial Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
98	Visual histological assessment of morphological features reflects the underlying molecular profile in invasive breast cancer: a morphomolecular study. <i>Histopathology</i> , 2020 , 77, 631-645	7.3	4
97	Combined HER3-EGFR score in triple-negative breast cancer provides prognostic and predictive significance superior to individual biomarkers. <i>Scientific Reports</i> , 2020 , 10, 3009	4.9	11
96	RAD50 deficiency is a predictor of platinum sensitivity in sporadic epithelial ovarian cancers.. <i>Molecular Biomedicine</i> , 2020 , 1, 19	3.1	3
95	The ITIM-Containing Receptor: Leukocyte-Associated Immunoglobulin-Like Receptor-1 (LAIR-1) Modulates Immune Response and Confers Poor Prognosis in Invasive Breast Carcinoma. <i>Cancers</i> , 2020 , 13,	6.6	3
94	Elevated MMP9 expression in breast cancer is a predictor of shorter patient survival. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 267-282	4.4	12
93	Prognostic significance of KN motif and ankyrin repeat domains 1 (KANK1) in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 349-357	4.4	14
92	All-trans retinoic acid (ATRA)-induced TFEB expression is required for myeloid differentiation in acute promyelocytic leukemia (APL). <i>European Journal of Haematology</i> , 2020 , 104, 236-250	3.8	14
91	Inhibition of UBE2L6 attenuates ISGylation and impedes ATRA-induced differentiation of leukemic cells. <i>Molecular Oncology</i> , 2020 , 14, 1297-1309	7.9	3
90	Targetable ERBB2 mutation status is an independent marker of adverse prognosis in estrogen receptor positive, ERBB2 non-amplified primary lobular breast carcinoma: a retrospective in silico analysis of public datasets. <i>Breast Cancer Research</i> , 2020 , 22, 85	8.3	11
89	Molecular Characterisation of Canine Osteosarcoma in High Risk Breeds. <i>Cancers</i> , 2020 , 12,	6.6	6
88	The prognostic significance of wild-type isocitrate dehydrogenase 2 (IDH2) in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 79-90	4.4	8
87	Retinoid X receptor gamma (RXRG) is an independent prognostic biomarker in ER-positive invasive breast cancer. <i>British Journal of Cancer</i> , 2019 , 121, 776-785	8.7	7
86	Metadherin: A Therapeutic Target in Multiple Cancers. <i>Frontiers in Oncology</i> , 2019 , 9, 349	5.3	28
85	A key genomic subtype associated with lymphovascular invasion in invasive breast cancer. <i>British Journal of Cancer</i> , 2019 , 120, 1129-1136	8.7	12
84	A Fibromyxoid Stromal Response is Associated with Muscle Invasion in Canine Urothelial Carcinoma. <i>Journal of Comparative Pathology</i> , 2019 , 169, 35-46	1	4
83	Utility of ankyrin 3 as a prognostic marker in androgen-receptor-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 63-73	4.4	4

82	The role of PIP5K1 β /PAKT and targeted inhibition of growth of subtypes of breast cancer using PIP5K1 β inhibitor. <i>Oncogene</i> , 2019 , 38, 375-389	9.2	12
81	Lentiviral-Mediated shRNA Approaches: Applications in Cellular Differentiation and Autophagy. <i>Methods in Molecular Biology</i> , 2019 , 2019, 33-49	1.4	0
80	Detection and analysis of RNA methylation. <i>F1000Research</i> , 2019 , 8,	3.6	24
79	The molecular mechanisms underlying reduced E-cadherin expression in invasive ductal carcinoma of the breast: high throughput analysis of large cohorts. <i>Modern Pathology</i> , 2019 , 32, 967-976	9.8	17
78	Overexpression of the cancer stem cell marker CD133 confers a poor prognosis in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 387-399	4.4	33
77	Clinicopathological and prognostic significance of Ras association and pleckstrin homology domains 1 (RAPH1) in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018 , 172, 61-68	4.4	4
76	Impact of breast cancer grade discordance on prediction of outcome. <i>Histopathology</i> , 2018 , 73, 904-915	7.3	15
75	The dog as an animal model for bladder and urethral urothelial carcinoma: Comparative epidemiology and histology. <i>Oncology Letters</i> , 2018 , 16, 1641-1649	2.6	9
74	The Cell Cycle and Androgen Signaling Interactions in Prostate Cancer. <i>Molecular Pathology Library</i> , 2018 , 381-404		0
73	Peri-conception and first trimester diet modifies reproductive development in bulls. <i>Reproduction, Fertility and Development</i> , 2018 , 30, 703-720	1.8	12
72	Predicting puberty in partial androgen insensitivity syndrome: Use of clinical and functional androgen receptor indices. <i>EBioMedicine</i> , 2018 , 36, 401-409	8.8	7
71	CARM1 (PRMT4) Acts as a Transcriptional Coactivator during Retinoic Acid-Induced Embryonic Stem Cell Differentiation. <i>Journal of Molecular Biology</i> , 2018 , 430, 4168-4182	6.5	4
70	Heterochromatin Modulation and PCG Control of Gene Expression Mediated by Noncoding RNA in Cancer 2018 , 359-372		
69	Heterogeneity of tumour-infiltrating lymphocytes in breast cancer and its prognostic significance. <i>Histopathology</i> , 2018 , 73, 887-896	7.3	38
68	Androgen dependent mechanisms of pro-angiogenic networks in placental and tumor development. <i>Placenta</i> , 2017 , 56, 79-85	3.4	7
67	Sterol regulatory element binding protein-1 (SREBP1) gene expression is similarly increased in polycystic ovary syndrome and endometrial cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 556-562	3.8	10
66	Identification of factors required for m A mRNA methylation in Arabidopsis reveals a role for the conserved E3 ubiquitin ligase HAKAI. <i>New Phytologist</i> , 2017 , 215, 157-172	9.8	163
65	Heterodimers of photoreceptor-specific nuclear receptor (PNR/NR2E3) and peroxisome proliferator-activated receptor- α (PPAR α) are disrupted by retinal disease-associated mutations. <i>Cell Death and Disease</i> , 2017 , 8, e2677	9.8	4

64	Cytochalasin B-induced membrane vesicles convey angiogenic activity of parental cells. <i>Oncotarget</i> , 2017 , 8, 70496-70507	3.3	21
63	Expression of NAD(P)H quinone dehydrogenase 1 (NQO1) is increased in the endometrium of women with endometrial cancer and women with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2017 , 87, 557-565	3.4	6
62	Association of Aromatase With Bladder Cancer Stage and Long-Term Survival: New Insights Into the Hormonal Paradigm in Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 256-262.e1	3.3	10
61	Malignant inflammation in cutaneous T-cell lymphoma-a hostile takeover. <i>Seminars in Immunopathology</i> , 2017 , 39, 269-282	12	73
60	The Expression of IL-21 Is Promoted by MEKK4 in Malignant T Cells and Associated with Increased Progression Risk in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 866-869	4.3	3
59	Up-regulation of genes involved in the insulin signalling pathway (IGF1, PTEN and IGFBP1) in the endometrium may link polycystic ovarian syndrome and endometrial cancer. <i>Molecular and Cellular Endocrinology</i> , 2016 , 424, 94-101	4.4	41
58	Cyclin A1 and P450 Aromatase Promote Metastatic Homing and Growth of Stem-like Prostate Cancer Cells in the Bone Marrow. <i>Cancer Research</i> , 2016 , 76, 2453-64	10.1	38
57	Role of NADH Dehydrogenase (Ubiquinone) 1 Alpha Subcomplex 4-Like 2 in Clear Cell Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2016 , 22, 2791-801	12.9	31
56	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 45730-45744	3.3	31
55	Targeted suppression of AR-V7 using PIP5K1 β inhibitor overcomes enzalutamide resistance in prostate cancer cells. <i>Oncotarget</i> , 2016 , 7, 63065-63081	3.3	28
54	copy number expansion is associated with the evolution of increased body size and an enhanced DNA damage response in elephants. <i>ELife</i> , 2016 , 5,	8.9	116
53	Multiple Genetic Associations with Irish Wolfhound Dilated Cardiomyopathy. <i>BioMed Research International</i> , 2016 , 2016, 6374082	3	20
52	mA potentiates Sxl alternative pre-mRNA splicing for robust Drosophila sex determination. <i>Nature</i> , 2016 , 540, 301-304	50.4	314
51	Staphylococcal enterotoxin A (SEA) stimulates STAT3 activation and IL-17 expression in cutaneous T-cell lymphoma. <i>Blood</i> , 2016 , 127, 1287-96	2.2	60
50	Androgen insensitivity syndrome. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2015 , 29, 569-80	6.5	105
49	Induction of autophagy is a key component of all-trans-retinoic acid-induced differentiation in leukemia cells and a potential target for pharmacologic modulation. <i>Experimental Hematology</i> , 2015 , 43, 781-93.e2	3.1	42
48	Regulation of vascular endothelial growth factor in prostate cancer. <i>Endocrine-Related Cancer</i> , 2015 , 22, R107-23	5.7	40
47	Genetics of Human and Canine Dilated Cardiomyopathy. <i>International Journal of Genomics</i> , 2015 , 2015, 204823	2.5	21

46	Jak3, STAT3, and STAT5 inhibit expression of miR-22, a novel tumor suppressor microRNA, in cutaneous T-Cell lymphoma. <i>Oncotarget</i> , 2015 , 6, 20555-69	3.3	58
45	MiR137 is an androgen regulated repressor of an extended network of transcriptional coregulators. <i>Oncotarget</i> , 2015 , 6, 35710-25	3.3	38
44	A predictive model for canine dilated cardiomyopathy-a meta-analysis of Doberman Pinscher data. <i>PeerJ</i> , 2015 , 3, e842	3.1	11
43	The role of HIF1 α in renal cell carcinoma tumorigenesis. <i>Journal of Molecular Medicine</i> , 2014 , 92, 825-36	5.5	55
42	Retinoid receptor signaling and autophagy in acute promyelocytic leukemia. <i>Experimental Cell Research</i> , 2014 , 324, 1-12	4.2	30
41	Promoter-dependent activity on androgen receptor N-terminal domain mutations in androgen insensitivity syndrome. <i>Sexual Development</i> , 2014 , 8, 339-49	1.6	10
40	Molecular characterization of adipose tissue in the African elephant (<i>Loxodonta africana</i>). <i>PLoS ONE</i> , 2014 , 9, e91717	3.7	3
39	A signature motif mediating selective interactions of BCL11A with the NR2E/F subfamily of orphan nuclear receptors. <i>Nucleic Acids Research</i> , 2013 , 41, 9663-79	20.1	15
38	The lysine specific demethylase-1 (LSD1/KDM1A) regulates VEGF-A expression in prostate cancer. <i>Molecular Oncology</i> , 2013 , 7, 555-66	7.9	70
37	Mutations in ZMYND10, a gene essential for proper axonemal assembly of inner and outer dynein arms in humans and flies, cause primary ciliary dyskinesia. <i>American Journal of Human Genetics</i> , 2013 , 93, 346-56	11	126
36	CDK1 interacts with RAR α and plays an important role in treatment response of acute myeloid leukemia. <i>Cell Cycle</i> , 2013 , 12, 1251-66	4.7	23
35	Polycomb recruitment attenuates retinoic acid-induced transcription of the bivalent NR2F1 gene. <i>Nucleic Acids Research</i> , 2013 , 41, 6430-43	20.1	38
34	Estrogen receptor- β expression and pharmacological targeting in bladder cancer. <i>Oncology Reports</i> , 2013 , 30, 131-8	3.5	28
33	Expression of cyclin d1 and its association with disease characteristics in bladder cancer. <i>Anticancer Research</i> , 2013 , 33, 5235-42	2.3	25
32	Expression of VEGF and its receptors VEGFR1/VEGFR2 is associated with invasiveness of bladder cancer. <i>Anticancer Research</i> , 2013 , 33, 2381-90	2.3	80
31	Reduced neonatal mortality in Meishan piglets: a role for hepatic fatty acids?. <i>PLoS ONE</i> , 2012 , 7, e49101	3.7	10
30	The androgen receptor and stem cell pathways in prostate and bladder cancers (review). <i>International Journal of Oncology</i> , 2012 , 40, 5-12	4.4	12
29	Overcoming drug resistance and treating advanced prostate cancer. <i>Current Drug Targets</i> , 2012 , 13, 1308-23	3.7	76

28	Autophagy As a Target for Differentiation Therapy in Acute Myeloid Leukemia.. <i>Blood</i> , 2012 , 120, 2464-2464	2	
27	Role of androgen receptor and associated lysine-demethylase coregulators, LSD1 and JMJD2A, in localized and advanced human bladder cancer. <i>Molecular Carcinogenesis</i> , 2011 , 50, 931-44	5	169
26	Clinical trial update and novel therapeutic approaches for metastatic prostate cancer. <i>Current Medicinal Chemistry</i> , 2011 , 18, 4440-53	4.3	20
25	The Functional Link Between CDK1 and Retinoic Acid Receptor α (RAR α) in Response to Treatment with All-Trans Retinoic Acid. <i>Blood</i> , 2011 , 118, 2485-2485	2.2	
24	Phase I trial of ATRA-IV and Depakote in patients with advanced solid tumor malignancies. <i>Cancer Biology and Therapy</i> , 2010 , 9, 678-84	4.6	21
23	Regulation of stem cell pluripotency and differentiation involves a mutual regulatory circuit of the NANOG, OCT4, and SOX2 pluripotency transcription factors with polycomb repressive complexes and stem cell microRNAs. <i>Stem Cells and Development</i> , 2009 , 18, 1093-108	4.4	319
22	Diverse actions of retinoid receptors in cancer prevention and treatment. <i>Differentiation</i> , 2007 , 75, 853-855	3.5	140
21	Phase 1/2 clinical trial of interferon alpha2b and weekly liposome-encapsulated all-trans retinoic acid in patients with advanced renal cell carcinoma. <i>Journal of Immunotherapy</i> , 2007 , 30, 655-62	5	43
20	Five novel androgen receptor gene mutations associated with complete androgen insensitivity syndrome. <i>Human Mutation</i> , 2006 , 27, 291	4.7	13
19	The putative human stem cell marker, Rex-1 (Zfp42): structural classification and expression in normal human epithelial and carcinoma cell cultures. <i>Molecular Carcinogenesis</i> , 2006 , 45, 887-900	5	48
18	Decreased expression of the human stem cell marker, Rex-1 (zfp-42), in renal cell carcinoma. <i>Carcinogenesis</i> , 2006 , 27, 499-507	4.6	24
17	Human androgen receptor gene ligand-binding-domain mutations leading to disrupted interaction between the N- and C-terminal domains. <i>Journal of Molecular Endocrinology</i> , 2006 , 36, 361-8	4.5	44
16	Valproic acid, in combination with all-trans retinoic acid and 5-aza-2-Deoxycytidine, restores expression of silenced RARbeta2 in breast cancer cells. <i>Molecular Cancer Therapeutics</i> , 2005 , 4, 477-86	6.1	73
15	Increased expression of the polycomb group gene, EZH2, in transitional cell carcinoma of the bladder. <i>Clinical Cancer Research</i> , 2005 , 11, 8570-6	12.9	166
14	Reduced lecithin: retinol acyltransferase expression correlates with increased pathologic tumor stage in bladder cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 3429-37	12.9	28
13	Androgen receptor expression is inversely correlated with pathologic tumor stage in bladder cancer. <i>Urology</i> , 2004 , 64, 383-8	1.6	131
12	Androgen receptor gene CAG repeat polymorphism in the development of ovarian hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 3333-8	5.6	147
11	Steroid receptor coactivator-3 glutamine repeat polymorphism and the androgen insensitivity syndrome. <i>European Journal of Endocrinology</i> , 2003 , 148, 277-9	6.5	6

10	Novel alpha7-like nicotinic acetylcholine receptor subunits in the nematode <i>Caenorhabditis elegans</i> . <i>Protein Science</i> , 2002 , 11, 1162-71	6.3	44
9	Complete androgen insensitivity syndrome caused by a novel mutation in the ligand-binding domain of the androgen receptor: functional characterization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 4378-82	5.6	10
8	Two de novo mutations in the AR gene cause the complete androgen insensitivity syndrome in a pair of monozygotic twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1057-61	5.6	19
7	Evidence that luteinising hormone receptor polymorphisms may contribute to male undermasculinisation. <i>European Journal of Endocrinology</i> , 2002 , 147, 103-7	6.5	14
6	Genetic evidence to exclude the androgen receptor-polyglutamine associated coactivator, ARA-24, as a cause of male undermasculinisation. <i>European Journal of Endocrinology</i> , 2001 , 145, 809-11	6.5	5
5	Developmental aspects of androgen action. <i>Molecular and Cellular Endocrinology</i> , 2001 , 185, 33-41	4.4	27
4	Role of loop D of the alpha7 nicotinic acetylcholine receptor in its interaction with the insecticide imidacloprid and related neonicotinoids. <i>British Journal of Pharmacology</i> , 2000 , 130, 981-6	8.6	52
3	Anthelmintic actions on homomer-forming nicotinic acetylcholine receptor subunits: chicken alpha7 and ACR-16 from the nematode <i>Caenorhabditis elegans</i> . <i>Neuroscience</i> , 2000 , 101, 785-91	3.9	47
2	An extensive and diverse gene family of nicotinic acetylcholine receptor alpha subunits in <i>Caenorhabditis elegans</i> . <i>Receptors and Channels</i> , 1998 , 6, 213-28		26
1	The influence of androgen receptor polymorphisms on the development of cruciate disease in Rottweilers		541-541