## Pisake Lumbiganon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2094151/publications.pdf

Version: 2024-02-01

156 papers 10,552 citations

38 h-index 95 g-index

167 all docs

 $\begin{array}{c} 167 \\ \text{docs citations} \end{array}$ 

times ranked

167

12781 citing authors

#	Article	IF	CITATIONS
1	External validation of prognostic models to predict stillbirth using International Prediction of Pregnancy Complications ( <scp>IPPIC</scp> ) Network database: individual participant data metaâ€analysis. Ultrasound in Obstetrics and Gynecology, 2022, 59, 209-219.	0.9	8
2	Prophylactic antibiotics for preventing infection after continence surgery in women with stress urinary incontinence. The Cochrane Library, 2022, 2022, CD012457.	1.5	1
3	Immediate versus delayed postabortal insertion of contraceptive implant. The Cochrane Library, 2022, 2022, CD013565.	1.5	1
4	Factors influencing the implementation of labour companionship: formative qualitative research in Thailand. BMJ Open, 2022, 12, e054946.	0.8	3
5	Calcium Consumption During Pregnancy: A Multicenter Study in a Middle-Income Country in Southeast Asia. International Journal of Women's Health, 2021, Volume 13, 31-38.	1.1	1
6	Postoperative interventions for preventing bladder dysfunction after radical hysterectomy in women with early-stage cervical cancer. The Cochrane Library, 2021, 2021, CD012863.	1.5	4
7	Fetal and Neonatal Modified Myocardial Performance Indices in Preeclamptic versus Normotensive Pregnancies: A Prospective Cohort Study. International Journal of Women's Health, 2021, Volume 13, 743-750.	1.1	O
8	Availability of facility resources and services and infection-related maternal outcomes in the WHO Global Maternal Sepsis Study: a cross-sectional study. The Lancet Global Health, 2021, 9, e1252-e1261.	2.9	11
9	Postoperative adjuvant chemotherapy for resectable cholangiocarcinoma. The Cochrane Library, 2021, 2021, CD012814.	1.5	17
10	Postpartum hemorrhage care bundles to improve adherence to guidelines: A <scp>WHO </scp> technical consultation. International Journal of Gynecology and Obstetrics, 2020, 148, 290-299.	1.0	54
11	Early evaluation of the â€~STOP SEPSIS!' WHO Global Maternal Sepsis Awareness Campaign implemented for healthcare providers in 46 low, middle and high-income countries. BMJ Open, 2020, 10, e036338.	0.8	6
12	Progestogens or progestogen-releasing intrauterine systems for uterine fibroids (other than) Tj ETQq0 0 0 rgBT /	Overlock (	10 Tf 50 302 1
13	Strengthening research capacity through regional partners: the HRP Alliance at the World Health Organization. Reproductive Health, 2020, 17, 131.	1.2	5
14	Implementation and evaluation of nonclinical interventions for appropriate use of cesarean section in low- and middle-income countries: protocol for a multisite hybrid effectiveness-implementation type III trial. Implementation Science, 2020, 15, 72.	2.5	13
15	Risk of Severe Adverse Maternal and Neonatal Outcomes in Deliveries with Repeated and Primary Cesarean Deliveries versus Vaginal Deliveries: A Cross-Sectional Study. Journal of Pregnancy, 2020, 2020, 1-7.	1.1	8
16	Outcomes associated with anaesthetic techniques for caesarean section in low- and middle-income countries: a secondary analysis of WHO surveys. Scientific Reports, 2020, 10, 10176.	1.6	8
17	Authors' reply re: Restrictive versus routine episiotomy among Southeast Asian term pregnancies: a multicentre randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 649-650.	1.1	0
18	Frequency and management of maternal infection in health facilities in 52 countries (GLOSS): a 1-week inception cohort study. The Lancet Global Health, 2020, 8, e661-e671.	2.9	77

#	Article	IF	Citations
19	Health education interventions to promote early presentation and referral for women with symptoms of endometrial cancer. The Cochrane Library, 2020, 2020, CD013253.	1.5	8
20	Anaesthesia/analgesia for manual removal of retained placenta. The Cochrane Library, 2020, 2020, CD013013.	1.5	3
21	Adjuvant chemotherapy after concurrent chemoradiation for locally advanced cervical cancer. The Cochrane Library, 2019, 2019, CD010401.	1.5	43
22	Effectiveness of tranexamic acid in reducing blood loss during cytoreductive surgery for advanced ovarian cancer. The Cochrane Library, 2019, 2019, CD011732.	1.5	14
23	Antibiotics for infection prevention after excision of the cervical transformation zone. The Cochrane Library, 2019, 2019, CD009957.	1.5	8
24	Pregnancy outcomes of women with previous caesarean sections: Secondary analysis of World Health Organization Multicountry Survey on Maternal and Newborn Health. Scientific Reports, 2019, 9, 9748.	1.6	24
25	Mode of delivery and pregnancy outcomes in preterm birth: a secondary analysis of the WHO Global and Multi-country Surveys. Scientific Reports, 2019, 9, 15556.	1.6	29
26	Trend of Cesarean Section Rates and Correlations with Adverse Maternal and Neonatal Outcomes: A Secondary Analysis of Thai Universal Coverage Scheme Data. AJP Reports, 2019, 09, e328-e336.	0.4	8
27	Interventions for intra-operative pain relief during postpartum mini-laparotomy tubal ligation. The Cochrane Library, 2019, 2019, CD011807.	1.5	1
28	An outcome-based definition of low birthweight for births in low- and middle-income countries: a secondary analysis of the WHO global survey on maternal and perinatal health. BMC Pediatrics, 2019, 19, 166.	0.7	7
29	Alternative Magnesium Sulfate Dosing Regimens for Women With Preeclampsia: A Population Pharmacokinetic Exposureâ€Response Modeling and Simulation Study. Journal of Clinical Pharmacology, 2019, 59, 1519-1526.	1.0	7
30	Nerve-sparing radical hysterectomy compared to standard radical hysterectomy for women with early stage cervical cancer (stage la2 to IIa). The Cochrane Library, 2019, 2019, CD012828.	1.5	16
31	Management of drainage for malignant ascites in gynaecological cancer. The Cochrane Library, 2019, 12, CD007794.	1.5	7
32	<p>Perioperative Complications of Hysterectomy After a Previous Cesarean Section: A Systematic Review and Meta-Analysis</p> . Clinical Epidemiology, 2019, Volume 11, 1089-1098.	1.5	6
33	Population Pharmacokinetic Modeling to Evaluate Standard Magnesium Sulfate Treatments and Alternative Dosing Regimens for Women With Preeclampsia. Journal of Clinical Pharmacology, 2019, 59, 374-385.	1.0	11
34	Global, regional, and national estimates of levels of preterm birth in 2014: a systematic review and modelling analysis. The Lancet Global Health, 2019, 7, e37-e46.	2.9	1,839
35	The global epidemiology of preterm birth. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2018, 52, 3-12.	1.4	538
36	Risk of maternal mortality in women with severe anaemia during pregnancy and post partum: a multilevel analysis. The Lancet Global Health, 2018, 6, e548-e554.	2.9	237

#	Article	IF	Citations
37	Cesarean rates and severe maternal and neonatal outcomes according to the Robson 10â€Group Classification System in Khon Kaen Province, Thailand. International Journal of Gynecology and Obstetrics, 2018, 140, 191-197.	1.0	11
38	Non-clinical interventions for reducing unnecessary caesarean section. The Cochrane Library, 2018, 2018, CD005528.	1.5	95
39	Extended-field radiotherapy for locally advanced cervical cancer. The Cochrane Library, 2018, 2018, CD012301.	1.5	13
40	Effect of postoperative coffee consumption on gastrointestinal function after abdominal surgery: A systematic review and meta-analysis of randomized controlled trials. Scientific Reports, 2018, 8, 17349.	1.6	20
41	Assessment of health professional education across five Asian countries—a protocol. Human Resources for Health, 2018, 16, 52.	1.1	6
42	Heat-Stable Carbetocin versus Oxytocin to Prevent Hemorrhage after Vaginal Birth. New England Journal of Medicine, 2018, 379, 743-752.	13.9	108
43	The global maternal sepsis study and awareness campaign (GLOSS): study protocol. Reproductive Health, 2018, 15, 16.	1.2	62
44	Immediate versus delayed postpartum insertion of contraceptive implant for contraception. The Cochrane Library, 2017, 2017, CD011913.	1.5	17
45	Prevalence of early initiation of breastfeeding and determinants of delayed initiation of breastfeeding: secondary analysis of the WHO Global Survey. Scientific Reports, 2017, 7, 44868.	1.6	149
46	Effect of early tranexamic acid administration on mortality, hysterectomy, and other morbidities in women with post-partum haemorrhage (WOMAN): an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2017, 389, 2105-2116.	6.3	974
47	Nerve-sparing radical hysterectomy compared to standard radical hysterectomy for women with early stage cervical cancer (stage la2 to lla). The Cochrane Library, 2017, , .	1.5	2
48	The World Health Organization Fetal Growth Charts: A Multinational Longitudinal Study of Ultrasound Biometric Measurements and Estimated Fetal Weight. PLoS Medicine, 2017, 14, e1002220.	3.9	396
49	Management of pregnancy at and beyond 41 completed weeks of gestation in low-risk women: a secondary analysis of two WHO multi-country surveys on maternal and newborn health. Reproductive Health, 2017, 14, 141.	1.2	12
50	Formulated data do not reflect facts – Authors' reply. Lancet, The, 2017, 390, 456.	6.3	1
51	Chicken Essence for Cognitive Function Improvement: A Systematic Review and Meta-Analysis. Nutrients, 2016, 8, 57.	1.7	13
52	Reply to C. Stewart's Letter to the Editor Re: Teoh SL et al., Nutrients 2016, 8, 57. Nutrients, 2016, 8, 228.	1.7	0
53	Ending preventable maternal and newborn deaths due to infection. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2016, 36, 116-130.	1.4	20
54	Extended-field irradiation for locally advanced cervical cancer. The Cochrane Library, 2016, , .	1.5	2

#	Article	IF	CITATIONS
55	Antenatal breastfeeding education for increasing breastfeeding duration. The Cochrane Library, 2016, 2016, CD006425.	1.5	120
56	Short cervix detection in pregnant women by transabdominal sonography with post-void technique. Journal of Medical Ultrasonics (2001), 2016, 43, 519-522.	0.6	5
57	Attitude towards working in rural area and self-assessment of competencies in last year medical students: A survey of five countries in Asia. BMC Medical Education, 2016, 16, 238.	1.0	14
58	Global, regional and national levels and trends of preterm birth rates for 1990 to 2014: protocol for development of World Health Organization estimates. Reproductive Health, 2016, 13, 76.	1.2	47
59	Lidocaine for reducing propofol-induced pain on induction of anaesthesia in adults. The Cochrane Library, 2016, 2016, CD007874.	1.5	45
60	Pharmacological interventions for generalised itching (not caused by systemic disease or skin) Tj ETQq0 0 0 rgB1	Γ/Qverlocl	k 10 Tf 50 54
61	Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. Trials, 2016, 17, 143.	0.7	31
62	Interval debulking surgery for advanced epithelial ovarian cancer. The Cochrane Library, 2016, 2016, CD006014.	1.5	45
63	Antibiotic prophylaxis during the second and third trimester to reduce adverse pregnancy outcomes and morbidity., 2015,, CD002250.		36
64	Interventions for treating constipation in pregnancy. The Cochrane Library, 2015, 2015, CD011448.	1.5	22
65	Searching for the definition of macrosomia through an outcome-based approach in low- and middle-income countries: a secondary analysis of the WHO Global Survey in Africa, Asia and Latin America. BMC Pregnancy and Childbirth, 2015, 15, 324.	0.9	52
66	Prophylactic oral betamimetics for reducing preterm birth in women with a twin pregnancy. The Cochrane Library, 2015, 2015, CD004733.	1.5	23
67	Antenatal lower genital tract infection screening and treatment programs for preventing preterm delivery. The Cochrane Library, 2015, 2015, CD006178.	1.5	61
68	Pneumococcal vaccination during pregnancy for preventing infant infection. The Cochrane Library, 2015, 2015, CD004903.	1.5	32
69	Antibiotic prophylaxis during the second and third trimester to reduce adverse pregnancy outcomes and morbidity., 2015, 1, CD002250.		45
70	Calcium supplementation (other than for preventing or treating hypertension) for improving pregnancy and infant outcomes. The Cochrane Library, 2015, 2015, CD007079.	1.5	70
71	Accuracy of angiogenic biomarkers at ⩽20weeks' gestation in predicting the risk of pre-eclampsia: A WHO multicentre study. Pregnancy Hypertension, 2015, 5, 330-338.	0.6	50
72	Diet or exercise, or both, for preventing excessive weight gain in pregnancy. The Cochrane Library, 2015, 2015, CD007145.	1.5	341

#	Article	IF	CITATIONS
73	Obstetric transition in the World Health Organization Multicountry Survey on Maternal and Newborn Health: exploring pathways for maternal mortality reduction. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 37, 203-10.	0.6	14
74	Terbutaline pump maintenance therapy after threatened preterm labour for reducing adverse neonatal outcomes. The Cochrane Library, 2014, , CD010800.	1.5	7
75	Prophylactic antibiotics for manual removal of retained placenta in vaginal birth. The Cochrane Library, 2014, , CD004904.	1.5	11
76	Use of antenatal corticosteroids and tocolytic drugs in preterm births in 29 countries: an analysis of the WHO Multicountry Survey on Maternal and Newborn Health. Lancet, The, 2014, 384, 1869-1877.	6.3	103
77	Antibiotics for meconium-stained amniotic fluid in labour for preventing maternal and neonatal infections. The Cochrane Library, 2014, 2014, CD007772.	1.5	22
78	WHO multicentre study for the development of growth standards from fetal life to childhood: the fetal component. BMC Pregnancy and Childbirth, 2014, 14, 157.	0.9	23
79	A secondary analysis of the WHO Global Survey on Maternal and Perinatal Health for antibiotics used in vaginal deliveries. International Journal of Gynecology and Obstetrics, 2014, 124, 240-243.	1.0	10
80	Antibiotic prophylaxis for third- and fourth-degree perineal tear during vaginal birth. The Cochrane Library, 2014, , CD005125.	1.5	31
81	Hepatitis B vaccination during pregnancy for preventing infant infection. The Cochrane Library, 2014, , CD007879.	1.5	12
82	Vaginal chlorhexidine during labour for preventing maternal and neonatal infections (excluding) Tj ETQq0 0 0 rg	ξBT /Overlo 1.5	ock 10 Tf 50 3
83	Antenatal care packages with reduced visits and perinatal mortality: a secondary analysis of the WHO Antenatal Care Trial. Reproductive Health, 2013, 10, 19.	1.2	97
84	Prophylactic antibiotics for transcervical intrauterine procedures. The Cochrane Library, 2013, , CD005637.	1.5	15
85	Progestogens or progestogen-releasing intrauterine systems for uterine fibroids. The Cochrane Library, 2013, , CD008994.	1.5	40
86	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry) Tj ETQq0 0	0 rgBT /0\	verlock 10 Tf 5
87	Tranexamic acid for patients with traumatic brain injury: a randomized, double-blinded, placebo-controlled trial. BMC Emergency Medicine, 2013, 13, 20.	0.7	130
88	Paracervical local anaesthesia for cervical dilatation and uterine intervention. The Cochrane Library, 2013, , CD005056.	1.5	33
89	Interval debulking surgery for advanced epithelial ovarian cancer., 2013,, CD006014.		17
90	The WHO Reproductive Health Library: A Cochrane Window on Sexual and Reproductive Health., 2013, , ED000070.		4

#	Article	IF	CITATIONS
91	Rapid versus stepwise negative pressure application for vacuum extraction assisted vaginal delivery. The Cochrane Library, 2012, , CD006636.	1.5	11
92	Relaxation therapy for preventing and treating preterm labour. The Cochrane Library, 2012, , CD007426.	1.5	16
93	Long versus short course treatment with metformin and clomiphene citrate for ovulation induction in women with PCOS. The Cochrane Library, 2012, 10, CD006226.	1.5	12
94	Interventions for preventing excessive weight gain during pregnancy., 2012,, CD007145.		87
95	Pneumococcal vaccination during pregnancy for preventing infant infection., 2012, , CD004903.		11
96	Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. Lancet, The, 2012, 379, 1721-1727.	6.3	123
97	Cyclo-oxygenase (COX) inhibitors for preventing preterm labour. The Cochrane Library, 2012, 10, CD007748.	1.5	14
98	Prophylactic oral betamimetics for reducing preterm birth in women with a twin pregnancy. , $2012$ , , $CD004733$ .		9
99	Message from Dean of Faculty of Medicine, Khon Kaen University. Parasitology International, 2012, 61, 1.	0.6	4
100	Antenatal breastfeeding education for increasing breastfeeding duration., 2012,, CD006425.		44
101	A Comparison of Statistical Methods for Identifying Out-of-Date Systematic Reviews. PLoS ONE, 2012, 7, e48894.	1.1	30
102	Biomarkers and molecular biology targeting cholangiocarcinoma. Asian Pacific Journal of Cancer Prevention, 2012, 13 Suppl, 1-2.	0.5	0
103	Calcium supplementation (other than for preventing or treating hypertension) for improving pregnancy and infant outcomes., 2011,, CD007079.		39
104	Non-clinical interventions for reducing unnecessary caesarean section. The Cochrane Library, 2011, , CD005528.	1.5	113
105	Randomized study of vaginal and neonatal cleansing with $1\%$ chlorhexidine. International Journal of Gynecology and Obstetrics, $2011, 112, 234-238$ .	1.0	12
106	Admission tests other than cardiotocography for fetal assessment during labour. The Cochrane Library, 2011, , CD008410.	1.5	3
107	Antenatal breastfeeding education for increasing breastfeeding duration. , 2011, , CD006425.		34
108	Hepatitis B vaccination during pregnancy for preventing infant infection., 2011, , CD007879.		9

#	Article	IF	CITATIONS
109	The world health organization multicountry survey on maternal and newborn health: study protocol. BMC Health Services Research, 2011, 11, 286.	0.9	88
110	Mode of delivery and outcomes in preterm births. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2011, 94, 415-20.	0.4	1
111	Screening and treating asymptomatic bacteriuria in pregnancy. Current Opinion in Obstetrics and Gynecology, 2010, 22, 95-99.	0.9	43
112	Antibiotic prophylaxis for third- and fourth-degree perineal tear during vaginal birth. , 2010, , CD005125.		5
113	Building capacity for evidence generation, synthesis and implementation to improve the care of mothers and babies in South East Asia: methods and design of the SEA-ORCHID Project using a logical framework approach. BMC Medical Research Methodology, 2010, 10, 61.	1.4	13
114	A cluster randomized controlled trial to evaluate the effectiveness of the clinically integrated RHL evidence -based medicine course. Reproductive Health, 2010, 7, 8.	1.2	10
115	Maternal and fetal mortality and complications associated with cesarean section deliveries in teaching hospitals in Asia. Journal of Obstetrics and Gynaecology Research, 2010, 36, 45-51.	0.6	25
116	Antibiotics for meconium-stained amniotic fluid in labour for preventing maternal and neonatal infections., 2010,, CD007772.		22
117	Method of delivery and pregnancy outcomes in Asia: the WHO global survey on maternal and perinatal health 2007–08. Lancet, The, 2010, 375, 490-499.	6.3	770
118	Misoprostol as an adjunct to standard uterotonics for treatment of post-partum haemorrhage: a multicentre, double-blind randomised trial. Lancet, The, 2010, 375, 1808-1813.	6.3	74
119	Interval debulking surgery for advanced epithelial ovarian cancer. , 2009, , CD006014.		4
120	One-Day Compared With 7-Day Nitrofurantoin for Asymptomatic Bacteriuria in Pregnancy. Obstetrics and Gynecology, 2009, 113, 339-345.	1.2	43
121	Music during caesarean section under regional anaesthesia for improving maternal and infant outcomes. The Cochrane Library, 2009, , CD006914.	1.5	16
122	Making stillbirths count, making numbers talk - Issues in data collection for stillbirths. BMC Pregnancy and Childbirth, 2009, 9, 58.	0.9	86
123	Interval debulking surgery for advanced epithelial ovarian cancer: A Cochrane systematic review. Gynecologic Oncology, 2009, 112, 257-264.	0.6	44
124	Active management of the third stage of labour without controlled cord traction: a randomized non-inferiority controlled trial. Reproductive Health, 2009, 6, 2.	1.2	21
125	Interval debulking surgery for advanced epithelial ovarian cancer. , 2009, , CD006014.		11
126	Paracervical local anaesthesia for cervical dilatation and uterine intervention., 2009,, CD005056.		16

#	Article	IF	CITATIONS
127	One-Day Compared With 7-Day Nitrofurantoin for Asymptomatic Bacteriuria in Pregnancy: A Randomized Controlled Trial. Obstetrics and Gynecology, 2009, 114, 176.	1.2	2
128	Use of antenatal corticosteroids prior to preterm birth in four South East Asian countries within the SEA-ORCHID project. BMC Pregnancy and Childbirth, 2008, 8, 47.	0.9	40
129	Antenatal lower genital tract infection screening and treatment programs for preventing preterm delivery., 2008,, CD006178.		25
130	Improving the reporting of public health intervention research: advancing TREND and CONSORT. Journal of Public Health, 2008, 30, 103-109.	1.0	138
131	Interval debulking surgery for advanced epithelial ovarian cancer. The Cochrane Library, 2008, , CD006014.	1.5	1
132	Rapid versus stepwise negative pressure application for vacuum extraction assisted vaginal delivery. , 2008, , CD006636.		8
133	Magnesium suflate is not used for pre-eclampsia and eclampsia in Mexico and Thailand as much as it should be. Bulletin of the World Health Organization, 2007, 85, 763-767.	1.5	22
134	Optimising reproductive and child health outcomes by building evidence-based research and practice in South East Asia (SEA-ORCHID): study protocol. BMC Medical Research Methodology, 2007, 7, 43.	1.4	29
135	Prophylactic antibiotics for manual removal of retained placenta in vaginal birth. , 2006, , CD004904.		12
136	The International Infections in Pregnancy (IIP) study: Variations in the prevalence of bacterial vaginosis and distribution of morphotypes in vaginal smears among pregnant women. American Journal of Obstetrics and Gynecology, 2006, 195, 1198-1204.	0.7	45
137	Chlorhexidine washing of the vagina in labor effectively reduces bacterial colonization: A study by the global network for perinatal & reproductive health. American Journal of Obstetrics and Gynecology, 2006, 195, S66.	0.7	5
138	Chlorhexidine washing of the vagina in labor and neonate after birth: An RCT by the global network for perinatal & reproductive health. American Journal of Obstetrics and Gynecology, 2006, 195, S70.	0.7	4
139	Pneumococcal vaccination during pregnancy for preventing infant infection., 2006,, CD004903.		13
140	Antibiotic prophylaxis for fourth-degree perineal tear during vaginal birth., 2005,, CD005125.		14
141	Panel 2.1: Assessing Impact and Needs. Prehospital and Disaster Medicine, 2005, 20, 396-398.	0.7	4
142	Prophylactic oral betamimetics for reducing preterm birth in women with a twin pregnancy. , 2005, , CD004733.		18
143	Cluster randomized trial of an active, multifaceted information dissemination intervention based on The WHO Reproductive health library to change obstetric practices: methods and design issues [ISRCTN14055385]. BMC Medical Research Methodology, 2004, 4, 2.	1.4	19

Vaginal chlorhexidine during labour for preventing maternal and neonatal infections (excluding) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62

#	Article	IF	CITATIONS
145	From research to practice: the example of antenatal care in Thailand. Bulletin of the World Health Organization, 2004, 82, 746-9.	1.5	7
146	International survey on variations in practice of the management of the third stage of labour. Bulletin of the World Health Organization, 2003, 81, 286-91.	1.5	52
147	Prophylactic antibiotic administration during second and third trimester in pregnancy for preventing infectious morbidity and mortality., 2002, , CD002250.		46
148	Side effects of oral misoprostol during the first 24 hours after administration in the third stage of labour. BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 1222-1226.	1.1	33
149	Reagent strip testing is not sensitive for the screening of asymptomatic bacteriuria in pregnant women. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2002, 85, 922-7.	0.4	3
150	WHO antenatal care randomised trial for the evaluation of a new model of routine antenatal care. Lancet, The, 2001, 357, 1551-1564.	<b>6.</b> 3	485
151	WHO multicentre randomised trial of misoprostol in the management of the third stage of labour. Lancet, The, 2001, 358, 689-695.	6.3	310
152	Protective effect of depot-medroxyprogesterone acetate on surgically treated uterine leiomyomas: a multicentre case-control study. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 909-914.	1.1	156
153	Factors Associated with Failure to Receive Antenatal Care. Australian and New Zealand Journal of Obstetrics and Gynaecology, 1991, 31, 307-310.	0.4	1
154	Interventions for intra-operative pain relief during postpartum mini-laparotomy tubal ligation. The Cochrane Library, $0,  ,  .$	1.5	2
155	Anaesthesia/analgesia for manual removal of retained placenta. The Cochrane Library, 0, , .	1.5	0
156	Immediate versus delayed insertion of contraceptive implants for contraception following abortion. The Cochrane Library, 0, , .	1.5	0