
Akira Haketa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2095242/publications.pdf Version: 2024-02-01



Δείδα Ηλέξτα

#	Article	IF	CITATIONS
1	Two medium-chain acyl-coenzyme A synthetase genes, SAH and MACS1, are associated with plasma high-density lipoprotein cholesterol levels, but they are not associated with essential hypertension. Journal of Hypertension, 2004, 22, 1903-1907.	0.5	27
2	Scoring system for the diagnosis of bilateral primary aldosteronism in the outpatient setting before adrenal venous sampling. Clinical Endocrinology, 2017, 86, 467-472.	2.4	26
3	Subtype prediction in primary aldosteronism: measurement of circadian variation of adrenocortical hormones and 24â€h urinary aldosterone. Clinical Endocrinology, 2016, 84, 814-821.	2.4	13
4	Unusual Manifestation of Graves' Disease: Ventricular Fibrillation. European Thyroid Journal, 2015, 4, 207-212.	2.4	11
5	High-molecular-weight adiponectin levels in healthy, community-dwelling, elderly Japanese volunteers: a 5-year prospective observational study. Aging Clinical and Experimental Research, 2018, 30, 791-798.	2.9	9
6	Association between SIRT2 gene polymorphism and height in healthy, elderly Japanese subjects. Translational Research, 2013, 161, 57-58.	5.0	7
7	Marked alteration of glycemic profile surrounding lanreotide administration in acromegaly: A case report. Journal of Diabetes Investigation, 2018, 9, 223-225.	2.4	6
8	A case of apolipoprotein A-I deficiency due to carboxyl-terminal truncation. Journal of Clinical Lipidology, 2018, 12, 511-514.	1.5	5
9	Plasma <scp>adrenocorticotropic hormone</scp> but not aldosterone is correlated with blood pressure in patients with aldosteroneâ€producing adenomas. Journal of Clinical Hypertension, 2017, 19, 280-286.	2.0	3
10	Lipoprotein Lipase Deficiency Arising in Type V Dyslipidemia. Internal Medicine, 2019, 58, 251-257.	0.7	2