

Lars Kessing

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2097017/lars-kessing-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

477
papers

15,387
citations

68
h-index

101
g-index

519
ext. papers

18,659
ext. citations

5.2
avg, IF

7.09
L-index

#	Paper	IF	Citations
477	Cytokines in bipolar disorder vs. healthy control subjects: a systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1119-33	5.2	285
476	Cognitive impairment in the remitted state of unipolar depressive disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 134, 20-31	6.6	276
475	Does the risk of developing dementia increase with the number of episodes in patients with depressive disorder and in patients with bipolar disorder?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004 , 75, 1662-6	5.5	262
474	Association of Hormonal Contraception With Depression. <i>JAMA Psychiatry</i> , 2016 , 73, 1154-1162	14.5	246
473	Cognitive impairment in the euthymic phase of affective disorder. <i>Psychological Medicine</i> , 1998 , 28, 1027-38	6.3	232
472	International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 1-16	3.8	202
471	Salivary cortisol in depressed patients versus control persons: a systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2010 , 35, 1275-86	5	200
470	Cytokines in bipolar disorder: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2013 , 144, 16-27	6.6	194
469	Lithium treatment and risk of dementia. <i>Archives of General Psychiatry</i> , 2008 , 65, 1331-5		194
468	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
467	Recurrence in affective disorder. I. Case register study. <i>British Journal of Psychiatry</i> , 1998 , 172, 23-8	5.4	176
466	The predictive effect of episodes on the risk of recurrence in depressive and bipolar disorders - a life-long perspective. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 339-44	6.5	175
465	Validity of dementia diagnoses in the Danish hospital registers. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 220-8	2.6	174
464	Increased risk of developing dementia in patients with major affective disorders compared to patients with other medical illnesses. <i>Journal of Affective Disorders</i> , 2003 , 73, 261-9	6.6	171
463	Designing mobile health technology for bipolar disorder 2013 ,		153
462	Validity of diagnoses and other clinical register data in patients with affective disorder. <i>European Psychiatry</i> , 1998 , 13, 392-8	6	149
461	A report on older-age bipolar disorder from the International Society for Bipolar Disorders Task Force. <i>Bipolar Disorders</i> , 2015 , 17, 689-704	3.8	146

460	Suicide risk in patients treated with lithium. <i>Archives of General Psychiatry</i> , 2005 , 62, 860-6		146
459	Course of illness in depressive and bipolar disorders. Naturalistic study, 1994-1999. <i>British Journal of Psychiatry</i> , 2004 , 185, 372-7	5.4	144
458	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
457	Treatment in a specialised out-patient mood disorder clinic v. standard out-patient treatment in the early course of bipolar disorder: randomised clinical trial. <i>British Journal of Psychiatry</i> , 2013 , 202, 212-9	5.4	143
456	Does lithium protect against dementia?. <i>Bipolar Disorders</i> , 2010 , 12, 87-94	3.8	143
455	Smartphone data as objective measures of bipolar disorder symptoms. <i>Psychiatry Research</i> , 2014 , 217, 124-7	9.9	135
454	Anti-inflammatory agents in the treatment of bipolar depression: a systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2016 , 18, 89-101	3.8	125
453	Bipolar disorders. <i>Lancet, The</i> , 2020 , 396, 1841-1856	4.0	124
452	Validity of the diagnosis of a single depressive episode in a case register. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 4	3.2	121
451	Hysterectomy, oophorectomy and risk of dementia: a nationwide historical cohort study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 43-50	2.6	120
450	Treatment with antipsychotics and the risk of diabetes in clinical practice. <i>British Journal of Psychiatry</i> , 2010 , 197, 266-71	5.4	109
449	Voice analysis as an objective state marker in bipolar disorder. <i>Translational Psychiatry</i> , 2016 , 6, e856	8.6	108
448	Daily electronic self-monitoring in bipolar disorder using smartphones - the MONARCA I trial: a randomized, placebo-controlled, single-blind, parallel group trial. <i>Psychological Medicine</i> , 2015 , 45, 2691-704	6.8	108
447	Increased risk of developing Parkinson's disease for patients with major affective disorder: a register study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 380-6	6.5	106
446	Causes of decreased life expectancy over the life span in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 180, 142-7	6.6	105
445	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017 , 19, 614-626	3.8	103
444	Smartphone data as an electronic biomarker of illness activity in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 715-28	3.8	99
443	Cognitive function in unaffected twins discordant for affective disorder. <i>Psychological Medicine</i> , 2006 , 36, 1119-29	6.9	98

442	Recurrence in affective disorder. II. Effect of age and gender. <i>British Journal of Psychiatry</i> , 1998 , 172, 29-34	5.4	98
441	Association of Lithium in Drinking Water With the Incidence of Dementia. <i>JAMA Psychiatry</i> , 2017 , 74, 1005-1010	14.5	95
440	Evidence for clinical progression of unipolar and bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 51-64	6.5	94
439	Peripheral blood brain-derived neurotrophic factor in bipolar disorder: a comprehensive systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2016 , 21, 216-28	15.1	91
438	Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 785-802	2.6	91
437	Life expectancy in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 543-8	3.8	91
436	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018 , 20, 184-194	3.8	87
435	Major depressive disorder in Parkinson's disease: a register-based study. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 202-11	6.5	87
434	Is there an association between subjective and objective measures of cognitive function in patients with affective disorders?. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 248-53	2.3	85
433	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017 , 7, e0154623		81
432	Does the impact of major stressful life events on the risk of developing depression change throughout life?. <i>Psychological Medicine</i> , 2003 , 33, 1177-84	6.9	80
431	Correlations Between Objective Behavioral Features Collected From Mobile and Wearable Devices and Depressive Mood Symptoms in Patients With Affective Disorders: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e165	5.5	80
430	Discrete neurocognitive subgroups in fully or partially remitted bipolar disorder: Associations with functional abilities. <i>Journal of Affective Disorders</i> , 2016 , 205, 378-386	6.6	78
429	Antidepressants and dementia. <i>Journal of Affective Disorders</i> , 2009 , 117, 24-9	6.6	77
428	Dementia in affective disorder: a case-register study. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 176-85	6.5	77
427	Use of Lithium and Anticonvulsants and the Rate of Chronic Kidney Disease: A Nationwide Population-Based Study. <i>JAMA Psychiatry</i> , 2015 , 72, 1182-91	14.5	76
426	No increased risk of developing Alzheimer disease in patients with glaucoma. <i>Journal of Glaucoma</i> , 2007 , 16, 47-51	2.1	76
425	Behavioral activities collected through smartphones and the association with illness activity in bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 309-323	4.3	75

424	Interaction between genetic polymorphisms and stressful life events in first episode depression. <i>Journal of Affective Disorders</i> , 2009 , 119, 107-15	6.6	74
423	Depression and the risk for dementia. <i>Current Opinion in Psychiatry</i> , 2012 , 25, 457-61	4.9	74
422	Gender differences in the phenomenology of bipolar disorder. <i>Bipolar Disorders</i> , 2004 , 6, 421-5	3.8	73
421	Severity of depressive episodes according to ICD-10: prediction of risk of relapse and suicide. <i>British Journal of Psychiatry</i> , 2004 , 184, 153-6	5.4	73
420	Gut microbiota composition in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Brain, Behavior, and Immunity</i> , 2019 , 75, 112-118	16.6	73
419	Association of Hormonal Contraception With Suicide Attempts and Suicides. <i>American Journal of Psychiatry</i> , 2018 , 175, 336-342	11.9	73
418	Recombinant human erythropoietin for treating treatment-resistant depression: a double-blind, randomized, placebo-controlled phase 2 trial. <i>Neuropsychopharmacology</i> , 2014 , 39, 1399-408	8.7	72
417	Effects of Short-Term Cognitive Remediation on Cognitive Dysfunction in Partially or Fully Remitted Individuals with Bipolar Disorder: Results of a Randomised Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0127955	3.7	72
416	Increased risk for depression after breast cancer: a nationwide population-based cohort study of associated factors in Denmark, 1998-2011. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3831-9	2.2	72
415	Valproate v. lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. <i>British Journal of Psychiatry</i> , 2011 , 199, 57-63	5.4	72
414	Screening for cognitive dysfunction in unipolar depression: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2016 , 190, 607-615	6.6	71
413	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and meta-analyses. <i>Bipolar Disorders</i> , 2017 , 19, 84-96	3.8	69
412	Cognitive deficits in the remitted state of unipolar depressive disorder. <i>Neuropsychology</i> , 2012 , 26, 642-651	6.5	69
411	Predictors of recurrence in affective disorder. A case register study. <i>Journal of Affective Disorders</i> , 1998 , 49, 101-8	6.6	69
410	A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 1006-20	2.6	68
409	Optimising screening for cognitive dysfunction in bipolar disorder: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2015 , 187, 10-9	6.6	67
408	Daily electronic monitoring of subjective and objective measures of illness activity in bipolar disorder using smartphones--the MONARCA II trial protocol: a randomized controlled single-blind parallel-group trial. <i>BMC Psychiatry</i> , 2014 , 14, 309	4.2	66
407	Major stressful life events and other risk factors for first admission with mania. <i>Bipolar Disorders</i> , 2004 , 6, 122-9	3.8	66

406	Effects of Erythropoietin on Hippocampal Volume and Memory in Mood Disorders. <i>Biological Psychiatry</i> , 2015 , 78, 270-7	7.9	65
405	Hippocampal volume changes in healthy subjects at risk of unipolar depression. <i>Journal of Psychiatric Research</i> , 2010 , 44, 655-62	5.2	65
404	Mood-stabilizing pharmacological treatment in bipolar disorders and risk of suicide. <i>Bipolar Disorders</i> , 2008 , 10, 87-94	3.8	65
403	Epidemiology of subtypes of depression. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 85-9	6.5	64
402	Recombinant human erythropoietin to target cognitive dysfunction in bipolar disorder: a double-blind, randomized, placebo-controlled phase 2 trial. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1347-55	4.6	64
401	Nationwide and population-based prescription patterns in bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 174-82	3.8	64
400	Systemic oxidatively generated DNA/RNA damage in clinical depression: associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013 , 149, 355-62	6.6	61
399	Daily electronic self-monitoring of subjective and objective symptoms in bipolar disorder--the MONARCA trial protocol (MONitoring, treAtment and pRediCtion of bipolar disorder episodes): a randomised controlled single-blind trial. <i>BMJ Open</i> , 2013 , 3,	3	60
398	Supporting disease insight through data analysis 2013 ,		60
397	Depressive and bipolar disorders: patients' attitudes and beliefs towards depression and antidepressants. <i>Psychological Medicine</i> , 2005 , 35, 1205-13	6.9	60
396	The search for neuroimaging and cognitive endophenotypes: A critical systematic review of studies involving unaffected first-degree relatives of individuals with bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 1-22	9	59
395	Electronic self-monitoring of mood using IT platforms in adult patients with bipolar disorder: A systematic review of the validity and evidence. <i>BMC Psychiatry</i> , 2016 , 16, 7	4.2	59
394	Diagnostic stability in bipolar disorder in clinical practise as according to ICD-10. <i>Journal of Affective Disorders</i> , 2005 , 85, 293-9	6.6	59
393	The risk of affective disorders in patients with adrenocortical insufficiency. <i>Psychoneuroendocrinology</i> , 2006 , 31, 614-22	5	58
392	Do personality traits predict first onset in depressive and bipolar disorder?. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 79-88	2.3	58
391	The Center for Integrated Molecular Brain Imaging (Cimbi) database. <i>NeuroImage</i> , 2016 , 124, 1213-1219	7.9	57
390	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1541-61	1.2	57
389	Differences in psychomotor activity in patients suffering from unipolar and bipolar affective disorder in the remitted or mild/moderate depressive state. <i>Journal of Affective Disorders</i> , 2012 , 141, 457-63	6.6	56

388	Time trend in diagnosing dementia in secondary care. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 146-53	2.6	56
387	Recurrence in affective disorder: analyses with frailty models. <i>American Journal of Epidemiology</i> , 1999 , 149, 404-11	3.8	56
386	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
385	Smartphone-based objective monitoring in bipolar disorder: status and considerations. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 6	5.4	54
384	Smartphones in mental health: a critical review of background issues, current status and future concerns. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 2	5.4	53
383	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry</i> , 2018 , 5, 930-939	23.3	53
382	Starting lithium prophylaxis early v. late in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014 , 205, 214-204	5.4	53
381	Is postoperative cognitive dysfunction a risk factor for dementia? A cohort follow-up study. <i>British Journal of Anaesthesia</i> , 2013 , 110 Suppl 1, i92-7	5.4	53
380	Psychopharmacological treatment with lithium and antiepileptic drugs: suggested guidelines from the Danish Psychiatric Association and the Child and Adolescent Psychiatric Association in Denmark. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 1-22	6.5	53
379	Machine learning and big data analytics in bipolar disorder: A position paper from the International Society for Bipolar Disorders Big Data Task Force. <i>Bipolar Disorders</i> , 2019 , 21, 582-594	3.8	52
378	Elevated levels of IL-6 and IL-18 in manic and hypomanic states in rapid cycling bipolar disorder patients. <i>Brain, Behavior, and Immunity</i> , 2015 , 43, 205-13	16.6	51
377	Erythropoietin: a candidate treatment for mood symptoms and memory dysfunction in depression. <i>Psychopharmacology</i> , 2012 , 219, 687-98	4.7	51
376	The effect of prolonged duration of untreated depression on antidepressant treatment outcome. <i>Journal of Affective Disorders</i> , 2013 , 145, 42-8	6.6	51
375	Lack of association between prior depressive episodes and cerebral [11C]PiB binding. <i>Neurobiology of Aging</i> , 2012 , 33, 2334-42	5.6	51
374	Cytokines, brain-derived neurotrophic factor and C-reactive protein in bipolar I disorder - Results from a prospective study. <i>Journal of Affective Disorders</i> , 2016 , 197, 167-74	6.6	50
373	Assessment of subjective and objective cognitive function in bipolar disorder: Correlations, predictors and the relation to psychosocial function. <i>Psychiatry Research</i> , 2015 , 229, 565-71	9.9	49
372	Late and very-late first-contact schizophrenia and the risk of dementia--a nationwide register based study. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 61-7	3.9	49
371	Objective smartphone data as a potential diagnostic marker of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 119-128	2.6	49

370	High familial risk for mood disorder is associated with low dorsolateral prefrontal cortex serotonin transporter binding. <i>NeuroImage</i> , 2009 , 46, 360-6	7.9	48
369	Heart rate variability in bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 68-80	9	47
368	Diagnostic subtypes of bipolar disorder in older versus younger adults. <i>Bipolar Disorders</i> , 2006 , 8, 56-64	3.8	47
367	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 286-296	7.2	46
366	Predictors of the discrepancy between objective and subjective cognition in bipolar disorder: a novel methodology. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 511-521	6.5	46
365	Do continued antidepressants protect against dementia in patients with severe depressive disorder?. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 316-22	2.2	46
364	The growing field of digital psychiatry: current evidence and the future of apps, social media, chatbots, and virtual reality. <i>World Psychiatry</i> , 2021 , 20, 318-335	14.4	46
363	The prevalence of mixed episodes during the course of illness in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 216-24	6.5	45
362	The effect of episodes on recurrence in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1999 , 53, 225-31	6.6	45
361	The cumulative load of depressive illness is associated with cognitive function in the remitted state of unipolar depressive disorder. <i>European Psychiatry</i> , 2013 , 28, 349-55	6	43
360	The BDNF Val66Met polymorphism: relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1380-9	5	43
359	Promoter variants in IL18 are associated with onset of depression in patients previously exposed to stressful-life events. <i>Journal of Affective Disorders</i> , 2012 , 136, 134-138	6.6	42
358	Differences between early and late onset adult depression. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 140-7	3.2	42
357	The catechol-O-methyltransferase (COMT) Val158Met genotype modulates working memory-related dorsolateral prefrontal response and performance in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 214-224	3.8	41
356	Rate and predictors of conversion from unipolar to bipolar disorder: A systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2017 , 19, 324-335	3.8	41
355	A composite peripheral blood gene expression measure as a potential diagnostic biomarker in bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e614	8.6	40
354	Elevated levels of plasma brain derived neurotrophic factor in rapid cycling bipolar disorder patients. <i>Psychoneuroendocrinology</i> , 2014 , 47, 199-211	5	40
353	Predictive effects of previous episodes on the risk of recurrence in depressive and bipolar disorders. <i>Current Psychiatry Reports</i> , 2005 , 7, 413-20	9.1	40

352	Familial risk for mood disorder and the personality risk factor, neuroticism, interact in their association with frontolimbic serotonin 2A receptor binding. <i>Neuropsychopharmacology</i> , 2010 , 35, 1129-37	8.7	39
351	Increased risk of developing affective disorder in patients with hypothyroidism: a register-based study. <i>Thyroid</i> , 2005 , 15, 700-7	6.2	39
350	The effect of smartphone-based monitoring on illness activity in bipolar disorder: the MONARCA II randomized controlled single-blinded trial. <i>Psychological Medicine</i> , 2020 , 50, 838-848	6.9	39
349	Mood instability in bipolar disorder type I versus type II-continuous daily electronic self-monitoring of illness activity using smartphones. <i>Journal of Affective Disorders</i> , 2015 , 186, 342-9	6.6	38
348	Elevated levels of urinary markers of oxidatively generated DNA and RNA damage in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 257-68	3.8	38
347	Tell me your apps and I will tell you your mood 2014 ,		38
346	Clinical definitions of sensitisation in affective disorder: a case register study of prevalence and prediction. <i>Journal of Affective Disorders</i> , 1998 , 47, 31-9	6.6	38
345	Adherence to antidepressant treatment. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 57-62	4.3	38
344	Do antidepressants precipitate youth suicide?: a nationwide pharmacoepidemiological study. <i>European Child and Adolescent Psychiatry</i> , 2006 , 15, 232-40	5.5	38
343	Personalized medicine in psychiatry. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 12-19	2.3	37
342	Predictors of excellent response to lithium: results from a nationwide register-based study. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 323-8	2.2	37
341	Systematic review of randomized controlled trials of candidate treatments for cognitive impairment in depression and methodological challenges in the field. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1845-1867	1.2	36
340	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019 , 21, 686-719	3.8	36
339	From items to syndromes in the Hypomania Checklist (HCL-32): psychometric validation and clinical validity analysis. <i>Journal of Affective Disorders</i> , 2011 , 132, 48-54	6.6	36
338	A comparison of ICD-8 and ICD-10 diagnoses of affective disorder -a case register study from Denmark. <i>European Psychiatry</i> , 1998 , 13, 342-5	6	36
337	Lithium in Drinking Water and Incidence of Suicide: A Nationwide Individual-Level Cohort Study with 22 Years of Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	34
336	Do young adults with bipolar disorder benefit from early intervention?. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 403-8	6.6	34
335	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. <i>Trials</i> , 2010 , 11, 97	2.8	34

334	Adherence to lithium in naturalistic settings: results from a nationwide pharmacoepidemiological study. <i>Bipolar Disorders</i> , 2007 , 9, 730-6	3.8	34
333	Volume of the adrenal and pituitary glands in depression. <i>Psychoneuroendocrinology</i> , 2011 , 36, 19-27	5	33
332	Subtypes of depressive episodes according to ICD-10: prediction of risk of relapse and suicide. <i>Psychopathology</i> , 2003 , 36, 285-91	3.4	33
331	Rates and predictors of remission, recurrence and conversion to bipolar disorder after the first lifetime episode of depression--a prospective 5-year follow-up study. <i>Psychological Medicine</i> , 2016 , 46, 1151-61	6.9	33
330	Clinical use of coping in affective disorder, a critical review of the literature. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005 , 1, 20	3.2	32
329	The role of estrogen in bipolar disorder, a review. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 81-7	2.3	31
328	The influence of comorbid personality disorder and neuroticism on treatment outcome in first episode depression. <i>Psychopathology</i> , 2010 , 43, 197-204	3.4	31
327	Increased risk of developing Parkinson's disease for patients with major affective disorder: a register study. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 104, 380-386	6.5	31
326	Enduring increased risk of developing depression and mania in patients with dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 40-4	5.5	31
325	The effect of erythropoietin on cognition in affective disorders - Associations with baseline deficits and change in subjective cognitive complaints. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1264-73	1.2	31
324	New drug candidates for depression - a nationwide population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 68-77	6.5	31
323	Different neural and cognitive response to emotional faces in healthy monozygotic twins at risk of depression. <i>Psychological Medicine</i> , 2015 , 45, 1447-58	6.9	30
322	State-related alterations of gene expression in bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2012 , 14, 684-96	3.8	30
321	No interactions between genetic polymorphisms and stressful life events on outcome of antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2010 , 20, 327-35	1.2	30
320	Acute and transient psychosis in old age and the subsequent risk of dementia: a nationwide register-based study. <i>Geriatrics and Gerontology International</i> , 2009 , 9, 62-8	2.9	30
319	Survival After Early-Stage Breast Cancer of Women Previously Treated for Depression: A Nationwide Danish Cohort Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 334-342	2.2	29
318	Smartphone-Based Self-Assessment of Stress in Healthy Adult Individuals: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2017 , 19, e41	7.6	29
317	Increased DNA and RNA damage by oxidation in patients with bipolar I disorder. <i>Translational Psychiatry</i> , 2016 , 6, e867	8.6	29

316	Normal tension glaucoma and Alzheimer disease: comorbidity?. <i>Acta Ophthalmologica</i> , 2012 , 90, 683-5	3.7	28
315	Whole blood BDNF levels in healthy twins discordant for affective disorder: association to life events and neuroticism. <i>Journal of Affective Disorders</i> , 2008 , 108, 165-9	6.6	28
314	Salivary cortisol in unaffected twins discordant for affective disorder. <i>Psychiatry Research</i> , 2008 , 161, 292-301	9.9	28
313	Severity of depressive episodes during the course of depressive disorder. <i>British Journal of Psychiatry</i> , 2008 , 192, 290-3	5.4	28
312	Increased risk of developing stroke for patients with major affective disorder--a registry study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 387-91	5.1	28
311	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
310	Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1295-1300	3.9	27
309	Neural correlates of improved executive function following erythropoietin treatment in mood disorders. <i>Psychological Medicine</i> , 2016 , 46, 1679-91	6.9	27
308	Neural response during emotion regulation in monozygotic twins at high familial risk of affective disorders. <i>NeuroImage: Clinical</i> , 2019 , 21, 101598	5.3	27
307	Increased risk of affective disorder following hospitalisation with hyperthyroidism - a register-based study. <i>European Journal of Endocrinology</i> , 2005 , 152, 535-43	6.5	26
306	Maternal depression, antidepressant use in pregnancy and Apgar scores in infants. <i>British Journal of Psychiatry</i> , 2013 , 202, 347-51	5.4	25
305	Temporal changes in suicide rates for persons treated and not treated with antidepressants in Denmark during 1995-1999. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 168-76	6.5	25
304	On the increased risk of developing late-onset epilepsy for patients with major affective disorder. <i>Journal of Affective Disorders</i> , 2003 , 76, 39-48	6.6	25
303	Impairment of executive function and attention predicts onset of affective disorder in healthy high-risk twins. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e747-53	4.6	25
302	Remitted affective disorders and high familial risk of affective disorders associate with aberrant intestinal microbiota. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 174-184	6.5	25
301	Smartphone-based self-monitoring in bipolar disorder: evaluation of usability and feasibility of two systems. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 1	5.4	24
300	Does bereavement-related first episode depression differ from other kinds of first depressions?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 801-8	4.5	24
299	Clinical consequences of sensitisation in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1998 , 47, 41-7	6.6	24

298	Continued antidepressant treatment and suicide in patients with depressive disorder. <i>Archives of Suicide Research</i> , 2007 , 11, 163-75	2.3	24
297	The effect of comorbid alcoholism on recurrence in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1999 , 53, 49-55	6.6	24
296	Targeting Treatments to Improve Cognitive Function in Mood Disorder: Suggestions From Trials Using Erythropoietin. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1639-e1646	4.6	24
295	Antihypertensive Drugs and Risk of Depression: A Nationwide Population-Based Study. <i>Hypertension</i> , 2020 , 76, 1263-1279	8.5	24
294	Impact factor analysis: combining prediction with parameter ranking to reveal the impact of behavior on health outcome. <i>Personal and Ubiquitous Computing</i> , 2015 , 19, 355-365	2.1	23
293	State-related differences in the level of psychomotor activity in patients with bipolar disorder - Continuous heart rate and movement monitoring. <i>Psychiatry Research</i> , 2016 , 237, 166-74	9.9	23
292	Effects of cognitive remediation on cognitive dysfunction in partially or fully remitted patients with bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 378	2.8	23
291	An observational nationwide register based cohort study on lamotrigine versus lithium in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2012 , 26, 644-52	4.6	23
290	Is there a difference in subjective experience of cognitive function in patients with unipolar disorder versus bipolar disorder?. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 389-95	2.3	23
289	Clinical utility of Standardised Assessment of Personality - Abbreviated Scale (SAPAS) among patients with first episode depression. <i>Journal of Affective Disorders</i> , 2010 , 127, 199-202	6.6	23
288	Subclinical psychopathology and socio-economic status in unaffected twins discordant for affective disorder. <i>Journal of Psychiatric Research</i> , 2007 , 41, 229-38	5.2	23
287	Do antidepressants prevent suicide?. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 211-8	2.2	23
286	No association between the -399 C > T polymorphism of the neuropeptide Y gene and schizophrenia, unipolar depression or panic disorder in a Danish population. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 54-8	6.5	23
285	Predictors of recurrence in affective disorder--analyses accounting for individual heterogeneity. <i>Journal of Affective Disorders</i> , 2000 , 57, 139-45	6.6	23
284	Soluble urokinase plasminogen activator receptor as a marker for use of antidepressants. <i>PLoS ONE</i> , 2014 , 9, e110555	3.7	23
283	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1311 ^{1,2}		22
282	Reducing the rate and duration of Re-ADMISSIONS among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment - the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017 , 18, 277	2.8	22
281	The risk of psychiatric disorders in individuals born prematurely in Denmark from 1974 to 1996. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 691-9	3.1	22

280	Diagnostic evaluation of dementia in the secondary health care sector. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 534-42	2.6	22
279	Antidepressive-drug-induced bodyweight gain is associated with polymorphisms in genes coding for COMT and TPH1. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 199-203	2.2	22
278	Differences in diagnostic subtypes among patients with late and early onset of a single depressive episode. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1127-31	3.9	22
277	Apolipoprotein E-epsilon 4 frequency in affective disorder. <i>Biological Psychiatry</i> , 1999 , 45, 430-4	7.9	22
276	Metabolic profile in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 8	5.4	21
275	Investigating the effects of cesarean delivery and antibiotic use in early childhood on risk of later attention deficit hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 151-159	7.9	21
274	Risk markers for affective disorder, a seven-years follow up study of a twin cohort at low and high risk for affective disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 565-71	5.2	21
273	Association between consistent purchase of anticonvulsants or lithium and suicide risk: a longitudinal cohort study from Denmark, 1995-2001. <i>Journal of Affective Disorders</i> , 2009 , 117, 162-7	6.6	21
272	Satisfaction with treatment among patients with depressive and bipolar disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 148-55	4.5	21
271	Increased risk of developing diabetes in depressive and bipolar disorders?. <i>Journal of Psychiatric Research</i> , 2004 , 38, 395-402	5.2	21
270	The hypothalamo-pituitary-adrenal axis in major affective disorder: a review. <i>Nordic Journal of Psychiatry</i> , 2001 , 55, 359-63	2.3	21
269	Personality and the Long-Term Outcome of First-Episode Depression: A Prospective 5-Year Follow-Up Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e704-10	4.6	21
268	Effects of erythropoietin on memory-relevant neurocircuitry activity and recall in mood disorders. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 249-59	6.5	21
267	Thirty-year cardiovascular risk score in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 651-662	2.6	21
266	Psychostimulants in moderate to severe affective disorder: a systematic review of randomized controlled trials. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 369-82	2.3	20
265	Diagnostic stability in depressive disorder as according to ICD-10 in clinical practice. <i>Psychopathology</i> , 2005 , 38, 32-7	3.4	20
264	Increased risk of hyperthyroidism among patients hospitalized with bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 351-7	3.8	20
263	Methodological Challenges in Randomized Controlled Trials on Smartphone-Based Treatment in Psychiatry: Systematic Review. <i>Journal of Medical Internet Research</i> , 2019 , 21, e15362	7.6	20

262	Increase in depression diagnoses and prescribed antidepressants among young girls. A national cohort study 2000-2013. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 378-385	2.3	19
261	Is smartphone-based mood instability associated with stress, quality of life, and functioning in bipolar disorder?. <i>Bipolar Disorders</i> , 2019 , 21, 611-620	3.8	19
260	Differences in clinical presentation between bipolar I and II disorders in the early stages of bipolar disorder: A naturalistic study. <i>Journal of Affective Disorders</i> , 2017 , 208, 521-527	6.6	19
259	The effects of maternal depression and use of antidepressants during pregnancy on risk of a child small for gestational age. <i>Psychopharmacology</i> , 2013 , 228, 199-205	4.7	19
258	Recovery from episodes during the course of affective disorder: a case-register study. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 279-87	6.5	19
257	Differences in mood instability in patients with bipolar disorder type I and II: a smartphone-based study. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 5	5.4	18
256	Lithium and renal and upper urinary tract tumors - results from a nationwide population-based study. <i>Bipolar Disorders</i> , 2015 , 17, 805-13	3.8	18
255	Altered reward processing in the orbitofrontal cortex and hippocampus in healthy first-degree relatives of patients with depression. <i>Psychological Medicine</i> , 2014 , 44, 1183-95	6.9	18
254	The effect of selective serotonin reuptake inhibitors in healthy subjects. A systematic review. <i>Nordic Journal of Psychiatry</i> , 2010 , 64, 153-63	2.3	18
253	Do stressful life events predict medical treatment outcome in first episode of depression?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 752-60	4.5	18
252	Attitudes and beliefs among patients treated with mood stabilizers. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 8	3.2	18
251	Treatment with antidepressants in patients with dementia--a nationwide register-based study. <i>International Psychogeriatrics</i> , 2007 , 19, 902-13	3.4	18
250	No increased risk of developing depression in diabetes compared to other chronic illness. <i>Diabetes Research and Clinical Practice</i> , 2003 , 62, 113-21	7.4	18
249	Lithium and Renal Impairment: A Review on a Still Hot Topic. <i>Pharmacopsychiatry</i> , 2018 , 51, 200-205	2	17
248	The effect of the first manic episode in affective disorder: a case register study of hospitalised episodes. <i>Journal of Affective Disorders</i> , 1999 , 53, 233-9	6.6	17
247	Usability, Acceptability, and Adherence to an Electronic Self-Monitoring System in Patients With Major Depression Discharged From Inpatient Wards. <i>Journal of Medical Internet Research</i> , 2017 , 19, e1237.6	7.6	17
246	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 82-91	6.5	17
245	Continuation of lithium after a diagnosis of chronic kidney disease. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 615-622	6.5	16

244	Relation Between Infant Microbiota and Autism?: Results from a National Cohort Sibling Design Study. <i>Epidemiology</i> , 2019 , 30, 52-60	3.1	16
243	Reduced mRNA expression of PTGDS in peripheral blood mononuclear cells of rapid-cycling bipolar disorder patients compared with healthy control subjects. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	16
242	Impaired down-regulation of negative emotion in self-referent social situations in bipolar disorder: A pilot study of a novel experimental paradigm. <i>Psychiatry Research</i> , 2016 , 238, 318-325	9.9	16
241	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
240	Personal Health Systems for Bipolar Disorder Anecdotes, Challenges and Lessons Learnt from MONARCA Project 2013 ,		16
239	Combinations of SNPs related to signal transduction in bipolar disorder. <i>PLoS ONE</i> , 2011 , 6, e23812	3.7	16
238	Delusional disorder in old age and the risk of developing dementia: a nationwide register-based study. <i>Aging and Mental Health</i> , 2008 , 12, 625-9	3.5	16
237	Cerebrospinal fluid oxidative stress metabolites in patients with bipolar disorder and healthy controls: a longitudinal case-control study. <i>Translational Psychiatry</i> , 2019 , 9, 325	8.6	16
236	Effect of recombinant erythropoietin on inflammatory markers in patients with affective disorders: A randomised controlled study. <i>Brain, Behavior, and Immunity</i> , 2016 , 57, 53-57	16.6	15
235	Lithium in drinking water and the incidence of bipolar disorder: A nation-wide population-based study. <i>Bipolar Disorders</i> , 2017 , 19, 563-567	3.8	15
234	Personality traits in unaffected twins discordant for affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 442-50	6.5	15
233	Treatment with antidepressants and lithium is associated with increased risk of treatment with antiparkinson drugs: a pharmacoepidemiological study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 781-3	5.5	15
232	Endogenous, reactive and neurotic depression -- diagnostic stability and long-term outcome. <i>Psychopathology</i> , 2004 , 37, 124-30	3.4	15
231	Cognitive Impairment in Affective Disorders: Relation to Illness Characteristics. <i>Nordic Journal of Psychiatry</i> , 1996 , 50, 305-316	2.3	15
230	Effect of action-based cognitive remediation on cognition and neural activity in bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 487	2.8	15
229	The effect of recombinant erythropoietin on plasma brain derived neurotrophic factor levels in patients with affective disorders: a randomised controlled study. <i>PLoS ONE</i> , 2015 , 10, e0127629	3.7	14
228	The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression-A randomised trial. <i>Psychiatry Research</i> , 2012 , 200, 354-60	9.9	14
227	Subtypes of manic episodes according to ICD-10-prediction of time to remission and risk of relapse. <i>Journal of Affective Disorders</i> , 2004 , 81, 279-85	6.6	14

226	Forecasting Mood in Bipolar Disorder From Smartphone Self-assessments: Hierarchical Bayesian Approach. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15028	5.5	14
225	Angiotensin Converting Enzyme Inhibitors and Risk of Mood Disorders. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 250-2	9.4	14
224	A multisystem composite biomarker as a preliminary diagnostic test in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 227-236	6.5	14
223	Subtle behavioural responses during negative emotion reactivity and down-regulation in bipolar disorder: A facial expression and eye-tracking study. <i>Psychiatry Research</i> , 2018 , 266, 152-159	9.9	14
222	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13
221	New drug candidates for bipolar disorder-A nation-wide population-based study. <i>Bipolar Disorders</i> , 2019 , 21, 410-418	3.8	13
220	No evidence for an anti-inflammatory effect of escitalopram intervention in healthy individuals with a family history of depression. <i>Journal of Neuroimmunology</i> , 2012 , 243, 69-72	3.5	13
219	Variations in 5-HTTLPR: relation to familiar risk of affective disorder, life events, neuroticism and cortisol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 86-91	5.5	13
218	Use of antiparkinsonian drugs in Denmark: results from a nationwide pharmacoepidemiological study. <i>Movement Disorders</i> , 2006 , 21, 1221-5	7	13
217	Gender differences in subtypes of late-onset depression and mania. <i>International Psychogeriatrics</i> , 2006 , 18, 727-38	3.4	13
216	Risk of recurrence after a single manic or mixed episode - a systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2018 , 20, 9-17	3.8	13
215	Does Cognitive Dysfunction in Bipolar Disorder Qualify as a Diagnostic Intermediate Phenotype?-A Perspective Paper. <i>Frontiers in Psychiatry</i> , 2018 , 9, 490	5	13
214	Personalizing Mental Health 2019 ,		12
213	Are variations in whole blood BDNF level associated with the BDNF Val66Met polymorphism in patients with first episode depression?. <i>Psychiatry Research</i> , 2013 , 210, 102-8	9.9	12
212	Electronic monitoring of psychomotor activity as a supplementary objective measure of depression severity. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 118-25	2.3	12
211	Effect of chronic escitalopram versus placebo on personality traits in healthy first-degree relatives of patients with depression: a randomized trial. <i>PLoS ONE</i> , 2012 , 7, e31980	3.7	12
210	Escitalopram and neuroendocrine response in healthy first-degree relatives to depressed patients--a randomized placebo-controlled trial. <i>PLoS ONE</i> , 2011 , 6, e21224	3.7	12
209	Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. <i>Trials</i> , 2009 , 10, 66	2.8	12

208	Gender differences in patients presenting with a single depressive episode according to ICD-10. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 197-201	4.5	12
207	Mood instability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy control individuals measured daily using smartphones. <i>Journal of Affective Disorders</i> , 2020 , 271, 336-344	6.6	12
206	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
205	Diagnostic stability in pediatric bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 172, 417-21	6.6	11
204	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
203	Leukocytes in peripheral blood in patients with bipolar disorder - Trait and state alterations and association with levels of cytokines and C-reactive protein. <i>Psychiatry Research</i> , 2018 , 261, 383-390	9.9	11
202	Risk for affective disorders is associated with greater prefrontal gray matter volumes: A prospective longitudinal study. <i>NeuroImage: Clinical</i> , 2018 , 17, 786-793	5.3	11
201	Poor evidence for putative abnormalities in cerebrospinal fluid neurotransmitters in patients with depression versus healthy non-psychiatric individuals: A systematic review and meta-analyses of 23 studies. <i>Journal of Affective Disorders</i> , 2018 , 240, 6-16	6.6	11
200	Is aberrant affective cognition an endophenotype for affective disorders? - A monozygotic twin study. <i>Psychological Medicine</i> , 2019 , 49, 987-996	6.9	11
199	General health and well-being in outpatients with depressive and bipolar disorders. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 150-6	2.3	11
198	Does type of first contact in depressive and bipolar disorders predict subsequent hospitalisation and risk of suicide?. <i>Journal of Affective Disorders</i> , 2004 , 83, 65-71	6.6	11
197	Severe brain pathology: Underdiagnosed in psychiatric patients?. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 396-397	6.5	11
196	Antidiabetes Agents and Incident Depression: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020 , 43, 3050-3060	14.6	11
195	Hair cortisol in newly diagnosed bipolar disorder and unaffected first-degree relatives. <i>Psychoneuroendocrinology</i> , 2019 , 99, 183-190	5	11
194	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2020 , 50, 1808-1819	6.9	11
193	Biomarkers in cerebrospinal fluid of patients with bipolar disorder versus healthy individuals: A systematic review. <i>European Neuropsychopharmacology</i> , 2018 , 28, 783-794	1.2	11
192	Increased blood BDNF in healthy individuals with a family history of depression. <i>Psychiatry Research</i> , 2017 , 256, 176-179	9.9	10
191	Gender differences among patients with a single depressive episode. <i>Psychopathology</i> , 2010 , 43, 159-69	3.4	10

190	Event dependent sampling of recurrent events. <i>Lifetime Data Analysis</i> , 2010 , 16, 580-98	1.3	10
189	The Internet-Based Cognitive Assessment Tool: System Design and Feasibility Study. <i>JMIR Formative Research</i> , 2019 , 3, e13898	2.5	10
188	Effect of Action-Based Cognitive Remediation on cognitive impairment in patients with remitted bipolar disorder: A randomized controlled trial. <i>Bipolar Disorders</i> , 2021 , 23, 487-499	3.8	10
187	A nation-wide population-based longitudinal study mapping physical diseases in patients with bipolar disorder and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 282, 18-25	6.6	10
186	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition. <i>Psychological Medicine</i> , 2021 , 51, 668-679	6.9	10
185	Out-of-Hospital Cardiac Arrest in Patients With and Without Psychiatric Disorders: Differences in Use of Coronary Angiography, Coronary Revascularization, and Implantable Cardioverter-Defibrillator and Survival. <i>Journal of the American Heart Association</i> , 2019 , 8, e012708	6	9
184	Increased sensitivity to positive social stimuli in monozygotic twins at risk of bipolar vs. unipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 212-218	6.6	9
183	Towards a biomarker model for cognitive improvement: No change in memory-related prefrontal engagement following a negative cognitive remediation trial in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2018 , 32, 1075-1085	4.6	9
182	State-related differences in heart rate variability in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2017 , 84, 169-173	5.2	9
181	Treatment with antiparkinson and antidepressant drugs: a register-based, pharmaco-epidemiological study. <i>Movement Disorders</i> , 2007 , 22, 2037-42	7	9
180	Affective disorders in neurological diseases: a case register-based study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 41-50	6.5	9
179	Smartphone-based activity measurements in patients with newly diagnosed bipolar disorder, unaffected relatives and control individuals. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 32	5.4	9
178	Norms for the Screen for Cognitive Impairment in Psychiatry and cognitive trajectories in bipolar disorder. <i>Journal of Affective Disorders</i> , 2021 , 281, 33-40	6.6	9
177	Does a single session of electroconvulsive therapy alter the neural response to emotional faces in depression? A randomised sham-controlled functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1215-1224	4.6	8
176	Brain Derived Neurotrophic Factor (BDNF) levels as a possible predictor of psychopathology in healthy twins at high and low risk for affective disorder. <i>Psychoneuroendocrinology</i> , 2014 , 39, 179-183	5	8
175	Psychiatric disease incidence among Danish Seventh-day Adventists and Baptists. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1583-90	4.5	8
174	5-HTTLPR and use of antidepressants after colorectal cancer including a meta-analysis of 5-HTTLPR and depression after cancer. <i>Translational Psychiatry</i> , 2015 , 5, e631	8.6	8
173	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8

172	Clinical Characteristics, Life Adversities and Personality Traits in Monozygotic Twins With, at Risk of and Without Affective Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 401	5	8
171	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
170	Differences in neural and cognitive response to emotional faces in middle-aged dizygotic twins at familial risk of depression. <i>Psychological Medicine</i> , 2017 , 47, 2345-2357	6.9	7
169	Effects of erythropoietin on body composition and fat-glucose metabolism in patients with affective disorders. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 342-349	3.9	7
168	Effect of electroconvulsive therapy on neural response to affective pictures: A randomized, sham-controlled fMRI study. <i>European Neuropsychopharmacology</i> , 2018 , 28, 915-924	1.2	7
167	The clinical relevance of qualitatively distinct subtypes of depression. <i>World Psychiatry</i> , 2017 , 16, 318-319	4.4	7
166	Coping styles in healthy individuals at risk of affective disorder. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 39-44	1.8	7
165	Increased rate of treatment with antidepressants in patients with multiple sclerosis. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 54-9	2.2	7
164	Parkinson's disease and antidepressant drug treatment: a case-register study. <i>Parkinsonism and Related Disorders</i> , 2007 , 13, 406-10	3.6	7
163	The effects of centralised and specialised intervention in the early course of severe unipolar depressive disorder: a randomised clinical trial. <i>PLoS ONE</i> , 2012 , 7, e32950	3.7	7
162	Smartphone-Based Self-Monitoring, Treatment, and Automatically Generated Data in Children, Adolescents, and Young Adults With Psychiatric Disorders: Systematic Review. <i>JMIR Mental Health</i> , 2020 , 7, e17453	6	7
161	A nationwide population-based longitudinal study mapping psychiatric disorders during lifetime in siblings to patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 284-293	6.5	7
160	Effects of recombinant human erythropoietin on cognition and neural activity in remitted patients with mood disorders and first-degree relatives of patients with psychiatric disorders: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 611	2.8	7
159	Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 124	4.2	6
158	The validity of daily patient-reported anxiety measured using smartphones and the association with stress, quality of life and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 257, 100-107	6.6	6
157	The effects of centralised and specialised combined pharmacological and psychological intervention compared with decentralised and non-specialised treatment in the early course of severe unipolar and bipolar affective disorders--design of two randomised clinical trials. <i>Trials</i> , 2011 , 12, 32	2.8	6
156	Recurrence of affective disorder. <i>American Journal of Psychiatry</i> , 2001 , 158, 819-20	11.9	6
155	Sleep and physical activity in patients with newly diagnosed bipolar disorder in remission, their first-degree unaffected relatives and healthy controls. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 16	5.4	6

154	Combinations of genetic variants associated with bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0189739	3.7	6
153	Healthy co-twins of patients with affective disorders show reduced risk-related activation of the insula during a monetary gambling task. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 38-47	4.5	6
152	The Validity of Daily Self-Assessed Perceived Stress Measured Using Smartphones in Healthy Individuals: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e13418	5.5	6
151	Are remitted affective disorders and familial risk of affective disorders associated with metabolic syndrome, inflammation and oxidative stress? - a monozygotic twin study. <i>Psychological Medicine</i> , 2020 , 50, 1736-1745	6.9	6
150	Mood, activity, and sleep measured via daily smartphone-based self-monitoring in young patients with newly diagnosed bipolar disorder, their unaffected relatives and healthy control individuals. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1209-1221	5.5	6
149	Daily self-reported and automatically generated smartphone-based sleep measurements in patients with newly diagnosed bipolar disorder, unaffected first-degree relatives and healthy control individuals. <i>Evidence-Based Mental Health</i> , 2020 , 23, 146-153	11.1	6
148	Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphones-The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 453-465	6.5	6
147	Risk of cancer in bipolar disorder and the potential role of lithium: International collaborative systematic review and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 529-541	9	6
146	Genetic variants in 5-HTTLPR, BDNF, HTR1A, COMT, and FKBP5 and risk for treated depression after cancer diagnosis. <i>Depression and Anxiety</i> , 2017 , 34, 845-855	8.4	5
145	The association between mixed symptoms, irritability and functioning measured using smartphones in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 443-453	6.5	5
144	DEPEROR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015 , 179, 121-7	6.6	5
143	Impact of pretreatment interhemispheric hippocampal asymmetry on improvement in verbal learning following erythropoietin treatment in mood disorders: a randomized controlled trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 198-205	4.5	5
142	Differences in psychomotor activity and heart rate variability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. <i>Journal of Affective Disorders</i> , 2020 , 266, 30-36	6.6	5
141	Out-of-hospital cardiac arrest in patients with psychiatric disorders - Characteristics and outcomes. <i>Resuscitation</i> , 2019 , 143, 180-188	4	5
140	Metabolic syndrome in a cohort of affectively ill patients, a naturalistic study. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 142-5	2.3	5
139	The performance of the revised Major Depression Inventory for self-reported severity of depression--implications for the DSM-5 and ICD-11. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 187-8	9.4	5
138	The internalising and externalising dimensions of affective symptoms in depressed (unipolar) and bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 362-9	9.4	5
137	Increased relative risk of subsequent affective disorders in patients with a hospital diagnosis of obesity. <i>International Journal of Obesity</i> , 2006 , 30, 1415-21	5.5	5

136	MUBS: A Personalized Recommender System for Behavioral Activation in Mental Health 2020 ,		5
135	The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 282, 354-363	6.6	5
134	Socio-economic functioning in patients with bipolar disorder and their unaffected siblings - results from a nation-wide population-based longitudinal study. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	5
133	Glycogen synthase kinase-3 β in patients with bipolar I disorder: results from a prospective study. <i>Bipolar Disorders</i> , 2016 , 18, 334-41	3.8	5
132	The validity of dysthymia to predict clinical depressive symptoms as measured by the Hamilton Depression Scale at the 5-year follow-up of patients with first episode depression. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 563-6	2.3	5
131	Unaffected twins discordant for affective disorders show changes in anterior callosal white matter microstructure. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 441-451	6.5	5
130	Personalized versus Generic Mood Prediction Models in Bipolar Disorder 2018 ,		5
129	Neural Response After a Single ECT Session During Retrieval of Emotional Self-Referent Words in Depression: A Randomized, Sham-Controlled fMRI Study. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 226-235	5.8	5
128	Course and cognitive outcome in major affective disorder. <i>Danish Medical Journal</i> , 2015 , 62, B5160	3.8	5
127	Lithium and bipolar depression. <i>Bipolar Disorders</i> , 2019 , 21, 458-459	3.8	4
126	Daily estimates of clinical severity of symptoms in bipolar disorder from smartphone-based self-assessments. <i>Translational Psychiatry</i> , 2020 , 10, 194	8.6	4
125	Glycogen synthase kinase-3 β activity and cognitive functioning in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 361-368	1.2	4
124	Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. <i>Journal of Affective Disorders</i> , 2018 , 226, 267-273	6.6	4
123	Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. <i>PLoS ONE</i> , 2015 , 10, e0143432	3.7	4
122	Serotonin transporter genotype, salivary cortisol, neuroticism and life events: impact on subsequent psychopathology in healthy twins at high and low risk for affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 48, 193-8	5.5	4
121	Cohabitation patterns among patients with severe psychiatric disorders in the entire Danish population. <i>Psychological Medicine</i> , 2013 , 43, 1013-21	6.9	4
120	A randomized trial of the effect of escitalopram versus placebo on cognitive function in healthy first-degree relatives of patients with depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2011 , 1, 133-44	4.9	4
119	Differences in the ICD-10 diagnostic subtype of depression in bipolar disorder compared to recurrent depressive disorder. <i>Psychopathology</i> , 2008 , 41, 141-6	3.4	4

118	Repeated events and total time on test. <i>Statistics in Medicine</i> , 2008 , 27, 3817-32	2.3	4
117	Neural response to emotional faces in monozygotic twins: association with familial risk of affective disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 277-286	4.5	4
116	Increased risk of treatment with antidepressants in stroke compared with other chronic illness. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 13-9	2.2	4
115	Glycogen Synthase Kinase-3 Variation over Time and the Possible Association with Mood and Cognition in Healthy Individuals. <i>Neuropsychobiology</i> , 2016 , 73, 108-15	4	4
114	No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 101-9	3.9	4
113	Daily mobility patterns in patients with bipolar disorder and healthy individuals. <i>Journal of Affective Disorders</i> , 2021 , 278, 413-422	6.6	4
112	Change in prefrontal activity and executive functions after action-based cognitive remediation in bipolar disorder: a randomized controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1113-1121	8.7	4
111	Diagnostic Stability of Comorbid Personality Disorders Among Patients Fully or Partially Remitted From First-Episode Depression: A 5-Year Follow-Up Study. <i>Journal of Personality Disorders</i> , 2017 , 31, 208-220	2.6	3
110	Supporting smartphone-based behavioral activation 2017 ,		3
109	Reduced frontostriatal response to expected value and reward prediction error in remitted monozygotic twins with mood disorders and their unaffected high-risk co-twins. <i>Psychological Medicine</i> , 2021 , 51, 1637-1646	6.9	3
108	Erythropoietin as an add-on treatment for cognitive side effects of electroconvulsive therapy: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 234	2.8	3
107	Effect of escitalopram versus placebo on GR α messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression - a secondary outcome analysis from the randomized AGENDA trial. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 297-302	2.3	3
106	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 81-90	3.9	3
105	Designing for hourly activity sampling in behavioral activation 2017 ,		3
104	Neuroticism in Remitted Major Depression: Elevated with Early Onset but Not Late Onset of Depression. <i>Psychopathology</i> , 2015 , 48, 400-7	3.4	3
103	Bipolar Disorder in the Elderly 2010 , 488-498		3
102	Quality of life in unaffected twins discordant for affective disorder. <i>Journal of Affective Disorders</i> , 2007 , 99, 133-8	6.6	3
101	Increased rate of treatment with antidepressants in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2007 , 11, 39-45	3.2	3

100	Prevalence of Type 2 Diabetes Mellitus, Impaired Fasting Glucose, General Obesity, and Abdominal Obesity in Patients with Bipolar Disorder: A Systematic Review and Meta-analysis.. <i>Journal of Affective Disorders</i> , 2021 , 300, 449-449	6.6	3
99	Data-Driven Learning in High-Resolution Activity Sampling From Patients With Bipolar Depression: Mixed-Methods Study. <i>JMIR Mental Health</i> , 2018 , 5, e10122	6	3
98	Melanopsin-mediated pupillary responses in bipolar disorder-a cross-sectional pupillometric investigation. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 7	5.4	3
97	Processing of infant emotion in mothers with mood disorders and implications for infant development. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
96	Apps for mental health care: The raise of digital psychiatry. <i>European Neuropsychopharmacology</i> , 2021 , 47, 51-53	1.2	3
95	Internet-based cognitive assessment tool: Sensitivity and validity of a new online cognition screening tool for patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2021 , 289, 125-134	6.6	3
94	Designing context-aware cognitive behavioral therapy for unipolar and bipolar disorders 2016 ,		3
93	What is early intervention in bipolar disorder? Recommendation of a pragmatic way focusing on early intervention in patients with newly diagnosed bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 168-169 ^{3,8}		3
92	Risk of out-of-hospital cardiac arrest in patients with bipolar disorder or schizophrenia. <i>Heart</i> , 2021 , 107, 1544-1551	5.1	3
91	Brain-derived neurotrophic factor levels in newly diagnosed patients with bipolar disorder, their unaffected first-degree relatives and healthy controls. <i>BJPsych Open</i> , 2021 , 7, e55	5	3
90	Affective disorders impact prevalence of Flavonifractor and abundance of Christensenellaceae in gut microbiota. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110300	5.5	3
89	Emotional cognition subgroups in mood disorders: Associations with familial risk. <i>European Neuropsychopharmacology</i> , 2021 , 51, 71-83	1.2	3
88	S100B and brain derived neurotrophic factor in monozygotic twins with, at risk of and without affective disorders. <i>Journal of Affective Disorders</i> , 2020 , 274, 726-732	6.6	2
87	Eye gaze and facial displays of emotion during emotional film clips in remitted patients with bipolar disorder. <i>European Psychiatry</i> , 2020 , 63, e29	6	2
86	Design and Implementation of a Web-based Application to Assess Cognitive Impairment in Affective Disorder 2018 ,		2
85	Treatment Options in Bipolar Disorder: Lessons from Population-Based Registers with Focus on Lithium. <i>Current Treatment Options in Psychiatry</i> , 2015 , 2, 218-228	3.1	2
84	Association between genetic polymorphisms in the serotonergic system and comorbid personality disorders among patients with first-episode depression. <i>Journal of Personality Disorders</i> , 2014 , 28, 365-78 ⁶	2.6	2
83	Non-parametric estimation and model checking procedures for marginal gap time distributions for recurrent events. <i>Statistics in Medicine</i> , 2007 , 26, 5394-410	2.3	2

82	Depressive disorders and anti-parkinson drug treatment: a case register study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 466-72	6.5	2
81	Smartphone-Based Self-Monitoring, Treatment, and Automatically Generated Data in Children, Adolescents, and Young Adults With Psychiatric Disorders: Systematic Review (Preprint)		2
80	Correlations between objective behavioral features collected from mobile and wearable devices, and depressive mood symptoms in affective disorders: A systematic review (Preprint)		2
79	Associations between the cortisol awakening response and patient-evaluated stress and mood instability in patients with bipolar disorder: an exploratory study. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 8	5.4	2
78	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
77	Risk of depression after diagnostic prostate cancer workup - A nationwide, registry-based study. <i>Psycho-Oncology</i> , 2021 , 30, 1939-1947	3.9	2
76	Emotional Mental Imagery Abnormalities in Monozygotic Twins With, at High-Risk of, and Without Affective Disorders: Present in Affected Twins in Remission but Absent in High-Risk Twins. <i>Frontiers in Psychiatry</i> , 2019 , 10, 801	5	2
75	Abnormal prefrontal cortex processing of reward prediction errors in recently diagnosed patients with bipolar disorder and their unaffected relatives. <i>Bipolar Disorders</i> , 2020 , 22, 849-859	3.8	2
74	Hippocampal subfield morphology in monozygotic twins discordant for affective disorders. <i>Neuropsychopharmacology</i> , 2021 , 46, 561-568	8.7	2
73	Cognitive processing of infant stimuli in pregnant women with and without affective disorders and the association to postpartum depression. <i>European Neuropsychopharmacology</i> , 2021 , 42, 97-109	1.2	2
72	The impact of the trajectory of bipolar disorder on global cognitive function: A one-year clinical prospective case-control study. <i>Journal of Affective Disorders</i> , 2021 , 278, 189-198	6.6	2
71	A nation-wide population-based longitudinal study on life expectancy and cause specific mortality in patients with bipolar disorder and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 294, 472-476	6.6	2
70	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , 2022 ,	3.8	2
69	The need for prospective longitudinal cohort studies on the clinical staging models in bipolar disorder-A commentary to the study by van der Markt et al, 2018. <i>Bipolar Disorders</i> , 2019 , 21, 276-277	3.8	1
68	Thirty-year cardiovascular risk in patients with newly diagnosed bipolar disorder and their healthy first-degree relatives. <i>European Neuropsychopharmacology</i> , 2019 , 29, S347-S348	1.2	1
67	The impact of a new affective episode on psychosocial functioning, quality of life and perceived stress in newly diagnosed patients with bipolar disorder: A prospective one-year case-control study. <i>Journal of Affective Disorders</i> , 2020 , 277, 486-494	6.6	1
66	Is cesarean section a cause of affective disorders?-A national cohort study using sibling designs. <i>Journal of Affective Disorders</i> , 2020 , 265, 496-504	6.6	1
65	Neural correlates of improved recognition of happy faces after erythropoietin treatment in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 336-347	6.5	1

64	AuthorsSreply. <i>British Journal of Psychiatry</i> , 2014 , 205, 411	5.4	1
63	Psychometric validation and clinical validity of the Minor Melancholia Mood Checklist (MMCL-32). <i>Journal of Affective Disorders</i> , 2012 , 137, 79-86	6.6	1
62	Bipolar disorder in the elderly. <i>Aging Health</i> , 2011 , 7, 797-800		1
61	Predictive effects of previous episodes on the risk of recurrence in depressive and bipolar disorders. <i>Current Psychosis & Therapeutics Reports</i> , 2005 , 3, 123-130		1
60	People diagnosed with schizophrenia retain the diagnosis long term. <i>Evidence-Based Mental Health</i> , 2005 , 8, 68	11.1	1
59	Dementia In human Immunodeficiency virus disease A review. <i>Nordic Journal of Psychiatry</i> , 1993 , 47, 459-464	4.6	1
58	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders.. <i>Journal of Psychiatric Research</i> , 2021 , 145, 182-189	5.2	1
57	Patient-evaluated cognitive function measured with smartphones and the association with objective cognitive function, perceived stress, quality of life and function capacity in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 31	5.4	1
56	Response to antidepressants among patients with unipolar depression with and without comorbid epilepsy-a nation-wide population-based longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 299, 1-5	6.6	1
55	Voice analyses using smartphone-based data in patients with bipolar disorder, unaffected relatives and healthy control individuals, and during different affective states. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 38	5.4	1
54	Alzheimer's disease related biomarkers in bipolar disorder - A longitudinal one-year case-control study. <i>Journal of Affective Disorders</i> , 2022 , 297, 623-633	6.6	1
53	High-sensitive C-reactive protein and homocysteine levels in patients with newly diagnosed bipolar disorder, their first-degree relatives, and healthy control persons-Results from a clinical study. <i>European Psychiatry</i> , 2020 , 63, e103	6	1
52	Automatically generated smartphone data and subjective stress in healthy individuals - a pilot study. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 293-300	2.3	1
51	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 536-545	5.1	1
50	Affective and non-affective cognition in patients with bipolar disorder type I and type II in full or partial remission: Associations with familial risk. <i>Journal of Affective Disorders</i> , 2021 , 283, 207-215	6.6	1
49	Assessment of the neuronal underpinnings of cognitive impairment in bipolar disorder with a picture encoding paradigm and methodological lessons learnt. <i>Journal of Psychopharmacology</i> , 2021 , 35, 983-991	4.6	1
48	Impact of modification to DSM-5 criterion A for hypomania/mania in newly diagnosed bipolar patients: findings from the prospective BIO study. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 14	5.4	1
47	Higher systemic oxidatively generated DNA and RNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Free Radical Biology and Medicine</i> , 2021 , 168, 226-233	7.8	1

46	Mood and Activity Measured Using Smartphones in Unipolar Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701360	5	1
45	Smartphone based treatment in bipolar disorder. <i>European Psychiatry</i> , 2016 , 33, S32-S33	6	1
44	The BDNF Val66Met Polymorphism Has No Effect on Encoding-Related Hippocampal Response But Influences Recall in Remitted Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2019 , 10, 845	5	1
43	The association between self-reported physical activity and objective measures of physical activity in participants with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 186-193	2.3	1
42	Residual Anxiety in Patients with Bipolar Disorder in Full or Partial Remission: Metacognitive Beliefs and Neurocognitive Function. <i>Cognitive Therapy and Research</i> , 2021 , 45, 179-189	2.7	1
41	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
40	Affective episodes in recently diagnosed patients with bipolar disorder associated with altered working memory-related prefrontal cortex activity: A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2021 , 295, 647-656	6.6	1
39	Whole-Brain Exploratory Analysis of Functional Task Response Following Erythropoietin Treatment in Mood Disorders: A Supervised Machine Learning Approach. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1246	5.1	0
38	Physical health status in first-degree relatives of patients with bipolar disorder, a systematic review. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	0
37	Emotional cognition subgroups in unaffected first-degree relatives of patients with mood disorders. <i>Psychological Medicine</i> , 1-11	6.9	0
36	Reduced prefrontal cortex response to own vs. unknown emotional infant faces in mothers with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 54, 7-20	1.2	0
35	Prevalences of comorbid anxiety disorder and daily smartphone-based self-reported anxiety in patients with newly diagnosed bipolar disorder. <i>Evidence-Based Mental Health</i> , 2021 , 24, 137-144	11.1	0
34	Association of lithium use with rate of out-of-hospital cardiac arrest in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100164	1.4	0
33	Associations between oxidative stress and perceived stress in patients with bipolar disorder and healthy control individuals. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 532-537	2.3	0
32	The need for prospective longitudinal cohort studies on the psychopathology and biology early in bipolar disorder: A commentary to the review by Pfennig et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 88-89	2.6	0
31	Structural brain abnormalities associated with cognitive impairments in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 379-391	6.5	0
30	Automatically Generated Smartphone Data in Young Patients With Newly Diagnosed Bipolar Disorder and Healthy Controls. <i>Frontiers in Psychiatry</i> , 2021 , 12, 559954	5	0
29	Neural responses during down-regulation of negative emotion in patients with recently diagnosed bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 1-12	6.9	0

28	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	o
27	Incomplete systematic review and meta-analysis on statin use and depression risk - A commentary. <i>Journal of Affective Disorders</i> , 2021 , 295, 215	6.6	o
26	Mood instability - A new outcome measure in randomised trials of bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2022 , 58, 39-41	1.2	o
25	Differences in mobility patterns according to machine learning models in patients with bipolar disorder and patients with unipolar disorder.. <i>Journal of Affective Disorders</i> , 2022 , 306, 246-253	6.6	o
24	Neural underpinnings of emotion regulation subgroups in remitted patients with recently diagnosed bipolar disorder.. <i>European Neuropsychopharmacology</i> , 2022 , 60, 7-18	1.2	o
23	Lithium and Dementia-Reply. <i>JAMA Psychiatry</i> , 2018 , 75, 302-303	14.5	
22	A call for research in early intervention and biological changes during the course of affective disorders: a comment on the review by Robert M. Post. <i>Bipolar Disorders</i> , 2016 , 18, 462-3	3.8	
21	Low level of evidence for reduced homovanillic acid (HVA) in the cerebrospinal fluid of patients with depression compared to healthy non-psychiatric control individuals. <i>Journal of Affective Disorders</i> , 2019 , 257, 585-588	6.6	
20	Author's reply: To PMID 23349295. <i>British Journal of Psychiatry</i> , 2013 , 203, 235	5.4	
19	Subjective experience of cognitive function in affective disorders. <i>European Psychiatry</i> , 2011 , 26, 234-234	6	
18	Recovery in affective disorder - A case register study. <i>European Psychiatry</i> , 1998 , 13, 204S-204S	6	
17	Human immunodeficiency virus-associated psychosis. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 57-61	2.3	
16	Action-based cognitive remediation in bipolar disorder improved verbal memory but had no effect on the neural response during episodic memory encoding. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 319, 111418	2.9	
15	Effect of specialised versus generalised outpatient treatment for bipolar disorder: the CAG Bipolar trial - study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e048821	3	
14	Serotonin 2A receptor binding in healthy twins genetically predisposed to major depression in comparison with undisposed controls. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S583-S583	7.3	
13	Una comparaci3n de los diagn3sticos de trastorno afectivo de la CIE-8 y la CIE-10. Un estudio de registro de casos de Dinamarca. <i>European Psychiatry (Ed Espa3ola)</i> , 1999 , 6, 146-150		
12	P.298 Emotional cognition heterogeneity in patients with mood disorders and clinical implication. <i>European Neuropsychopharmacology</i> , 2020 , 40, S170-S171	1.2	
11	P.4.08 Metabolic syndrome, inflammation and oxidative stress as potential risk factors for affective disorders - A twin study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S706-S707	1.2	

10	P.654 Central oxidative stress of RNA damage in patients with bipolar disorder and healthy control individuals. A prospective longitudinal case-control study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S444	1.2
9	A skewed perspective - A reply to Kovvuru et al. <i>Bipolar Disorders</i> , 2021 , 23, 86-87	3.8
8	P.319 Cognitive predictors of mood episodes in patients newly diagnosed with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 44, S52-S53	1.2
7	Benefits of Using Activity Recommender Technology for Self-management of Depressive Symptoms. <i>ACM Transactions on Computing for Healthcare</i> , 2021 , 2, 1-21	2.6
6	At the Core of Depression: A Diagnostic Interview of the Core Features of Depression.. <i>Psychopathology</i> , 2022 , 1-7	3.4
5	Pharmacological Treatment of Individuals at Familial Risk for Bipolar or Major Depressive Disorders: a Scoping Review. <i>Current Treatment Options in Psychiatry</i> , 1	3.1
4	P.0278 Structural brain abnormalities associated with cognitive impairments in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 53, S201	1.2
3	P.0717 Differential trajectory of cognitive functions in neurocognitive subgroups of newly diagnosed patients with bipolar disorder and their unaffected first-degree relatives. <i>European Neuropsychopharmacology</i> , 2021 , 53, S524-S525	1.2
2	P.0077 Higher systemic oxidatively generated DNA and RNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>European Neuropsychopharmacology</i> , 2021 , 53, S54-S55	1.2
1	Response to lithium and anticonvulsants among patients with bipolar disorder with and without comorbid epilepsy - A nation-wide population-based longitudinal study.. <i>Journal of Affective Disorders</i> , 2022 , 308, 369-374	6.6