

Lars Kessing

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2097017/lars-kessing-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

477
papers

15,387
citations

68
h-index

101
g-index

519
ext. papers

18,659
ext. citations

5.2
avg, IF

7.09
L-index

#	Paper	IF	Citations
477	Alzheimer's disease related biomarkers in bipolar disorder - A longitudinal one-year case-control study. <i>Journal of Affective Disorders</i> , 2022 , 297, 623-633	6.6	1
476	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , 2022 ,	3.8	2
475	At the Core of Depression: A Diagnostic Interview of the Core Features of Depression.. <i>Psychopathology</i> , 2022 , 1-7	3.4	
474	Mood instability - A new outcome measure in randomised trials of bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2022 , 58, 39-41	1.2	0
473	Differences in mobility patterns according to machine learning models in patients with bipolar disorder and patients with unipolar disorder.. <i>Journal of Affective Disorders</i> , 2022 , 306, 246-253	6.6	0
472	Response to lithium and anticonvulsants among patients with bipolar disorder with and without comorbid epilepsy - A nation-wide population-based longitudinal study.. <i>Journal of Affective Disorders</i> , 2022 , 308, 369-374	6.6	
471	Neural underpinnings of emotion regulation subgroups in remitted patients with recently diagnosed bipolar disorder.. <i>European Neuropsychopharmacology</i> , 2022 , 60, 7-18	1.2	0
470	Reduced frontostriatal response to expected value and reward prediction error in remitted monozygotic twins with mood disorders and their unaffected high-risk co-twins. <i>Psychological Medicine</i> , 2021 , 51, 1637-1646	6.9	3
469	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders.. <i>Journal of Psychiatric Research</i> , 2021 , 145, 182-189	5.2	1
468	Action-based cognitive remediation in bipolar disorder improved verbal memory but had no effect on the neural response during episodic memory encoding. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 319, 111418	2.9	
467	Response to antidepressants among patients with unipolar depression with and without comorbid epilepsy-a nation-wide population-based longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 299, 1-5	6.6	1
466	Physical health status in first-degree relatives of patients with bipolar disorder, a systematic review. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-9	2.3	0
465	Voice analyses using smartphone-based data in patients with bipolar disorder, unaffected relatives and healthy control individuals, and during different affective states. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 38	5.4	1
464	Prevalence of Type 2 Diabetes Mellitus, Impaired Fasting Glucose, General Obesity, and Abdominal Obesity in Patients with Bipolar Disorder: A Systematic Review and Meta-analysis.. <i>Journal of Affective Disorders</i> , 2021 , 300, 449-449	6.6	3
463	Effect of specialised versus generalised outpatient treatment for bipolar disorder: the CAG Bipolar trial - study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e048821	3	
462	Reduced prefrontal cortex response to own vs. unknown emotional infant faces in mothers with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 54, 7-20	1.2	0
461	Effect of Action-Based Cognitive Remediation on cognitive impairment in patients with remitted bipolar disorder: A randomized controlled trial. <i>Bipolar Disorders</i> , 2021 , 23, 487-499	3.8	10

460	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 536-545	5.1	1
459	Mood, activity, and sleep measured via daily smartphone-based self-monitoring in young patients with newly diagnosed bipolar disorder, their unaffected relatives and healthy control individuals. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1209-1221	5.5	6
458	The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 282, 354-363	6.6	5
457	Melanopsin-mediated pupillary responses in bipolar disorder-a cross-sectional pupillometric investigation. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 7	5.4	3
456	Affective and non-affective cognition in patients with bipolar disorder type I and type II in full or partial remission: Associations with familial risk. <i>Journal of Affective Disorders</i> , 2021 , 283, 207-215	6.6	1
455	Associations between the cortisol awakening response and patient-evaluated stress and mood instability in patients with bipolar disorder: an exploratory study. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 8	5.4	2
454	A nation-wide population-based longitudinal study mapping physical diseases in patients with bipolar disorder and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 282, 18-25	6.6	10
453	Processing of infant emotion in mothers with mood disorders and implications for infant development. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
452	Assessment of the neuronal underpinnings of cognitive impairment in bipolar disorder with a picture encoding paradigm and methodological lessons learnt. <i>Journal of Psychopharmacology</i> , 2021 , 35, 983-991	4.6	1
451	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 82-91	6.5	17
450	Socio-economic functioning in patients with bipolar disorder and their unaffected siblings - results from a nation-wide population-based longitudinal study. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	5
449	Impact of modification to DSM-5 criterion A for hypomania/mania in newly diagnosed bipolar patients: findings from the prospective BIO study. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 14	5.4	1
448	Higher systemic oxidatively generated DNA and RNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Free Radical Biology and Medicine</i> , 2021 , 168, 226-233	7.8	1
447	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
446	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
445	Prevalences of comorbid anxiety disorder and daily smartphone-based self-reported anxiety in patients with newly diagnosed bipolar disorder. <i>Evidence-Based Mental Health</i> , 2021 , 24, 137-144	11.1	0
444	Apps for mental health care: The raise of digital psychiatry. <i>European Neuropsychopharmacology</i> , 2021 , 47, 51-53	1.2	3
443	Internet-based cognitive assessment tool: Sensitivity and validity of a new online cognition screening tool for patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2021 , 289, 125-134	6.6	3

442	Association of lithium use with rate of out-of-hospital cardiac arrest in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100164	1.4	0
441	Mood and Activity Measured Using Smartphones in Unipolar Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701360	5	1
440	Risk of depression after diagnostic prostate cancer workup - A nationwide, registry-based study. <i>Psycho-Oncology</i> , 2021 , 30, 1939-1947	3.9	2
439	Hippocampal subfield morphology in monozygotic twins discordant for affective disorders. <i>Neuropsychopharmacology</i> , 2021 , 46, 561-568	8.7	2
438	Cognitive processing of infant stimuli in pregnant women with and without affective disorders and the association to postpartum depression. <i>European Neuropsychopharmacology</i> , 2021 , 42, 97-109	1.2	2
437	A skewed perspective - A reply to Kovvuru et al. <i>Bipolar Disorders</i> , 2021 , 23, 86-87	3.8	
436	Daily mobility patterns in patients with bipolar disorder and healthy individuals. <i>Journal of Affective Disorders</i> , 2021 , 278, 413-422	6.6	4
435	Change in prefrontal activity and executive functions after action-based cognitive remediation in bipolar disorder: a randomized controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1113-1121	8.7	4
434	A nationwide population-based longitudinal study mapping psychiatric disorders during lifetime in siblings to patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 284-293	6.5	7
433	Norms for the Screen for Cognitive Impairment in Psychiatry and cognitive trajectories in bipolar disorder. <i>Journal of Affective Disorders</i> , 2021 , 281, 33-40	6.6	9
432	The association between self-reported physical activity and objective measures of physical activity in participants with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 186-193	2.3	1
431	Residual Anxiety in Patients with Bipolar Disorder in Full or Partial Remission: Metacognitive Beliefs and Neurocognitive Function. <i>Cognitive Therapy and Research</i> , 2021 , 45, 179-189	2.7	1
430	The impact of the trajectory of bipolar disorder on global cognitive function: A one-year clinical prospective case-control study. <i>Journal of Affective Disorders</i> , 2021 , 278, 189-198	6.6	2
429	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition. <i>Psychological Medicine</i> , 2021 , 51, 668-679	6.9	10
428	Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphones-The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 453-465	6.5	6
427	Risk of out-of-hospital cardiac arrest in patients with bipolar disorder or schizophrenia. <i>Heart</i> , 2021 , 107, 1544-1551	5.1	3
426	Brain-derived neurotrophic factor levels in newly diagnosed patients with bipolar disorder, their unaffected first-degree relatives and healthy controls. <i>BJPsych Open</i> , 2021 , 7, e55	5	3
425	Associations between oxidative stress and perceived stress in patients with bipolar disorder and healthy control individuals. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 532-537	2.3	0

424	P.319 Cognitive predictors of mood episodes in patients newly diagnosed with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 44, S52-S53	1.2	
423	Structural brain abnormalities associated with cognitive impairments in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 379-391	6.5	0
422	Risk of cancer in bipolar disorder and the potential role of lithium: International collaborative systematic review and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 529-541	9	6
421	Affective disorders impact prevalence of Flavonifactor and abundance of Christensenellaceae in gut microbiota. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110300	5.5	3
420	Automatically Generated Smartphone Data in Young Patients With Newly Diagnosed Bipolar Disorder and Healthy Controls. <i>Frontiers in Psychiatry</i> , 2021 , 12, 559954	5	0
419	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
418	The growing field of digital psychiatry: current evidence and the future of apps, social media, chatbots, and virtual reality. <i>World Psychiatry</i> , 2021 , 20, 318-335	14.4	46
417	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
416	Benefits of Using Activity Recommender Technology for Self-management of Depressive Symptoms. <i>ACM Transactions on Computing for Healthcare</i> , 2021 , 2, 1-21	2.6	
415	Emotional cognition subgroups in mood disorders: Associations with familial risk. <i>European Neuropsychopharmacology</i> , 2021 , 51, 71-83	1.2	3
414	A nation-wide population-based longitudinal study on life expectancy and cause specific mortality in patients with bipolar disorder and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 294, 472-476	6.6	2
413	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
412	Incomplete systematic review and meta-analysis on statin use and depression risk - A commentary. <i>Journal of Affective Disorders</i> , 2021 , 295, 215	6.6	0
411	Affective episodes in recently diagnosed patients with bipolar disorder associated with altered working memory-related prefrontal cortex activity: A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2021 , 295, 647-656	6.6	1
410	P.0278 Structural brain abnormalities associated with cognitive impairments in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021 , 53, S201	1.2	
409	P.0717 Differential trajectory of cognitive functions in neurocognitive subgroups of newly diagnosed patients with bipolar disorder and their unaffected first-degree relatives. <i>European Neuropsychopharmacology</i> , 2021 , 53, S524-S525	1.2	
408	P.0077 Higher systemic oxidatively generated DNA and RNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>European Neuropsychopharmacology</i> , 2021 , 53, S54-S55	1.2	
407	The impact of a new affective episode on psychosocial functioning, quality of life and perceived stress in newly diagnosed patients with bipolar disorder: A prospective one-year case-control study. <i>Journal of Affective Disorders</i> , 2020 , 277, 486-494	6.6	1

406	Impact of pretreatment interhemispheric hippocampal asymmetry on improvement in verbal learning following erythropoietin treatment in mood disorders: a randomized controlled trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 198-205	4.5	5
405	S100B and brain derived neurotrophic factor in monozygotic twins with, at risk of and without affective disorders. <i>Journal of Affective Disorders</i> , 2020 , 274, 726-732	6.6	2
404	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
403	Daily estimates of clinical severity of symptoms in bipolar disorder from smartphone-based self-assessments. <i>Translational Psychiatry</i> , 2020 , 10, 194	8.6	4
402	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
401	Eye gaze and facial displays of emotion during emotional film clips in remitted patients with bipolar disorder. <i>European Psychiatry</i> , 2020 , 63, e29	6	2
400	Differences in psychomotor activity and heart rate variability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. <i>Journal of Affective Disorders</i> , 2020 , 266, 30-36	6.6	5
399	Smartphones in mental health: a critical review of background issues, current status and future concerns. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 2	5.4	53
398	Is cesarean section a cause of affective disorders?-A national cohort study using sibling designs. <i>Journal of Affective Disorders</i> , 2020 , 265, 496-504	6.6	1
397	MUBS: A Personalized Recommender System for Behavioral Activation in Mental Health 2020 ,		5
396	Sleep and physical activity in patients with newly diagnosed bipolar disorder in remission, their first-degree unaffected relatives and healthy controls. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 16	5.4	6
395	Smartphone-based activity measurements in patients with newly diagnosed bipolar disorder, unaffected relatives and control individuals. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 32	5.4	9
394	Patient-evaluated cognitive function measured with smartphones and the association with objective cognitive function, perceived stress, quality of life and function capacity in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 31	5.4	1
393	Forecasting Mood in Bipolar Disorder From Smartphone Self-assessments: Hierarchical Bayesian Approach. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15028	5.5	14
392	Smartphone-Based Self-Monitoring, Treatment, and Automatically Generated Data in Children, Adolescents, and Young Adults With Psychiatric Disorders: Systematic Review. <i>JMIR Mental Health</i> , 2020 , 7, e17453	6	7
391	High-sensitive C-reactive protein and homocysteine levels in patients with newly diagnosed bipolar disorder, their first-degree relatives, and healthy control persons-Results from a clinical study. <i>European Psychiatry</i> , 2020 , 63, e103	6	1
390	Are remitted affective disorders and familial risk of affective disorders associated with metabolic syndrome, inflammation and oxidative stress? - a monozygotic twin study. <i>Psychological Medicine</i> , 2020 , 50, 1736-1745	6.9	6
389	Automatically generated smartphone data and subjective stress in healthy individuals - a pilot study. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 293-300	2.3	1

388	Antidiabetes Agents and Incident Depression: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020 , 43, 3050-3060	14.6	11
387	P.298 Emotional cognition heterogeneity in patients with mood disorders and clinical implication. <i>European Neuropsychopharmacology</i> , 2020 , 40, S170-S171	1.2	
386	Bipolar disorders. <i>Lancet, The</i> , 2020 , 396, 1841-1856	40	124
385	Antihypertensive Drugs and Risk of Depression: A Nationwide Population-Based Study. <i>Hypertension</i> , 2020 , 76, 1263-1279	8.5	24
384	Daily self-reported and automatically generated smartphone-based sleep measurements in patients with newly diagnosed bipolar disorder, unaffected first-degree relatives and healthy control individuals. <i>Evidence-Based Mental Health</i> , 2020 , 23, 146-153	11.1	6
383	The effect of smartphone-based monitoring on illness activity in bipolar disorder: the MONARCA II randomized controlled single-blinded trial. <i>Psychological Medicine</i> , 2020 , 50, 838-848	6.9	39
382	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2020 , 50, 1808-1819	6.9	11
381	Mood instability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy control individuals measured daily using smartphones. <i>Journal of Affective Disorders</i> , 2020 , 271, 336-344	6.6	12
380	Abnormal prefrontal cortex processing of reward prediction errors in recently diagnosed patients with bipolar disorder and their unaffected relatives. <i>Bipolar Disorders</i> , 2020 , 22, 849-859	3.8	2
379	Smartphone-based self-monitoring in bipolar disorder: evaluation of usability and feasibility of two systems. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 1	5.4	24
378	Differences in mood instability in patients with bipolar disorder type I and II: a smartphone-based study. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 5	5.4	18
377	Metabolic profile in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 8	5.4	21
376	Out-of-Hospital Cardiac Arrest in Patients With and Without Psychiatric Disorders: Differences in Use of Coronary Angiography, Coronary Revascularization, and Implantable Cardioverter-Defibrillator and Survival. <i>Journal of the American Heart Association</i> , 2019 , 8, e012708	6	9
375	Relation Between Infant Microbiota and Autism?: Results from a National Cohort Sibling Design Study. <i>Epidemiology</i> , 2019 , 30, 52-60	3.1	16
374	The need for prospective longitudinal cohort studies on the clinical staging models in bipolar disorder-A commentary to the study by van der Markt et al, 2018. <i>Bipolar Disorders</i> , 2019 , 21, 276-277	3.8	1
373	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13
372	Personalizing Mental Health 2019 ,		12
371	Is smartphone-based mood instability associated with stress, quality of life, and functioning in bipolar disorder?. <i>Bipolar Disorders</i> , 2019 , 21, 611-620	3.8	19

370	Thirty-year cardiovascular risk in patients with newly diagnosed bipolar disorder and their healthy first-degree relatives. <i>European Neuropsychopharmacology</i> , 2019 , 29, S347-S348	1.2	1
369	Lithium and bipolar depression. <i>Bipolar Disorders</i> , 2019 , 21, 458-459	3.8	4
368	Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 124	4.2	6
367	The association between mixed symptoms, irritability and functioning measured using smartphones in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 443-453	6.5	5
366	New drug candidates for bipolar disorder-A nation-wide population-based study. <i>Bipolar Disorders</i> , 2019 , 21, 410-418	3.8	13
365	Is aberrant affective cognition an endophenotype for affective disorders? - A monozygotic twin study. <i>Psychological Medicine</i> , 2019 , 49, 987-996	6.9	11
364	Investigating the effects of cesarean delivery and antibiotic use in early childhood on risk of later attention deficit hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 151-159	7.9	21
363	The validity of daily patient-reported anxiety measured using smartphones and the association with stress, quality of life and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 257, 100-107	6.6	6
362	Out-of-hospital cardiac arrest in patients with psychiatric disorders - Characteristics and outcomes. <i>Resuscitation</i> , 2019 , 143, 180-188	4	5
361	Low level of evidence for reduced homovanillic acid (HVA) in the cerebrospinal fluid of patients with depression compared to healthy non-psychiatric control individuals. <i>Journal of Affective Disorders</i> , 2019 , 257, 585-588	6.6	
360	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1317	11.7	22
359	Machine learning and big data analytics in bipolar disorder: A position paper from the International Society for Bipolar Disorders Big Data Task Force. <i>Bipolar Disorders</i> , 2019 , 21, 582-594	3.8	52
358	Whole-Brain Exploratory Analysis of Functional Task Response Following Erythropoietin Treatment in Mood Disorders: A Supervised Machine Learning Approach. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1246	5.1	0
357	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019 , 21, 686-719	3.8	36
356	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
355	Neural response to emotional faces in monozygotic twins: association with familial risk of affective disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 277-286	4.5	4
354	The Validity of Daily Self-Assessed Perceived Stress Measured Using Smartphones in Healthy Individuals: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e13418	5.5	6
353	The Internet-Based Cognitive Assessment Tool: System Design and Feasibility Study. <i>JMIR Formative Research</i> , 2019 , 3, e13898	2.5	10

352	Methodological Challenges in Randomized Controlled Trials on Smartphone-Based Treatment in Psychiatry: Systematic Review. <i>Journal of Medical Internet Research</i> , 2019 , 21, e15362	7.6	20
351	P.4.08 Metabolic syndrome, inflammation and oxidative stress as potential risk factors for affective disorders – twin study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S706-S707	1.2	
350	P.654 Central oxidative stress of RNA damage in patients with bipolar disorder and healthy control individuals. A prospective longitudinal case-control study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S444	1.2	
349	Cerebrospinal fluid oxidative stress metabolites in patients with bipolar disorder and healthy controls: a longitudinal case-control study. <i>Translational Psychiatry</i> , 2019 , 9, 325	8.6	16
348	The BDNF Val66Met Polymorphism Has No Effect on Encoding-Related Hippocampal Response But Influences Recall in Remitted Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2019 , 10, 845	5	1
347	Emotional Mental Imagery Abnormalities in Monozygotic Twins With, at High-Risk of, and Without Affective Disorders: Present in Affected Twins in Remission but Absent in High-Risk Twins. <i>Frontiers in Psychiatry</i> , 2019 , 10, 801	5	2
346	New drug candidates for depression - a nationwide population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 68-77	6.5	31
345	What is early intervention in bipolar disorder? Recommendation of a pragmatic way focusing on early intervention in patients with newly diagnosed bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 168-169 ^{3,8}		3
344	Neural response during emotion regulation in monozygotic twins at high familial risk of affective disorders. <i>NeuroImage: Clinical</i> , 2019 , 21, 101598	5.3	27
343	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
342	A multisystem composite biomarker as a preliminary diagnostic test in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 227-236	6.5	14
341	Objective smartphone data as a potential diagnostic marker of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 119-128	2.6	49
340	Remitted affective disorders and high familial risk of affective disorders associate with aberrant intestinal microbiota. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 174-184	6.5	25
339	Thirty-year cardiovascular risk score in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 651-662	2.6	21
338	Gut microbiota composition in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Brain, Behavior, and Immunity</i> , 2019 , 75, 112-118	16.6	73
337	Hair cortisol in newly diagnosed bipolar disorder and unaffected first-degree relatives. <i>Psychoneuroendocrinology</i> , 2019 , 99, 183-190	5	11
336	Increased sensitivity to positive social stimuli in monozygotic twins at risk of bipolar vs. unipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 212-218	6.6	9
335	Leukocytes in peripheral blood in patients with bipolar disorder - Trait and state alterations and association with levels of cytokines and C-reactive protein. <i>Psychiatry Research</i> , 2018 , 261, 383-390	9.9	11

334	Glycogen synthase kinase-3 β activity and cognitive functioning in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 361-368	1.2	4
333	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
332	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018 , 20, 184-194	3.8	87
331	Lithium and Renal Impairment: A Review on a Still Hot Topic. <i>Pharmacopsychiatry</i> , 2018 , 51, 200-205	2	17
330	Risk for affective disorders is associated with greater prefrontal gray matter volumes: A prospective longitudinal study. <i>NeuroImage: Clinical</i> , 2018 , 17, 786-793	5.3	11
329	Lithium and Dementia-Reply. <i>JAMA Psychiatry</i> , 2018 , 75, 302-303	14.5	
328	Erythropoietin as an add-on treatment for cognitive side effects of electroconvulsive therapy: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 234	2.8	3
327	Design and Implementation of a Web-based Application to Assess Cognitive Impairment in Affective Disorder 2018 ,		2
326	Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. <i>Journal of Affective Disorders</i> , 2018 , 226, 267-273	6.6	4
325	Poor evidence for putative abnormalities in cerebrospinal fluid neurotransmitters in patients with depression versus healthy non-psychiatric individuals: A systematic review and meta-analyses of 23 studies. <i>Journal of Affective Disorders</i> , 2018 , 240, 6-16	6.6	11
324	Towards a biomarker model for cognitive improvement: No change in memory-related prefrontal engagement following a negative cognitive remediation trial in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2018 , 32, 1075-1085	4.6	9
323	Smartphone-based objective monitoring in bipolar disorder: status and considerations. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 6	5.4	54
322	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry</i> , 2018 , 5, 930-939	23.3	53
321	Neural correlates of improved recognition of happy faces after erythropoietin treatment in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 336-347	6.5	1
320	Effects of erythropoietin on body composition and fat-glucose metabolism in patients with affective disorders. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 342-349	3.9	7
319	Effect of electroconvulsive therapy on neural response to affective pictures: A randomized, sham-controlled fMRI study. <i>European Neuropsychopharmacology</i> , 2018 , 28, 915-924	1.2	7
318	Data-Driven Learning in High-Resolution Activity Sampling From Patients With Bipolar Depression: Mixed-Methods Study. <i>JMIR Mental Health</i> , 2018 , 5, e10122	6	3
317	Correlations Between Objective Behavioral Features Collected From Mobile and Wearable Devices and Depressive Mood Symptoms in Patients With Affective Disorders: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e165	5.5	80

316	Risk of recurrence after a single manic or mixed episode - a systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2018 , 20, 9-17	3.8	13
315	Association of Hormonal Contraception With Suicide Attempts and Suicides. <i>American Journal of Psychiatry</i> , 2018 , 175, 336-342	11.9	73
314	The need for prospective longitudinal cohort studies on the psychopathology and biology early in bipolar disorder: A commentary to the review by Pfennig et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 88-89	2.6	0
313	Personalized versus Generic Mood Prediction Models in Bipolar Disorder 2018 ,		5
312	Effects of recombinant human erythropoietin on cognition and neural activity in remitted patients with mood disorders and first-degree relatives of patients with psychiatric disorders: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 611	2.8	7
311	Does Cognitive Dysfunction in Bipolar Disorder Qualify as a Diagnostic Intermediate Phenotype?-A Perspective Paper. <i>Frontiers in Psychiatry</i> , 2018 , 9, 490	5	13
310	Clinical Characteristics, Life Adversities and Personality Traits in Monozygotic Twins With, at Risk of and Without Affective Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 401	5	8
309	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
308	Effect of action-based cognitive remediation on cognition and neural activity in bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 487	2.8	15
307	Subtle behavioural responses during negative emotion reactivity and down-regulation in bipolar disorder: A facial expression and eye-tracking study. <i>Psychiatry Research</i> , 2018 , 266, 152-159	9.9	14
306	Neural Response After a Single ECT Session During Retrieval of Emotional Self-Referent Words in Depression: A Randomized, Sham-Controlled fMRI Study. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 226-235	5.8	5
305	Biomarkers in cerebrospinal fluid of patients with bipolar disorder versus healthy individuals: A systematic review. <i>European Neuropsychopharmacology</i> , 2018 , 28, 783-794	1.2	11
304	Diagnostic Stability of Comorbid Personality Disorders Among Patients Fully or Partially Remitted From First-Episode Depression: A 5-Year Follow-Up Study. <i>Journal of Personality Disorders</i> , 2017 , 31, 208-220	2.6	3
303	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 286-296	7.2	46
302	Differences in neural and cognitive response to emotional faces in middle-aged dizygotic twins at familial risk of depression. <i>Psychological Medicine</i> , 2017 , 47, 2345-2357	6.9	7
301	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and meta-analyses. <i>Bipolar Disorders</i> , 2017 , 19, 84-96	3.8	69
300	Genetic variants in 5-HTTLPR, BDNF, HTR1A, COMT, and FKBP5 and risk for treated depression after cancer diagnosis. <i>Depression and Anxiety</i> , 2017 , 34, 845-855	8.4	5
299	The catechol-O-methyltransferase (COMT) Val158Met genotype modulates working memory-related dorsolateral prefrontal response and performance in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 214-224	3.8	41

298	Increase in depression diagnoses and prescribed antidepressants among young girls. A national cohort study 2000-2013. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 378-385	2.3	19
297	Does a single session of electroconvulsive therapy alter the neural response to emotional faces in depression? A randomised sham-controlled functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1215-1224	4.6	8
296	The search for neuroimaging and cognitive endophenotypes: A critical systematic review of studies involving unaffected first-degree relatives of individuals with bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 1-22	9	59
295	Heart rate variability in bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 68-80	9	47
294	Supporting smartphone-based behavioral activation 2017 ,		3
293	Continuation of lithium after a diagnosis of chronic kidney disease. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 615-622	6.5	16
292	Survival After Early-Stage Breast Cancer of Women Previously Treated for Depression: A Nationwide Danish Cohort Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 334-342	2.2	29
291	Association of Lithium in Drinking Water With the Incidence of Dementia. <i>JAMA Psychiatry</i> , 2017 , 74, 1005-1010	14.5	95
290	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017 , 19, 614-626	3.8	103
289	The clinical relevance of qualitatively distinct subtypes of depression. <i>World Psychiatry</i> , 2017 , 16, 318-319	4.4	7
288	Rate and predictors of conversion from unipolar to bipolar disorder: A systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2017 , 19, 324-335	3.8	41
287	Lithium in drinking water and the incidence of bipolar disorder: A nation-wide population-based study. <i>Bipolar Disorders</i> , 2017 , 19, 563-567	3.8	15
286	Increased blood BDNF in healthy individuals with a family history of depression. <i>Psychiatry Research</i> , 2017 , 256, 176-179	9.9	10
285	Reducing the rate and duration of Re-ADMISSions among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment - the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017 , 18, 277	2.8	22
284	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017 , 7, e0154623		81
283	Evidence for clinical progression of unipolar and bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 51-64	6.5	94
282	Differences in clinical presentation between bipolar I and II disorders in the early stages of bipolar disorder: A naturalistic study. <i>Journal of Affective Disorders</i> , 2017 , 208, 521-527	6.6	19
281	Personalized medicine in psychiatry. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 12-19	2.3	37

280	State-related differences in heart rate variability in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2017 , 84, 169-173	5.2	9
279	Designing for hourly activity sampling in behavioral activation 2017 ,		3
278	Lithium in Drinking Water and Incidence of Suicide: A Nationwide Individual-Level Cohort Study with 22 Years of Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	34
277	Combinations of genetic variants associated with bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0189739	3.7	6
276	Smartphone-Based Self-Assessment of Stress in Healthy Adult Individuals: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2017 , 19, e41	7.6	29
275	Usability, Acceptability, and Adherence to an Electronic Self-Monitoring System in Patients With Major Depression Discharged From Inpatient Wards. <i>Journal of Medical Internet Research</i> , 2017 , 19, e1237.6	7.6	17
274	Peripheral blood brain-derived neurotrophic factor in bipolar disorder: a comprehensive systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2016 , 21, 216-28	15.1	91
273	The Center for Integrated Molecular Brain Imaging (Cimbi) database. <i>NeuroImage</i> , 2016 , 124, 1213-1219	7.9	57
272	Discrete neurocognitive subgroups in fully or partially remitted bipolar disorder: Associations with functional abilities. <i>Journal of Affective Disorders</i> , 2016 , 205, 378-386	6.6	78
271	Predictors of the discrepancy between objective and subjective cognition in bipolar disorder: a novel methodology. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 511-521	6.5	46
270	A call for research in early intervention and biological changes during the course of affective disorders: a comment on the review by Robert M. Post. <i>Bipolar Disorders</i> , 2016 , 18, 462-3	3.8	
269	Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1295-1300	3.9	27
268	Voice analysis as an objective state marker in bipolar disorder. <i>Translational Psychiatry</i> , 2016 , 6, e856	8.6	108
267	Systematic review of randomized controlled trials of candidate treatments for cognitive impairment in depression and methodological challenges in the field. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1845-1867	1.2	36
266	Behavioral activities collected through smartphones and the association with illness activity in bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 309-323	4.3	75
265	Effect of recombinant erythropoietin on inflammatory markers in patients with affective disorders: A randomised controlled study. <i>Brain, Behavior, and Immunity</i> , 2016 , 57, 53-57	16.6	15
264	Electronic self-monitoring of mood using IT platforms in adult patients with bipolar disorder: A systematic review of the validity and evidence. <i>BMC Psychiatry</i> , 2016 , 16, 7	4.2	59
263	Anti-inflammatory agents in the treatment of bipolar depression: a systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2016 , 18, 89-101	3.8	125

262	Effect of escitalopram versus placebo on GRN messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression - a secondary outcome analysis from the randomized AGENDA trial. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 297-302	2.3	3
261	Cytokines, brain-derived neurotrophic factor and C-reactive protein in bipolar I disorder - Results from a prospective study. <i>Journal of Affective Disorders</i> , 2016 , 197, 167-74	6.6	50
260	Impaired down-regulation of negative emotion in self-referent social situations in bipolar disorder: A pilot study of a novel experimental paradigm. <i>Psychiatry Research</i> , 2016 , 238, 318-325	9.9	16
259	State-related differences in the level of psychomotor activity in patients with bipolar disorder - Continuous heart rate and movement monitoring. <i>Psychiatry Research</i> , 2016 , 237, 166-74	9.9	23
258	Screening for cognitive dysfunction in unipolar depression: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2016 , 190, 607-615	6.6	71
257	Healthy co-twins of patients with affective disorders show reduced risk-related activation of the insula during a monetary gambling task. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 38-47	4.5	6
256	Personality and the Long-Term Outcome of First-Episode Depression: A Prospective 5-Year Follow-Up Study. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e704-10	4.6	21
255	Targeting Treatments to Improve Cognitive Function in Mood Disorder: Suggestions From Trials Using Erythropoietin. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1639-e1646	4.6	24
254	Effects of erythropoietin on memory-relevant neurocircuitry activity and recall in mood disorders. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 249-59	6.5	21
253	Glycogen synthase kinase-3 β in patients with bipolar I disorder: results from a prospective study. <i>Bipolar Disorders</i> , 2016 , 18, 334-41	3.8	5
252	Nationwide and population-based prescription patterns in bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 174-82	3.8	64
251	Increased DNA and RNA damage by oxidation in patients with bipolar I disorder. <i>Translational Psychiatry</i> , 2016 , 6, e867	8.6	29
250	Designing context-aware cognitive behavioral therapy for unipolar and bipolar disorders 2016 ,		3
249	Neural correlates of improved executive function following erythropoietin treatment in mood disorders. <i>Psychological Medicine</i> , 2016 , 46, 1679-91	6.9	27
248	Glycogen Synthase Kinase-3 β Variation over Time and the Possible Association with Mood and Cognition in Healthy Individuals. <i>Neuropsychobiology</i> , 2016 , 73, 108-15	4	4
247	Angiotensin Converting Enzyme Inhibitors and Risk of Mood Disorders. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 250-2	9.4	14
246	Smartphone based treatment in bipolar disorder. <i>European Psychiatry</i> , 2016 , 33, S32-S33	6	1
245	No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 101-9	3.9	4

244	Rates and predictors of remission, recurrence and conversion to bipolar disorder after the first lifetime episode of depression--a prospective 5-year follow-up study. <i>Psychological Medicine</i> , 2016 , 46, 1151-61	6.9	33
243	The validity of dysthymia to predict clinical depressive symptoms as measured by the Hamilton Depression Scale at the 5-year follow-up of patients with first episode depression. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 563-6	2.3	5
242	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1541-61	1.2	57
241	Unaffected twins discordant for affective disorders show changes in anterior callosal white matter microstructure. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 441-451	6.5	5
240	Association of Hormonal Contraception With Depression. <i>JAMA Psychiatry</i> , 2016 , 73, 1154-1162	14.5	246
239	The effect of erythropoietin on cognition in affective disorders - Associations with baseline deficits and change in subjective cognitive complaints. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1264-73	1.2	31
238	Diagnostic stability in pediatric bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 172, 417-21	6.6	11
237	Mood instability in bipolar disorder type I versus type II-continuous daily electronic self-monitoring of illness activity using smartphones. <i>Journal of Affective Disorders</i> , 2015 , 186, 342-9	6.6	38
236	Optimising screening for cognitive dysfunction in bipolar disorder: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2015 , 187, 10-9	6.6	67
235	Assessment of subjective and objective cognitive function in bipolar disorder: Correlations, predictors and the relation to psychosocial function. <i>Psychiatry Research</i> , 2015 , 229, 565-71	9.9	49
234	Different neural and cognitive response to emotional faces in healthy monozygotic twins at risk of depression. <i>Psychological Medicine</i> , 2015 , 45, 1447-58	6.9	30
233	A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 1006-20	2.6	68
232	Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 785-802	2.6	91
231	Causes of decreased life expectancy over the life span in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 180, 142-7	6.6	105
230	DEPERORR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015 , 179, 121-7	6.6	5
229	Impact factor analysis: combining prediction with parameter ranking to reveal the impact of behavior on health outcome. <i>Personal and Ubiquitous Computing</i> , 2015 , 19, 355-365	2.1	23
228	Life expectancy in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 543-8	3.8	91
227	A composite peripheral blood gene expression measure as a potential diagnostic biomarker in bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e614	8.6	40

226	Elevated levels of urinary markers of oxidatively generated DNA and RNA damage in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 257-68	3.8	38
225	Effects of Erythropoietin on Hippocampal Volume and Memory in Mood Disorders. <i>Biological Psychiatry</i> , 2015 , 78, 270-7	7.9	65
224	International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 1-16	3.8	202
223	Elevated levels of IL-6 and IL-18 in manic and hypomanic states in rapid cycling bipolar disorder patients. <i>Brain, Behavior, and Immunity</i> , 2015 , 43, 205-13	16.6	51
222	Daily electronic self-monitoring in bipolar disorder using smartphones - the MONARCA I trial: a randomized, placebo-controlled, single-blind, parallel group trial. <i>Psychological Medicine</i> , 2015 , 45, 2691-704	6.8	108
221	Neuroticism in Remitted Major Depression: Elevated with Early Onset but Not Late Onset of Depression. <i>Psychopathology</i> , 2015 , 48, 400-7	3.4	3
220	Treatment Options in Bipolar Disorder: Lessons from Population-Based Registers with Focus on Lithium. <i>Current Treatment Options in Psychiatry</i> , 2015 , 2, 218-228	3.1	2
219	Lithium and renal and upper urinary tract tumors - results from a nationwide population-based study. <i>Bipolar Disorders</i> , 2015 , 17, 805-13	3.8	18
218	A report on older-age bipolar disorder from the International Society for Bipolar Disorders Task Force. <i>Bipolar Disorders</i> , 2015 , 17, 689-704	3.8	146
217	Smartphone data as an electronic biomarker of illness activity in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 715-28	3.8	99
216	The effect of recombinant erythropoietin on plasma brain derived neurotrophic factor levels in patients with affective disorders: a randomised controlled study. <i>PLoS ONE</i> , 2015 , 10, e0127629	3.7	14
215	Effects of Short-Term Cognitive Remediation on Cognitive Dysfunction in Partially or Fully Remitted Individuals with Bipolar Disorder: Results of a Randomised Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0127955	3.7	72
214	Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. <i>PLoS ONE</i> , 2015 , 10, e0143432	3.7	4
213	Electronic monitoring of psychomotor activity as a supplementary objective measure of depression severity. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 118-25	2.3	12
212	Use of Lithium and Anticonvulsants and the Rate of Chronic Kidney Disease: A Nationwide Population-Based Study. <i>JAMA Psychiatry</i> , 2015 , 72, 1182-91	14.5	76
211	5-HTTLPR and use of antidepressants after colorectal cancer including a meta-analysis of 5-HTTLPR and depression after cancer. <i>Translational Psychiatry</i> , 2015 , 5, e631	8.6	8
210	Course and cognitive outcome in major affective disorder. <i>Danish Medical Journal</i> , 2015 , 62, B5160	3.8	5
209	Reduced mRNA expression of PTGDS in peripheral blood mononuclear cells of rapid-cycling bipolar disorder patients compared with healthy control subjects. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	16

208	Recombinant human erythropoietin for treating treatment-resistant depression: a double-blind, randomized, placebo-controlled phase 2 trial. <i>Neuropsychopharmacology</i> , 2014 , 39, 1399-408	8.7	72
207	Starting lithium prophylaxis early v. late in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014 , 205, 214-204	3.4	53
206	Brain Derived Neurotrophic Factor (BDNF) levels as a possible predictor of psychopathology in healthy twins at high and low risk for affective disorder. <i>Psychoneuroendocrinology</i> , 2014 , 39, 179-183	5	8
205	Elevated levels of plasma brain derived neurotrophic factor in rapid cycling bipolar disorder patients. <i>Psychoneuroendocrinology</i> , 2014 , 47, 199-211	5	40
204	AuthorsSreply. <i>British Journal of Psychiatry</i> , 2014 , 205, 411	5.4	1
203	Daily electronic monitoring of subjective and objective measures of illness activity in bipolar disorder using smartphones--the MONARCA II trial protocol: a randomized controlled single-blind parallel-group trial. <i>BMC Psychiatry</i> , 2014 , 14, 309	4.2	66
202	The role of estrogen in bipolar disorder, a review. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 81-7	2.3	31
201	Tell me your apps and I will tell you your mood 2014 ,		38
200	Increased risk for depression after breast cancer: a nationwide population-based cohort study of associated factors in Denmark, 1998-2011. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3831-9	2.2	72
199	Altered reward processing in the orbitofrontal cortex and hippocampus in healthy first-degree relatives of patients with depression. <i>Psychological Medicine</i> , 2014 , 44, 1183-95	6.9	18
198	Association between genetic polymorphisms in the serotonergic system and comorbid personality disorders among patients with first-episode depression. <i>Journal of Personality Disorders</i> , 2014 , 28, 365-78	2.6	2
197	Serotonin transporter genotype, salivary cortisol, neuroticism and life events: impact on subsequent psychopathology in healthy twins at high and low risk for affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 48, 193-8	5.5	4
196	Do young adults with bipolar disorder benefit from early intervention?. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 403-8	6.6	34
195	Smartphone data as objective measures of bipolar disorder symptoms. <i>Psychiatry Research</i> , 2014 , 217, 124-7	9.9	135
194	Soluble urokinase plasminogen activator receptor as a marker for use of antidepressants. <i>PLoS ONE</i> , 2014 , 9, e110555	3.7	23
193	Recombinant human erythropoietin to target cognitive dysfunction in bipolar disorder: a double-blind, randomized, placebo-controlled phase 2 trial. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1347-55	4.6	64
192	Cytokines in bipolar disorder vs. healthy control subjects: a systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1119-33	5.2	285
191	Psychiatric disease incidence among Danish Seventh-day Adventists and Baptists. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1583-90	4.5	8

190	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
189	The cumulative load of depressive illness is associated with cognitive function in the remitted state of unipolar depressive disorder. <i>European Psychiatry</i> , 2013 , 28, 349-55	6	43
188	Cytokines in bipolar disorder: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2013 , 144, 16-27	6.6	194
187	Are variations in whole blood BDNF level associated with the BDNF Val66Met polymorphism in patients with first episode depression?. <i>Psychiatry Research</i> , 2013 , 210, 102-8	9.9	12
186	Is postoperative cognitive dysfunction a risk factor for dementia? A cohort follow-up study. <i>British Journal of Anaesthesia</i> , 2013 , 110 Suppl 1, i92-7	5.4	53
185	The effect of prolonged duration of untreated depression on antidepressant treatment outcome. <i>Journal of Affective Disorders</i> , 2013 , 145, 42-8	6.6	51
184	Risk markers for affective disorder, a seven-years follow up study of a twin cohort at low and high risk for affective disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 565-71	5.2	21
183	Systemic oxidatively generated DNA/RNA damage in clinical depression: associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013 , 149, 355-62	6.6	61
182	The effects of maternal depression and use of antidepressants during pregnancy on risk of a child small for gestational age. <i>Psychopharmacology</i> , 2013 , 228, 199-205	4.7	19
181	Effects of cognitive remediation on cognitive dysfunction in partially or fully remitted patients with bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 378	2.8	23
180	Daily electronic self-monitoring of subjective and objective symptoms in bipolar disorder--the MONARCA trial protocol (MONitoring, treAtment and pRediCtion of bipolar disorder episodes): a randomised controlled single-blind trial. <i>BMJ Open</i> , 2013 , 3,	3	60
179	Designing mobile health technology for bipolar disorder 2013 ,		153
178	Supporting disease insight through data analysis 2013 ,		60
177	The performance of the revised Major Depression Inventory for self-reported severity of depression--implications for the DSM-5 and ICD-11. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 187-8	9.4	5
176	Cohabitation patterns among patients with severe psychiatric disorders in the entire Danish population. <i>Psychological Medicine</i> , 2013 , 43, 1013-21	6.9	4
175	Psychostimulants in moderate to severe affective disorder: a systematic review of randomized controlled trials. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 369-82	2.3	20
174	Personal Health Systems for Bipolar Disorder Anecdotes, Challenges and Lessons Learnt from MONARCA Project 2013 ,		16
173	Treatment in a specialised out-patient mood disorder clinic v. standard out-patient treatment in the early course of bipolar disorder: randomised clinical trial. <i>British Journal of Psychiatry</i> , 2013 , 202, 212-9	5.4	143

172	Maternal depression, antidepressant use in pregnancy and Apgar scores in infants. <i>British Journal of Psychiatry</i> , 2013 , 202, 347-51	5.4	25
171	Author's reply: To PMID 23349295. <i>British Journal of Psychiatry</i> , 2013 , 203, 235	5.4	
170	Impairment of executive function and attention predicts onset of affective disorder in healthy high-risk twins. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e747-53	4.6	25
169	Promoter variants in IL18 are associated with onset of depression in patients previously exposed to stressful-life events. <i>Journal of Affective Disorders</i> , 2012 , 136, 134-138	6.6	42
168	Psychometric validation and clinical validity of the Minor Melancholia Mood Checklist (MMCL-32). <i>Journal of Affective Disorders</i> , 2012 , 137, 79-86	6.6	1
167	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 81-90	3.9	3
166	Normal tension glaucoma and Alzheimer disease: comorbidity?. <i>Acta Ophthalmologica</i> , 2012 , 90, 683-5	3.7	28
165	No evidence for an anti-inflammatory effect of escitalopram intervention in healthy individuals with a family history of depression. <i>Journal of Neuroimmunology</i> , 2012 , 243, 69-72	3.5	13
164	Erythropoietin: a candidate treatment for mood symptoms and memory dysfunction in depression. <i>Psychopharmacology</i> , 2012 , 219, 687-98	4.7	51
163	Cognitive deficits in the remitted state of unipolar depressive disorder. <i>Neuropsychology</i> , 2012 , 26, 642-651	5.8	69
162	The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression-A randomised trial. <i>Psychiatry Research</i> , 2012 , 200, 354-60	9.9	14
161	Is there an association between subjective and objective measures of cognitive function in patients with affective disorders?. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 248-53	2.3	85
160	Differences in psychomotor activity in patients suffering from unipolar and bipolar affective disorder in the remitted or mild/moderate depressive state. <i>Journal of Affective Disorders</i> , 2012 , 141, 457-63	6.6	56
159	Metabolic syndrome in a cohort of affectively ill patients, a naturalistic study. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 142-5	2.3	5
158	Lack of association between prior depressive episodes and cerebral [11C]PiB binding. <i>Neurobiology of Aging</i> , 2012 , 33, 2334-42	5.6	51
157	State-related alterations of gene expression in bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2012 , 14, 684-96	3.8	30
156	Effect of chronic escitalopram versus placebo on personality traits in healthy first-degree relatives of patients with depression: a randomized trial. <i>PLoS ONE</i> , 2012 , 7, e31980	3.7	12
155	Depression and the risk for dementia. <i>Current Opinion in Psychiatry</i> , 2012 , 25, 457-61	4.9	74

154	An observational nationwide register based cohort study on lamotrigine versus lithium in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2012 , 26, 644-52	4.6	23
153	Is there a difference in subjective experience of cognitive function in patients with unipolar disorder versus bipolar disorder?. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 389-95	2.3	23
152	The effects of centralised and specialised intervention in the early course of severe unipolar depressive disorder: a randomised clinical trial. <i>PLoS ONE</i> , 2012 , 7, e32950	3.7	7
151	Subjective experience of cognitive function in affective disorders. <i>European Psychiatry</i> , 2011 , 26, 234-234		
150	Escitalopram and neuroendocrine response in healthy first-degree relatives to depressed patients--a randomized placebo-controlled trial. <i>PLoS ONE</i> , 2011 , 6, e21224	3.7	12
149	Combinations of SNPs related to signal transduction in bipolar disorder. <i>PLoS ONE</i> , 2011 , 6, e23812	3.7	16
148	Do continued antidepressants protect against dementia in patients with severe depressive disorder?. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 316-22	2.2	46
147	Predictors of excellent response to lithium: results from a nationwide register-based study. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 323-8	2.2	37
146	The risk of psychiatric disorders in individuals born prematurely in Denmark from 1974 to 1996. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 691-9	3.1	22
145	Volume of the adrenal and pituitary glands in depression. <i>Psychoneuroendocrinology</i> , 2011 , 36, 19-27	5	33
144	Cognitive impairment in the remitted state of unipolar depressive disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 134, 20-31	6.6	276
143	From items to syndromes in the Hypomania Checklist (HCL-32): psychometric validation and clinical validity analysis. <i>Journal of Affective Disorders</i> , 2011 , 132, 48-54	6.6	36
142	The effects of centralised and specialised combined pharmacological and psychological intervention compared with decentralised and non-specialised treatment in the early course of severe unipolar and bipolar affective disorders--design of two randomised clinical trials. <i>Trials</i> , 2011 , 12, 32	2.8	6
141	Bipolar disorder in the elderly. <i>Aging Health</i> , 2011 , 7, 797-800		1
140	A randomized trial of the effect of escitalopram versus placebo on cognitive function in healthy first-degree relatives of patients with depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2011 , 1, 133-44	4.9	4
139	Valproate v. lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. <i>British Journal of Psychiatry</i> , 2011 , 199, 57-63	5.4	72
138	Differences between early and late onset adult depression. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 140-7	3.2	42
137	Does lithium protect against dementia?. <i>Bipolar Disorders</i> , 2010 , 12, 87-94	3.8	143

136	Time trend in diagnosing dementia in secondary care. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 146-53	2.6	56
135	Hysterectomy, oophorectomy and risk of dementia: a nationwide historical cohort study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 43-50	2.6	120
134	The effect of selective serotonin reuptake inhibitors in healthy subjects. A systematic review. <i>Nordic Journal of Psychiatry</i> , 2010 , 64, 153-63	2.3	18
133	Familial risk for mood disorder and the personality risk factor, neuroticism, interact in their association with frontolimbic serotonin 2A receptor binding. <i>Neuropsychopharmacology</i> , 2010 , 35, 1129-37	8.7	39
132	Gender differences among patients with a single depressive episode. <i>Psychopathology</i> , 2010 , 43, 159-69	3.4	10
131	The influence of comorbid personality disorder and neuroticism on treatment outcome in first episode depression. <i>Psychopathology</i> , 2010 , 43, 197-204	3.4	31
130	Variations in 5-HTTLPR: relation to familiar risk of affective disorder, life events, neuroticism and cortisol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 86-91	5.5	13
129	No interactions between genetic polymorphisms and stressful life events on outcome of antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2010 , 20, 327-35	1.2	30
128	Coping styles in healthy individuals at risk of affective disorder. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 39-44	1.8	7
127	Treatment with antipsychotics and the risk of diabetes in clinical practice. <i>British Journal of Psychiatry</i> , 2010 , 197, 266-71	5.4	109
126	Bipolar Disorder in the Elderly 2010 , 488-498		3
125	Does bereavement-related first episode depression differ from other kinds of first depressions?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 801-8	4.5	24
124	Event dependent sampling of recurrent events. <i>Lifetime Data Analysis</i> , 2010 , 16, 580-98	1.3	10
123	Hippocampal volume changes in healthy subjects at risk of unipolar depression. <i>Journal of Psychiatric Research</i> , 2010 , 44, 655-62	5.2	65
122	Salivary cortisol in depressed patients versus control persons: a systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2010 , 35, 1275-86	5	200
121	Clinical utility of Standardised Assessment of Personality - Abbreviated Scale (SAPAS) among patients with first episode depression. <i>Journal of Affective Disorders</i> , 2010 , 127, 199-202	6.6	23
120	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. <i>Trials</i> , 2010 , 11, 97	2.8	34
119	Diagnostic evaluation of dementia in the secondary health care sector. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 534-42	2.6	22

118	Validity of the diagnosis of a single depressive episode in a case register. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 4	3.2	121
117	The BDNF Val66Met polymorphism: relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1380-9	5	43
116	Antidepressants and dementia. <i>Journal of Affective Disorders</i> , 2009 , 117, 24-9	6.6	77
115	Association between consistent purchase of anticonvulsants or lithium and suicide risk: a longitudinal cohort study from Denmark, 1995-2001. <i>Journal of Affective Disorders</i> , 2009 , 117, 162-7	6.6	21
114	Interaction between genetic polymorphisms and stressful life events in first episode depression. <i>Journal of Affective Disorders</i> , 2009 , 119, 107-15	6.6	74
113	Late and very-late first-contact schizophrenia and the risk of dementia--a nationwide register based study. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 61-7	3.9	49
112	Do stressful life events predict medical treatment outcome in first episode of depression?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 752-60	4.5	18
111	Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential	2.8	12
110	Acute and transient psychosis in old age and the subsequent risk of dementia: a nationwide register-based study. <i>Geriatrics and Gerontology International</i> , 2009 , 9, 62-8	2.9	30
109	High familial risk for mood disorder is associated with low dorsolateral prefrontal cortex serotonin transporter binding. <i>NeuroImage</i> , 2009 , 46, 360-6	7.9	48
108	Antidepressive-drug-induced bodyweight gain is associated with polymorphisms in genes coding for COMT and TPH1. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 199-203	2.2	22
107	Mood-stabilizing pharmacological treatment in bipolar disorders and risk of suicide. <i>Bipolar Disorders</i> , 2008 , 10, 87-94	3.8	65
106	Whole blood BDNF levels in healthy twins discordant for affective disorder: association to life events and neuroticism. <i>Journal of Affective Disorders</i> , 2008 , 108, 165-9	6.6	28
105	Salivary cortisol in unaffected twins discordant for affective disorder. <i>Psychiatry Research</i> , 2008 , 161, 292-301	9.9	28
104	Delusional disorder in old age and the risk of developing dementia: a nationwide register-based study. <i>Aging and Mental Health</i> , 2008 , 12, 625-9	3.5	16
103	Lithium treatment and risk of dementia. <i>Archives of General Psychiatry</i> , 2008 , 65, 1331-5		194
102	Differences in the ICD-10 diagnostic subtype of depression in bipolar disorder compared to recurrent depressive disorder. <i>Psychopathology</i> , 2008 , 41, 141-6	3.4	4
101	Severity of depressive episodes during the course of depressive disorder. <i>British Journal of Psychiatry</i> , 2008 , 192, 290-3	5.4	28

100	Increased rate of treatment with antidepressants in patients with multiple sclerosis. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 54-9	2.2	7
99	Repeated events and total time on test. <i>Statistics in Medicine</i> , 2008 , 27, 3817-32	2.3	4
98	Increased risk of developing Parkinson's disease for patients with major affective disorder: a register study. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 104, 380-386	6.5	31
97	The prevalence of mixed episodes during the course of illness in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 216-24	6.5	45
96	Treatment with antiparkinson and antidepressant drugs: a register-based, pharmaco-epidemiological study. <i>Movement Disorders</i> , 2007 , 22, 2037-42	7	9
95	Non-parametric estimation and model checking procedures for marginal gap time distributions for recurrent events. <i>Statistics in Medicine</i> , 2007 , 26, 5394-410	2.3	2
94	Adherence to lithium in naturalistic settings: results from a nationwide pharmacoepidemiological study. <i>Bipolar Disorders</i> , 2007 , 9, 730-6	3.8	34
93	Personality traits in unaffected twins discordant for affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 442-50	6.5	15
92	Depressive disorders and anti-parkinson drug treatment: a case register study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 466-72	6.5	2
91	Epidemiology of subtypes of depression. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 85-9	6.5	64
90	Quality of life in unaffected twins discordant for affective disorder. <i>Journal of Affective Disorders</i> , 2007 , 99, 133-8	6.6	3
89	Subclinical psychopathology and socio-economic status in unaffected twins discordant for affective disorder. <i>Journal of Psychiatric Research</i> , 2007 , 41, 229-38	5.2	23
88	Continued antidepressant treatment and suicide in patients with depressive disorder. <i>Archives of Suicide Research</i> , 2007 , 11, 163-75	2.3	24
87	Validity of dementia diagnoses in the Danish hospital registers. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 220-8	2.6	174
86	No increased risk of developing Alzheimer disease in patients with glaucoma. <i>Journal of Glaucoma</i> , 2007 , 16, 47-51	2.1	76
85	Treatment with antidepressants in patients with dementia--a nationwide register-based study. <i>International Psychogeriatrics</i> , 2007 , 19, 902-13	3.4	18
84	Increased rate of treatment with antidepressants in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2007 , 11, 39-45	3.2	3
83	Parkinson's disease and antidepressant drug treatment: a case-register study. <i>Parkinsonism and Related Disorders</i> , 2007 , 13, 406-10	3.6	7

82	Adherence to antidepressant treatment. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 57-62	4.3	38
81	Increased risk of treatment with antidepressants in stroke compared with other chronic illness. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 13-9	2.2	4
80	The risk of affective disorders in patients with adrenocortical insufficiency. <i>Psychoneuroendocrinology</i> , 2006 , 31, 614-22	5	58
79	Differences in diagnostic subtypes among patients with late and early onset of a single depressive episode. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1127-31	3.9	22
78	Use of antiparkinsonian drugs in Denmark: results from a nationwide pharmacoepidemiological study. <i>Movement Disorders</i> , 2006 , 21, 1221-5	7	13
77	The internalising and externalising dimensions of affective symptoms in depressed (unipolar) and bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 362-9	9.4	5
76	Treatment with antidepressants and lithium is associated with increased risk of treatment with antiparkinson drugs: a pharmacoepidemiological study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 781-3	5.5	15
75	Increased relative risk of subsequent affective disorders in patients with a hospital diagnosis of obesity. <i>International Journal of Obesity</i> , 2006 , 30, 1415-21	5.5	5
74	Do personality traits predict first onset in depressive and bipolar disorder?. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 79-88	2.3	58
73	Cognitive function in unaffected twins discordant for affective disorder. <i>Psychological Medicine</i> , 2006 , 36, 1119-29	6.9	98
72	General health and well-being in outpatients with depressive and bipolar disorders. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 150-6	2.3	11
71	Attitudes and beliefs among patients treated with mood stabilizers. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 8	3.2	18
70	Gender differences in subtypes of late-onset depression and mania. <i>International Psychogeriatrics</i> , 2006 , 18, 727-38	3.4	13
69	Do antidepressants prevent suicide?. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 211-8	2.2	23
68	Diagnostic subtypes of bipolar disorder in older versus younger adults. <i>Bipolar Disorders</i> , 2006 , 8, 56-64	3.8	47
67	No association between the -399 C > T polymorphism of the neuropeptide Y gene and schizophrenia, unipolar depression or panic disorder in a Danish population. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 54-8	6.5	23
66	Temporal changes in suicide rates for persons treated and not treated with antidepressants in Denmark during 1995-1999. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 168-76	6.5	25
65	Do antidepressants precipitate youth suicide?: a nationwide pharmacoepidemiological study. <i>European Child and Adolescent Psychiatry</i> , 2006 , 15, 232-40	5.5	38

64	Satisfaction with treatment among patients with depressive and bipolar disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 148-55	4.5	21
63	Diagnostic stability in depressive disorder as according to ICD-10 in clinical practice. <i>Psychopathology</i> , 2005 , 38, 32-7	3.4	20
62	Increased risk of developing affective disorder in patients with hypothyroidism: a register-based study. <i>Thyroid</i> , 2005 , 15, 700-7	6.2	39
61	Depressive and bipolar disorders: patients' attitudes and beliefs towards depression and antidepressants. <i>Psychological Medicine</i> , 2005 , 35, 1205-13	6.9	60
60	Increased risk of hyperthyroidism among patients hospitalized with bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 351-7	3.8	20
59	Severe brain pathology: Underdiagnosed in psychiatric patients?. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 396-397	6.5	11
58	Diagnostic stability in bipolar disorder in clinical practice as according to ICD-10. <i>Journal of Affective Disorders</i> , 2005 , 85, 293-9	6.6	59
57	Gender differences in patients presenting with a single depressive episode according to ICD-10. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 197-201	4.5	12
56	Predictive effects of previous episodes on the risk of recurrence in depressive and bipolar disorders. <i>Current Psychosis & Therapeutics Reports</i> , 2005 , 3, 123-130		1
55	Predictive effects of previous episodes on the risk of recurrence in depressive and bipolar disorders. <i>Current Psychiatry Reports</i> , 2005 , 7, 413-20	9.1	40
54	Clinical use of coping in affective disorder, a critical review of the literature. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005 , 1, 20	3.2	32
53	People diagnosed with schizophrenia retain the diagnosis long term. <i>Evidence-Based Mental Health</i> , 2005 , 8, 68	11.1	1
52	Suicide risk in patients treated with lithium. <i>Archives of General Psychiatry</i> , 2005 , 62, 860-6		146
51	Increased risk of affective disorder following hospitalisation with hyperthyroidism - a register-based study. <i>European Journal of Endocrinology</i> , 2005 , 152, 535-43	6.5	26
50	Serotonin 2A receptor binding in healthy twins genetically predisposed to major depression in comparison with undisposed controls. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S583-S583 ⁷³		
49	Does the risk of developing dementia increase with the number of episodes in patients with depressive disorder and in patients with bipolar disorder?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004 , 75, 1662-6	5.5	262
48	Endogenous, reactive and neurotic depression -- diagnostic stability and long-term outcome. <i>Psychopathology</i> , 2004 , 37, 124-30	3.4	15
47	Major stressful life events and other risk factors for first admission with mania. <i>Bipolar Disorders</i> , 2004 , 6, 122-9	3.8	66

46	Gender differences in the phenomenology of bipolar disorder. <i>Bipolar Disorders</i> , 2004 , 6, 421-5	3.8	73
45	Increased risk of developing diabetes in depressive and bipolar disorders?. <i>Journal of Psychiatric Research</i> , 2004 , 38, 395-402	5.2	21
44	Subtypes of manic episodes according to ICD-10-prediction of time to remission and risk of relapse. <i>Journal of Affective Disorders</i> , 2004 , 81, 279-85	6.6	14
43	Does type of first contact in depressive and bipolar disorders predict subsequent hospitalisation and risk of suicide?. <i>Journal of Affective Disorders</i> , 2004 , 83, 65-71	6.6	11
42	Increased risk of developing stroke for patients with major affective disorder--a registry study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 387-91	5.1	28
41	The predictive effect of episodes on the risk of recurrence in depressive and bipolar disorders - a life-long perspective. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 339-44	6.5	175
40	Course of illness in depressive and bipolar disorders. Naturalistic study, 1994-1999. <i>British Journal of Psychiatry</i> , 2004 , 185, 372-7	5.4	144
39	Severity of depressive episodes according to ICD-10: prediction of risk of relapse and suicide. <i>British Journal of Psychiatry</i> , 2004 , 184, 153-6	5.4	73
38	Does the impact of major stressful life events on the risk of developing depression change throughout life?. <i>Psychological Medicine</i> , 2003 , 33, 1177-84	6.9	80
37	Psychopharmacological treatment with lithium and antiepileptic drugs: suggested guidelines from the Danish Psychiatric Association and the Child and Adolescent Psychiatric Association in Denmark. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 1-22	6.5	53
36	Increased risk of developing dementia in patients with major affective disorders compared to patients with other medical illnesses. <i>Journal of Affective Disorders</i> , 2003 , 73, 261-9	6.6	171
35	On the increased risk of developing late-onset epilepsy for patients with major affective disorder. <i>Journal of Affective Disorders</i> , 2003 , 76, 39-48	6.6	25
34	Affective disorders in neurological diseases: a case register-based study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 41-50	6.5	9
33	No increased risk of developing depression in diabetes compared to other chronic illness. <i>Diabetes Research and Clinical Practice</i> , 2003 , 62, 113-21	7.4	18
32	Subtypes of depressive episodes according to ICD-10: prediction of risk of relapse and suicide. <i>Psychopathology</i> , 2003 , 36, 285-91	3.4	33
31	Major depressive disorder in Parkinson's disease: a register-based study. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 202-11	6.5	87
30	Enduring increased risk of developing depression and mania in patients with dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 40-4	5.5	31
29	The hypothalamo-pituitary-adrenal axis in major affective disorder: a review. <i>Nordic Journal of Psychiatry</i> , 2001 , 55, 359-63	2.3	21

28	Recurrence of affective disorder. <i>American Journal of Psychiatry</i> , 2001 , 158, 819-20	11.9	6
27	Increased risk of developing Parkinson's disease for patients with major affective disorder: a register study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 380-6	6.5	106
26	Predictors of recurrence in affective disorder--analyses accounting for individual heterogeneity. <i>Journal of Affective Disorders</i> , 2000 , 57, 139-45	6.6	23
25	Recurrence in affective disorder: analyses with frailty models. <i>American Journal of Epidemiology</i> , 1999 , 149, 404-11	3.8	56
24	The effect of comorbid alcoholism on recurrence in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1999 , 53, 49-55	6.6	24
23	The effect of episodes on recurrence in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1999 , 53, 225-31	6.6	45
22	The effect of the first manic episode in affective disorder: a case register study of hospitalised episodes. <i>Journal of Affective Disorders</i> , 1999 , 53, 233-9	6.6	17
21	Dementia in affective disorder: a case-register study. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 176-85	6.5	77
20	Recovery from episodes during the course of affective disorder: a case-register study. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 279-87	6.5	19
19	Apolipoprotein E-epsilon 4 frequency in affective disorder. <i>Biological Psychiatry</i> , 1999 , 45, 430-4	7.9	22
18	Una comparaci3n de los diagn3sticos de trastorno afectivo de la CIE-8 y la CIE-10. Un estudio de registro de casos de Dinamarca. <i>European Psychiatry (Ed Espa3ola)</i> , 1999 , 6, 146-150		
17	Clinical definitions of sensitisation in affective disorder: a case register study of prevalence and prediction. <i>Journal of Affective Disorders</i> , 1998 , 47, 31-9	6.6	38
16	Clinical consequences of sensitisation in affective disorder: a case register study. <i>Journal of Affective Disorders</i> , 1998 , 47, 41-7	6.6	24
15	Predictors of recurrence in affective disorder. A case register study. <i>Journal of Affective Disorders</i> , 1998 , 49, 101-8	6.6	69
14	Recovery in affective disorder -A case register study. <i>European Psychiatry</i> , 1998 , 13, 204S-204S	6	
13	Validity of diagnoses and other clinical register data in patients with affective disorder. <i>European Psychiatry</i> , 1998 , 13, 392-8	6	149
12	A comparison of ICD-8 and ICD-10 diagnoses of affective disorder -a case register study from Denmark. <i>European Psychiatry</i> , 1998 , 13, 342-5	6	36
11	Recurrence in affective disorder. I. Case register study. <i>British Journal of Psychiatry</i> , 1998 , 172, 23-8	5.4	176

10	Recurrence in affective disorder. II. Effect of age and gender. <i>British Journal of Psychiatry</i> , 1998 , 172, 29-34	5.4	98
9	Cognitive impairment in the euthymic phase of affective disorder. <i>Psychological Medicine</i> , 1998 , 28, 1027-38	6.3	232
8	Cognitive Impairment in Affective Disorders: Relation to Illness Characteristics. <i>Nordic Journal of Psychiatry</i> , 1996 , 50, 305-316	2.3	15
7	Human immunodeficiency virus-associated psychosis. <i>Nordic Journal of Psychiatry</i> , 1994 , 48, 57-61	2.3	
6	Dementia In human Immunodeficiency virus disease A review. <i>Nordic Journal of Psychiatry</i> , 1993 , 47, 459-64	2.5	1
5	Smartphone-Based Self-Monitoring, Treatment, and Automatically Generated Data in Children, Adolescents, and Young Adults With Psychiatric Disorders: Systematic Review (Preprint)		2
4	Correlations between objective behavioral features collected from mobile and wearable devices, and depressive mood symptoms in affective disorders: A systematic review (Preprint)		2
3	Emotional cognition subgroups in unaffected first-degree relatives of patients with mood disorders. <i>Psychological Medicine</i> , 1-11	6.9	0
2	Neural responses during down-regulation of negative emotion in patients with recently diagnosed bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 1-12	6.9	0
1	Pharmacological Treatment of Individuals at Familial Risk for Bipolar or Major Depressive Disorders: a Scoping Review. <i>Current Treatment Options in Psychiatry</i> , 1	3.1	