

Gustavo Teixeira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2097441/publications.pdf>

Version: 2024-02-01

45
papers

412
citations

840776

11
h-index

839539

18
g-index

45
all docs

45
docs citations

45
times ranked

321
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of traps to capture black and gold howlers (<i>Alouatta caraya</i>) on the Islands of the upper paran�ı river, Southern Brazil. <i>American Journal of Primatology</i> , 2007, 69, 241-247.	1.7	42
2	Sero-epidemiological survey for toxoplasmosis in wild New World monkeys (<i>Cebus</i> spp.; <i>Alouatta</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	1.8	35
3	Techniques and Trap Models for Capturing Wild Tufted Capuchins. <i>International Journal of Primatology</i> , 2007, 28, 231-243.	1.9	35
4	Cougar Predation on Black-and-Gold Howlers on Mutum Island, Southern Brazil1. <i>International Journal of Primatology</i> , 2007, 28, 39-46.	1.9	26
5	Relative growth, sexual maturity, and breeding season of three species of the genus <i>Persephona</i> (Decapoda: Brachyura: Leucosidae): a comparative study. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1581-1591.	0.8	21
6	Reproductive period and size at the onset of sexual maturity of mottled purse crab, <i>Persephona mediterranea</i> (Herbst, 1794) (Brachyura, Leucosioidea) on the southeastern Brazilian coast. <i>Invertebrate Reproduction and Development</i> , 2010, 54, 7-17.	0.8	17
7	Ecological distribution of the shrimp <i>Nematopalaemon schmitti</i> (Crustacea: Decapoda: Caridea) in three bays on the south-eastern coast of Brazil. <i>African Journal of Marine Science</i> , 2012, 34, 93-102.	1.1	17
8	Spatial and temporal distribution of the shrimp <i>Nematopalaemon schmitti</i> (Decapoda: Caridea) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 Association of the United Kingdom, 2009, 89, 1581-1587.	0.8	15
9	Population structure and reproductive period of whitebelly prawn <i>Nematopalaemon schmitti</i> (Holthuis 1950) (Decapoda: Caridea: Palaemonidae) on the southeastern coast of Brazil. <i>Invertebrate Reproduction and Development</i> , 2011, 55, 30-39.	0.8	15
10	Shell occupation by the South Atlantic endemic hermit crab <i>Loxopagurus loxochelis</i> (Moreira, 1901) (Anomura: Diogenidae). <i>Nauplius</i> , 2013, 21, 137-149.	0.3	14
11	Two species of swimming crabs of the genus <i>Achelous</i> (Crustacea, Brachyura): environmental requirements determining the niche. <i>Hydrobiologia</i> , 2014, 727, 197-207.	2.0	13
12	Differential occupation of habitat as a reproductive strategy of the blue crab <i>Callinectes ornatus</i> Ordway, 1968 (Crustacea: Decapoda). <i>Marine Biodiversity</i> , 2014, 44, 27-36.	1.0	12
13	A new species of <i>Aegla</i> Leach, 1820 (Crustacea, Anomura) from the Igua�ısu River basin, Brazil. <i>Zootaxa</i> , 2018, 4527, 335-346.	0.5	12
14	Marine Anomurans (Decapoda) from the Non-Consolidated Sublittoral Bottom at the Southeastern Coast of Brazil. <i>Crustaceana</i> , 2011, 84, 435-450.	0.3	11
15	Differential habitat use by demographic groups of the redfinger rubble crab <i>Eriphia gonagra</i> (Fabricius, 1781). <i>Brazilian Journal of Biology</i> , 2014, 74, 597-606.	0.9	10
16	<i>Aegla nebeccana</i> n. sp. (Crustacea, Aeglididae) from Iva�ı-Basin, Paran�ı, Brazil. <i>Zootaxa</i> , 2019, 4712, zootaxa.4712.1.10.	0.5	9
17	Population structure and sexual maturity of <i>Aegla castro</i> (Decapoda, Anomura), an endemic freshwater crab from Brazil. <i>Invertebrate Reproduction and Development</i> , 2018, 62, 35-42.	0.8	8
18	Taxonomic revision of <i>Aegla lata</i> Bond-Buckup & Buckup, 1994 (Decapoda: Anomura: Aeglididae), with the description of a new species of <i>Aegla</i> Leach, 1820 from the Upper Paran�ı Ecoregion, Brazil. <i>Journal of Crustacean Biology</i> , 2020, 40, 425-434.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Life-history traits of the red brocade hermit crab <i>Dardanus insignis</i> on the subtropical Brazilian coast. <i>Marine Biology Research</i> , 2015, 11, 283-293.	0.7	7
20	Description of the newly-hatched juvenile of <i>Aegla castro</i> Schmitt, 1942 (Crustacea, Anomura). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307</i>	0.5	7
21	Reproductive strategy of the shrimp <i>Nematopalaemon schmitti</i> (Decapoda, Caridea, Palaemonoidea) on the southeastern coast of Brazil. <i>Nauplius</i> , 2017, 25, .	0.3	7
22	Environmental factors influencing the distribution of three species within the genus <i>Persephona</i> Leach, 1817 (Crustacea, Decapoda, Leucosiidae) in two regions on the northern coast of Sao Paulo State, Brazil. <i>Latin American Journal of Aquatic Research</i> , 2014, 42, 307-321.	0.6	6
23	Allometric growth, sexual maturity, and life cycle of <i>Aegla lata</i> (Decapoda, Anomura), a critically endangered species. <i>Journal of Crustacean Biology</i> , 2019, 39, 748-757.	0.8	6
24	Mithracinae (Decapoda: Brachyura) from the Brazilian coast: review of the geographical distribution and comments on the biogeography of the group. <i>Nauplius</i> , 2012, 20, 51-62.	0.3	6
25	Abundance and distribution of the swimming crab <i>Callinectes danae</i> Smith, 1869 (Crustacea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307</i>	0.7	5
26	Population structure of the swimming crab <i>Achelous spinicarpus</i> (Crustacea, Portunoidea) in São Paulo northern coast, Brazil. <i>Neotropical Biology and Conservation</i> , 2017, 12, .	0.9	5
27	Spatial-temporal variation of <i>Paralichthys brasiliensis</i> (Actinopterygii: Sciaenidae) density in relation to some environmental factors on the inner shelf of south-eastern Brazilian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 413-420.	0.8	4
28	Reproductive investment and multiple spawning evidence in the redfinger rubble crab <i>Eriphia gonagra</i> (Brachyura, Eriphioidea). <i>Nauplius</i> , 2017, 25, .	0.3	4
29	<i>Aegla buenoi</i> n. sp. (Decapoda: Anomura): first record of aeglid crab from Cinzas River basin, Brazil. <i>Zootaxa</i> , 2021, 5005, 291-303.	0.5	4
30	Assessment of reproductive capacity in females of <i>Callinectes danae</i> Smith, 1869 (Brachyura). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307</i>	0.8	3
31	Development, 2015, 59, 9-16. First record of the invasive tapeworm, <i>Schyzocotyle acheilognathi</i> (Pseudophyllidea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307</i>	0.8	3
32	2845-2849. Comparison of the spatio-temporal distribution of the roughneck shrimp <i>Rimapenaeus constrictus</i> (Stimpson, 1874) (Crustacea, Penaeoidea) from monthly samples collected 20 years apart: Effects of a marine protected area in southeastern Brazil. <i>Marine Ecology</i> , 2020, 41, e12605.	1.1	3
33	Natural diet of the endemic freshwater crab <i>Aegla castro</i> Schmitt, 1942 (Decapoda: Anomura). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307</i>	0.8	3
34	Gonadal development, reproductive investment and fecundity of <i>Aegla castro</i> Schmitt, 1942 (Crustacea, Anomura). <i>Invertebrate Reproduction and Development</i> , 2021, 65, 24-34.	0.8	3
35	Evaluation of the stomach contents of <i>Eriphia gonagra</i> from a rocky shore in the southeastern Brazilian coast. <i>Iheringia - Serie Zoologia</i> , 0, 110, .	0.5	3
36	Cryptic diversity among populations of <i>Aegla</i> Leach, 1820 (Decapoda: Anomura: Aegliidae) from Tibagi River basin, Paraná state, Brazil, with descriptions of three new species. <i>Journal of Natural History</i> , 2021, 55, 2145-2171.	0.5	3

#	ARTICLE	IF	CITATIONS
37	Análise de processos alternativos na preparação de esqueletos para uso didático. Acta Scientiarum - Biological Sciences, 2008, 30, .	0.3	2
38	Ocorrência de anormalidades morfológicas externas em caranguejos marinhos (Decapoda, Brachyura) no litoral norte do Estado de São Paulo. Acta Scientiarum - Biological Sciences, 2012, 34, .	0.3	2
39	Environmental factors modulating the abundance and distribution of <i>Callinectes danae</i> (Decapoda:) Tj ETQq1 1 0.784314 rgBT /Overl	1.5	2
40	Checklist of species of <i>Stratiodrilus</i> Haswell, 1900 (Annelida: Histiobdellidae), and new host records from Southern Brazil. Zootaxa, 2018, 4399, 412.	0.5	1
41	Unveiling the dynamics of the spider crab <i>Libinia ferreirae</i> , through reproductive and population characteristics on the south-eastern coast of Brazil. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 1311-1319.	0.8	1
42	Reproductive biology of the swimming crab <i>Achelous spinimanus</i> (Decapoda, Portunoidea): a potential fishing resource. Iheringia - Serie Zoologia, 0, 110, .	0.5	1
43	Effects of biological and environmental factors on the variability of <i>Paralichthys brasiliensis</i> (Sciaenidae) density: An GAMLSS application. Journal of Sea Research, 2022, 183, 102203.	1.6	1
44	The spatial and temporal abundance of the spider crab <i>Libinia ferreirae</i> Brito Capello, 1871 (Crustacea, Brachyura) considering different environmental factors. Journal of Natural History, 2021, 55, 2213-2229.	0.5	0
45	Spatio-temporal dynamics of the commercial seabob shrimp <i>Xiphopenaeus kroyeri</i> (Heller, 1862) and physico-chemical parameters in a marine protected area: Changes in abundance and distribution after 20 years. Regional Studies in Marine Science, 2022, 52, 102241.	0.7	0