

Colin Drummond

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2097799/colin-drummond-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

4,998
citations

38
h-index

67
g-index

151
ext. papers

5,647
ext. citations

4.9
avg, IF

5.46
L-index

#	Paper	IF	Citations
134	Accuracy of Wearable Transdermal Alcohol Sensors: Systematic Review.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e35178	7.6	1
133	Intended and unintended consequences of the implementation of minimum unit pricing of alcohol in Scotland: a natural experiment. <i>Public Health Research</i> , 2021 , 9, 1-210	1.7	0
132	Prevalence and patterns of hospital use for people with frequent alcohol-related hospital admissions, compared to non-alcohol and non-frequent admissions: a cohort study using routine administrative hospital data. <i>Addiction</i> , 2021 , 116, 1700-1708	4.6	0
131	Cost-effectiveness analysis of public health interventions with impacts on health and criminal justice: An applied cross-sectoral analysis of an alcohol misuse intervention. <i>Health Economics (United Kingdom)</i> , 2021 , 30, 972-988	2.4	4
130	A Qualitative Evaluation of the Acceptability of a Tailored Smartphone Alcohol Intervention for a Military Population: Information About Drinking for Ex-Serving Personnel (InDEX) App. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e12267	5.5	10
129	Brief alcohol intervention for risky drinking in young people aged 14-15 years in secondary schools: the SIPS JR-HIGH RCT. <i>Public Health Research</i> , 2019 , 7, 1-134	1.7	2
128	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. <i>Journal of Public Health</i> , 2019 , 41, e53-e60	3.5	6
127	Attempts to reduce alcohol intake and treatment needs among people with probable alcohol dependence in England: a general population survey. <i>Addiction</i> , 2018 , 113, 1430-1438	4.6	7
126	The Effect of Brief Interventions for Alcohol Among People with Comorbid Mental Health Conditions: A Systematic Review of Randomized Trials and Narrative Synthesis. <i>Alcohol and Alcoholism</i> , 2018 , 53, 282-293	3.5	6
125	The adherence to UK legislation by online shops selling new psychoactive substances. <i>Drugs: Education, Prevention and Policy</i> , 2018 , 25, 97-100	1.2	5
124	The Dynamic Environment of Crypto Markets: The Lifespan of New Psychoactive Substances (NPS) and Vendors Selling NPS. <i>Brain Sciences</i> , 2018 , 8,	3.4	13
123	What makes online substance-use interventions engaging? A systematic review and narrative synthesis. <i>Digital Health</i> , 2018 , 4, 2055207617743354	4	19
122	A National Survey of Assertive Outreach Treatment Services for People Who Frequently Attend Hospital due to Alcohol-Related Reasons in England. <i>Alcohol and Alcoholism</i> , 2018 , 53, 277-281	3.5	3
121	A Smartphone App and Personalized Text Messaging Framework (InDEX) to Monitor and Reduce Alcohol Use in Ex-Serving Personnel: Development and Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10074	5.5	23
120	Developing Typologies of User Engagement With the BRANCH Alcohol-Harm Reduction Smartphone App: Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e11692	5.5	11
119	Disease burden and costs from excess alcohol consumption, obesity, and viral hepatitis: fourth report of the Lancet Standing Commission on Liver Disease in the UK. <i>Lancet, The</i> , 2018 , 391, 1097-1107 ⁴⁰		90
118	Improving screening and brief intervention activities in primary health care: Secondary analysis of professional accuracy based on the AUDIT-C. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 369-374 ^{2.5}	2.5	1

117	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. <i>Journal of Adolescent Health</i> , 2017 , 60, 438-446	5.8	25
116	Codeine use, dependence and help-seeking behaviour in the UK and Ireland: an online cross-sectional survey. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2017 , 110, 559-564	2.7	21
115	A market on both "sides" of the law: The use of the hidden web for the sale of new psychoactive substances. <i>Human Psychopharmacology</i> , 2017 , 32, e2596	2.3	8
114	Cuts to addiction services are a false economy. <i>BMJ, The</i> , 2017 , 357, j2704	5.9	26
113	The challenge of complex drug use: Associated use of codeine-containing medicines and new psychoactive substances in a European cross-sectional online population. <i>Human Psychopharmacology</i> , 2017 , 32, e2611	2.3	3
112	Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). <i>BMC Public Health</i> , 2017 , 17, 246	4.1	8
111	The NICE alcohol misuse standard - evaluating its impact. <i>International Journal of Health Care Quality Assurance</i> , 2017 , 30, 260-273	1.3	3
110	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2017 , 15, 335-340	2.9	26
109	Does prescribing psychiatric medication really make it less likely that alcohol is involved in a self-poisoning?. <i>British Journal of Psychiatry</i> , 2017 , 211, 52-53	5.4	
108	How Do People Who Frequently Attend Emergency Departments for Alcohol-Related Reasons Use, View, and Experience Specialist Addiction Services?. <i>Substance Use and Misuse</i> , 2017 , 52, 1460-1468	2.2	8
107	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. <i>European Journal of General Practice</i> , 2017 , 23, 241-245	2.8	6
106	Variance in the Efficacy of Brief Interventions to Reduce Hazardous and Harmful Alcohol Consumption Between Injury and Noninjury Patients in Emergency Departments: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Annals of Emergency Medicine</i> , 2017 , 70, 744-753	2.1	9
105	Qualitative exploration of why people repeatedly attend emergency departments for alcohol-related reasons. <i>BMC Health Services Research</i> , 2017 , 17, 140	2.9	21
104	Effectiveness and Cost-effectiveness of Opportunistic Screening and Stepped-care Interventions for Older Alcohol Users in Primary Care. <i>Alcohol and Alcoholism</i> , 2017 , 52, 655-664	3.5	12
103	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. <i>Alcohol and Alcoholism</i> , 2017 , 52, 312-317	3.5	7
102	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	22
101	Usability Testing of the BRANCH Smartphone App Designed to Reduce Harmful Drinking in Young Adults. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e109	5.5	19
100	Socio-demographic characteristics and stereotyping of people who frequently attend accident and emergency departments for alcohol-related reasons: Qualitative study. <i>Drugs: Education, Prevention and Policy</i> , 2017 , 24, 67-74	1.2	6

99	Assertive Community Treatment For People With Alcohol Dependence: A Pilot Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2017 , 52, 234-241	3.5	7
98	Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. <i>British Journal of General Practice</i> , 2016 , 66, e1-9	1.6	65
97	Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. <i>BMC Public Health</i> , 2016 , 16, 535	4.1	8
96	Double-blind, 12 month follow-up, placebo-controlled trial of mifepristone on cognition in alcoholics: the MIFCOG trial protocol. <i>BMC Psychiatry</i> , 2016 , 16, 40	4.2	15
95	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. <i>Implementation Science</i> , 2016 , 11, 96	8.4	7
94	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016 , 111, 1935-1945	4.6	51
93	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol. <i>BMJ Open</i> , 2016 , 6, e012474	3	7
92	Path analysis of cognitive behavioral models in smoking: what is the relationship between concepts involved?. <i>Journal of Substance Use</i> , 2016 , 21, 553-557	0.8	2
91	Protocol for a national monthly survey of alcohol use in England with 6-month follow-up: 'the Alcohol Toolkit Study'. <i>BMC Public Health</i> , 2015 , 15, 230	4.1	41
90	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14-17 years presenting to Emergency Departments (SIPS junior). <i>BMC Public Health</i> , 2015 , 15, 345	4.1	17
89	The efficacy of acamprosate and naltrexone in the treatment of alcohol dependence, Europe versus the rest of the world: a meta-analysis. <i>Addiction</i> , 2015 , 110, 920-30	4.6	81
88	Negative expectancies measured with the Substance Use Beliefs Questionnaire can differentiate controls from those in treatment for alcohol dependence. <i>Drugs and Alcohol Today</i> , 2015 , 15, 76-81	1.4	
87	A comparison of the efficacy of brief interventions to reduce hazardous and harmful alcohol consumption between European and non-European countries: a systematic review and meta-analysis of randomized controlled trials. <i>Addiction</i> , 2015 , 110, 1082-91	4.6	28
86	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015 , 50, 430-7	3.5	26
85	Navigating the Alcohol Treatment Pathway: A Qualitative Study from the Service Users' Perspective. <i>Alcohol and Alcoholism</i> , 2015 , 50, 444-50	3.5	21
84	The potential impact of increased treatment rates for alcohol dependence in the United Kingdom in 2004. <i>BMC Health Services Research</i> , 2014 , 14, 53	2.9	18
83	Alcohol screening and brief intervention for adolescents: the how, what and where of reducing alcohol consumption and related harm among young people. <i>Alcohol and Alcoholism</i> , 2014 , 49, 207-12	3.5	81
82	Can outcome expectancies be measured across substances? Development and validation of a questionnaire for populations in treatment. <i>Drugs and Alcohol Today</i> , 2014 , 14, 172-186	1.4	8

81	Path analysis of cognitive behavioural models in substance misuse. What is the relationship between concepts involved?. <i>Journal of Substance Use</i> , 2014 , 19, 399-404	0.8	5
80	The effectiveness of alcohol screening and brief intervention in emergency departments: a multicentre pragmatic cluster randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e99463	3.7	73
79	Alcohol harm reduction: corporate capture of a key concept. <i>PLoS Medicine</i> , 2014 , 11, e1001767	11.6	19
78	How important are positive and negative outcome expectancies in the treatment of addiction: a narrative review of the literature. <i>Drugs and Alcohol Today</i> , 2014 , 14, 137-149	1.4	8
77	Alcohol screening and brief interventions for offenders in the probation setting (SIPS Trial): a pragmatic multicentre cluster randomized controlled trial. <i>Alcohol and Alcoholism</i> , 2014 , 49, 540-8	3.5	40
76	The effectiveness of electronic screening and brief intervention for reducing levels of alcohol consumption: a systematic review and meta-analysis. <i>Journal of Medical Internet Research</i> , 2014 , 16, e1427.6	7.6	104
75	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. <i>Implementation Science</i> , 2013 , 8, 11	8.4	40
74	The ODHIN assessment tool: a tool to describe the available services for the management of hazardous and harmful alcohol consumption at the country and regional level. <i>Addiction Science & Clinical Practice</i> , 2013 , 8,	4.1	78
73	Promoting innovation and excellence to face the rapid diffusion of novel psychoactive substances in the EU: the outcomes of the RedNet project. <i>Human Psychopharmacology</i> , 2013 , 28, 317-23	2.3	133
72	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, e8501	5.9	186
71	Differentiating the contribution of pharmacological from alcohol expectancy effects to changes in subjective response and priming over successive drinks. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 687-95	3.7	7
70	AESOPS: a randomised controlled trial of the clinical effectiveness and cost-effectiveness of opportunistic screening and stepped care interventions for older hazardous alcohol users in primary care. <i>Health Technology Assessment</i> , 2013 , 17, 1-158	4.4	27
69	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 19	2.8	8
68	Brief intervention to prevent hazardous drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 166	2.8	7
67	How does cognitive behaviour therapy work with opioid-dependent clients? Results of the UKCBTMM study. <i>Drugs: Education, Prevention and Policy</i> , 2012 , 19, 253-258	1.2	5
66	Screening for alcohol use in criminal justice settings: an exploratory study. <i>Alcohol and Alcoholism</i> , 2012 , 47, 423-7	3.5	35
65	National survey of alcohol treatment agencies in England: Characteristics of clients. <i>Journal of Substance Use</i> , 2012 , 17, 389-398	0.8	
64	The perceived challenges facing alcohol treatment services in England: A qualitative study of service providers. <i>Journal of Substance Use</i> , 2011 , 16, 38-49	0.8	2

63	The end of the dependence syndrome as we know it?. <i>Addiction</i> , 2011 , 106, 892-4; discussion 895-7	4.6	3
62	Identifying the gap between need and intervention for alcohol use disorders in Europe. <i>Addiction</i> , 2011 , 106 Suppl 1, 31-6	4.6	26
61	National survey of alcohol treatment agencies in England: Characteristics of treatment agencies. <i>Journal of Substance Use</i> , 2011 , 16, 407-421	0.8	2
60	Diagnosis, assessment, and management of harmful drinking and alcohol dependence: summary of NICE guidance. <i>BMJ, The</i> , 2011 , 342, d700	5.9	22
59	Evidence-based guidelines for mental, neurological, and substance use disorders in low- and middle-income countries: summary of WHO recommendations. <i>PLoS Medicine</i> , 2011 , 8, e1001122	11.6	199
58	Designer drugs on the internet: a phenomenon out-of-control? the emergence of hallucinogenic drug Bromo-Dragonfly. <i>Current Clinical Pharmacology</i> , 2011 , 6, 125-9	2.5	72
57	Monitoring drinking behaviour and motivation to drink over successive doses of alcohol. <i>Behavioural Pharmacology</i> , 2010 , 21, 710-8	2.4	14
56	Modelling lifetime QALYs and health care costs from different drinking patterns over time: a Markov model. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19, 97-109	4.3	21
55	Effectiveness and cost-effectiveness of a stepped care intervention for alcohol use disorders in primary care: pilot study. <i>British Journal of Psychiatry</i> , 2009 , 195, 448-56	5.4	61
54	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 287	4.1	57
53	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 418	4.1	26
52	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. <i>BMC Health Services Research</i> , 2009 , 9, 114	2.9	36
51	Introduction to the issue--the alcohol industry and alcohol policy. <i>Addiction</i> , 2009 , 104 Suppl 1, 1-2	4.6	2
50	Low identification of alcohol use disorders in general practice in England. <i>Addiction</i> , 2008 , 103, 766-73	4.6	45
49	The effectiveness and cost-effectiveness of opportunistic screening and stepped care interventions for older hazardous alcohol users in primary care (AESOPS) - a randomised control trial protocol. <i>BMC Health Services Research</i> , 2008 , 8, 129	2.9	19
48	Pilot study of assertive community treatment methods to engage alcohol-dependent individuals. <i>Alcohol and Alcoholism</i> , 2008 , 43, 451-5	3.5	14
47	Brief alcohol interventions [Everybody's business. <i>Advances in Psychiatric Treatment</i> , 2008 , 14, 469-476		8
46	The effectiveness of behavioural interventions in the primary prevention of hepatitis C amongst injecting drug users: a randomised controlled trial and lessons learned. <i>Harm Reduction Journal</i> , 2008 , 5, 25	4.6	24

45	Opportunistic screening for alcohol use disorders in primary care: comparative study. <i>BMJ, The</i> , 2006 , 332, 511-7	5.9	46
44	Cost-effectiveness of screening and referral to an alcohol health worker in alcohol misusing patients attending an accident and emergency department: a decision-making approach. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 47-54	4.9	70
43	Co-morbid post-traumatic stress disorder in a substance misusing clinical population. <i>Drug and Alcohol Dependence</i> , 2005 , 77, 251-8	4.9	141
42	The alcohol industry has a conflict of interest in alcohol research and policy. <i>Addiction</i> , 2005 , 100, 128-9	4.6	7
41	Alcohol withdrawal and conditioning. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 453-64	3.7	28
40	Relationship between alcohol use disorders and suicidality in a psychiatric population: in-patient prevalence study. <i>British Journal of Psychiatry</i> , 2004 , 184, 439-45	5.4	33
39	An alcohol strategy for England: the good, the bad and the ugly. <i>Alcohol and Alcoholism</i> , 2004 , 39, 377-9	3.5	36
38	Acute effect of a brief bout of exercise on alcohol urges. <i>Addiction</i> , 2004 , 99, 1542-7	4.6	101
37	Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2004 , 364, 1334-9	4.0	222
36	Substance use in the general hospital. <i>Addictive Behaviors</i> , 2003 , 28, 483-99	4.2	28
35	Alcohol urges in alcohol-dependent drinkers: further validation of the Alcohol Urge Questionnaire in an untreated community clinical population. <i>Addiction</i> , 2002 , 97, 1465-72	4.6	52
34	Is cue exposure cure exposure?. <i>Addiction</i> , 2002 , 97, 357-9	4.6	4
33	Meta-analysis in alcohol treatment research: does it help us to know what works?. <i>Addiction</i> , 2002 , 97, 297-9	4.6	3
32	Pharmacological approaches to the treatment of excessive drinking and alcohol dependence. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 119-25	4.3	2
31	Theories of drug craving, ancient and modern. <i>Addiction</i> , 2001 , 96, 33-46	4.6	257
30	Development of a quality assessment instrument for trials of treatments for depression and neurosis. <i>International Journal of Methods in Psychiatric Research</i> , 2001 , 10, 126-133	4.3	133
29	Craving research: future directions. <i>Addiction</i> , 2000 , 95, 247-255	4.6	120
28	What does cue-reactivity have to offer clinical research?. <i>Addiction</i> , 2000 , 95, 129-144	4.6	179

27	A multicentre, randomized, double-blind, placebo-controlled trial of naltrexone in the treatment of alcohol dependence or abuse. <i>Alcohol and Alcoholism</i> , 2000 , 35, 587-93	3.5	227
26	Low detection rates, negative attitudes and the failure to meet the "Health of the Nation" alcohol targets: findings from a national survey of GPs in England and Wales. <i>Drug and Alcohol Review</i> , 1998 , 17, 249-58	3.2	39
25	How do general practitioners manage alcohol-misusing patients? Results from a national survey of GPs in England and Wales. <i>Drug and Alcohol Review</i> , 1998 , 17, 259-66	3.2	15
24	Are practice nurses an unexplored resource in the identification and management of alcohol misuse? Results from a study of practice nurses in England and Wales in 1995. <i>Journal of Advanced Nursing</i> , 1998 , 28, 592-7	3.1	32
23	The quality of alcohol treatment research: an examination of influential controlled trials and development of a quality rating system. <i>Addiction</i> , 1998 , 93, 811-23	4.6	15
22	New drug treatments for alcohol problems: a critical appraisal. <i>Addiction</i> , 1997 , 92, 939-947	4.6	29
21	The continuing search for the Elixir of temperance. <i>Addiction</i> , 1997 , 92, 961-964	4.6	1
20	Alcohol interventions: do the best things come in small packages?. <i>Addiction</i> , 1997 , 92, 375-379	4.6	24
19	Sexual abuse in people with alcohol problems. A study of the prevalence of sexual abuse and its relationship to drinking behaviour. <i>British Journal of Psychiatry</i> , 1996 , 169, 355-60	5.4	66
18	Human addicts and laboratory rats: two great armies marching in parallel. <i>Addiction</i> , 1996 , 91, 958-960	4.6	
17	Alcohol as an unconditioned stimulus in human classical conditioning. <i>Psychopharmacology</i> , 1994 , 116, 360-8	4.7	22
16	The Alcohol Problems Questionnaire: reliability and validity. <i>Drug and Alcohol Dependence</i> , 1994 , 35, 239-43	4.9	49
15	A conditioning approach to the analysis and treatment of drinking problems. <i>British Medical Bulletin</i> , 1994 , 50, 186-99	5.4	11
14	A controlled trial of cue exposure treatment in alcohol dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 809-817	6.5	183
13	Alcohol dependence and cue reactivity. <i>Journal of Studies on Alcohol and Drugs</i> , 1994 , 55, 224-9		53
12	Engaging patients with alcohol problems in treatment: the first consultation. <i>Addiction</i> , 1992 , 87, 601-11	4.6	12
11	The use of services for alcohol problems: general practitioner and specialist alcohol clinic. <i>Addiction</i> , 1992 , 87, 613-24	4.6	12
10	Different drink cues elicit different physiological responses in non-dependent drinkers. <i>Psychopharmacology</i> , 1992 , 106, 550-4	4.7	36

9	The relationship between alcohol dependence and alcohol-related problems in a clinical population. <i>Addiction</i> , 1990 , 85, 357-66	4.6	123
8	Alcohol consumption, problem drinking and anti-social behaviour in a sample of college students. <i>Addiction</i> , 1990 , 85, 479-86	4.6	43
7	Specialist versus general practitioner treatment of problem drinkers. <i>Lancet, The</i> , 1990 , 336, 915-8	4.0	62
6	Dogma, denial, and drinking problems. <i>Lancet, The</i> , 1990 , 336, 1583-4	4.0	
5	Naltrexone and clonidine in heroin withdrawal treatment. <i>British Journal of Psychiatry</i> , 1989 , 154, 571-2	5.4	2
4	Chlordiazepoxide vs. methadone in opiate withdrawal: a preliminary double blind trial. <i>Drug and Alcohol Dependence</i> , 1989 , 23, 63-71	4.9	29
3	How should opiate withdrawal be measured?. <i>Drug and Alcohol Dependence</i> , 1989 , 24, 151-3	4.9	12
2	Replacement of a prescribing service by an opiate-free day programme in a Glasgow drug clinic. <i>Addiction</i> , 1986 , 81, 559-65	4.6	11
1	Helping heroin addicts kick the habit. <i>British Medical Journal</i> , 1985 , 291, 674-5		