

Valeria Pala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/209809/publications.pdf>

Version: 2024-02-01

244
papers

16,764
citations

11608

70
h-index

19690

117
g-index

250
all docs

250
docs citations

250
times ranked

22347
citing authors

#	ARTICLE	IF	CITATIONS
1	Endogenous Sex Hormones and Breast Cancer in Postmenopausal Women: Reanalysis of Nine Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2002, 94, 606-616.	3.0	1,510
2	Body Mass Index, Serum Sex Hormones, and Breast Cancer Risk in Postmenopausal Women. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1218-1226.	3.0	963
3	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
4	Standardization of the 24-hour diet recall calibration method used in the European Prospective Investigation into Cancer and Nutrition (EPIC): general concepts and preliminary results. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 900-917.	1.3	315
5	Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. <i>Computer Methods and Programs in Biomedicine</i> , 1999, 58, 251-266.	2.6	280
6	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011, 104, 1493-1499.	2.9	248
7	Dietary fibre and incidence of type 2 diabetes in eight European countries: the EPIC-InterAct Study and a meta-analysis of prospective studies. <i>Diabetologia</i> , 2015, 58, 1394-1408.	2.9	237
8	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	4.3	226
9	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011, 32, 1235-1243.	1.0	225
10	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	1.1	218
11	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S226-S238.	1.3	204
12	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1686-1695.	3.0	197
13	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. <i>Tumori</i> , 2003, 89, 594-607.	0.6	192
14	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	2.2	188
15	Erythrocyte Membrane Fatty Acids and Subsequent Breast Cancer: a Prospective Italian Study. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1088-1095.	3.0	180
16	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1387-1396.	1.3	166
17	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	2.3	161
18	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2011, 105, 1436-1442.	2.9	160

#	ARTICLE	IF	CITATIONS
19	A metabolomic study of biomarkers of meat and fish intake ,. American Journal of Clinical Nutrition, 2017, 105, 600-608.	2.2	156
20	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2011, 129, 2712-2719.	2.3	154
21	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	3.9	150
22	Reproducibility of food consumption frequencies derived from the Children's Eating Habits Questionnaire used in the IDEFICS study. International Journal of Obesity, 2011, 35, S61-S68.	1.6	149
23	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2007, 18, 399-413.	0.8	148
24	A Prioriâ€œDefined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. Journal of Nutrition, 2011, 141, 1552-1558.	1.3	140
25	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2007, 10, 1515-1525.	1.1	139
26	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1304-12.	2.2	139
27	Fruit and Vegetable Consumption and Mortality. American Journal of Epidemiology, 2013, 178, 590-602.	1.6	135
28	Endogenous sex hormones and subsequent breast cancer in premenopausal women. International Journal of Cancer, 2004, 112, 312-318.	2.3	128
29	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	0.9	127
30	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	1.1	121
31	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. Tumori, 2003, 89, 586-593.	0.6	120
32	Breast Cancer Risk After Recent Childbirth. Annals of Internal Medicine, 2019, 170, 22.	2.0	120
33	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	0.9	117
34	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. Archives of Internal Medicine, 2010, 170, 640-7.	4.3	116
35	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	0.8	115
36	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 109, 1498-1507.	1.2	114

#	ARTICLE	IF	CITATIONS
37	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112
38	Sex Hormone Levels, Breast Cancer Risk, and Cancer Receptor Status in Postmenopausal Women: the ORDET Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 169-176.	1.1	111
39	Mediterranean diet, overweight and body composition in children from eight European countries: Cross-sectional and prospective results from the IDEFICS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 205-213.	1.1	110
40	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 879-885.	1.1	106
41	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008, 19, 1894-1902.	0.6	105
42	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3252-3261.	1.1	104
43	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 137, 598-606.	2.3	104
44	Effects of dietary intervention on IGF-I and IGF-binding proteins, and related alterations in sex steroid metabolism: the Diet and Androgens (DIANA) Randomised Trial. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1079-1088.	1.3	102
45	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	1.1	102
46	Television habits in relation to overweight, diet and taste preferences in European children: the IDEFICS study. <i>European Journal of Epidemiology</i> , 2012, 27, 705-715.	2.5	100
47	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	2.2	98
48	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007, 22, 871-881.	2.5	93
49	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
50	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	92
51	A Traditional Mediterranean Diet Decreases Endogenous Estrogens in Healthy Postmenopausal Women. <i>Nutrition and Cancer</i> , 2006, 56, 253-259.	0.9	91
52	Prevalence and determinants of misreporting among European children in proxy-reported 24h dietary recalls. <i>British Journal of Nutrition</i> , 2013, 109, 1257-1265.	1.2	91
53	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	0.8	90
54	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	2.3	89

#	ARTICLE	IF	CITATIONS
55	Development and Validation of a Food Frequency Questionnaire for the Assessment of Dietary Total Antioxidant Capacity ,2. Journal of Nutrition, 2007, 137, 93-98.	1.3	88
56	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. International Journal of Cancer, 2013, 132, 1404-1411.	2.3	88
57	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Diabetologia, 2011, 54, 3037-3046.	2.9	85
58	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	1.1	85
59	Dietary Patterns of European Children and Their Parents in Association with Family Food Environment: Results from the I.Family Study. Nutrients, 2017, 9, 126.	1.7	82
60	Dietary glycemic index, glycemic load, and the risk of breast cancer in an Italian prospective cohort study. American Journal of Clinical Nutrition, 2007, 86, 1160-1166.	2.2	81
61	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutritionâ€”Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. American Journal of Clinical Nutrition, 2012, 95, 184-193.	2.2	79
62	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 646-657.	2.3	79
63	Variations in Plasma Phytoestrogen Concentrations in European Adults. Journal of Nutrition, 2007, 137, 1294-1300.	1.3	78
64	Prospective study on the role of glucose metabolism in breast cancer occurrence. International Journal of Cancer, 2012, 130, 921-929.	2.3	78
65	Relative validity of the Children's Eating Habits Questionnaireâ€”“food frequency section among young European children: the IDEFICS Study. Public Health Nutrition, 2014, 17, 266-276.	1.1	78
66	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2012, 175, 653-663.	1.6	77
67	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. British Journal of Nutrition, 2006, 96, S12-S23.	1.2	76
68	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2009, 125, 902-908.	2.3	76
69	Evaluation of the Children's Eating Habits Questionnaire used in the IDEFICS study by relating urinary calcium and potassium to milk consumption frequencies among European children. International Journal of Obesity, 2011, 35, S69-S78.	1.6	76
70	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. Scientific Reports, 2017, 7, 9757.	1.6	74
71	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	2.4	74
72	Diabetes mellitus and risk of prostate cancer in the EuropeanProspectiveInvestigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 372-381.	2.3	72

#	ARTICLE	IF	CITATIONS
73	Diet in the Italian EPIC cohorts: presentation of data and methodological issues. <i>Tumori</i> , 2003, 89, 594-607.	0.6	70
74	Dietary patterns and longitudinal change in body mass in European children: a follow-up study on the IDEFICS multicenter cohort. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1042-1049.	1.3	69
75	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	2.3	66
76	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.4	65
77	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013, 132, 617-624.	2.3	65
78	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003, 89, 586-93.	0.6	65
79	Erythrocyte Membrane Phospholipid Composition as a Biomarker of Dietary Fat. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 95-102.	1.0	63
80	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014, 25, 1422-1428.	0.6	63
81	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	1.1	62
82	Fat and Protein Intake and Subsequent Breast Cancer Risk in Postmenopausal Women. <i>Nutrition and Cancer</i> , 2002, 42, 10-17.	0.9	61
83	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	1.1	60
84	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	1.2	59
85	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	1.1	59
86	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 1662-1672.	2.3	58
87	Meal patterns across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016, 19, 2769-2780.	1.1	58
88	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
89	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk – results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464.	1.1	56
90	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	2.2	56

#	ARTICLE	IF	CITATIONS
91	Food sources of carbohydrates in a European cohort of adults. <i>Public Health Nutrition</i> , 2002, 5, 1197-1215.	1.1	55
92	DNA methylation changes associated with cancer risk factors and blood levels of vitamin metabolites in a prospective study. <i>Epigenetics</i> , 2011, 6, 195-201.	1.3	55
93	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013, 49, 3526-3536.	1.3	55
94	Biomarkers of inflammation and breast cancer risk: a case-control study nested in the EPIC-Varese cohort. <i>Scientific Reports</i> , 2017, 7, 12708.	1.6	55
95	Metabolic Syndrome and Breast Cancer Risk: A Case-Cohort Study Nested in a Multicentre Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0128891.	1.1	55
96	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	1.1	54
97	European children's sugar intake on weekdays versus weekends: the IDEFICS study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 822-828.	1.3	53
98	Validity of 24-h recalls in (pre-)school aged children: Comparison of proxy-reported energy intakes with measured energy expenditure. <i>Clinical Nutrition</i> , 2014, 33, 79-84.	2.3	53
99	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	0.8	53
100	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S188-S205.	1.3	52
101	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
102	Common Genetic Variants in Prostate Cancer Risk Prediction—Results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 437-444.	1.1	51
103	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition—Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010, 268, 133-144.	2.7	50
104	Country-specific dietary patterns and associations with socioeconomic status in European children: the IDEFICS study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 811-821.	1.3	49
105	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	2.5	49
106	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
107	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	2.2	48
108	Dietary cadmium and risk of breast cancer subtypes defined by hormone receptor status: A prospective cohort study. <i>International Journal of Cancer</i> , 2019, 144, 2153-2160.	2.3	48

#	ARTICLE	IF	CITATIONS
109	Colorectal cancer risk and dyslipidemia: A case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014, 38, 144-151.	0.8	47
110	Exercise Levels and Preferences in Cancer Patients: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5351.	1.2	47
111	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
112	Adherence to the obesity-related lifestyle intervention targets in the IDEFICS study. <i>International Journal of Obesity</i> , 2014, 38, S144-S151.	1.6	46
113	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	1.1	44
114	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	2.3	44
115	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	2.3	44
116	CA19-9 and apolipoproteinA2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019, 144, 1877-1887.	2.3	44
117	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	2.2	43
118	Familial Resemblance in Dietary Intakes of Children, Adolescents, and Parents: Does Dietary Quality Play a Role?. <i>Nutrients</i> , 2017, 9, 892.	1.7	43
119	Cooking of meat and fish in Europe—results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1216-1230.	1.3	42
120	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	2.3	42
121	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015, 10, e0142995.	1.1	42
122	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	2.5	42
123	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2475-2481.	2.3	41
124	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	0.7	41
125	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	2.5	41
126	A Plant Food-Based Diet Modifies the Serum β -Sitosterol Concentration in Hyperandrogenic Postmenopausal Women. <i>Journal of Nutrition</i> , 2003, 133, 4252-4255.	1.3	40

#	ARTICLE	IF	CITATIONS
127	Diet- obesity associations in children: approaches to counteract attenuation caused by misreporting. <i>Public Health Nutrition</i> , 2013, 16, 256-266.	1.1	38
128	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1282-1287.	1.1	37
129	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 628-634.	1.1	37
130	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw153.	3.0	37
131	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	1.1	36
132	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. <i>Annals of Oncology</i> , 2017, 28, 2836-2842.	0.6	36
133	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. <i>Epidemiology</i> , 2010, 21, 207-214.	1.2	35
134	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. <i>PLoS ONE</i> , 2013, 8, e62625.	1.1	35
135	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. <i>PLoS ONE</i> , 2015, 10, e0126550.	1.1	35
136	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 487-494.	0.8	34
137	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 623-634.	2.3	34
138	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250.	0.9	34
139	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009, 124, 245-249.	2.3	33
140	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1354-1361.	2.2	33
141	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-1 and hepatocellular carcinoma: Etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014, 134, 164-173.	2.3	33
142	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 455-461.	1.3	33
143	Toenail selenium and risk of type 2 diabetes: the ORDET cohort study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015, 29, 145-150.	1.5	31
144	Associations between social vulnerabilities and dietary patterns in European children: the Identification and prevention of Dietary- and lifestyle-induced health Effects In Children and infantS (IDEFICS) study. <i>British Journal of Nutrition</i> , 2016, 116, 1288-1297.	1.2	31

#	ARTICLE	IF	CITATIONS
145	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)â€“Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1220-1230.	2.2	31
146	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683.	6.1	31
147	Clustering of unhealthy food around German schools and its influence on dietary behavior in school children: a pilot study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 65.	2.0	30
148	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1855-1863.	1.1	30
149	Bidirectional associations between psychosocial well-being and adherence to healthy dietary guidelines in European children: prospective findings from the IDEFICS study. <i>BMC Public Health</i> , 2017, 17, 926.	1.2	30
150	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 570-581.	1.6	29
151	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	2.3	29
152	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	1.2	29
153	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	0.7	29
154	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019, 42, 568-575.	4.3	29
155	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	2.3	28
156	Dietary energy density in young children across Europe. <i>International Journal of Obesity</i> , 2014, 38, S124-S134.	1.6	28
157	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 929-942.	2.3	28
158	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	1.3	27
159	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
160	Desaturase Activity Is Associated With Weight Status and Metabolic Risk Markers in Young Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3760-3769.	1.8	27
161	Plasma Riboflavin and Vitamin B-6, but Not Homocysteine, Folate, or Vitamin B-12, Are Inversely Associated with Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition-Varese Cohort. <i>Journal of Nutrition</i> , 2016, 146, 1227-1234.	1.3	27
162	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012, 48, 3267-3277.	1.3	26

#	ARTICLE	IF	CITATIONS
163	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
164	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	3.2	26
165	Dietary sources of free sugars in the diet of European children: the IDEFICS Study. <i>European Journal of Nutrition</i> , 2020, 59, 979-989.	1.8	26
166	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003, 89, 624-635.	0.6	25
167	Validity of self-reported lunch recalls in Swedish school children aged 6-8 years. <i>Nutrition Journal</i> , 2013, 12, 129.	1.5	25
168	Serum levels of miR-16, miR-29a, miR-150, miR-155 and miR-223 and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020, 147, 1315-1324.	2.3	25
169	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013, 24, 2645-2651.	0.6	24
170	Prospective associations between dietary patterns and body composition changes in European children: the IDEFICS study. <i>Public Health Nutrition</i> , 2017, 20, 3257-3265.	1.1	24
171	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	1.3	24
172	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021, 19, 81.	2.3	24
173	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	1.7	23
174	A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 381-388.	2.2	23
175	Micronutrients Involved in One-Carbon Metabolism and Risk of Breast Cancer Subtypes. <i>PLoS ONE</i> , 2015, 10, e0138318.	1.1	22
176	Prospective associations between dietary patterns and high sensitivity C-reactive protein in European children: the IDEFICS study. <i>European Journal of Nutrition</i> , 2018, 57, 1397-1407.	1.8	22
177	Urinary sucrose and fructose to validate self-reported sugar intake in children and adolescents: results from the I.Family study. <i>European Journal of Nutrition</i> , 2019, 58, 1247-1258.	1.8	22
178	Repeatability of maternal report on prenatal, perinatal and early postnatal factors: findings from the IDEFICS parental questionnaire. <i>International Journal of Obesity</i> , 2011, 35, S52-S60.	1.6	21
179	Anthropometry, physical activity and hip fractures in the elderly. <i>Injury</i> , 2011, 42, 188-193.	0.7	21
180	Consumption of predefined "Nordic" dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014, 17, 2650-2659.	1.1	21

#	ARTICLE	IF	CITATIONS
181	Alcohol consumption and risk of urothelial cell bladder cancer in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2017, 141, 1963-1970.	2.3	21
182	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	1.1	21
183	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	2.9	20
184	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	1.1	19
185	Dairy Consumption at Snack Meal Occasions and the Overall Quality of Diet during Childhood. Prospective and Cross-Sectional Analyses from the IDEFICS/I.Family Cohort. <i>Nutrients</i> , 2020, 12, 642.	1.7	19
186	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	1.1	17
187	Dietary calcium intake and adiposity in children and adolescents: Cross-sectional and longitudinal results from IDEFICS/I.Family cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 440-449.	1.1	17
188	Palatable food consumption in children: interplay between (food) reward motivation and the home food environment. <i>European Journal of Pediatrics</i> , 2017, 176, 465-474.	1.3	16
189	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	3.7	16
190	Predictive associations between lifestyle behaviours and dairy consumption: The IDEFICS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 514-522.	1.1	16
191	Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes. <i>JAMA Internal Medicine</i> , 2021, 181, 1196.	2.6	16
192	Evaluation of reactive oxygen metabolites in frozen serum samples. Effect of storage and repeated thawing. <i>International Journal of Biological Markers</i> , 2004, 19, 250-253.	0.7	16
193	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
194	A comparison of heuristic and model-based clustering methods for dietary pattern analysis. <i>Public Health Nutrition</i> , 2016, 19, 255-264.	1.1	15
195	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	1.8	15
196	Food and beverage intakes according to physical activity levels in European children: the IDEFICS (Identification and prevention of Dietary and lifestyle induced health Effects In Children and infantS) study. <i>Public Health Nutrition</i> , 2018, 21, 1717-1725.	1.1	15
197	Plant-Based Diet, Serum Fatty Acid Profile, and Free Radicals in Postmenopausal Women: The Diet and Androgens (DIANA) Randomized Trial. <i>International Journal of Biological Markers</i> , 2005, 20, 169-176.	0.7	14
198	Obesity, Metabolic Syndrome and Nutrition. <i>World Review of Nutrition and Dietetics</i> , 2016, 114, 21-49.	0.1	14

#	ARTICLE	IF	CITATIONS
199	Cross-sectional and longitudinal associations between energy intake and BMI z-score in European children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 23.	2.0	14
200	Association between parental consumer attitudes with their children's sensory taste preferences as well as their food choice. <i>PLoS ONE</i> , 2018, 13, e0200413.	1.1	14
201	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF1, IGF2, IGFBP1, IGFBP2 and IGFBP3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019, 145, 3244-3256.	2.3	14
202	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 477-484.	1.1	13
203	The combination of daily breakfast consumption and optimal breakfast choices in childhood is an important public health message. <i>International Journal of Food Sciences and Nutrition</i> , 2014, 65, 273-279.	1.3	12
204	Association of Infant Feeding Patterns with Taste Preferences in European Children and Adolescents: A Retrospective Latent Profile Analysis. <i>Nutrients</i> , 2019, 11, 1040.	1.7	12
205	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 162-171.	2.2	12
206	Familial aggregation and socio-demographic correlates of taste preferences in European children. <i>BMC Nutrition</i> , 2017, 3, 87.	0.6	11
207	The Impact of Adding Sugars to Milk and Fruit on Adiposity and Diet Quality in Children: A Cross-Sectional and Longitudinal Analysis of the Identification and Prevention of Dietary- and Lifestyle-Induced Health Effects in Children and Infants (IDEFICS) Study. <i>Nutrients</i> , 2018, 10, 1350.	1.7	11
208	Toenail selenium as biomarker: reproducibility over a one-year period and factors influencing reproducibility. <i>Journal of Trace Elements in Medicine and Biology</i> , 2003, 17 Suppl 1, 31-6.	1.5	11
209	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	2.3	10
210	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016, 11, e0164130.	1.1	10
211	Relative Validity of a Food and Beverage Preference Questionnaire to Characterize Taste Phenotypes in Children Adolescents and Adults. <i>Nutrients</i> , 2019, 11, 1453.	1.7	10
212	A within-sibling pair analysis of lifestyle behaviours and BMI z-score in the multi-centre I.Family study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 580-589.	1.1	10
213	Associations of Whole Blood n-3 and n-6 Polyunsaturated Fatty Acids with Blood Pressure in Children and Adolescents " Results from the IDEFICS/I.Family Cohort. <i>PLoS ONE</i> , 2016, 11, e0165981.	1.1	10
214	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	0.8	9
215	Blood fatty acid composition in relation to allergy in children aged 2-9 years: results from the European IDEFICS study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 39-44.	1.3	9
216	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085.	1.1	9

#	ARTICLE	IF	CITATIONS
217	Digital Media Use in Association with Sensory Taste Preferences in European Children and Adolescents—Results from the I.Family Study. <i>Foods</i> , 2021, 10, 377.	1.9	9
218	Association between Social Class and Food Consumption in the Italian Epic Population. <i>Tumori</i> , 2003, 89, 669-678.	0.6	8
219	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	0.8	8
220	Disordered eating in three different age groups in Cyprus: a comparative cross-sectional study. <i>Public Health</i> , 2018, 162, 104-110.	1.4	8
221	Improving cardiorespiratory fitness protects against inflammation in children: the IDEFICS study. <i>Pediatric Research</i> , 2022, 91, 681-689.	1.1	8
222	Media use trajectories and risk of metabolic syndrome in European children and adolescents: the IDEFICS/I.Family cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 134.	2.0	8
223	Prediagnostic Levels of Copper and Zinc and Breast Cancer Risk in the ORDET Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1209-1215.	1.1	8
224	Prediagnostic circulating concentrations of plasma insulin-like growth factor-1 and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	2.3	7
225	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	2.3	7
226	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 1511-1521.	2.3	6
227	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2010-2018.	1.1	6
228	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 1325-1333.	2.3	6
229	Anti-cancer therapy is associated with long-term epigenomic changes in childhood cancer survivors. <i>British Journal of Cancer</i> , 2022, 127, 288-300.	2.9	6
230	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017, 62, 775-786.	1.0	5
231	Children's propensity to consume sugar and fat predicts regular alcohol consumption in adolescence. <i>Public Health Nutrition</i> , 2018, 21, 3202-3209.	1.1	5
232	Relationship between perception of emotional home atmosphere and fruit and vegetable consumption in European adolescents: results from the I.Family survey. <i>Public Health Nutrition</i> , 2020, 23, 53-62.	1.1	5
233	Physical Activity in the EPIC-Italy Centers. <i>Tumori</i> , 2003, 89, 646-655.	0.6	4
234	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021, 13, 1843.	1.7	4

#	ARTICLE	IF	CITATIONS
235	Circulating Isovalerylcarnitine and Lung Cancer Risk: Evidence from Mendelian Randomization and Prediagnostic Blood Measurements. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1966-1974.	1.1	4
236	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2179-2187.	1.1	3
237	Cruciferous Vegetable Intake and Bulky DNA Damage within Non-Smokers and Former Smokers in the Gen-Air Study (EPIC Cohort). <i>Nutrients</i> , 2022, 14, 2477.	1.7	3
238	Dietary Intakes of Animal and Plant Proteins and Risk of Colorectal Cancer: The EPIC-Italy Cohort. <i>Cancers</i> , 2022, 14, 2917.	1.7	3
239	Does Providing Assistance to Children and Adolescents Increase Repeatability and Plausibility of Self-Reporting Using a Web-Based Dietary Recall Instrument?. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 2324-2330.	0.4	2
240	Use of Nutritional Supplements in Youth with Medicated and Unmedicated Attention-Deficit/Hyperactivity Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2019, 29, 58-65.	0.7	2
241	Association of desaturase activity and C-reactive protein in European children. <i>Pediatric Research</i> , 2017, 81, 27-32.	1.1	1
242	Web-Based 24-h Dietary Recall: The SACANA Program. <i>Springer Series on Epidemiology and Public Health</i> , 2019, , 77-102.	0.5	1
243	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 123-124.	0.0	0
244	Dietary intake of animal and plant proteins and risk of all cause and cause-specific mortality: The Epic-Italy cohort. <i>Nutrition and Healthy Aging</i> , 2022, , 1-12.	0.5	0