## Chuiwen Deng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2098097/publications.pdf

Version: 2024-02-01

759233 610901 32 599 12 24 h-index citations g-index papers 33 33 33 1048 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical characteristics of immunoglobulin G4–related disease: a prospective study of 118 Chinese patients. Rheumatology, 2015, 54, 1982-1990.	1.9	185
2	The Regulatory T Cell in Active Systemic Lupus Erythematosus Patients: A Systemic Review and Meta-Analysis. Frontiers in Immunology, 2019, 10, 159.	4.8	61
3	Risk of malignancy in ankylosing spondylitis: a systematic review and meta-analysis. Scientific Reports, 2016, 6, 32063.	3.3	36
4	Genetic Association Study of TNFAIP3, IFIH1, IRF5 Polymorphisms with Polymyositis/Dermatomyositis in Chinese Han Population. PLoS ONE, 2014, 9, e110044.	2.5	30
5	Meta-Analysis: Diagnostic Accuracy of Anti-Carbamylated Protein Antibody for Rheumatoid Arthritis. PLoS ONE, 2016, 11, e0159000.	2.5	28
6	Prevalence of Autoimmune Liver Disease Related Autoantibodies in Chinese Patients with Primary Biliary Cirrhosis. Digestive Diseases and Sciences, 2011, 56, 3357-3363.	2.3	27
7	LncRNA and mRNA expression profile of peripheral blood mononuclear cells in primary Sjögren's syndrome patients. Scientific Reports, 2020, 10, 19629.	3.3	21
8	Positive association of genetic variations in the phospholipase C-like 1 gene with dermatomyositis in Chinese Han. Immunologic Research, 2016, 64, 204-212.	2.9	18
9	Malignancy development risk in psoriatic arthritis patients undergoing treatment: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2019, 48, 626-631.	3.4	18
10	Alteration of CD226/TIGIT immune checkpoint on T cells in the pathogenesis of primary Sjögren's syndrome. Journal of Autoimmunity, 2020, 113, 102485.	6.5	18
11	The associations between PD-1, CTLA-4 gene polymorphisms and susceptibility to ankylosing spondylitis: a meta-analysis and systemic review. Rheumatology International, 2016, 36, 33-44.	3.0	17
12	Histopathological Diagnostic Value of the IgG4+/IgG+ Ratio of Plasmacytic Infiltration for IgG4-Related Diseases. Medicine (United States), 2015, 94, e579.	1.0	15
13	Expansion of circulating peripheral TIGIT+CD226+ CD4 T cells with enhanced effector functions in dermatomyositis. Arthritis Research and Therapy, 2021, 23, 15.	3.5	14
14	Establishing a serologic decision tree model of extrapulmonary tuberculosis by MALDI-TOF MS analysis. Diagnostic Microbiology and Infectious Disease, 2011, 71, 144-150.	1.8	12
15	Association of MCP-1-2518A/G polymorphism with susceptibility to autoimmune diseases: a meta-analysis. Clinical Rheumatology, 2016, 35, 1169-1179.	2.2	12
16	Meta-Analysis of Anti-Muscarinic Receptor Type 3 Antibodies for the Diagnosis of Sjögren Syndrome. PLoS ONE, 2015, 10, e0116744.	2.5	10
17	Decision-making value of nuclear dense fine speckled pattern in systemic autoimmune rheumatic disease: trick or treat?. Annals of the Rheumatic Diseases, 2020, 79, e92-e92.	0.9	10
18	Establishment of a serum IgG4 cut-off value for the differential diagnosis of IgG4-related disease in Chinese population. Modern Rheumatology, 2016, 26, 583-587.	1.8	9

#	Article	IF	CITATIONS
19	Imbalance of the CD226/TIGIT Immune Checkpoint Is Involved in the Pathogenesis of Primary Biliary Cholangitis. Frontiers in Immunology, 2020, 11, 1619.	4.8	9
20	Serological comparative proteomics analysis of mitochondrial autoantibodyâ€negative and â€positive primary biliary cirrhosis. Electrophoresis, 2015, 36, 1588-1595.	2.4	7
21	Serum Clusterin and Complement Factor H May Be Biomarkers Differentiate Primary Sjögren's Syndrome With and Without Neuromyelitis Optica Spectrum Disorder. Frontiers in Immunology, 2019, 10, 2527.	4.8	7
22	Clinical significance and prevalence of anti-Saccharomyces cerevisiae antibody in Chinese patients with primary biliary cirrhosis. Clinical and Experimental Medicine, 2013, 13, 245-250.	3.6	6
23	Diagnostic value of the antiglycoprotein-2 antibody for Crohn's disease: a PRISMA-compliant systematic review and meta-analysis. BMJ Open, 2017, 7, e014843.	1.9	6
24	Associations between TNF-α-308A/G Polymorphism and Susceptibility with Dermatomyositis: A Meta-Analysis. PLoS ONE, 2014, 9, e102841.	2.5	5
25	A reference interval for serum IgG subclasses in Chinese children. PLoS ONE, 2018, 13, e0192923.	2,5	5
26	Retrospective evaluation of the clinical utility of serological biomarkers in Chinese patients with inflammatory bowel disease: 2-year clinical experience. Clinical Chemistry and Laboratory Medicine, 2017, 55, 865-875.	2.3	4
27	Meta-analysis of the changes of peripheral blood regulatory T cell to CD4+ T cell ratio in patients with systemic sclerosis. Scientific Reports, 2017, 7, 43532.	3.3	3
28	High Levels of FCÎ <sup>3</sup> R3A and PRF1 Expression in Peripheral Blood Mononuclear Cells from Patients with Primary Biliary Cirrhosis. Digestive Diseases and Sciences, 2013, 58, 458-464.	2.3	2
29	Predictive Value of GAD Antibody for Diabetes in Normal Chinese Adults: A Retrospective Cohort Study in China. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 885-893.	2.4	2
30	Establishing a reference interval for serum anti-dsDNA antibody: A large Chinese Han population-based multi-center study. PLoS ONE, 2017, 12, e0168871.	2,5	1
31	Correlation between triggering receptor expressed on myeloid cells-1 and clinical disease activity in Chinese patients with ulcerative colitis. International Journal of Clinical and Experimental Medicine, 2015, 8, 2147-55.	1.3	1
32	DFS pattern and DFS70 autoantibody testing: comments on the article "Investigation of anti-DFS70 antibody in patients with systemic autoimmune rheumatic diseases― Clinical Rheumatology, 2020, 39, 1707-1707.	2.2	0