

Chuiwen Deng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2098097/publications.pdf>

Version: 2024-02-01

32
papers

599
citations

759233

12
h-index

610901

24
g-index

33
all docs

33
docs citations

33
times ranked

1048
citing authors

#	ARTICLE	IF	CITATIONS
1	Expansion of circulating peripheral TIGIT+CD226+ CD4 T cells with enhanced effector functions in dermatomyositis. <i>Arthritis Research and Therapy</i> , 2021, 23, 15.	3.5	14
2	Predictive Value of GAD Antibody for Diabetes in Normal Chinese Adults: A Retrospective Cohort Study in China. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 885-893.	2.4	2
3	Decision-making value of nuclear dense fine speckled pattern in systemic autoimmune rheumatic disease: trick or treat?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e92-e92.	0.9	10
4	LncRNA and mRNA expression profile of peripheral blood mononuclear cells in primary Sjögren's syndrome patients. <i>Scientific Reports</i> , 2020, 10, 19629.	3.3	21
5	Imbalance of the CD226/TIGIT Immune Checkpoint Is Involved in the Pathogenesis of Primary Biliary Cholangitis. <i>Frontiers in Immunology</i> , 2020, 11, 1619.	4.8	9
6	DFS pattern and DFS70 autoantibody testing: comments on the article "Investigation of anti-DFS70 antibody in patients with systemic autoimmune rheumatic diseases". <i>Clinical Rheumatology</i> , 2020, 39, 1707-1707.	2.2	0
7	Alteration of CD226/TIGIT immune checkpoint on T cells in the pathogenesis of primary Sjögren's syndrome. <i>Journal of Autoimmunity</i> , 2020, 113, 102485.	6.5	18
8	Malignancy development risk in psoriatic arthritis patients undergoing treatment: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 626-631.	3.4	18
9	Serum Clusterin and Complement Factor H May Be Biomarkers Differentiate Primary Sjögren's Syndrome With and Without Neuromyelitis Optica Spectrum Disorder. <i>Frontiers in Immunology</i> , 2019, 10, 2527.	4.8	7
10	The Regulatory T Cell in Active Systemic Lupus Erythematosus Patients: A Systemic Review and Meta-Analysis. <i>Frontiers in Immunology</i> , 2019, 10, 159.	4.8	61
11	A reference interval for serum IgG subclasses in Chinese children. <i>PLoS ONE</i> , 2018, 13, e0192923.	2.5	5
12	Retrospective evaluation of the clinical utility of serological biomarkers in Chinese patients with inflammatory bowel disease: 2-year clinical experience. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 865-875.	2.3	4
13	Meta-analysis of the changes of peripheral blood regulatory T cell to CD4+ T cell ratio in patients with systemic sclerosis. <i>Scientific Reports</i> , 2017, 7, 43532.	3.3	3
14	Diagnostic value of the antiglycoprotein-2 antibody for Crohn's disease: a PRISMA-compliant systematic review and meta-analysis. <i>BMJ Open</i> , 2017, 7, e014843.	1.9	6
15	Establishing a reference interval for serum anti-dsDNA antibody: A large Chinese Han population-based multi-center study. <i>PLoS ONE</i> , 2017, 12, e0168871.	2.5	1
16	Meta-Analysis: Diagnostic Accuracy of Anti-Carbamylated Protein Antibody for Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0159000.	2.5	28
17	Establishment of a serum IgG4 cut-off value for the differential diagnosis of IgG4-related disease in Chinese population. <i>Modern Rheumatology</i> , 2016, 26, 583-587.	1.8	9
18	Risk of malignancy in ankylosing spondylitis: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2016, 6, 32063.	3.3	36

#	ARTICLE	IF	CITATIONS
19	Positive association of genetic variations in the phospholipase C-like 1 gene with dermatomyositis in Chinese Han. <i>Immunologic Research</i> , 2016, 64, 204-212.	2.9	18
20	Association of MCP-1-2518A/G polymorphism with susceptibility to autoimmune diseases: a meta-analysis. <i>Clinical Rheumatology</i> , 2016, 35, 1169-1179.	2.2	12
21	The associations between PD-1, CTLA-4 gene polymorphisms and susceptibility to ankylosing spondylitis: a meta-analysis and systemic review. <i>Rheumatology International</i> , 2016, 36, 33-44.	3.0	17
22	Meta-Analysis of Anti-Muscarinic Receptor Type 3 Antibodies for the Diagnosis of Sjögren Syndrome. <i>PLoS ONE</i> , 2015, 10, e0116744.	2.5	10
23	Clinical characteristics of immunoglobulin G4-related disease: a prospective study of 118 Chinese patients. <i>Rheumatology</i> , 2015, 54, 1982-1990.	1.9	185
24	Serological comparative proteomics analysis of mitochondrial autoantibody-negative and -positive primary biliary cirrhosis. <i>Electrophoresis</i> , 2015, 36, 1588-1595.	2.4	7
25	Histopathological Diagnostic Value of the IgG4+/IgG+ Ratio of Plasmacytic Infiltration for IgG4-Related Diseases. <i>Medicine (United States)</i> , 2015, 94, e579.	1.0	15
26	Correlation between triggering receptor expressed on myeloid cells-1 and clinical disease activity in Chinese patients with ulcerative colitis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 2147-55.	1.3	1
27	Associations between TNF-Î±-308A/G Polymorphism and Susceptibility with Dermatomyositis: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e102841.	2.5	5
28	Genetic Association Study of TNFAIP3, IFIH1, IRF5 Polymorphisms with Polymyositis/Dermatomyositis in Chinese Han Population. <i>PLoS ONE</i> , 2014, 9, e110044.	2.5	30
29	Clinical significance and prevalence of anti-Saccharomyces cerevisiae antibody in Chinese patients with primary biliary cirrhosis. <i>Clinical and Experimental Medicine</i> , 2013, 13, 245-250.	3.6	6
30	High Levels of FCÎ³R3A and PRF1 Expression in Peripheral Blood Mononuclear Cells from Patients with Primary Biliary Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 458-464.	2.3	2
31	Establishing a serologic decision tree model of extrapulmonary tuberculosis by MALDI-TOF MS analysis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 71, 144-150.	1.8	12
32	Prevalence of Autoimmune Liver Disease Related Autoantibodies in Chinese Patients with Primary Biliary Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2011, 56, 3357-3363.	2.3	27