## Jerry Polesel ScD

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2098577/publications.pdf Version: 2024-02-01

| 226<br>papers | 10,416<br>citations | <sup>30047</sup><br>54<br>h-index | 48277<br>88<br>g-index |
|---------------|---------------------|-----------------------------------|------------------------|
| 227           | 227                 | 227                               | 15541                  |
| all docs      | docs citations      | times ranked                      | citing authors         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Cancer Risk in the Swiss HIV Cohort Study: Associations With Immunodeficiency, Smoking, and Highly<br>Active Antiretroviral Therapy. Journal of the National Cancer Institute, 2005, 97, 425-432. | 3.0 | 814       |
| 2  | Cigarette smoking and pancreatic cancer: an analysis from the International Pancreatic Cancer<br>Case-Control Consortium (Panc4). Annals of Oncology, 2012, 23, 1880-1888.                        | 0.6 | 307       |
| 3  | Deregulation of the EGFR/PI3K/PTEN/Akt/mTORC1 pathway in breast cancer: possibilities for therapeutic intervention. Oncotarget, 2014, 5, 4603-4650.   | 0.8 | 231       |
| 4  | Diabetes, antidiabetic medications, and pancreatic cancer risk: an analysis from the International<br>Pancreatic Cancer Case-Control Consortium. Annals of Oncology, 2014, 25, 2065-2072.         | 0.6 | 202       |
| 5  | Alcohol consumption and pancreatic cancer: a pooled analysis in the International Pancreatic Cancer<br>Case–Control Consortium (PanC4). Annals of Oncology, 2012, 23, 374-382.                    | 0.6 | 185       |
| 6  | Pattern of cancer risk in persons with AIDS in Italy in the HAART era. British Journal of Cancer, 2009, 100, 840-847.   | 2.9 | 176       |
| 7  | The impact of obesity and diabetes mellitus on the risk of hepatocellular carcinoma. Annals of Oncology, 2009, 20, 353-357.   | 0.6 | 173       |
| 8  | Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. Nature Genetics, 2016, 48, 1544-1550.  | 9.4 | 164       |
| 9  | Identification of Circulating Tumor DNA for the Early Detection of Small-cell Lung Cancer.<br>EBioMedicine, 2016, 10, 117-123.  | 2.7 | 153       |
| 10 | Hepatitis Viruses, Alcohol, and Tobacco in the Etiology of Hepatocellular Carcinoma in Italy. Cancer<br>Epidemiology Biomarkers and Prevention, 2006, 15, 683-689.                                | 1.1 | 148       |
| 11 | Influence of HIV-related immunodeficiency on the risk of hepatocellular carcinoma. Aids, 2008, 22, 2135-2141.   | 1.0 | 145       |
| 12 | Metabolic syndrome and hepatocellular carcinoma risk. British Journal of Cancer, 2013, 108, 222-228.  | 2.9 | 137       |
| 13 | Kaposi sarcoma incidence in the Swiss HIV Cohort Study before and after highly active antiretroviral therapy. British Journal of Cancer, 2008, 99, 800-804.                                       | 2.9 | 135       |
| 14 | Risk of cancer following immunosuppression in organ transplant recipients and in HIV-positive individuals in southern Europe. European Journal of Cancer, 2007, 43, 2117-2123.                    | 1.3 | 127       |
| 15 | Non-Hodgkin lymphoma incidence in the Swiss HIV Cohort Study before and after highly active antiretroviral therapy. Aids, 2008, 22, 301-306.  | 1.0 | 124       |
| 16 | Risk factors for young-onset colorectal cancer. Cancer Causes and Control, 2013, 24, 335-341.   | 0.8 | 124       |
| 17 | The role of Mediterranean diet on the risk of pancreatic cancer. British Journal of Cancer, 2013, 109, 1360-1366.   | 2.9 | 121       |
| 18 | Radical radiation therapy for oligometastatic breast cancer: Results of a prospective phase II trial.<br>Radiotherapy and Oncology, 2018, 126, 177-180.   | 0.3 | 116       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Mediterranean diet and hepatocellular carcinoma. Journal of Hepatology, 2014, 60, 606-611.   | 1.8 | 103       |
| 20 | Colorectal cancer risk and nitrate exposure through drinking water and diet. International Journal of Cancer, 2016, 139, 334-346.  | 2.3 | 101       |
| 21 | Alcohol and cigarette consumption predict mortality in patients with head and neck cancer: a pooled<br>analysis within the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. Annals<br>of Oncology, 2017, 28, 2843-2851. | 0.6 | 99        |
| 22 | Hormone-related factors and gynecological conditions in relation to endometrial cancer risk.<br>European Journal of Cancer Prevention, 2009, 18, 316-321.  | 0.6 | 92        |
| 23 | Family history of liver cancer and hepatocellular carcinoma. Hepatology, 2012, 55, 1416-1425.  | 3.6 | 92        |
| 24 | Roles of neutrophil gelatinase-associated lipocalin (NGAL) in human cancer. Oncotarget, 2014, 5,<br>1576-1594.   | 0.8 | 91        |
| 25 | Cruciferous vegetables and cancer risk in a network of case–control studies. Annals of Oncology, 2012, 23, 2198-2203.  | 0.6 | 90        |
| 26 | Food groups and risk of hepatocellular carcinoma: A multicenter case-control study in Italy.<br>International Journal of Cancer, 2006, 119, 2916-2921.   | 2.3 | 87        |
| 27 | HE4, CA125 and risk of ovarian malignancy algorithm (ROMA) as diagnostic tools for ovarian cancer in patients with a pelvic mass: An Italian multicenter study. Gynecologic Oncology, 2016, 141, 303-311.                                    | 0.6 | 87        |
| 28 | Association between hsa-mir-146a genotype and tumor age-of-onset in BRCA1/BRCA2-negative familial breast and ovarian cancer patients. Carcinogenesis, 2010, 31, 2124-2126.   | 1.3 | 86        |
| 29 | Flavonoids and the Risk of Oral and Pharyngeal Cancer: A Case-Control Study from Italy. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1621-1625.  | 1.1 | 82        |
| 30 | Coffee and tea consumption and risk of hepatocellular carcinoma in Italy. International Journal of<br>Cancer, 2007, 120, 1555-1559.  | 2.3 | 82        |
| 31 | Metabolic syndrome and pancreatic cancer risk: a case-control study in Italy and meta-analysis.<br>Metabolism: Clinical and Experimental, 2011, 60, 1372-1378.   | 1.5 | 81        |
| 32 | Long-Term Outcome of Patients with Complete Pathologic Response after Neoadjuvant<br>Chemoradiation for cT3 Rectal Cancer: Implications for Local Excision Surgical Strategies. Annals of<br>Surgical Oncology, 2011, 18, 3686-3693.         | 0.7 | 81        |
| 33 | Stereotactic Body Radiation Therapy for Re-irradiation of Persistent or Recurrent Non-Small Cell<br>Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 88, 1114-1119.   | 0.4 | 79        |
| 34 | Roles of NGAL and MMP-9 in the tumor microenvironment and sensitivity to targeted therapy.<br>Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 438-448.  | 1.9 | 79        |
| 35 | Adherence to the Mediterranean diet and nasopharyngeal cancer risk in Italy. Cancer Causes and Control, 2017, 28, 89-95.   | 0.8 | 77        |
| 36 | Radical pleurectomy/decortication followed by high dose of radiation therapy for malignant pleural mesothelioma. Final results with long-term follow-up. Lung Cancer, 2014, 83, 78-82.   | 0.9 | 76        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Diabetes Mellitus and Cancer Risk in a Network of Case-Control Studies. Nutrition and Cancer, 2012, 64, 643-651.   | 0.9 | 75        |
| 38 | Tobacco smoking, alcohol drinking, and the risk of different histological types of nasopharyngeal cancer in a low-risk population. Oral Oncology, 2011, 47, 541-545.   | 0.8 | 70        |
| 39 | Family history of cancer and the risk of cancer: a network of case–control studies. Annals of Oncology, 2013, 24, 2651-2656.   | 0.6 | 70        |
| 40 | NF-κB inhibition is associated with OPN/MMP-9 downregulation in cutaneous melanoma. Oncology Reports, 2017, 37, 737-746.   | 1.2 | 70        |
| 41 | Dietary glycemic index, glycemic load and ovarian cancer risk:a case–control study in Italy. Annals of<br>Oncology, 2003, 14, 78-84.   | 0.6 | 69        |
| 42 | Incidence of AIDS-Defining Cancers After AIDS Diagnosis Among People with AIDS in Italy, 1986–1998.<br>Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 34, 84-90.  | 0.9 | 69        |
| 43 | Analysis of G(-174)C IL-6 polymorphism and plasma concentrations of inflammatory markers in patients with type 2 diabetes and peripheral arterial disease. Journal of Clinical Pathology, 2006, 59, 211-215.                       | 1.0 | 68        |
| 44 | Cigar and pipe smoking, smokeless tobacco use and pancreatic cancer: an analysis from the<br>International Pancreatic Cancer Case-Control Consortium (PanC4). Annals of Oncology, 2011, 22,<br>1420-1426.                          | 0.6 | 68        |
| 45 | MMP-9 as a Candidate Marker of Response to BRAF Inhibitors in Melanoma Patients With BRAFV600E<br>Mutation Detected in Circulating-Free DNA. Frontiers in Pharmacology, 2018, 9, 856.  | 1.6 | 68        |
| 46 | Combined effects of smoking and HPV16 in oropharyngeal cancer. International Journal of Epidemiology, 2016, 45, 752-761.   | 0.9 | 67        |
| 47 | A prospective validation pharmacogenomic study in the adjuvant setting of colorectal cancer patients treated with the 5-fluorouracil/leucovorin/oxaliplatin (FOLFOX4) regimen. Pharmacogenomics Journal, 2013, 13, 403-409.        | 0.9 | 66        |
| 48 | Clinical features and prognostic factors in patients with head and neck cancer: Results from a multicentric study. Cancer Epidemiology, 2015, 39, 367-374.   | 0.8 | 66        |
| 49 | Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. British<br>Journal of Cancer, 2020, 123, 1456-1463.  | 2.9 | 65        |
| 50 | Red meat and cancer risk in a network of case–control studies focusing on cooking practices. Annals of Oncology, 2013, 24, 3107-3112.  | 0.6 | 64        |
| 51 | Prognostic Significance of CD4+ and CD8+ Tumor-Infiltrating Lymphocytes in Head and Neck Squamous<br>Cell Carcinoma: A Meta-Analysis. Cancers, 2021, 13, 781.  | 1.7 | 62        |
| 52 | Cancer incidence in people with AIDS in Italy. International Journal of Cancer, 2010, 127, 1437-1445.  | 2.3 | 61        |
| 53 | Tobacco smoking, alcohol consumption and pancreatic cancer risk: A case-control study in Italy.<br>European Journal of Cancer, 2010, 46, 370-376.  | 1.3 | 61        |
| 54 | Combined effect of tobacco smoking and alcohol drinking in the risk of head and neck cancers: a<br>re-analysis of case–control studies using bi-dimensional spline models. European Journal of<br>Epidemiology, 2016, 31, 385-393. | 2.5 | 60        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Linoleic acid, vitamin D and other nutrient intakes in the risk of non-Hodgkin lymphoma: an Italian<br>case-control study. Annals of Oncology, 2006, 17, 713-718.   | 0.6 | 59        |
| 56 | Classic Kaposi's sarcoma in Italy, 1985–1998. British Journal of Cancer, 2005, 92, 188-193.   | 2.9 | 58        |
| 57 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research recommendations and colorectal cancer risk. European Journal of Cancer, 2017, 85, 86-94.   | 1.3 | 58        |
| 58 | The evolution of the epidemiological landscape of head and neck cancer in Italy: Is there evidence for an increase in the incidence of potentially HPV-related carcinomas?. PLoS ONE, 2018, 13, e0192621.                           | 1.1 | 58        |
| 59 | Sex Disparities in Efficacy in COVID-19 Vaccines: A Systematic Review and Meta-Analysis. Vaccines, 2021, 9, 825.  | 2.1 | 57        |
| 60 | Nutrients intake and the risk of hepatocellular carcinoma in Italy. European Journal of Cancer, 2007, 43, 2381-2387.  | 1.3 | 55        |
| 61 | Overexpression of TWIST2 correlates with poor prognosis in Head and Neck Squamous Cell<br>Carcinomas. Oncotarget, 2011, 2, 1165-1175.   | 0.8 | 54        |
| 62 | Dietary total antioxidant capacity and colorectal cancer: A large case-control study in Italy.<br>International Journal of Cancer, 2013, 133, 1447-1451.  | 2.3 | 54        |
| 63 | Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis.<br>Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689.  | 1.1 | 54        |
| 64 | Dietary intake of selected micronutrients and the risk of pancreatic cancer: an Italian case–control study. Annals of Oncology, 2011, 22, 202-206.  | 0.6 | 53        |
| 65 | Tomotherapy after Pleurectomy/Decortication or Biopsy for Malignant Pleural Mesothelioma Allows<br>the Delivery of High Dose of Radiation in Patients with Intact Lung. Journal of Thoracic Oncology,<br>2012, 7, 1862-1866.        | 0.5 | 53        |
| 66 | Inflammatory potential of diet and risk for hepatocellular cancer in a case–control study from Italy.<br>British Journal of Nutrition, 2016, 115, 324-331.  | 1.2 | 52        |
| 67 | Circulating tumor DNA detection in head and neck cancer: evaluation of two different detection approaches. Oncotarget, 2017, 8, 72621-72632.  | 0.8 | 51        |
| 68 | Smoking and Body Mass Index and Survival in Pancreatic Cancer Patients. Pancreas, 2014, 43, 47-52.  | 0.5 | 50        |
| 69 | The impact of time to treatment initiation on survival from head and neck cancer in north-eastern<br>Italy. Oral Oncology, 2017, 67, 175-182.   | 0.8 | 50        |
| 70 | The influence of smoking, age and stage at diagnosis on the survival after larynx, hypopharynx and<br>oral cavity cancers in <scp>E</scp> urope: The <scp>ARCAGE</scp> study. International Journal of<br>Cancer, 2018, 143, 32-44. | 2.3 | 50        |
| 71 | Food groups and risk of non-Hodgkin lymphoma: A multicenter, case-control study in Italy.<br>International Journal of Cancer, 2006, 118, 2871-2876.   | 2.3 | 49        |
| 72 | Pharmacogenetics of ABC and SLC transporters in metastatic colorectal cancer patients receiving first-line FOLFIRI treatment. Pharmacogenetics and Genomics, 2013, 23, 549-557.   | 0.7 | 49        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Epidemiology of viral hepatitis infections in an area of southern Italy with high incidence rates of<br>liver cancer. European Journal of Cancer, 2008, 44, 847-853.  | 1.3 | 48        |
| 74 | Dietary habits and risk of pancreatic cancer: an Italian case–control study. Cancer Causes and<br>Control, 2010, 21, 493-500.   | 0.8 | 48        |
| 75 | Non–AIDS-Defining Cancer Mortality: Emerging Patterns in the Late HAART Era. Journal of Acquired<br>Immune Deficiency Syndromes (1999), 2016, 73, 190-196.  | 0.9 | 48        |
| 76 | Allergies and Risk of Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Case-Control<br>Consortium. American Journal of Epidemiology, 2013, 178, 691-700.   | 1.6 | 46        |
| 77 | Increased Levels of NF-kB-Dependent Markers in Cancer-Associated Deep Venous Thrombosis. PLoS ONE, 2015, 10, e0132496.  | 1.1 | 45        |
| 78 | Population Attributable Risk for Pancreatic Cancer in Northern Italy. Pancreas, 2015, 44, 216-220.  | 0.5 | 44        |
| 79 | Urinary human polyomavirus and papillomavirus infection and bladder cancer risk. British Journal of<br>Cancer, 2012, 106, 222-226.  | 2.9 | 42        |
| 80 | Nutrient-based dietary patterns and pancreatic cancer risk. Annals of Epidemiology, 2013, 23, 124-128.  | 0.9 | 42        |
| 81 | Metabolic syndrome and the risk of urothelial carcinoma of the bladder: a case-control study. BMC Cancer, 2015, 15, 720.  | 1.1 | 42        |
| 82 | Consumption of fruit, vegetables, and other food groups and the risk of nasopharyngeal carcinoma.<br>Cancer Causes and Control, 2013, 24, 1157-1165.  | 0.8 | 41        |
| 83 | Advances in Targeting Signal Transduction Pathways. Oncotarget, 2012, 3, 1505-1521.   | 0.8 | 41        |
| 84 | Aspirin use and pancreatic cancer risk. European Journal of Cancer Prevention, 2010, 19, 352-354.   | 0.6 | 40        |
| 85 | Metabolomics Biomarkers of Frailty in Elderly Breast Cancer Patients. Journal of Cellular Physiology, 2014, 229, 898-902.   | 2.0 | 40        |
| 86 | Lifetime occupational and recreational physical activity and risk of benign prostatic hyperplasia.<br>International Journal of Cancer, 2006, 118, 2632-2635.  | 2.3 | 39        |
| 87 | The Genotype for <i><scp>DPYD</scp></i> Risk Variants in Patients With Colorectal Cancer and the Related Toxicity Management Costs in Clinical Practice. Clinical Pharmacology and Therapeutics, 2019, 105, 994-1002. | 2.3 | 39        |
| 88 | Dietary glycemic load and hepatocellular carcinoma with or without chronic hepatitis infection.<br>Annals of Oncology, 2009, 20, 1736-1740.   | 0.6 | 38        |
| 89 | Dietary inflammatory index and prostate cancer survival. International Journal of Cancer, 2016, 139, 2398-2404.   | 2.3 | 38        |
| 90 | Hepatitis B and C viruses and risk of non-Hodgkin lymphoma: a case-control study in Italy. Infectious<br>Agents and Cancer, 2016, 11, 27.   | 1.2 | 38        |

6

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Colorectal Cancer and Long-Term Exposure to Trihalomethanes in Drinking Water: A Multicenter<br>Case–Control Study in Spain and Italy. Environmental Health Perspectives, 2017, 125, 56-65. | 2.8 | 38        |
| 92  | Adherence to World Cancer Research Fund/American Institute for Cancer Research recommendations and pancreatic cancer risk. Cancer Epidemiology, 2016, 40, 15-21.                            | 0.8 | 37        |
| 93  | Extrahepatic disorders of HCV infection: A distinct entity of B-cell neoplasia?. International Journal of Oncology, 2010, 36, 1331-40.  | 1.4 | 36        |
| 94  | An Integrated Approach Identifies Mediators of Local Recurrence in Head and Neck Squamous Carcinoma. Clinical Cancer Research, 2017, 23, 3769-3780.   | 3.2 | 36        |
| 95  | Tobacco smoking and the risk of upper aeroâ€digestive tract cancers: A reanalysis of case–control studies using spline models. International Journal of Cancer, 2008, 122, 2398-2402.       | 2.3 | 35        |
| 96  | Proanthocyanidins and other flavonoids in relation to pancreatic cancer: a case–control study in<br>Italy. Annals of Oncology, 2012, 23, 1488-1493.   | 0.6 | 35        |
| 97  | Estimating dose-response relationship between ethanol and risk of cancer using regression spline models. International Journal of Cancer, 2005, 114, 836-841.                               | 2.3 | 34        |
| 98  | Reproductive, menstrual, and other hormoneâ€related factors and risk of renal cell cancer.<br>International Journal of Cancer, 2008, 123, 2213-2216.  | 2.3 | 34        |
| 99  | A Rare Truncating BRCA2 Variant and Genetic Susceptibility to Upper Aerodigestive Tract Cancer.<br>Journal of the National Cancer Institute, 2015, 107, .                                   | 3.0 | 33        |
| 100 | Novel insights into epigenetic drivers of oropharyngeal squamous cell carcinoma: role of HPV and<br>lifestyle factors. Clinical Epigenetics, 2017, 9, 124.                                  | 1.8 | 33        |
| 101 | Intake of Selected Micronutrients and the Risk of Surgically Treated Benign Prostatic Hyperplasia: A<br>Case-Control Study from Italy. European Urology, 2006, 50, 549-554.                 | 0.9 | 32        |
| 102 | Excess Mortality for Non–AIDSâ€Defining Cancers among People with AIDS. Clinical Infectious Diseases, 2010, 51, 1099-1101.  | 2.9 | 32        |
| 103 | Prognostic significance of LINE-1 hypomethylation in oropharyngeal squamous cell carcinoma.<br>Clinical Epigenetics, 2017, 9, 58.   | 1.8 | 32        |
| 104 | Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A<br>bivariate spline model approach. Oral Oncology, 2019, 94, 47-57.                     | 0.8 | 32        |
| 105 | Association between Components of the Insulin-Like Growth Factor System and Epithelial Ovarian<br>Cancer Risk. Oncology, 2004, 67, 225-230.   | 0.9 | 31        |
| 106 | The impact of tobacco smoking and alcohol drinking on survival of patients with nonâ€Hodgkin<br>lymphoma. International Journal of Cancer, 2008, 122, 1624-1629.                            | 2.3 | 31        |
| 107 | Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. Oral Diseases, 2021, 27, 73-93.   | 1.5 | 31        |
| 108 | Self-reported history of Pap-smear in HIV-positive women in Northern Italy: a cross-sectional study.<br>BMC Cancer, 2010, 10, 310.  | 1.1 | 30        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Type 2 Diabetes, Antidiabetic Medications, and Colorectal Cancer Risk: Two Case–Control Studies from<br>Italy and Spain. Frontiers in Oncology, 2016, 6, 210.   | 1.3 | 30        |
| 110 | Mediterranean Diet and Bladder Cancer Risk in Italy. Nutrients, 2018, 10, 1061.   | 1.7 | 30        |
| 111 | Soft drinks, sweetened beverages and risk of pancreatic cancer. Cancer Causes and Control, 2011, 22, 33-39.   | 0.8 | 29        |
| 112 | Tumor microenvironment in diffuse large B-cell lymphoma: Matrixmetalloproteinases activation is<br>mediated by osteopontin overexpression. Biochimica Et Biophysica Acta - Molecular Cell Research,<br>2016, 1863, 483-489. | 1.9 | 29        |
| 113 | Alcohol drinking outside meals and cancers of the upper aero-digestive tract. International Journal of Cancer, 2002, 102, 435-437.  | 2.3 | 28        |
| 114 | Hepatitis C virus and non-Hodgkin's lymphoma: findings from the Swiss HIV Cohort Study. British<br>Journal of Cancer, 2006, 95, 1598-1602.  | 2.9 | 27        |
| 115 | IL-6-174 G>C and MMP-9-1562 C>T polymorphisms are associated with increased risk of deep vein thrombosis in cancer patients. Cytokine, 2013, 62, 64-69.   | 1.4 | 27        |
| 116 | Targeted therapies and adverse drug reactions in oncology: the role of clinical pharmacist in pharmacovigilance. International Journal of Clinical Pharmacy, 2018, 40, 795-802.   | 1.0 | 27        |
| 117 | Smoking and nonâ€Hodgkin lymphoma: Caseâ€control study in Italy. International Journal of Cancer, 2005,<br>115, 606-610.  | 2.3 | 26        |
| 118 | Dietary vitamins E and C and prostate cancer risk. Acta OncolÃ <sup>3</sup> gica, 2009, 48, 890-894.  | 0.8 | 26        |
| 119 | Assessing cancer-related fatigue: the psychometric properties of the Revised Piper Fatigue Scale in<br>Italian cancer inpatients. Supportive Care in Cancer, 2010, 18, 1191-1197.   | 1.0 | 26        |
| 120 | Genetic biomarkers for hepatocellular cancer risk in a caucasian population. World Journal of<br>Gastroenterology, 2017, 23, 6674-6684.   | 1.4 | 26        |
| 121 | Duration and intensity of tobacco smoking and the risk of papillary and non-papillary transitional cell carcinoma of the bladder. Cancer Causes and Control, 2014, 25, 1151-1158.   | 0.8 | 25        |
| 122 | Dietary total antioxidant capacity and pancreatic cancer risk: an Italian case–control study. British<br>Journal of Cancer, 2016, 115, 102-107.   | 2.9 | 25        |
| 123 | Macronutrients, fatty acids, cholesterol and pancreatic cancer. European Journal of Cancer, 2010, 46, 581-587.  | 1.3 | 24        |
| 124 | Ulcer, gastric surgery and pancreatic cancer risk: an analysis from the International Pancreatic<br>Cancer Case–Control Consortium (PanC4). Annals of Oncology, 2013, 24, 2903-2910.  | 0.6 | 24        |
| 125 | The dose-response relationship between tobacco smoking and the risk of lymphomas: a case-control study. BMC Cancer, 2017, 17, 421.  | 1.1 | 24        |
| 126 | Beyond MicroRNAs: Emerging Role of Other Non-Coding RNAs in HPV-Driven Cancers. Cancers, 2020, 12, 1246.  | 1.7 | 24        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Dietary Folate, Alcohol Consumption, and Risk of Non-Hodgkin Lymphoma. Nutrition and Cancer, 2007, 57, 146-150.   | 0.9 | 23        |
| 128 | Fiber intake and pancreatic cancer risk: a case–control study. Annals of Oncology, 2012, 23, 264-268.   | 0.6 | 23        |
| 129 | Dietary inflammatory index before diagnosis and survival in an Italian cohort of women with breast cancer. British Journal of Nutrition, 2017, 117, 1456-1462.                    | 1.2 | 23        |
| 130 | Pancreatic cancer risk is modulated by inflammatory potential of diet and ABO genotype: a consortia-based evaluation and replication study. Carcinogenesis, 2018, 39, 1056-1067.  | 1.3 | 23        |
| 131 | Predictors of oropharyngeal cancer survival in Europe. Oral Oncology, 2018, 81, 89-94.  | 0.8 | 23        |
| 132 | Prognostic Nutritional Index Predicts Toxicity in Head and Neck Cancer Patients Treated with Definitive Radiotherapy in Association with Chemotherapy. Nutrients, 2021, 13, 1277. | 1.7 | 23        |
| 133 | <i>TP53</i> Mutations with Low Variant Allele Frequency Predict Short Survival in Chronic<br>Lymphocytic Leukemia. Clinical Cancer Research, 2021, 27, 5566-5575.                 | 3.2 | 23        |
| 134 | Ectopic NGAL expression can alter sensitivity of breast cancer cells to EGFR, Bcl-2, CaM-K inhibitors and the plant natural product berberine. Cell Cycle, 2012, 11, 4447-4461.   | 1.3 | 22        |
| 135 | Dietary intakes of carotenoids and other nutrients in the risk of nasopharyngeal carcinoma: a<br>case–control study in Italy. British Journal of Cancer, 2012, 107, 1580-1583.    | 2.9 | 22        |
| 136 | Survival After Cancer in Italian Persons With AIDS, 1986–2005. Journal of Acquired Immune Deficiency<br>Syndromes (1999), 2014, 66, 428-435.                                      | 0.9 | 22        |
| 137 | The negative impact of tobacco smoking on survival after prostate cancer diagnosis. Cancer Causes and Control, 2015, 26, 1299-1305.   | 0.8 | 22        |
| 138 | Dietary acrylamide and the risk of pancreatic cancer in the International Pancreatic Cancer<br>Case–Control Consortium (PanC4). Annals of Oncology, 2017, 28, 408-414.            | 0.6 | 22        |
| 139 | Dietary inflammatory index and cancer risk in the elderly: A pooled-analysis of Italian case-control studies. Nutrition, 2019, 63-64, 205-210.                                    | 1.1 | 22        |
| 140 | Age-independent increasing prevalence of Human Papillomavirus-driven oropharyngeal carcinomas in<br>North-East Italy. Scientific Reports, 2020, 10, 9320.                         | 1.6 | 22        |
| 141 | Lung cancer in persons with AIDS in Italy, 1985–1998. Aids, 2003, 17, 2117-2119.  | 1.0 | 21        |
| 142 | Family history of cancer and the risk of bladder cancer: A case–control study from Italy. Cancer<br>Epidemiology, 2017, 48, 29-35.  | 0.8 | 21        |
| 143 | Dietary Glycemic Index and Glycemic Load and Risk of Pancreatic Cancer: A Case-Control Study. Annals of Epidemiology, 2010, 20, 460-465.  | 0.9 | 20        |
| 144 | Dietary acrylamide and pancreatic cancer risk in an Italian case–control study. Annals of Oncology,<br>2011, 22, 1910-1915.   | 0.6 | 20        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Associations of dietary carbohydrates, glycaemic index and glycaemic load with risk of bladder cancer: a case–control study. British Journal of Nutrition, 2017, 118, 722-729.   | 1.2 | 20        |
| 146 | Adherence to the Mediterranean Diet and Mortality after Breast Cancer. Nutrients, 2020, 12, 3649.  | 1.7 | 20        |
| 147 | Alcohol consumption and renal cell cancer risk in two Italian case–control studies. Annals of<br>Oncology, 2008, 19, 1003-1008.  | 0.6 | 19        |
| 148 | Cigarette smoking and endometrial cancer risk: the modifying effect of obesity. European Journal of<br>Cancer Prevention, 2009, 18, 476-481.   | 0.6 | 19        |
| 149 | Coffee, Tea, Cola, and Bladder Cancer Risk: Dose and Time Relationships. Urology, 2015, 86, 1179-1184.   | 0.5 | 18        |
| 150 | MTHFR-1298 A>C (rs1801131) is a predictor of survival in two cohorts of stage II/III colorectal cancer patients treated with adjuvant fluoropyrimidine chemotherapy with or without oxaliplatin. Pharmacogenomics Journal, 2015, 15, 219-225.                              | 0.9 | 18        |
| 151 | UGT1A polymorphisms as genetic biomarkers for hepatocellular carcinoma risk in Caucasian population. Liver International, 2017, 37, 1345-1353.   | 1.9 | 18        |
| 152 | Standardization of platelet releasate products for clinical applications in cell therapy: a mathematical approach. Journal of Translational Medicine, 2017, 15, 107.   | 1.8 | 18        |
| 153 | Food consumption, meat cooking methods and diet diversity and the risk of bladder cancer. Cancer Epidemiology, 2019, 63, 101595.   | 0.8 | 18        |
| 154 | Genomic analysis of head and neck cancer cases from two high incidence regions. PLoS ONE, 2018, 13, e0191701.  | 1.1 | 18        |
| 155 | Alcohol and endometrial cancer risk: a case–control study and a meta-analysis. Cancer Causes and<br>Control, 2010, 21, 1285-1296.  | 0.8 | 17        |
| 156 | Locoregional Failure in Early-Stage Breast Cancer Patients Treated With Radical Mastectomy and<br>Adjuvant Systemic Therapy: Which Patients Benefit From Postmastectomy Irradiation?. International<br>Journal of Radiation Oncology Biology Physics, 2012, 83, e153-e157. | 0.4 | 17        |
| 157 | Quality of Life, Pain Perception, and Distress Correlated toÂUltrasound-Guided Peripherally Inserted<br>Central Venous Catheters in Palliative Care Patients in a Home or Hospice Setting. Journal of Pain and<br>Symptom Management, 2015, 50, 118-123.                   | 0.6 | 17        |
| 158 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research recommendations and head and neck cancers risk. Oral Oncology, 2017, 64, 59-64.   | 0.8 | 17        |
| 159 | Anthropometric measures at different ages and endometrial cancer risk. British Journal of Cancer, 2011, 104, 1207-1213.  | 2.9 | 16        |
| 160 | The impact of diabetes and other metabolic disorders on prostate cancer prognosis. Journal of<br>Diabetes and Its Complications, 2016, 30, 591-596.  | 1.2 | 16        |
| 161 | Macronutrients, fatty acids, cholesterol and renal cell cancer risk. International Journal of Cancer, 2008, 122, 2586-2589.  | 2.3 | 15        |
| 162 | Diabetes mellitus and the risk of bladder cancer: an Italian case–control study. British Journal of Cancer, 2015, 113, 127-130.  | 2.9 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Dietary water intake and bladder cancer risk: An Italian case–control study. Cancer Epidemiology,<br>2016, 45, 151-156.   | 0.8 | 15        |
| 164 | Diagnostic value of neutrophil gelatinase-associated lipocalin/matrix metalloproteinase-9 pathway in<br>transitional cell carcinoma of the bladder. Tumor Biology, 2016, 37, 9855-9863.   | 0.8 | 15        |
| 165 | Stereotactic body radiation therapy and intensity modulated radiation therapy induce different plasmatic cytokine changes in non-small cell lung cancer patients: a pilot study. Clinical and Translational Oncology, 2016, 18, 1003-1010.                    | 1.2 | 15        |
| 166 | Dietary inflammatory index and non-Hodgkin lymphoma risk in an Italian case–control study. Cancer<br>Causes and Control, 2017, 28, 791-799.   | 0.8 | 15        |
| 167 | Prognostic significance of neutrophilâ€ŧo″ymphocyte ratio in HPV status era for oropharyngeal cancer.<br>Oral Diseases, 2020, 26, 1384-1392.  | 1.5 | 15        |
| 168 | Nutrient-based dietary patterns and nasopharyngeal cancer: evidence from an exploratory factor analysis. British Journal of Cancer, 2015, 112, 446-454.   | 2.9 | 14        |
| 169 | Germline Polymorphisms in the Nuclear Receptors PXR and VDR as Novel Prognostic Markers in<br>Metastatic Colorectal Cancer Patients Treated With FOLFIRI. Frontiers in Oncology, 2019, 9, 1312.   | 1.3 | 14        |
| 170 | Pretreatment High <scp>MCV</scp> as Adverse Prognostic Marker in Nonanemic Patients with Head and Neck Cancer. Laryngoscope, 2021, 131, E836-E845.  | 1.1 | 14        |
| 171 | Predictive role of microRNA-related genetic polymorphisms in the pathological complete response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer patients. Oncotarget, 2016, 7, 19781-19793.  | 0.8 | 14        |
| 172 | Life course social mobility and risk of upper aerodigestive tract cancer in men. European Journal of Epidemiology, 2010, 25, 173-182.   | 2.5 | 13        |
| 173 | Fiber Intake and Risk of Nasopharyngeal Carcinoma: A Case-Control Study. Nutrition and Cancer, 2013, 65, 1157-1163.   | 0.9 | 13        |
| 174 | Fruit and vegetables consumption is directly associated to survival after prostate cancer. Molecular<br>Nutrition and Food Research, 2017, 61, 1600816.   | 1.5 | 13        |
| 175 | HLA-G 3′UTR Polymorphisms Predict Drug-Induced G3-4 Toxicity Related to Folinic<br>Acid/5-Fluorouracil/Oxaliplatin (FOLFOX4) Chemotherapy in Non-Metastatic Colorectal Cancer.<br>International Journal of Molecular Sciences, 2017, 18, 1366.                | 1.8 | 13        |
| 176 | Radical Hemithoracic Radiotherapy Versus Palliative Radiotherapy in Non-metastatic Malignant Pleural<br>Mesothelioma: Results from a Phase 3 Randomized Clinical Trial. International Journal of Radiation<br>Oncology Biology Physics, 2021, 109, 1368-1376. | 0.4 | 13        |
| 177 | Effects of Ectopic Expression of NGAL on Doxorubicin Sensitivity. Oncotarget, 2012, 3, 1236-1245.   | 0.8 | 13        |
| 178 | Fiber intake and endometrial cancer risk. Acta Oncológica, 2010, 49, 441-446.   | 0.8 | 12        |
| 179 | Pharmacogenetics Biomarkers and Their Specific Role in Neoadjuvant Chemoradiotherapy Treatments:<br>An Exploratory Study on Rectal Cancer Patients. International Journal of Molecular Sciences, 2016, 17,<br>1482.   | 1.8 | 12        |
| 180 | HCV infection and the risk of head and neck cancer: A meta-analysis. Oral Oncology, 2020, 109, 104869.  | 0.8 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | <scp><i>CDKN1B</i></scp> mutation and copy number variation are associated with tumor aggressiveness in luminal breast cancer. Journal of Pathology, 2021, 253, 234-245.  | 2.1 | 12        |
| 182 | Metabolic disorders and the risk of nasopharyngeal carcinoma: a case–control study in Italy.<br>European Journal of Cancer Prevention, 2018, 27, 180-183.   | 0.6 | 11        |
| 183 | Direct health-care cost of head and neck cancers: a population-based study in north-eastern Italy.<br>Medical Oncology, 2019, 36, 31.   | 1.2 | 11        |
| 184 | Bladder cancer risk in users of selected drugs for cardiovascular disease prevention. European<br>Journal of Cancer Prevention, 2019, 28, 76-80.  | 0.6 | 11        |
| 185 | Association between Nutrient-Based Dietary Patterns and Bladder Cancer in Italy. Nutrients, 2020, 12, 1584.   | 1.7 | 11        |
| 186 | Regular aspirin use and nasopharyngeal cancer risk: A case-control study in Italy. Cancer<br>Epidemiology, 2015, 39, 545-547.   | 0.8 | 10        |
| 187 | Cross-cultural validation of health literacy measurement tools in Italian oncology patients. BMC<br>Health Services Research, 2017, 17, 410.  | 0.9 | 10        |
| 188 | Identification of Novel Somatic TP53 Mutations in Patients with High-Grade Serous Ovarian Cancer<br>(HGSOC) Using Next-Generation Sequencing (NGS). International Journal of Molecular Sciences, 2018,<br>19, 1510.                   | 1.8 | 10        |
| 189 | Attributable fraction for multiple risk factors: Methods, interpretations, and examples. Statistical<br>Methods in Medical Research, 2020, 29, 854-865.   | 0.7 | 10        |
| 190 | Adherence to Mediterranean Diet, Physical Activity and Survival after Prostate Cancer Diagnosis.<br>Nutrients, 2021, 13, 243.   | 1.7 | 10        |
| 191 | IL15RA and SMAD3 Genetic Variants Predict Overall Survival in Metastatic Colorectal Cancer Patients<br>Treated with FOLFIRI Therapy: A New Paradigm. Cancers, 2021, 13, 1705.   | 1.7 | 10        |
| 192 | Germline determinants of humoral immune response to HPV-16 protect against oropharyngeal cancer.<br>Nature Communications, 2021, 12, 5945.  | 5.8 | 10        |
| 193 | Coffee, decaffeinated coffee, tea, and pancreatic cancer risk. European Journal of Cancer Prevention, 2011, 20, 287-292.  | 0.6 | 9         |
| 194 | Association between hepatitis C and B viruses and head and neck squamous cell carcinoma. Journal of<br>Clinical Virology, 2019, 121, 104209.  | 1.6 | 9         |
| 195 | A data mining approach to investigate food groups related to incidence of bladder cancer in the<br>BLadder cancer Epidemiology and Nutritional Determinants International Study. British Journal of<br>Nutrition, 2020, 124, 611-619. | 1.2 | 9         |
| 196 | A pre-operative prognostic score for the selection of patients for salvage surgery after recurrent head and neck squamous cell carcinomas. Scientific Reports, 2021, 11, 502.   | 1.6 | 9         |
| 197 | Advanced lung cancer inflammation index and its prognostic value in HPV-negative head and neck squamous cell carcinoma: a multicentre study. Supportive Care in Cancer, 2021, 29, 4683-4691.  | 1.0 | 9         |
| 198 | Impact of DNA repair gene polymorphisms on the risk of biochemical recurrence after radiotherapy and overall survival in prostate cancer. Oncotarget, 2017, 8, 22863-22875.   | 0.8 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. Oral Diseases, 2023, 29, 1565-1578.   | 1.5 | 9         |
| 200 | Lower platelet counts and antiplatelet therapy independently predict better outcomes in patients with head and neck squamous cell carcinoma: a retrospective analysis. Biomarker Research, 2015, 3, 25.                           | 2.8 | 8         |
| 201 | Prognostic factors in salvage surgery for recurrent head and neck cancer: A systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2022, 169, 103550.  | 2.0 | 8         |
| 202 | Trends in Cancer Incidence Rates among HIV-Infected Patients. Clinical Infectious Diseases, 2005, 41, 124-126.  | 2.9 | 7         |
| 203 | A phase II study on the efficacy and safety of procedural analgesia with fentanyl buccal tablet in cancer patients for the placement of indwelling central venous access systems. Supportive Care in Cancer, 2016, 24, 1537-1543. | 1.0 | 7         |
| 204 | Association between dietary inflammatory index and Hodgkin's lymphoma in an Italian case-control study. Nutrition, 2018, 53, 43-48.   | 1.1 | 7         |
| 205 | Modeling the Complex Exposure History of Smoking in Predicting Bladder Cancer. Epidemiology, 2019, 30, 458-465.   | 1.2 | 7         |
| 206 | Functional osteoclastogenesis: the baseline variability in blood donor precursors is not associated with age and gender. Oncotarget, 2015, 6, 31889-31900.  | 0.8 | 7         |
| 207 | Metabolic Syndrome Is Also a Risk Factor for Primary Liver Cancer in Patients Younger than 65 Years of Age?. Hepatology, 2011, 54, 2278-2279.   | 3.6 | 6         |
| 208 | Toxicity and cosmesis following partial breast irradiation consisting ofÂ40ÂGy in 10 daily fractions.<br>Breast, 2013, 22, 744-747.   | 0.9 | 6         |
| 209 | The risk of recurrence in surgically treated head and neck squamous cell carcinomas: a conditional probability approach. Acta Oncológica, 2021, 60, 942-947.  | 0.8 | 6         |
| 210 | Fiducial markers for image-guided partial breast irradiation. Radiologia Medica, 2013, 118, 1212-1219.  | 4.7 | 5         |
| 211 | Re: High- and Low-Fat Dairy Intake, Recurrence, and Mortality After Breast Cancer Diagnosis. Journal of the National Cancer Institute, 2013, 105, 1759-1760.  | 3.0 | 5         |
| 212 | Family History and Risk of Bladder Cancer: An Analysis Accounting for First- and Second-degree Relatives. Cancer Prevention Research, 2022, 15, 319-326.  | 0.7 | 5         |
| 213 | Re: Association of Meat and Fat Intake With Liver Disease and Hepatocellular Carcinoma in the NIH-AARP Cohort. Journal of the National Cancer Institute, 2011, 103, 446-448.  | 3.0 | 4         |
| 214 | Re: Coffee Consumption and Prostate Cancer Risk and Progression in the Health Professional<br>Follow-up Study. Journal of the National Cancer Institute, 2012, 104, 1684-1686.  | 3.0 | 4         |
| 215 | Coffee consumption and colorectal cancer risk: a multicentre case-control study from Italy and Spain. European Journal of Cancer Prevention, 2021, 30, 204-210.   | 0.6 | 4         |
| 216 | Combined analysis of IGHV mutations, telomere length and CD49d identifies long-term<br>progression-free survivors in TP53 wild-type CLL treated with FCR-based therapies. Leukemia, 2022, 36,<br>271-274.                         | 3.3 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Outcomes of ALK positive lung cancer patients treated with crizotinib or second-generation ALK inhibitor: a monoinstitutional experience. Oncotarget, 2018, 9, 15340-15349.                     | 0.8 | 4         |
| 218 | SMAD3 Host and Tumor Profiling to Identify Locally Advanced Rectal Cancer Patients at High Risk of Poor Response to Neoadjuvant Chemoradiotherapy. Frontiers in Pharmacology, 2021, 12, 778781. | 1.6 | 4         |
| 219 | Dietary Inflammatory Index in Ageing and Longevity. , 2019, , 71-86.  |     | 3         |
| 220 | Different inflammatory blood markers correlate with specific outcomes in incident HPV-negative head and neck squamous cell carcinoma: a retrospective cohort study. BMC Cancer, 2022, 22, 243.  | 1.1 | 3         |
| 221 | Re: Hepatocellular Carcinoma Risk factors and Disease Burden in a European Cohort: A Nested<br>Case-Control Study. Journal of the National Cancer Institute, 2012, 104, 1681-1683.              | 3.0 | 2         |
| 222 | Absence of disruptive TP53 mutations in highâ€risk human papillomavirusâ€driven neck squamous cell<br>carcinoma of unknown primary. Head and Neck, 2019, 41, 3833-3841.                         | 0.9 | 2         |
| 223 | Adherence to a cholesterol-lowering diet and the risk of prostate cancer. Food and Function, 2022, 13, 5730-5738.   | 2.1 | 2         |
| 224 | Comment on â€~Anthropometric measurements and survival after prostate cancer diagnosis'. British<br>Journal of Cancer, 2018, 119, 523-524.  | 2.9 | 1         |
| 225 | Reply to Are cohort data on smokeless tobacco use and pancreatic cancer confounded by alcohol use?. Annals of Oncology, 2011, 22, 1931-1932.  | 0.6 | 0         |
| 226 | Effect modification of body mass index on the association between ovarian cysts and endometrial cancer. Cancer Epidemiology, 2022, 78, 102129.  | 0.8 | 0         |