

Christopher J Weight

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2098949/christopher-j-weight-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

5,790
citations

40
h-index

75
g-index

133
ext. papers

6,899
ext. citations

3.7
avg, IF

5.29
L-index

#	Paper	IF	Citations
119	Predicting GFR after radical nephrectomy: the importance of split renal function.. <i>World Journal of Urology</i> , 2022 , 40, 1011	4	1
118	IsoPSA □ Reduces Provider Recommendations for Biopsy and Magnetic Resonance Imaging in Men with Total Prostate Specific Antigen ≥ ng/ml: A Real-World Observational Clinical Utility Study. <i>Urology Practice</i> , 2022 , 9, 173-180	0.8	0
117	The Cooked Meat Carcinogen 2-Amino-1-methyl-6-phenylimidazo[4,5-]pyridine Hair Dosimeter, DNA Adductomics Discovery, and Associations with Prostate Cancer Pathology Biomarkers.. <i>Chemical Research in Toxicology</i> , 2022 ,	4	1
116	Split Renal Function Is Fundamentally Important for Predicting Functional Recovery After Radical Nephrectomy.. <i>European Urology Open Science</i> , 2022 , 40, 112-116	0.9	0
115	Automatic Segmentation of Kidneys and Kidney Tumors: The KiTS19 International Challenge.. <i>Frontiers in Digital Health</i> , 2021 , 3, 797607	2.3	0
114	Enhanced recovery after surgery (ERAS) following radical cystectomy: is it worth implementing for all patients?. <i>World Journal of Urology</i> , 2021 , 39, 1927-1933	4	5
113	Alvimopan as part of the Enhanced Recovery After Surgery protocol following radical cystectomy is associated with decreased hospital stay. <i>International Journal of Urology</i> , 2021 , 28, 696-701	2.3	1
112	Comprehensive Analysis of DNA Adducts Using Data-Independent wSIM/MS Acquisition and wSIM-City. <i>Analytical Chemistry</i> , 2021 , 93, 6491-6500	7.8	1
111	Impact of Preoperative Immunonutrition on Perioperative Outcomes following Cystectomy. <i>Journal of Urology</i> , 2021 , 206, 1132-1138	2.5	2
110	The state of the art in kidney and kidney tumor segmentation in contrast-enhanced CT imaging: Results of the KiTS19 challenge. <i>Medical Image Analysis</i> , 2021 , 67, 101821	15.4	81
109	Illeal conduit associated parastomal hernias: A novel laparoscopic top hat repair. <i>Urology Case Reports</i> , 2021 , 39, 101758	0.5	
108	Computer Generated R.E.N.A.L. Nephrometry Scores Yield Comparable Predictive Results to that of Human-Expert Scores in Predicting Oncologic and Perioperative Outcomes.. <i>Journal of Urology</i> , 2021 , 101097JU0000000000002390	2.5	0
107	A Large Renal Mass: Dilemmas With Unusual Features on Imaging. <i>Urology</i> , 2020 , 139, e4-e5	1.6	
106	Primary chemoablation of low-grade upper tract urothelial carcinoma using UGN-101, a mitomycin-containing reverse thermal gel (OLYMPUS): an open-label, single-arm, phase 3 trial. <i>Lancet Oncology</i> , 2020 , 21, 776-785	21.7	38
105	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 988	2.5	
104	Social Media Coverage of Scientific Articles Immediately After Publication Predicts Subsequent Citations - #SoME_Impact Score: Observational Analysis. <i>Journal of Medical Internet Research</i> , 2020 , 22, e12288	7.6	10
103	CT-based radiomic classifier of primary renal tumors to distinguish between metastatic and non-metastatic disease.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 5074-5074	2.2	

102	Predictors of Recurrence, and Progression-Free and Overall Survival following Open versus Robotic Radical Cystectomy: Analysis from the RAZOR Trial with a 3-Year Followup. <i>Journal of Urology</i> , 2020 , 203, 522-529	2.5	31
101	Acute Kidney Injury following Enhanced Recovery after Surgery in Patients Undergoing Radical Cystectomy. <i>Journal of Urology</i> , 2020 , 204, 982-988	2.5	4
100	Early Online Attention Can Predict Citation Counts for Urological Publications: The #UroSoMe_Score. <i>European Urology Focus</i> , 2020 , 6, 458-462	5.1	7
99	Public Perceptions of Artificial Intelligence and Robotics in Medicine. <i>Journal of Endourology</i> , 2020 , 34, 1041-1048	2.7	15
98	Five New Cases of Primary Renal Carcinoid Tumor: Case Reports and Literature Review. <i>Pathology and Oncology Research</i> , 2020 , 26, 341-346	2.6	7
97	Prostate Cancer Survival Estimates by the General Public Using Unrestricted Internet Searches and Online Nomograms. <i>European Urology Focus</i> , 2020 , 6, 959-966	5.1	
96	Disparities in Bladder Cancer Treatment and Survival Amongst Elderly Patients with a Pre-existing Mental Illness. <i>European Urology Focus</i> , 2020 , 6, 1180-1187	5.1	5
95	Misinterpretation of online surgical outcomes: The British Association of Urological Surgeons Surgical Outcomes Audit. <i>Journal of Clinical Urology</i> , 2019 , 12, 205-210	0.2	
94	Adverse impact of malnutrition markers on major abdominopelvic cancer surgery. <i>ANZ Journal of Surgery</i> , 2019 , 89, 509-514	1	5
93	Potential patient harms from misinterpretation of publically reported surgical outcomes. <i>BJU International</i> , 2019 , 123, 180-186	5.6	2
92	Quantitation of Lipid Peroxidation Product DNA Adducts in Human Prostate by Tandem Mass Spectrometry: A Method That Mitigates Artifacts. <i>Chemical Research in Toxicology</i> , 2019 , 32, 1850-1862	4	7
91	Falsely Undetectable Prostate-Specific Antigen (PSA) Due to Presence of an Inhibitory Serum Factor: A Case Report and Review of Pertinent Literature. <i>American Journal of Case Reports</i> , 2019 , 20, 1248-1252	1.3	1
90	Skeletal Muscle and Fat Mass Indexes Predict Discharge Disposition after Radical Cystectomy. <i>Journal of Urology</i> , 2019 , 202, 1143-1149	2.5	7
89	Difference in MRI-guided biopsy cancer detection rates between individual clinicians. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 299.e1-299.e6	2.8	3
88	A clinical prediction tool to determine the need for concurrent systematic sampling at the time of magnetic resonance imaging-guided biopsy. <i>BJU International</i> , 2019 , 123, 612-617	5.6	7
87	Perceptions of Barriers Towards Active Surveillance for Low-Risk Prostate Cancer: Results From a National Survey of Radiation Oncologists and Urologists. <i>Annals of Surgical Oncology</i> , 2019 , 26, 660-668	3.1	7
86	Metabolic Activation of the Cooked Meat Carcinogen 2-Amino-1-Methyl-6-Phenylimidazo[4,5-b]Pyridine in Human Prostate. <i>Toxicological Sciences</i> , 2018 , 163, 543-556	4.4	18
85	Robot-assisted radical cystectomy versus open radical cystectomy in patients with bladder cancer (RAZOR): an open-label, randomised, phase 3, non-inferiority trial. <i>Lancet, The</i> , 2018 , 391, 2525-2536	4.0	314

84	Which scores need a core? An evaluation of MR-targeted biopsy yield by PIRADS score across different biopsy indications. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 573-578	6.2	16
83	Urinary Biomarkers in the Evaluation of Primary Hematuria: A Systematic Review and Meta-Analysis. <i>Bladder Cancer</i> , 2018 , 4, 353-363	1	21
82	Increased Surgical Complications in Smokers Undergoing Radical Cystectomy. <i>Bladder Cancer</i> , 2018 , 4, 403-409	1	13
81	Physician attitudes about genetic testing for localized prostate cancer: A national survey of radiation oncologists and urologists. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 501.e15-501.e21	2.8	7
80	Targeted and Untargeted Detection of DNA Adducts of Aromatic Amine Carcinogens in Human Bladder by Ultra-Performance Liquid Chromatography-High-Resolution Mass Spectrometry. <i>Chemical Research in Toxicology</i> , 2018 , 31, 1382-1397	4	24
79	Incorporating Biomarkers into the Primary Prostate Biopsy Setting: A Cost-Effectiveness Analysis. <i>Journal of Urology</i> , 2018 , 200, 1215-1220	2.5	27
78	Quantification of Urology Related Twitter Traffic Activity through a Standardized List of Social Media Communication Descriptors. <i>Urology Practice</i> , 2017 , 4, 349-354	0.8	1
77	Tweet this: how advocacy for breast and prostate cancers stacks up on social media. <i>BJU International</i> , 2017 , 120, 461-463	5.6	10
76	The current status of immunobased therapies for metastatic renal-cell carcinoma. <i>ImmunoTargets and Therapy</i> , 2017 , 6, 83-93	9	8
75	Prevalence of Infection in Patients After Radical Cystectomy and Neoadjuvant Chemotherapy. <i>Bladder Cancer</i> , 2017 , 3, 305-310	1	3
74	The Effects of Population-based Prostate-specific Antigen Screening Beginning at Age 40. <i>Urology</i> , 2017 , 110, 127-133	1.6	3
73	Comparative Evaluation of Bladder-specific Health-related Quality of Life Instruments for Bladder Cancer. <i>Urology</i> , 2017 , 108, 76-81	1.6	9
72	A Rapid Throughput Method To Extract DNA from Formalin-Fixed Paraffin-Embedded Tissues for Biomonitoring Carcinogenic DNA Adducts. <i>Chemical Research in Toxicology</i> , 2017 , 30, 2130-2139	4	14
71	Biomonitoring DNA Adducts of Cooked Meat Carcinogens in Human Prostate by Nano Liquid Chromatography-High Resolution Tandem Mass Spectrometry: Identification of 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine DNA Adduct. <i>Analytical Chemistry</i> , 2016 , 88, 12508-12515	7.8	48
70	A 78-Year-Old Infertile Man Presented With Sepsis and Abdominal and Pelvic Masses, A Rare Case of Congenital Adrenal Hyperplasia. <i>AACE Clinical Case Reports</i> , 2016 , 2, e129-e132	0.7	0
69	Effect of minimally invasive radical prostatectomy in older men. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 234.e1-11	2.8	7
68	Abdominal closure protocol in colorectal, gynecologic oncology, and urology procedures: a randomized quality improvement trial. <i>American Journal of Surgery</i> , 2016 , 211, 1077-83	2.7	15
67	The Role of Adrenalectomy in Renal Cancer. <i>European Urology Focus</i> , 2016 , 1, 251-257	5.1	6

66	Partial Nephrectomy for a Massive Sporadic Renal Angiomyolipoma: Case Report and Review of the Literature. <i>Case Reports in Urology</i> , 2016 , 2016, 3420741	0.5	2
65	Use of the Modification of Diet in Renal Disease Equation for Estimating Glomerular Filtration Rate in the Urologic Literature. <i>Journal of Endourology</i> , 2016 , 30, 930-3	2.7	3
64	Risk of end stage kidney disease after radical cystectomy according to urinary diversion type. <i>Journal of Urology</i> , 2015 , 193, 1283-7	2.5	11
63	The impact of targeted therapy on management of metastatic renal cell carcinoma: trends in systemic therapy and cytoreductive nephrectomy utilization. <i>Urology</i> , 2015 , 85, 442-50	1.6	26
62	Association of type of renal surgery and access to robotic technology for kidney cancer: results from a population-based cohort. <i>BJU International</i> , 2014 , 114, 549-54	5.6	22
61	Re: positive surgical margins in robot-assisted partial nephrectomy: a multi-institutional analysis of oncologic outcomes (leave no tumor behind): A. Khalifeh, J. H. Kaouk, S. Bhayani, C. Rogers, m. Stifelman, Y. S. Tanagho, R. Kumar, M. A. Gorin, G. Sivarajan, D. Samarasekera and M. E. Allaf <i>J Urol</i> 2014 , 192, 1471-1476. <i>Journal of Urology</i> , 2014 , 192, 273-3	2.5	1
60	A national survey of radiation oncologists and urologists on recommendations of prostate-specific antigen screening for prostate cancer. <i>BJU International</i> , 2014 , 113, E106-11	5.6	12
59	Prostate Cancer in Older Adults 2014 , 273-288		
58	Practice-setting and surgeon characteristics heavily influence the decision to perform partial nephrectomy among American Urologic Association surgeons. <i>BJU International</i> , 2013 , 111, 731-8	5.6	27
57	The relationship of postoperative complications with in-hospital outcomes and costs after renal surgery for kidney cancer. <i>BJU International</i> , 2013 , 111, 580-8	5.6	23
56	The impact of location and number of cores on the diagnostic accuracy of renal mass biopsy: an ex vivo study. <i>World Journal of Urology</i> , 2013 , 31, 1159-64	4	21
55	Men (aged 40-49 years) with a single baseline prostate-specific antigen below 1.0 ng/mL have a very low long-term risk of prostate cancer: results from a prospectively screened population cohort. <i>Urology</i> , 2013 , 82, 1211-7	1.6	8
54	Physical activity, quality of life, and burnout among physician trainees: the effect of a team-based, incentivized exercise program. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 1435-42	6.4	127
53	Reply: To PMID 24149108. <i>Urology</i> , 2013 , 82, 1218-9	1.6	1
52	Disparities in access to hospitals with robotic surgery for patients with prostate cancer undergoing radical prostatectomy. <i>Journal of Urology</i> , 2013 , 189, 514-20	2.5	38
51	The management of a clinical t1b renal tumor in the presence of a normal contralateral kidney. <i>Journal of Urology</i> , 2013 , 189, 1198-202	2.5	40
50	The effect of benign lower urinary tract symptoms on subsequent prostate cancer testing and diagnosis. <i>European Urology</i> , 2013 , 63, 1021-7	10.2	13
49	Febrile urinary tract infections after ureteroneocystostomy and subureteral injection of dextranomer/hyaluronic acid for vesicoureteral reflux--do choice of procedure and success matter?. <i>Journal of Urology</i> , 2013 , 189, 275-82	2.5	9

48	Hospitalization costs for radical prostatectomy attributable to robotic surgery. <i>European Urology</i> , 2013 , 64, 11-6	10.2	34
47	Population-based trends in urinary diversion among patients undergoing radical cystectomy for bladder cancer. <i>BJU International</i> , 2013 , 112, 478-84	5.6	44
46	Contemporary trends of in-hospital complications and mortality for radical cystectomy. <i>BJU International</i> , 2012 , 110, 1163-8	5.6	52
45	The implications of hospital acquired adverse events on mortality, length of stay and costs for patients undergoing radical cystectomy for bladder cancer. <i>Journal of Urology</i> , 2012 , 187, 2011-7	2.5	75
44	Comparative effectiveness for survival and renal function of partial and radical nephrectomy for localized renal tumors: a systematic review and meta-analysis. <i>Journal of Urology</i> , 2012 , 188, 51-7	2.5	288
43	The relationship of the intensity of posttreatment prostate-specific antigen surveillance and prostate cancer outcomes: results from a population-based cohort. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 540-7	6.4	2
42	A prospective, controlled phase II study of neoadjuvant exisulind therapy before radical prostatectomy: effect on apoptosis. <i>Urology</i> , 2012 , 80, 484.e17-22	1.6	7
41	The impact of squamous and glandular differentiation on survival after radical cystectomy for urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 188, 405-9	2.5	91
40	Does partial cystectomy compromise oncologic outcomes for patients with bladder cancer compared to radical cystectomy? A matched case-control analysis. <i>Journal of Urology</i> , 2012 , 188, 1115-9	2.5	67
39	Prognostic significance of measured depth of invasion of urothelial carcinoma of the bladder compared to the 2010 American Joint Committee on Cancer pT2 and pT3 classifications. <i>Journal of Urology</i> , 2012 , 188, 1706-11	2.5	12
38	Assessment of the pathologic inclusion criteria from contemporary adjuvant clinical trials for predicting disease progression after nephrectomy for renal cell carcinoma. <i>Cancer</i> , 2012 , 118, 4412-20	6.4	13
37	The emerging role of lymphadenectomy in upper tract urothelial carcinoma. <i>Urologic Clinics of North America</i> , 2011 , 38, 429-37, vi	2.9	8
36	Partial nephrectomy does not compromise survival in patients with pathologic upstaging to pT2/pT3 or high-grade renal tumors compared with radical nephrectomy. <i>Urology</i> , 2011 , 77, 1142-6	1.6	46
35	Outcomes and clinicopathologic variables associated with late recurrence after nephrectomy for localized renal cell carcinoma. <i>Urology</i> , 2011 , 78, 1101-6	1.6	70
34	Independent validation of the 2010 American Joint Committee on Cancer TNM classification for renal cell carcinoma: results from a large, single institution cohort. <i>Journal of Urology</i> , 2011 , 185, 2035-9	2.5	95
33	A multidisciplinary evaluation of inter-reviewer agreement of the nephrometry score and the prediction of long-term outcomes. <i>Journal of Urology</i> , 2011 , 186, 1223-8	2.5	57
32	Contemporary trends in nephrectomy for renal cell carcinoma in the United States: results from a population based cohort. <i>Journal of Urology</i> , 2011 , 186, 1779-85	2.5	83
31	Routine adrenalectomy in patients with locally advanced renal cell cancer does not offer oncologic benefit and places a significant portion of patients at risk for an asynchronous metastasis in a solitary adrenal gland. <i>European Urology</i> , 2011 , 60, 458-64	10.2	26

30	Risk factors and outcomes of urethral recurrence following radical cystectomy. <i>European Urology</i> , 2011 , 60, 1266-72	10.2	72
29	The human retrovirus XMRV in prostate cancer and chronic fatigue syndrome. <i>Nature Reviews Urology</i> , 2010 , 7, 392-402	5.5	51
28	Performance of the chronic kidney disease-epidemiology study equations for estimating glomerular filtration rate before and after nephrectomy. <i>Journal of Urology</i> , 2010 , 183, 896-901	2.5	46
27	Elective partial nephrectomy in patients with clinical T1b renal tumors is associated with improved overall survival. <i>Urology</i> , 2010 , 76, 631-7	1.6	120
26	Avagard hand antisepsis vs. traditional scrub in 3600 pediatric urologic procedures. <i>Urology</i> , 2010 , 76, 15-7	1.6	54
25	Nephrectomy induced chronic renal insufficiency is associated with increased risk of cardiovascular death and death from any cause in patients with localized cT1b renal masses. <i>Journal of Urology</i> , 2010 , 183, 1317-23	2.5	313
24	Renal functional outcomes after partial nephrectomy with extended ischemic intervals are better than after radical nephrectomy. <i>Journal of Urology</i> , 2010 , 184, 1286-90	2.5	83
23	Partial nephrectomy is associated with improved overall survival compared to radical nephrectomy in patients with unanticipated benign renal tumours. <i>European Urology</i> , 2010 , 58, 293-8	10.2	136
22	Active treatment of localized renal tumors may not impact overall survival in patients aged 75 years or older. <i>Cancer</i> , 2010 , 116, 3119-26	6.4	168
21	Fibrils of prostatic acid phosphatase fragments boost infections with XMRV (xenotropic murine leukemia virus-related virus), a human retrovirus associated with prostate cancer. <i>Journal of Virology</i> , 2009 , 83, 6995-7003	6.6	66
20	Lack of pathologic down-staging with neoadjuvant chemotherapy for muscle-invasive urothelial carcinoma of the bladder: a contemporary series. <i>Cancer</i> , 2009 , 115, 792-9	6.4	75
19	Laparoscopic radical versus partial nephrectomy for tumors >4 cm: intermediate-term oncologic and functional outcomes. <i>Urology</i> , 2009 , 73, 1077-82	1.6	113
18	Management of the adrenal gland during partial nephrectomy. <i>Journal of Urology</i> , 2009 , 181, 2430-6; discussion 2436-7	2.5	43
17	Laparoscopic assisted ileal ureter: technique, outcomes and comparison to the open procedure. <i>Journal of Urology</i> , 2009 , 182, 1032-9	2.5	51
16	Factors predicting renal functional outcome after partial nephrectomy. <i>Journal of Urology</i> , 2008 , 180, 2363-8; discussion 2368-9	2.5	277
15	Limited pelvic lymph node dissection does not improve biochemical relapse-free survival at 10 years after radical prostatectomy in patients with low-risk prostate cancer. <i>Urology</i> , 2008 , 71, 141-5	1.6	53
14	Adult cystic nephroma and mixed epithelial and stromal tumor of the kidney: clinical, radiographic, and pathologic characteristics. <i>Urology</i> , 2008 , 71, 1142-8	1.6	68
13	Correlation of radiographic imaging and histopathology following cryoablation and radio frequency ablation for renal tumors. <i>Journal of Urology</i> , 2008 , 179, 1277-81; discussion 1281-3	2.5	170

12	The impact of minimally invasive techniques on open partial nephrectomy: a 10-year single institutional experience. <i>Journal of Urology</i> , 2008 , 180, 84-8	2.5	28
11	Androgen deprivation falls as orchiectomy rates rise after changes in reimbursement in the U.S. Medicare population. <i>Cancer</i> , 2008 , 112, 2195-201	6.4	56
10	A preoperative prognostic nomogram for solid enhancing renal tumors 7 cm or less amenable to partial nephrectomy. <i>Journal of Urology</i> , 2007 , 178, 429-34	2.5	177
9	Comparison of 1,800 laparoscopic and open partial nephrectomies for single renal tumors. <i>Journal of Urology</i> , 2007 , 178, 41-6	2.5	930
8	Laparoscopic partial nephrectomy for selected central tumours: omitting the bolster. <i>BJU International</i> , 2007 , 100, 375-8	5.6	32
7	Single system ectopic ureter to rectum subtending solitary kidney and bladder agenesis in newborn male. <i>Urology</i> , 2006 , 68, 1344.e1-3	1.6	10
6	Perineural invasion on prostate needle biopsy does not predict biochemical failure following brachytherapy for prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 347-50	4	14
5	Posterior capsule opacification in rabbit eyes implanted with 1-piece and 3-piece hydrophobic acrylic intraocular lenses. <i>Journal of Cataract and Refractive Surgery</i> , 2005 , 31, 805-11	2.3	39
4	Thyroxine malabsorption in a patient with type 1 diabetes and celiac disease. <i>Endocrine Practice</i> , 2005 , 11, 203-4	3.2	5
3	Biochemical failure in men following radical retropubic prostatectomy: impact of surgical margin status and location. <i>Journal of Urology</i> , 2004 , 172, 129-32	2.5	105
2	Posterior capsule opacification in rabbit eyes implanted with hydrophilic acrylic intraocular lenses with enhanced square edge. <i>Journal of Cataract and Refractive Surgery</i> , 2004 , 30, 2403-9	2.3	51
1	Dominant optic atrophy, sensorineural hearing loss, ptosis, and ophthalmoplegia: a syndrome caused by a missense mutation in OPA1. <i>American Journal of Ophthalmology</i> , 2004 , 138, 749-55	4.9	83