

# Zhiyu Jiang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2099470/zhiyu-jiang-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

1,613

citations

20

h-index

40

g-index

40

ext. papers

1,682

ext. citations

4.1

avg, IF

4.01

L-index

#	Paper	IF	Citations
38	Nitrogen-containing carbon spheres with very large uniform mesopores: The superior electrode materials for EDLC in organic electrolyte. <i>Carbon</i> , <b>2007</b> , 45, 1757-1763	10.4	302
37	Nitrogen enriched mesoporous carbon spheres obtained by a facile method and its application for electrochemical capacitor. <i>Electrochemistry Communications</i> , <b>2007</b> , 9, 569-573	5.1	241
36	Photokilling cancer cells using highly cell-specific antibody-TiO <sub>2</sub> bioconjugates and electroporation. <i>Bioelectrochemistry</i> , <b>2007</b> , 71, 217-22	5.6	109
35	A novel and facile route of ink-jet printing to thin film SnO <sub>2</sub> anode for rechargeable lithium ion batteries. <i>Electrochimica Acta</i> , <b>2006</b> , 51, 2639-2645	6.7	96
34	An easy way for preparing high performance porous silicon powder by acid etching AlSi alloy powder for lithium ion battery. <i>Electrochimica Acta</i> , <b>2014</b> , 115, 393-398	6.7	87
33	Direct electrochemistry and electrocatalysis of horseradish peroxidase immobilized in sol-gel-derived tin oxide/gelatin composite films. <i>Journal of Electroanalytical Chemistry</i> , <b>2005</b> , 580, 213-221	4.1	87
32	Electrochemical properties of LiCoO <sub>2</sub> thin film electrode prepared by ink-jet printing technique. <i>Thin Solid Films</i> , <b>2008</b> , 516, 3314-3319	2.2	52
31	Synthesis of spinel LiMn <sub>2</sub> O <sub>4</sub> using direct solid state reaction. <i>Materials Letters</i> , <b>2002</b> , 56, 357-363	3.3	51
30	Electrochemical oxidation of thiourea studied by use of in situ FTIR spectroscopy. <i>Journal of Electroanalytical Chemistry</i> , <b>1996</b> , 408, 225-229	4.1	50
29	Bamboo-like CN <sub>x</sub> nanotubes for the immobilization of hemoglobin and its bioelectrochemistry. <i>Electrochemistry Communications</i> , <b>2005</b> , 7, 349-354	5.1	48
28	Bioelectrochemistry and enzymatic activity of glucose oxidase immobilized onto the bamboo-shaped CN <sub>x</sub> nanotubes. <i>Electrochimica Acta</i> , <b>2005</b> , 51, 611-618	6.7	46
27	High-performance thin-film Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> electrodes fabricated by using ink-jet printing technique and their electrochemical properties. <i>Journal of Solid State Electrochemistry</i> , <b>2009</b> , 13, 705-711	2.6	40
26	Transition of polypyrrole from electroactive to electroinactive state investigated by use of in situ FTIR spectroscopy. <i>Electrochimica Acta</i> , <b>1997</b> , 42, 2361-2367	6.7	39
25	The unusual electrochemical characteristics of a novel three-dimensional ordered bicontinuous mesoporous carbon. <i>Chemical Physics Letters</i> , <b>2004</b> , 389, 327-331	2.5	33
24	Effect of nano Cu coating on porous Si prepared by acid etching Al-Si alloy powder. <i>Electrochimica Acta</i> , <b>2015</b> , 161, 408-412	6.7	30
23	Preparing ultra-thin nano-MnO <sub>2</sub> electrodes using computer jet-printing method. <i>Chemical Physics Letters</i> , <b>2003</b> , 375, 247-251	2.5	30
22	Electrochemical fabrication and electronic behavior of polypyrrole nano-fiber array devices. <i>Thin Solid Films</i> , <b>2006</b> , 503, 241-245	2.2	25

21	The one-step preparation and electrochemical characteristics of tin dioxide nanocrystalline materials. <i>Electrochemistry Communications</i> , <b>2003</b> , 5, 599-602	5.1	24
20	Homogenous LiCoO <sub>2</sub> nanoparticles prepared using surfactant P123 as template and its application to manufacturing ultra-thin-film electrode. <i>Materials Chemistry and Physics</i> , <b>2005</b> , 91, 463-467	4.4	24
19	Li <sub>0.99</sub> Ti <sub>0.01</sub> FePO <sub>4</sub> /C composite as cathode material for lithium ion battery. <i>Journal of Solid State Electrochemistry</i> , <b>2007</b> , 11, 457-462	2.6	21
18	Nano-polypyrrole supercapacitor arrays prepared by layer-by-layer assembling method in anodic aluminum oxide templates. <i>Journal of Solid State Electrochemistry</i> , <b>2006</b> , 11, 32-37	2.6	20
17	Submicro-sized LiMn <sub>2</sub> O <sub>4</sub> prepared by a sol-gel, spray-drying method. <i>Journal of Applied Electrochemistry</i> , <b>2003</b> , 33, 107-112	2.6	17
16	Increase of protoplast electrofusion supported by dextran fractions. <i>Bioelectrochemistry</i> , <b>1995</b> , 38, 383-387		17
15	High-performance supercapacitors of hydrous ruthenium oxide/mesoporous carbon composites. <i>Journal of Solid State Electrochemistry</i> , <b>2006</b> , 11, 283-290	2.6	16
14	Enhanced ionic conductivity of poly(ethylene oxide) (PEO) electrolyte by adding mesoporous molecular sieve LiAISBA. <i>Journal of Solid State Electrochemistry</i> , <b>2005</b> , 9, 609-615	2.6	16
13	In situ transmission difference FTIR spectroscopic investigation on anodic oxidation of methanol in aqueous solution. <i>Electrochemistry Communications</i> , <b>2003</b> , 5, 276-282	5.1	14
12	Scalable synthesis of TiO <sub>2</sub> crystallites embedded in bread-derived carbon matrix with enhanced lithium storage performance. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 9206-9220	2.1	12
11	In situ analysis of interfacial reactions between negative MCMB, lithium electrodes, and gel polymer electrolyte. <i>Journal of Solid State Electrochemistry</i> , <b>2006</b> , 11, 310-316	2.6	11
10	Thermal study of organic electrolytes with fully charged cathodic materials of lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , <b>2008</b> , 12, 671-678	2.6	10
9	Cyclic voltammetry as a tool to estimate the effective pore density of an anodic aluminium oxide template. <i>Nanotechnology</i> , <b>2007</b> , 18, 215701	3.4	10
8	Photocurrent and photothermal current of polypyrrole (PPy) film. <i>Applied Surface Science</i> , <b>2003</b> , 207, 6-12	6.7	9
7	Direct fabrication of anatase TiO <sub>2</sub> hollow microspheres for applications in photocatalytic hydrogen evolution and lithium storage. <i>Journal of Solid State Electrochemistry</i> , <b>2018</b> , 22, 705-715	2.6	7
6	Composite polymer electrolyte for Li-ion battery. <i>Chemical Physics Letters</i> , <b>2002</b> , 359, 303-308	2.5	6
5	Cyclic Voltammetric and Ac Impedance Behavior of TiO <sub>2</sub> Electrodes under UV Illumination. <i>Journal of the Chinese Chemical Society</i> , <b>2003</b> , 50, 1003-1008	1.5	4
4	Influence of additives on the protoplasts electrofusion. <i>Bioelectrochemistry</i> , <b>1999</b> , 48, 447-51		2

3	Tailored dealloying-driven, graphene-boosted defective rutile TiO <sub>2</sub> for long-term lithium storage. <i>Materials Chemistry Frontiers</i> , <b>2021</b> , 5, 3226-3235	7.8	2
2	Immobilization of barley protoplasts on a polyelectrolyte modified electrode for measuring the photoelectric behavior of protoplasts. <i>Electrochemistry Communications</i> , <b>2002</b> , 4, 431-435	5.1	1
1	INFLUENCE ON ELECTROFUSION BY ADSORPTION OF FLUORESCENT DEXTRAN ON PROTOPLAST MEMBRANES. <i>Electromagnetic Biology and Medicine</i> , <b>2002</b> , 21, 233-241	2.2	1