Susanne Roehr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2100428/publications.pdf

Version: 2024-02-01

100 2,399 24
papers citations h-index

124 124 3519
all docs docs citations times ranked citing authors

41

g-index

#	Article	IF	CITATIONS
1	Social Support and Functional Decline in the Oldest Old. Gerontology, 2022, 68, 200-208.	1.4	15
2	Social factors and the prevalence of social isolation in a population-based adult cohort. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1959-1968.	1.6	33
3	How can urban environments support dementia risk reduction? A qualitative study. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	16
4	Education, Occupational Complexity, and Incident Dementia: A COSMIC Collaborative Cohort Study. Journal of Alzheimer's Disease, 2022, 85, 179-196.	1.2	11
5	Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality. JAMA Internal Medicine, 2022, 182, 142.	2.6	45
6	Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). Journal of Alzheimer's Disease, 2022, 86, 1231-1241.	1.2	1
7	Multidomain interventions for risk reduction and prevention of cognitive decline and dementia: current developments. Current Opinion in Psychiatry, 2022, 35, 285-292.	3.1	9
8	Associations and correlates of general versus specific successful ageing components. European Journal of Ageing, 2021, 18, 549-563.	1.2	9
9	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. Aging and Mental Health, 2021, 25, 923-929.	1.5	7
10	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. Journal of the American Medical Directors Association, 2021, 22, 577-582.e2.	1.2	4
11	Effects of <scp>APOE</scp> e4â€allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (<scp>AgeCoDe</scp>). International Journal of Geriatric Psychiatry, 2021, 36, 152-162.	1.3	4
12	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Studyâ€"A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. International Journal of Environmental Research and Public Health, 2021, 18, 408.	1.2	15
13	Impact of the COVID‶9 pandemic on statistical design and analysis plans for multidomain intervention clinical trials: Experience from Worldâ€Wide FINGERS. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12143.	1.8	13
14	A Self-Help App for Syrian Refugees With Posttraumatic Stress (Sanadak): Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e24807.	1.8	41
15	GPs' awareness of car driving among oldest patients: exploratory results from a primary care cohort. BJGP Open, 2021, 5, BJGPO.2020.0145.	0.9	1
16	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). Journal of Alzheimer's Disease, 2021, 79, 1589-1599.	1.2	1
17	Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. Gerontology, 2021, 67, 591-598.	1.4	3
18	Instruments to Assess Social Functioning in Individuals with Dementia: A Systematic Review. Journal of Alzheimer's Disease, 2021, 80, 619-637.	1.2	3

#	Article	IF	Citations
19	Do selfâ€reported hearing and visual impairments predict longitudinal dementia in older adults?. Journal of the American Geriatrics Society, 2021, 69, 1519-1528.	1.3	8
20	Social Isolation and Loneliness during COVID-19 Lockdown: Associations with Depressive Symptoms in the German Old-Age Population. International Journal of Environmental Research and Public Health, 2021, 18, 3615.	1,2	74
21	Health Care Services Utilization and Health-Related Quality of Life of Syrian Refugees with Post-Traumatic Stress Symptoms in Germany (the Sanadak Trial). International Journal of Environmental Research and Public Health, 2021, 18, 3408.	1.2	7
22	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. International Journal of Environmental Research and Public Health, 2021, 18, 3865.	1.2	11
23	Inflammation and the Association of Vitamin D and Depressive Symptomatology. Nutrients, 2021, 13, 1972.	1.7	8
24	Prevalence of High Resilience in Old Age and Association with Perceived Threat of COVID-19—Results from a Representative Survey. International Journal of Environmental Research and Public Health, 2021, 18, 7173.	1.2	20
25	Health-related quality of life and ego integrity among the oldest old – Evidence from the multicenter AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2021, 95, 104408.	1.4	2
26	Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. Frontiers in Psychiatry, 2021, 12, 642618.	1.3	10
27	Predictors of psychological distress in Syrian refugees with posttraumatic stress in Germany. PLoS ONE, 2021, 16, e0254406.	1.1	24
28	Gender-specific design and effectiveness of non-pharmacological interventions against cognitive decline and dementia–protocol for a systematic review and meta-analysis. PLoS ONE, 2021, 16, e0256826.	1.1	1
29	The role of education and income for cognitive functioning in old age: A crossâ€country comparison. International Journal of Geriatric Psychiatry, 2021, 36, 1908-1921.	1.3	17
30	Social isolation, mental health, and use of digital interventions in youth during the COVID-19 pandemic: A nationally representative survey. European Psychiatry, 2021, 64, e20.	0.1	82
31	Social determinants of brain health need to be addressed in risk reduction of cognitive decline and dementia. International Psychogeriatrics, 2021, 33, 1249-1251.	0.6	9
32	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe–AgeQualiDe prospective cohort study. Aging Clinical and Experimental Research, 2021, 33, 3109-3115.	1.4	8
33	Heart failure is independently associated with white matter lesions: insights from the populationâ€based LIFEâ€Adult Study. ESC Heart Failure, 2021, 8, 697-704.	1.4	16
34	A self-help app for Syrian refugees with posttraumatic stress (Sanadak): results of a randomized controlled trial. European Journal of Public Health, 2021, 31, .	0.1	0
35	Being a frail older person at the time of the COVIDâ€19 pandemic. Alzheimer's and Dementia, 2021, 17, e055464.	0.4	3
36	Methodological challenges across WWâ€FINGERS Studies: Impact of COVIDâ€19 pandemic on statistical design and analysis plans for multidomain RCTs. Alzheimer's and Dementia, 2021, 17, .	0.4	0

#	Article	IF	CITATIONS
37	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. BMC Geriatrics, 2021, 21, 688.	1.1	1
38	Imagining the preventive city: How can urban environments support dementia prevention? A qualitative study. Alzheimer's and Dementia, $2021,17,17$	0.4	0
39	The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. Aging and Mental Health, 2020, 24, 1064-1070.	1.5	3
40	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. International Psychogeriatrics, 2020, 32, 645-659.	0.6	9
41	Syrian refugees in Germany: Perspectives on mental health and coping strategies. Journal of Psychosomatic Research, 2020, 129, 109906.	1.2	48
42	Depression, anxiety and quality of life in subjects with atopic eczema in a populationâ€based crossâ€sectional study in Germany. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 810-816.	1.3	16
43	Depressive Symptomatology in Early Retirees Associated With Reason for Retirement—Results From the Population-Based LIFE-Adult-Study. Frontiers in Psychiatry, 2020, 11, 565442.	1.3	9
44	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. Archives of Gerontology and Geriatrics, 2020, 91, 104112.	1.4	6
45	Mental wellbeing in the German old age population largely unaltered during COVID-19 lockdown: results of a representative survey. BMC Geriatrics, 2020, 20, 489.	1.1	94
46	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. BMC Medicine, 2020, 18, 210.	2.3	21
47	Parity and the risk of incident dementia: a COSMIC study. Epidemiology and Psychiatric Sciences, 2020, 29, e176.	1.8	20
48	A crossâ€national study of depression in preclinical dementia: A COSMIC collaboration study. Alzheimer's and Dementia, 2020, 16, 1544-1552.	0.4	8
49	Determinants of Willingness to Pay for Health Insurance in Germany—Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). Frontiers in Public Health, 2020, 8, 456.	1.3	7
50	EQ-5D-3L health status and health state utilities of the oldest-old (85 +) in Germany: results from the AgeCoDe-AgeQualiDe study. Quality of Life Research, 2020, 29, 3223-3232.	1.5	9
51	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. Alzheimer's Research and Therapy, 2020, 12, 167.	3.0	64
52	Risk for disorientation: Longitudinal evidence from three oldâ€age cohorts in Germany (AgeDifferent.de). Alzheimer's and Dementia, 2020, 16, e039676.	0.4	0
53	Socioeconomic inequalities in cognitive function in midlife and early lateâ€life are partially attributable to modifiable health and lifestyle factors. Alzheimer's and Dementia, 2020, 16, e045760.	0.4	3
54	AgeWell.de (Germany). Alzheimer's and Dementia, 2020, 16, e046950.	0.4	0

#	Article	IF	CITATIONS
55	Recruitment and Baseline Characteristics of Participants in the "Sanadak―Trial: A Self-Help App for Syrian Refugees with Post-traumatic Stress. International Journal of Environmental Research and Public Health, 2020, 17, 7578.	1.2	7
56	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. Alzheimer's and Dementia, 2020, 16, 1745-1749.	0.4	14
57	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. Frontiers in Psychiatry, 2020, 11, 330.	1.3	25
58	APOE $\hat{l}\mu4$ and the Influence of Sex, Age, Vascular Risk Factors, and Ethnicity on Cognitive Decline. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1863-1873.	1.7	23
59	Challenges in dementia risk prediction in low-income and middle-income countries. The Lancet Global Health, 2020, 8, e458-e459.	2.9	2
60	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. Journal of Alzheimer's Disease, 2020, 74, 151-161.	1.2	7
61	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. Gerontology, 2020, 66, 460-466.	1.4	9
62	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. Aging Clinical and Experimental Research, 2020, 32, 2629-2638.	1.4	10
63	Are social conflicts at work associated with depressive symptomatology? Results from the population-based LIFE-Adult-Study. Journal of Occupational Medicine and Toxicology, 2020, 15, 1.	0.9	27
64	Mild cognitive impairment and quality of life in the oldest old: a closer look. Quality of Life Research, 2020, 29, 1675-1683.	1.5	53
65	Prevalence and factors associated with obesity among the oldest old. Archives of Gerontology and Geriatrics, 2020, 89, 104069.	1.4	12
66	Less Animal-Based Food, Better Weight Status: Associations of the Restriction of Animal-Based Product Intake with Body-Mass-Index, Depressive Symptoms and Personality in the General Population. Nutrients, 2020, 12, 1492.	1.7	8
67	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. Gerontologist, The, 2019, 59, 738-748.	2.3	30
68	AgeWell.de – study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. BMC Geriatrics, 2019, 19, 203.	1.1	34
69	A Metabolic Obesity Profile Is Associated With Decreased Gray Matter Volume in Cognitively Healthy Older Adults. Frontiers in Aging Neuroscience, 2019, 11, 202.	1.7	23
70	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. PLoS Medicine, 2019, 16, e1002853.	3.9	86
71	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). Journal of Affective Disorders, 2019, 256, 650-657.	2.0	23
72	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatrics and Gerontology International, 2019, 19, 705-710.	0.7	5

#	Article	IF	Citations
73	Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. Frontiers in Psychiatry, 2019, 10, 285.	1.3	22
74	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. Journal of Alzheimer's Disease, 2019, 69, 857-869.	1.2	17
75	Determinants of health-care costs in the oldest-old in Germany. Journal of the Economics of Ageing, 2019, 14, 100200.	0.6	7
76	HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. BMC Psychiatry, 2019, 19, 131.	1.1	36
77	Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. Journal of Alzheimer's Disease, 2019, 68, 1469-1478.	1.2	28
78	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2019, 82, 245-250.	1.4	11
79	Association of anxiety symptoms with health care use and costs in people aged 85 and over. International Journal of Geriatric Psychiatry, 2019, 34, 765-776.	1.3	4
80	O1â€02â€01: SELFâ€REPORTED HEARING AND VISION IMPAIRMENT PREDICTS DEMENTIA IN THE OLDEST OLD: POOLED ANALYSIS FROM GERMAN OLDâ€AGE COHORTS (AGEDIFFERENT.DE PLATFORM). Alzheimer's and Dementia, 2019, 15, .	0.4	1
81	Lifestyle Aspects As A Predictor Of Pain Among Oldest-Old Primary Care Patients – A Longitudinal Cohort Study. Clinical Interventions in Aging, 2019, Volume 14, 1881-1888.	1.3	2
82	Subjective cognitive decline and rates of incident Alzheimer's disease and non–Alzheimer's disease dementia. Alzheimer's and Dementia, 2019, 15, 465-476.	0.4	232
83	Is function in instrumental activities of daily living a useful feature in predicting <scp>A</scp> lzheimer's disease dementia in subjective cognitive decline?. International Journal of Geriatric Psychiatry, 2019, 34, 193-203.	1.3	41
84	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. Journal of Affective Disorders, 2018, 226, 28-35.	2.0	22
85	O4â€08â€02: THE MEDIATING EFFECT OF COGNITIVEÂRESERVE BETWEEN SOCIAL ISOLATION AND COGNITIVE FUNCTION: RESULTS OFÂTHE POPULATIONâ€BASED LIFEâ€ADULT STUDY. Alzheimer's and Dementia, 2018, 14, P1421.	0.4	0
86	Is dementia incidence declining in high-income countries? A systematic review and meta-analysis. Clinical Epidemiology, 2018, Volume 10, 1233-1247.	1.5	73
87	Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors – results of the LIFE-Adult-Study. BMC Psychology, 2018, 6, 23.	0.9	22
88	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. Nutrients, 2018, 10, 852.	1.7	57
89	Prevalence of pain and its associated factors among the oldest-olds in different care settings – results of the AgeQualiDe study. BMC Family Practice, 2018, 19, 85.	2.9	14
90	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. Journal of the American Geriatrics Society, 2017, 65, 738-746.	1.3	11

#	Article	IF	CITATIONS
91	Secular trends in the incidence of dementia in high-income countries: a protocol of a systematic review and a planned meta-analysis. BMJ Open, 2017, 7, e013630.	0.8	9
92	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. International Psychogeriatrics, 2017, 29, 1939-1950.	0.6	35
93	Which types of mental work demands may be associated with reduced risk of dementia?. Alzheimer's and Dementia, 2017, 13, 431-440.	0.4	33
94	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). PLoS ONE, 2016, 11, e0147050.	1,1	20
95	Outcomes of stable and unstable patterns of subjective cognitive decline – results from the Leipzig Longitudinal Study of the Aged (LEILA75+). BMC Geriatrics, 2016, 16, 180.	1.1	30
96	P4â€153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Nonâ€AD in Memory Clinic and Communityâ€Based Cohorts. Alzheimer's and Dementia, 2016, 12, P1073.	0.4	1
97	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Populationâ€Based Prospective Cohort Study in Germany. Journal of the American Geriatrics Society, 2016, 64, 2311-2316.	1.3	33
98	Mortality in Individuals with Subjective Cognitive Decline: Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). Journal of Alzheimer's Disease, 2015, 48, S33-S42.	1,2	20
99	Mortality in incident dementia – results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. Acta Psychiatrica Scandinavica, 2015, 132, 257-269.	2.2	25
100	Social Isolation and Incident Dementia in the Oldest-Old—A Competing Risk Analysis. Frontiers in Psychiatry, 0, 13, .	1.3	1