

MaÅgorzata StpiczyÅska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2100765/publications.pdf>

Version: 2024-02-01

60
papers

1,038
citations

430442

18
h-index

500791

28
g-index

60
all docs

60
docs citations

60
times ranked

632
citing authors

#	ARTICLE	IF	CITATIONS
1	The complexity of nectar: secretion and resorption dynamically regulate nectar features. <i>Die Naturwissenschaften</i> , 2008, 95, 177-184.	0.6	73
2	Osmophores of the fragrant orchid <i>Gymnadenia conopsea</i> L. (Orchidaceae). <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 70, 91-96.	0.8	50
3	Elaiophore Structure and Oil Secretion in Flowers of <i>Oncidium trulliferum</i> Lindl. and <i>Ornithophora radicans</i> (Rchb.f.) Garay & Pabst (Oncidiinae: Orchidaceae). <i>Annals of Botany</i> , 2007, 101, 375-384.	1.4	46
4	Comparative structure of the osmophores in the flowers of <i>Stanhopea graveolens</i> Lindley and <i>Cynoches chlorochilon</i> Klotzsch (Orchidaceae). <i>Acta Agrobotanica</i> , 2012, 65, 11-22.	1.0	45
5	Elaiophore diversity in three contrasting members of Oncidiinae (Orchidaceae). <i>Botanical Journal of the Linnean Society</i> , 2007, 155, 135-148.	0.8	44
6	Spatiotemporal variation in the pollination systems of a supergeneralist plant: is <i>Angelica sylvestris</i> (Apiaceae) locally adapted to its most effective pollinators?. <i>Annals of Botany</i> , 2019, 123, 415-428.	1.4	41
7	Comparative histology of floral elaiophores in the orchids <i>Rudolfiella picta</i> (Schltr.) Hoehne (Maxillariinae sensu lato) and <i>Oncidium ornithorhynchum</i> H.B.K. (Oncidiinae sensu lato). <i>Annals of Botany</i> , 2009, 104, 221-234.	1.4	39
8	The most effective pollinator revisited: pollen dynamics in a spring-flowering herb. <i>Arthropod-Plant Interactions</i> , 2013, 7, 315-322.	0.5	38
9	Anatomy and ultrastructure of spur nectary of <i>Gymnadenia conopsea</i> (L.) Orchidaceae. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 70, 267-272.	0.8	36
10	Anatomy and ultrastructure of osmophores of <i>Cymbidium tracyanum</i> Rolfe (Orchidaceae). <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 62, 5-9.	0.8	35
11	Comparative labellar anatomy of resin-secreting and putative resin-mimic species of <i>Maxillaria s.l.</i> (Orchidaceae: Maxillariinae). <i>Botanical Journal of the Linnean Society</i> , 2012, 170, 405-435.	0.8	33
12	Nectaries and male-biased nectar production in protandrous flowers of a perennial umbellifer <i>Angelica sylvestris</i> L. (Apiaceae). <i>Plant Systematics and Evolution</i> , 2015, 301, 1099-1113.	0.3	27
13	Functional Diversity of Nectary Structure and Nectar Composition in the Genus <i>Fritillaria</i> (Liliaceae). <i>Frontiers in Plant Science</i> , 2018, 9, 1246.	1.7	26
14	Floral elaiophore structure in four representatives of the <i>Ornithocephalus</i> clade (Orchidaceae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	1.4	25
15	The structure of nectary of <i>Platanthera bifolia</i> L. Orchidaceae. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 66, 5-11.	0.8	25
16	Comparative anatomy of the nectary spur in selected species of Aeridinae (Orchidaceae). <i>Annals of Botany</i> , 2011, 107, 327-345.	1.4	24
17	The structure of elaiophores in <i>Oncidium cheirophorum</i> Rchb.f. and <i>Ornithocephalus kruegeri</i> Rchb.f. (Orchidaceae). <i>Acta Agrobotanica</i> , 2012, 60, 9-14.	1.0	24
18	Labellar anatomy and secretion in <i>Bulbophyllum Thouars</i> (Orchidaceae: Bulbophyllinae) sect. <i>Racemosae</i> Benth. & Hook. f.. <i>Annals of Botany</i> , 2014, 114, 889-911.	1.4	22

#	ARTICLE	IF	CITATIONS
19	Incorporation of [³ H]sucrose after the resorption of nectar from the spur of <i>Platanthera chlorantha</i> (Custer) Rchb.. <i>Canadian Journal of Botany</i> , 2003, 81, 927-932.	1.2	20
20	Comparative anatomy of the floral elaiophore in representatives of the newly re-circumscribed <i>Gomesa</i> and <i>Oncidium</i> clades (Orchidaceae: Oncidiinae). <i>Annals of Botany</i> , 2013, 112, 839-854.	1.4	19
21	Floral ultrastructure of two Brazilian aquatic-epiphytic bladderworts: <i>Utricularia cornigera</i> Studnińska and <i>U. nelumbifolia</i> Gardner (Lentibulariaceae). <i>Protoplasma</i> , 2017, 254, 353-366.	1.0	19
22	Nectary structure in <i>Symphyglossum sanguineum</i> (Rchb.f.) Schltr. (Orchidaceae). <i>Acta Agrobotanica</i> , 2012, 59, 7-16.	1.0	19
23	Dual deceit in pseudopollen-producing <i>Maxillaria s.s.</i> (Orchidaceae: Maxillariinae). <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 744-763.	0.8	18
24	Floral micromorphology of the Australian carnivorous bladderwort <i>Utricularia dunlopii</i> , a putative pseudocopulatory species. <i>Protoplasma</i> , 2016, 253, 1463-1473.	1.0	18
25	Floral elaiophores in <i>Lockhartia</i> Hook. (Orchidaceae: Oncidiinae): their distribution, diversity and anatomy. <i>Annals of Botany</i> , 2013, 112, 1775-1791.	1.4	17
26	Comparative anatomy of floral elaiophores in <i>Vitekorchis</i> Romowicz & Szlach., <i>Cyrtochilum</i> Kunth and a florally dimorphic species of <i>Oncidium</i> Sw. (Orchidaceae: Oncidiinae). <i>Annals of Botany</i> , 2014, 113, 1155-1173.	1.4	16
27	Diverse labellar secretions in African <i>Bulbophyllum</i> (Orchidaceae: Bulbophyllinae) sections <i>Ptiloglossum</i> , <i>Oreonastes</i> and <i>Megaclinium</i> . <i>Botanical Journal of the Linnean Society</i> , 2015, 179, 266-287.	0.8	16
28	Nectary structure of <i>Ornithidium sophronitis</i> Rchb.F. (Orchidaceae: Maxillariinae). <i>Acta Agrobotanica</i> , 2012, 62, 3-12.	1.0	16
29	The structure of floral nectaries of some species of <i>Vicia</i> L. (Papilionaceae). <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 64, 327-334.	0.8	16
30	Micromorphology of the Labellum and Floral Spur of <i>Cryptocentrum</i> Benth. and <i>Sepalosaccus</i> Schltr. (Maxillariinae: Orchidaceae). <i>Annals of Botany</i> , 2007, 100, 797-805.	1.4	15
31	Nectar trichome structure of aquatic bladderworts from the section <i>Utricularia</i> (Lentibulariaceae) with observation of flower visitors and pollinators. <i>Protoplasma</i> , 2018, 255, 1053-1064.	1.0	14
32	Labellar Micromorphology of Two Euglossine-pollinated Orchid Genera; <i>Scuticaria</i> Lindl. and <i>Dichaea</i> Lindl.. <i>Annals of Botany</i> , 2008, 102, 805-824.	1.4	13
33	Reproductive biology of the Red List species <i>Polemonium caeruleum</i> (Polemoniaceae). <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 92-107.	0.8	12
34	Flower palate structure of the aquatic bladderworts <i>Utricularia bremii</i> Heer and <i>U. minor</i> L. from section <i>Utricularia</i> (Lentibulariaceae). <i>Protoplasma</i> , 2017, 254, 2007-2015.	1.0	12
35	Floral, resin-secreting trichomes in <i>Maxillaria dichroma</i> Rolfe (Orchidaceae: Maxillariinae). <i>Acta Agrobotanica</i> , 2012, 62, 43-51.	1.0	12
36	Do plants dynamically regulate nectar features through sugar sensing?. <i>Plant Signaling and Behavior</i> , 2008, 3, 874-876.	1.2	10

#	ARTICLE	IF	CITATIONS
37	Structure and distribution of floral trichomes in <i>Lycaste</i> and <i>Sudamerlycaste</i> (Orchidaceae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.8	9
38	Comparative floral micromorphology and the ultrastructural basis of fragrance production in pseudocopulatory <i>Mormolyca</i> s.s. and non-pseudocopulatory <i>Maxillaria</i> section <i>Rufescens</i> s.s. (Orchidaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 81-112.	0.8	9
39	Floral micromorphology and nectar composition of the early evolutionary lineage <i>Utricularia</i> (subgenus <i>Polypompholyx</i> , <i>Lentibulariaceae</i>). <i>Protoplasma</i> , 2019, 256, 1531-1543.	1.0	8
40	The structure of the spur nectary in <i>Dendrobium finisterrae</i> Schltr. (<i>Dendrobiinae</i> , <i>Orchidaceae</i>). <i>Acta Agrobotanica</i> , 2012, 64, 19-26.	1.0	8
41	Floral micromorphology of the bird-pollinated carnivorous plant species <i>Utricularia menziesii</i> R.Br. (<i>Lentibulariaceae</i>). <i>Annals of Botany</i> , 2019, 123, 213-220.	1.4	7
42	Evidence for the Dual Role of Floral Secretory Cells in <i>Bulbophyllum</i> . <i>Acta Biologica Cracoviensia Series Botanica</i> , 2016, 58, 57-69.	0.5	7
43	Nectar and oleiferous trichomes as floral attractants in <i>Bulbophyllum saltatorium</i> Lindl. (<i>Orchidaceae</i>). <i>Protoplasma</i> , 2018, 255, 565-574.	1.0	6
44	Flower palate ultrastructure of the carnivorous plant <i>Genlisea hispidula</i> Stapf with remarks on the structure and function of the palate in the subgenus <i>Genlisea</i> (<i>Lentibulariaceae</i>). <i>Protoplasma</i> , 2018, 255, 1139-1146.	1.0	6
45	Nectar-Secreting and Nectarless <i>Epidendrum</i> : Structure of the Inner Floral Spur. <i>Frontiers in Plant Science</i> , 2018, 9, 840.	1.7	5
46	Comparative anatomy of putative secretory floral structures in the <i>Camaridium cucullatum</i> complex and <i>Nitidobulbon</i> (<i>Orchidaceae</i> : <i>Maxillariinae</i>). <i>Botanical Journal of the Linnean Society</i> , 2019, 190, 165-191.	0.8	5
47	Structure of the cuniculus nectary in <i>Brassavola flagellaris</i> Barb. Rodr. (<i>Laeliinae</i> Benth.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.0	5
48	Nectary Structure in Dichogamous Flowers of <i>Polemonium Caeruleum</i> L. (<i>Polemoniaceae</i>). <i>Acta Biologica Cracoviensia Series Botanica</i> , 2012, 54, .	0.5	4
49	Osmophores of <i>Amorphophallus rivieri</i> Durieu (<i>Araceae</i>). <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 64, 121-129.	0.8	4
50	Evidence of floral rewards in <i>Brasiliorchis</i> supports the convergent evolution of food rewards in <i>Maxillariinae</i> . <i>American Journal of Botany</i> , 2022, .	0.8	4
51	Labellar secretory structures and pollinator food-rewards in representatives of Old World <i>Bulbophyllum</i> Thouars. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 240, 98-115.	0.6	3
52	Ecophysiological aspects of nectar reabsorption. <i>Acta Agrobotanica</i> , 2012, 59, 61-69.	1.0	3
53	Stigma receptivity in comfrey (<i>Symphytum officinale</i> L.) during the course of anthesis. <i>Israel Journal of Plant Sciences</i> , 2005, 53, 41-46.	0.3	2
54	Comparative labellar micromorphology of <i>Zygopetalinae</i> (<i>Orchidaceae</i>). <i>Annals of Botany</i> , 2011, 108, 945-964.	1.4	2

#	ARTICLE	IF	CITATIONS
55	Plant–animal interactions are a key to understand biodiversity. <i>Acta Agrobotanica</i> , 2017, 70, .	1.0	2
56	Nectar secretion in the flowers of comfrey (<i>Symphytum officinale</i> L.) and nectar chemistry. <i>Acta Agrobotanica</i> , 2013, 56, 27-36.	1.0	2
57	Nectar secretion in a dry habitat: structure of the nectary in two endangered Mexican species of <i>Barkeria</i> (Orchidaceae). <i>PeerJ</i> , 2021, 9, e11874.	0.9	1
58	Morphological anomalies in pea (<i>Pisum sativum</i> L. cv. Hamil.) pollen grains under high doses of zinc. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 60, 259-272.	0.8	1
59	Structure of the extrafloral nectaries of <i>Vicia</i> (L.) Fabaceae. <i>Acta Agrobotanica</i> , 2013, 53, 5-13.	1.0	0
60	Structure of floral nectaries, nectar production and sugar composition in nectar of 7 species of <i>Vicia</i> L. Fabaceae. <i>Acta Agrobotanica</i> , 2013, 52, 49-57.	1.0	0