Ning Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2101271/publications.pdf Version: 2024-02-01



NING WANG

#	Article	IF	CITATIONS
1	High Efficiency Thermoelectric Temperature Control System With Improved Proportional Integral Differential Algorithm Using Energy Feedback Technique. IEEE Transactions on Industrial Electronics, 2022, 69, 5225-5234.	7.9	16
2	Efficient Multi-Channel Thermal Monitoring and Temperature Prediction Based on Improved Linear Regression. IEEE Transactions on Instrumentation and Measurement, 2022, 71, 1-9.	4.7	2
3	An Enhanced Thermoelectric Collaborative Cooling System With Thermoelectric Generator Serving as a Supplementary Power Source. IEEE Transactions on Electron Devices, 2021, 68, 1847-1854.	3.0	14
4	Improving the Energy-Conversion Efficiency of a PV–TE System With an Intelligent Power-Track Switching Technique and Efficient Thermal-Management Scheme. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2021, 11, 963-973.	2.5	9
5	Research on the dispersion characteristics of silica-based ring-core photonic crystal fiber used to transmit orbital angular momentum modes. Optik, 2021, 241, 166935.	2.9	3
6	Electrothermal Collaborative Cooling With Delayed Power Rail Switching Auxiliary Charging by Considering Energy Harvesting Mechanism for High-Power LEDs. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 1507-1514.	2.5	1
7	A Photonic crystal fiber with large effective refractive index separation and low dispersion. PLoS ONE, 2020, 15, e0232982.	2.5	2
8	Characteristics of Dualâ€Gate Graphene Thermoelectric Devices Based on Voltage Regulation. Energy Technology, 2020, 8, 1901466.	3.8	2
9	Improvement of LED Performance With an Integrated Thermoelectric Cooling Package. IEEE Access, 2020, 8, 116535-116543.	4.2	10
10	Study on the Heat Disspation System Using Thermoelectric Cooling Based on Energy Harvesting for High-power LED. , 2019, , .		1
11	Thermoelectric Parameter Modeling of Single-Layer Graphene Considering Carrier Concentration and Mobility With Temperature and Gate Voltage. IEEE Access, 2019, 7, 139329-139336.	4.2	7
12	A Thermal Management System to Reuse Thermal Waste Released by High-Power Light-Emitting Diodes. IEEE Transactions on Electron Devices, 2019, 66, 4790-4797.	3.0	17
13	Study on the PhotoThermoelectric Characteristic of Graphene with Double-Gate. , 2019, , .		0
14	Proposal and simulation of a DC–110 GHz waveguide using metal shielding and three-dimensional extension structure. Japanese Journal of Applied Physics, 2019, 58, 012001.	1.5	0
15	A Double-Voltage-Controlled Effective Thermal Conductivity Model of Graphene for Thermoelectric Cooling. IEEE Transactions on Electron Devices, 2018, 65, 1185-1191.	3.0	16
16	High-Speed Interconnect System Using QPSK Scheme Based on Substrate Integrated Waveguide. Journal of Circuits, Systems and Computers, 2018, 27, 1850014.	1.5	8
17	Theoretical and Experimental Investigation of HMSIW-Based High-Speed Data Transmission System Using QPSK Scheme. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2018, 8, 1938-1947.	2.5	5
18	Folded Thermoelectric Cooling Structure with Bi2Te3-Based Thin-Film Superlattices. ECS Journal of Solid State Science and Technology, 2018, 7, Q136-Q141.	1.8	1

NING WANG

#	Article	IF	CITATIONS
19	Theoretical Analysis of a 750-nm Bandwidth Hollow-Core Ring Photonic Crystal Fiber With a Graded Structure for Transporting 38 Orbital Angular Momentum Modes. IEEE Access, 2018, 6, 20291-20297.	4.2	38
20	Equivalent model optimization with cyclic correction approximation method considering parasitic effect for thermoelectric coolers. Scientific Reports, 2017, 7, 15917.	3.3	1
21	Study of Voltage-Controlled Characteristics for Thermoelectric Coolers. Journal of Electronic Materials, 2017, 46, 3097-3102.	2.2	3
22	Study of the electro-thermal collaborative cooling based on energy harvesting for thermoelectric coolers. , 2017, , .		2
23	Highâ€selectivity triband bandpass filter based on dualâ€plane microstrip/slotline structure. Microwave and Optical Technology Letters, 2015, 57, 2225-2228.	1.4	2
24	A wide band millimeter-wave substrate integrated coaxial line (SICL) for high speed data transmission. , 2015, , .		17
25	Power integrity co-analysis and design in a PCB with BGA package using transmission matrix method. , 2015, , .		2
26	Three-Dimensional Hierarchical Nanostructured Cu/Ni–Co Coating Electrode for Hydrogen Evolution Reaction in Alkaline Media. Nano-Micro Letters, 2015, 7, 347-352.	27.0	21
27	Improvement of Thermal Environment by Thermoelectric Coolers and Numerical Optimization of Thermal Performance. IEEE Transactions on Electron Devices, 2015, 62, 2579-2586.	3.0	17
28	High-speed data transmission system based on QPSK scheme in substrate integrated waveguide. , 2014, , .		3
29	A super wideband X-complementary split ring resonator structure for power distribution network. , 2014, , .		0
30	High-speed data transmission system using half mode substrate integrated waveguide. , 2014, , .		4
31	Color image segmentation by edge linking and region grouping. Journal of Shanghai Jiaotong University (Science), 2011, 16, 412-419.	0.9	2