

Xiucheng Jiang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/210177/xiucheng-jiang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

1,079
citations

16
h-index

28
g-index

139
ext. papers

1,565
ext. citations

3.6
avg, IF

4.93
L-index

#	Paper	IF	Citations
108	Dissolved gas analysis of insulating oil for power transformer fault diagnosis with deep belief network. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 2828-2835	2.3	99
107	Robust Time Delay Estimation Method for Locating UHF Signals of Partial Discharge in Substation. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 1960-1968	4.3	69
106	A Versatile Probability Model of Photovoltaic Generation Using Pair Copula Construction. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 1337-1345	8.2	50
105	GIS partial discharge pattern recognition via deep convolutional neural network under complex data source. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 678-685	2.3	47
104	A Novel Association Rule Mining Method of Big Data for Power Transformers State Parameters Based on Probabilistic Graph Model. <i>IEEE Transactions on Smart Grid</i> , 2018 , 9, 695-702	10.7	42
103	Localization Algorithm for the PD Source in Substation Based on L-Shaped Antenna Array Signal Processing. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 472-479	4.3	36
102	Insulating property of polypropylene nanocomposites filled with nano-MgO of different concentration. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 1430-1437	2.3	33
101	Cleaning Method for Status Monitoring Data of Power Equipment Based on Stacked Denoising Autoencoders. <i>IEEE Access</i> , 2017 , 5, 22863-22870	3.5	29
100	UHF partial discharge localisation method in substation based on dimension-reduced RSSI fingerprint. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 398-405	2.5	28
99	Configure Methodology of Onboard Supercapacitor Array for Recycling Regenerative Braking Energy of URT Vehicles. <i>IEEE Transactions on Industry Applications</i> , 2013 , 49, 1678-1686	4.3	28
98	Probabilistic load flow calculation using cumulants and multiple integrals. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 1703-1709	2.5	28
97	Research on Distribution Network Fault Recognition Method Based on Time-Frequency Characteristics of Fault Waveforms. <i>IEEE Access</i> , 2018 , 6, 7291-7300	3.5	25
96	Single Line-to-Ground Faulted Line Detection of Distribution Systems With Resonant Grounding Based on Feature Fusion Framework. <i>IEEE Transactions on Power Delivery</i> , 2019 , 34, 1766-1775	4.3	24
95	UHF partial discharge localization algorithm based on compressed sensing. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 21-29	2.3	21
94	A Novel Algorithm for Separating Multiple PD Sources in a Substation Based on Spectrum Reconstruction of UHF Signals. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 809-817	4.3	21
93	Big Data Modeling and Analysis for Power Transmission Equipment: A Novel Random Matrix Theoretical Approach. <i>IEEE Access</i> , 2018 , 6, 7148-7156	3.5	19
92	Partial Discharge Detection and Recognition in Random Matrix Theory Paradigm. <i>IEEE Access</i> , 2017 , 5, 8205-8213	3.5	16

91	Fault-cause identification method based on adaptive deep belief network and time-frequency characteristics of travelling wave. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 724-732	2.5	16
90	A Novel Transient Fault Current Sensor Based on the PCB Rogowski Coil for Overhead Transmission Lines. <i>Sensors</i> , 2016 , 16,	3.8	16
89	Pattern Recognition of Partial Discharge Image Based on One-dimensional Convolutional Neural Network 2018 ,		16
88	Partial discharge pattern recognition of XLPE cables at DC voltage based on the compressed sensing theory. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 2977-2985	2.3	15
87	A Novel Partial Discharge Localization Method in Substation Based on a Wireless UHF Sensor Array. <i>Sensors</i> , 2017 , 17,	3.8	15
86	Energy Estimation of Partial Discharge Pulse Signals Based on Noise Parameters. <i>IEEE Access</i> , 2016 , 4, 10270-10279	3.5	15
85	Power Distribution Network Dynamic Topology Awareness and Localization Based on Subspace Perturbation Model. <i>IEEE Transactions on Power Systems</i> , 2020 , 35, 1479-1488	7	14
84	Experimental study on space charge and electrical strength of MgO nano-particles/polypropylene composite. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016 , 23, 1812-1819	2.3	14
83	Prediction of Dissolved Gas Concentrations in Transformer Oil Based on the KPCA-FFOA-GRNN Model. <i>Energies</i> , 2018 , 11, 225	3.1	13
82	Incipient Fault Identification in Power Distribution Systems via Human-Level Concept Learning. <i>IEEE Transactions on Smart Grid</i> , 2020 , 11, 5239-5248	10.7	12
81	DC cable feature extraction based on the PD image in the non-subsampled contourlet transform domain. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 533-540	2.3	12
80	Prediction Method for Power Transformer Running State Based on LSTM_DBN Network. <i>Energies</i> , 2018 , 11, 1880	3.1	12
79	Direction of arrival estimation method for multiple UHF partial discharge sources based on virtual array extension. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 1526-1534	2.3	12
78	Probabilistic small signal stability analysis with large scale integration of wind power considering dependence. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 69, 1258-1270	16.2	11
77	Identification of Lightning Strike on 500-kV Transmission Line Based on the Time-Domain Parameters of a Traveling Wave. <i>IEEE Access</i> , 2016 , 4, 7241-7250	3.5	11
76	Micro-PMU for distribution power lines. <i>CIGRE - Open Access Proceedings Journal</i> , 2017 , 2017, 333-337	0.1	10
75	Framework of Random Matrix Theory for Power System Data Mining in a Non-Gaussian Environment. <i>IEEE Access</i> , 2016 , 4, 9969-9977	3.5	10
74	Classification of partial discharge images within DC XLPE cables in contourlet domain. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 486-493	2.3	9

73	Simulation analysis on the propagation of the optical partial discharge signal in I-shaped and L-shaped GILs. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 1421-1428	2.3	9
72	Effects of inorganic fillers on withstanding short-time breakdown and long-time electrical aging of epoxy composites. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2017 , 12, S10-S15	1	9
71	A novel high-density power energy harvesting methodology for transmission line online monitoring devices. <i>Review of Scientific Instruments</i> , 2016 , 87, 075119	1.7	9
70	Power Transformer Operating State Prediction Method Based on an LSTM Network. <i>Energies</i> , 2018 , 11, 914	3.1	8
69	Reproduction Methodology for Single Phase-to-Ground Faults in Overhead Transmission Lines. <i>IEEE Access</i> , 2017 , 5, 17403-17413	3.5	8
68	Predicting Weather-Related Failure Risk in Distribution Systems Using Bayesian Neural Network. <i>IEEE Transactions on Smart Grid</i> , 2021 , 12, 350-360	10.7	8
67	Partial Discharge Pattern Recognition Based on 3D Graphs of Phase Resolved Pulse Sequence. <i>Energies</i> , 2020 , 13, 4103	3.1	7
66	A time-domain characterization method for UHF partial discharge sensors. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 110-119	2.3	6
65	. <i>IEEE Access</i> , 2020 , 8, 87434-87445	3.5	6
64	Application of EEMD and high-order singular spectral entropy to feature extraction of partial discharge signals. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2018 , 13, 1002-1010	1	6
63	Research on Auto-Tracking Algorithm for Power Line Inspection Based on Unmanned Aerial Vehicle 2012 ,		6
62	Intelligent learning approach for UHF partial discharge localisation in air-insulated substations. <i>High Voltage</i> , 2020 , 5, 583-590	4.1	6
61	Method of GIL partial discharge localization based on natural neighbour interpolation and ECOC-MLP-SVM using optical simulation technology. <i>High Voltage</i> , 2021 , 6, 514-524	4.1	6
60	A Novel Optical Localization Method for Partial Discharge Source Using ANFIS Virtual Sensors and Simulation Fingerprint in GIL. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-11	5.2	6
59	A Contour Angle Orientation for Power Equipment Infrared and Visible Image Registration. <i>IEEE Transactions on Power Delivery</i> , 2021 , 36, 2559-2569	4.3	6
58	High Accuracy Insulation Fault Diagnosis Method of Power Equipment Based on Power Maximum Likelihood Estimation. <i>IEEE Transactions on Power Delivery</i> , 2019 , 34, 1291-1299	4.3	5
57	System-level dynamic phasor models of hybrid AC/DC microgrids suitable for real-time simulation and small signal analysis. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 3607-3617	2.5	5
56	Error correction method based on multiple neural networks for UHF partial discharge localization. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 3730-3738	2.3	5

55	Location Algorithm for Partial Discharge Based on Radio Frequency (RF) Antenna Array 2012 ,		5
54	Risk assessment of transmission dynamic line rating based on Monte Carlo 2011 ,		5
53	Secondary voltage regulation based on wide area network 2009 ,		5
52	Root-Cause Identification of Single Line-to-Ground Fault in Urban Small Current Grounding Systems Based on Correlation Dimension and Average Resistance. <i>IEEE Transactions on Power Delivery</i> , 2020 , 35, 1834-1843	4.3	5
51	LSTM networks for the trend prediction of gases dissolved in power transformer insulation oil 2018 ,		4
50	Penetrating power characteristics of half-wavelength AC transmission in point-to-grid system. <i>Journal of Modern Power Systems and Clean Energy</i> , 2019 , 7, 123-130	4	4
49	Image registration between visible and infrared images for electrical equipment inspection robots based on quadrilateral features 2017 ,		4
48	A new standing-wave testing system for bridge structure nondestructive damage detection using electromagnetic wave. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2015 , 10, 157-165	1	3
47	Fault early warning in air-insulated substations by RSSI-based angle of arrival estimation and monopole UHF wireless sensor array. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 2345-2351	2.5	3
46	Knowledge-Driven Recognition Methodology of Partial Discharge Patterns in GIS. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	3
45	Application status and development trends for intelligent perception of distribution network. <i>High Voltage</i> ,	4.1	3
44	A Fault Diagnosis Method of Power Transformer Based on Cost Sensitive One-Dimensional Convolution Neural Network 2020 ,		3
43	RSSI-Power-Based Direction of Arrival Estimation of Partial Discharges in Substations. <i>Energies</i> , 2019 , 12, 3450	3.1	3
42	A RSSI-AOA-Based UHF Partial Discharge Localization Method Using MUSIC Algorithm. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-9	5.2	3
41	Multiscale Fusion Simulation of the Influence of Temperature on the Partial Discharge Signal of GIS Insulation Void Defects. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	3
40	Partial discharge and noise separation in combined cable D _H Ls based on three-phase power ratios. <i>IET Generation, Transmission and Distribution</i> , 2017 , 11, 2740-2751	2.5	2
39	A Method for Separating Multisource Partial Discharges in a Substation Based on Selected Bispectra of UHF Signals. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3751	2.6	2
38	A Classification System for Insulation Defect Identification of Gas-Insulated Switchgear (GIS), Based on Voiceprint Recognition Technology. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3995	2.6	2

37	Inversion method to reconstruct fault transient traveling wave on overhead transmission lines. <i>International Transactions on Electrical Energy Systems</i> , 2018 , 28, e2546	2.2	2
36	An Optical Partial Discharge Localization Method Based on Simulation and Machine learning in GIL 2020 ,		2
35	Partial discharge direction-of-arrival estimation in air-insulated substation by UHF wireless array and RSSI maximum likelihood estimator. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 5491-5497	2.5	2
34	Application of random matrix model in multiple abnormal sources detection and location based on PMU monitoring data in distribution network. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 6476-6483	2.5	2
33	Application of multi-source information fusion based on D-S evidence theory in insulation defect identification of DC XLPE cable. <i>High Voltage</i> , 2021 , 6, 599-607	4.1	2
32	A Novel Partial Discharge Detection Method Based on the Photoelectric Fusion Pattern in GIL. <i>Energies</i> , 2019 , 12, 4120	3.1	2
31	. <i>IEEE Transactions on Power Systems</i> , 2021 , 1-1	7	2
30	Simulation Study and Detection Position Analysis on Position of Partial Discharge Detection in XLPE Cable Cross-bonding System 2018 ,		2
29	Fault diagnosis of transformer based on KPCA and Elman neural network 2018 ,		2
28	Dynamic Topology Awareness in Active Distribution Networks Under DG Uncertainties Using GMM-PSEs and KL Divergence. <i>IEEE Transactions on Sustainable Energy</i> , 2021 , 12, 2086-2096	8.2	2
27	Object recognition for power equipment via human-level concept learning. <i>IET Generation, Transmission and Distribution</i> , 2021 , 15, 1578-1587	2.5	2
26	Research on Time-Domain Transfer Impedance Measurement Technology for High Frequency Current Transformers in Partial Discharge Detection of Cables. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2020 , 25, 10-17	0.6	1
25	Studies on electric field distribution and partial discharges of XLPE cable at DC voltage 2018 ,		1
24	Application of adaptive neuro fuzzy inference system to the partial discharge pattern recognition 2009 ,		1
23	On-line monitoring system for icing state of overhead transmission line 2012 ,		1
22	Intelligent morphological filter applied to the signal processing of partial discharge for XLPE cable 2009 ,		1
21	Low Frequency Polarization Behavior of Nano-Ag/Low-density Polyethylene Composite 2006 ,		1
20	Dielectric Properties and Coulomb Blockade Effect in Nano-Ag/Silicone Resin Modified Polyester Composite. <i>IEEJ Transactions on Fundamentals and Materials</i> , 2006 , 126, 1148-1152	0.2	1

19	Dielectric characteristics of nano-Ag/SP composite 2005,		1
18	. <i>IEEE Transactions on Power Delivery</i> , 2020 , 1-1	4.3	1
17	Influence of Protrusion Tip Size on Current Pulse Characteristics of Negative Corona Discharge Based on Numerical Simulation. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	1
16	Pattern Recognition of DC Partial Discharge on XLPE Cable Based on ADAM-DBN. <i>Energies</i> , 2020 , 13, 4566	3.1	1
15	Computation and Analysis of Distribution System Resilience based on Elastic Network Modeling 2020,		1
14	Research on the Power Output Characteristics of a Coupling Transformer in D-FACTS. <i>Energies</i> , 2019 , 12, 4709	3.1	1
13	A Substation UHF Partial Discharge Detection Method Based on Maximum Likelihood Estimation 2019,		1
12	Dynamic Topology Awareness and Localization for Power Distribution Networks Considering Non-Gaussian Noise. <i>IEEE Transactions on Power Delivery</i> , 2021 , 36, 2343-2353	4.3	1
11	Severity Evaluation of UHF Signals of Partial Discharge in GIS Based on Semantic Analysis. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	1
10	Accurate partial discharge localisation using a multi-deep neural network model trained with a novel virtual measurement method. <i>IET Science, Measurement and Technology</i> , 2021 , 15, 352	1.5	1
9	A novel partial discharge localization method for GIL based on the 3D optical signal irradiance fingerprint and bagging-KELM. <i>IET Generation, Transmission and Distribution</i> , 2021 , 15, 2240-2249	2.5	1
8	A Simulation Study on Optical Signal Propagation Characteristics of Partial Discharge in Single-core and Three-cores GIL 2018,		1
7	Infrared and Visible Image Fusion of Electric Equipment Using FDST and DC-PCNN 2018,		1
6	Online Monitoring Data Cleaning of Transformer Considering Time Series Correlation 2018,		1
5	Optical Characteristics and Fault Diagnosis of Partial Discharge in C4F7N/CO2 Gas mixture and SF6 Based on Novel Multispectral Microarray Detection. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2022 , 1-1	2.3	0
4	An array virtual extension method for power equipment acoustic emission direction of arrival estimation based on high-order cumulants. <i>High Voltage</i> , 2021 , 6, 95-105	4.1	
3	RSSPN: Robust Semi-Supervised Prototypical Network for Fault Root Cause Classification in Power Distribution Systems. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	
2	Detecting and Classifying Multiple Class Events in a Power Distribution System Based on an Eigenvalue Fluctuation Model. <i>IEEE Transactions on Power Delivery</i> , 2021 , 1-1	4.3	

- 1 Application of a Partial Discharge Diagnosis Method Based on the Novel Multispectral Array Sensor and GMM in Different Insulating Gases. *IEEE Transactions on Instrumentation and Measurement*, **2022**, 71, 1-11 5.2