

Zhen-Bo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2101901/publications.pdf>

Version: 2024-02-01

256
papers

12,228
citations

23500

58
h-index

37111

96
g-index

257
all docs

257
docs citations

257
times ranked

11770
citing authors

#	ARTICLE	IF	CITATIONS
1	Atomically dispersed manganese catalysts for oxygen reduction in proton-exchange membrane fuel cells. <i>Nature Catalysis</i> , 2018, 1, 935-945.	16.1	1,075
2	Proton exchange membrane fuel cell from low temperature to high temperature: Material challenges. <i>Journal of Power Sources</i> , 2007, 167, 235-242.	4.0	482
3	Effect of carbon black support corrosion on the durability of Pt/C catalyst. <i>Journal of Power Sources</i> , 2007, 171, 331-339.	4.0	383
4	Thermally Driven Structure and Performance Evolution of Atomically Dispersed FeN ₄ Sites for Oxygen Reduction. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18971-18980.	7.2	362
5	A high energy density aqueous hybrid supercapacitor with widened potential window through multi approaches. <i>Nano Energy</i> , 2019, 59, 41-49.	8.2	203
6	A Novel Structural Design of a Pt/CeO ₂ Catalyst with Improved Performance for Methanol Electrooxidation by Cyclodextrin Carbonization. <i>Advanced Materials</i> , 2011, 23, 3100-3104.	11.1	201
7	Ultrahigh stable carbon riveted Pt/TiO ₂ catalyst prepared by in situ carbonized glucose for proton exchange membrane fuel cell. <i>Energy and Environmental Science</i> , 2011, 4, 728-735.	15.6	189
8	Super long-life all solid-state asymmetric supercapacitor based on NiO nanosheets and Fe ₂ O ₃ nanorods. <i>Chemical Engineering Journal</i> , 2016, 306, 193-203.	6.6	169
9	Template-guided synthesis of Co nanoparticles embedded in hollow nitrogen doped carbon tubes as a highly efficient catalyst for rechargeable Zn-air batteries. <i>Nano Energy</i> , 2020, 71, 104592.	8.2	157
10	Single-site pyrrolic-nitrogen-doped sp ² -hybridized carbon materials and their pseudocapacitance. <i>Nature Communications</i> , 2020, 11, 3884.	5.8	152
11	Supramolecular assembly promoted synthesis of three-dimensional nitrogen doped graphene frameworks as efficient electrocatalyst for oxygen reduction reaction and methanol electrooxidation. <i>Applied Catalysis B: Environmental</i> , 2018, 231, 224-233.	10.8	131
12	Investigation of Further Improvement of Platinum Catalyst Durability with Highly Graphitized Carbon Nanotubes Support. <i>Journal of Physical Chemistry C</i> , 2008, 112, 5784-5789.	1.5	130
13	Studies on stability and capacity for long-life cycle performance of Li(Ni _{0.5} Co _{0.2} Mn _{0.3})O ₂ by Mo modification for lithium-ion battery. <i>Journal of Power Sources</i> , 2017, 358, 1-12.	4.0	130
14	Electrochemical impedance studies on carbon supported PtRuNi and PtRu anode catalysts in acid medium for direct methanol fuel cell. <i>Journal of Power Sources</i> , 2007, 165, 9-15.	4.0	127
15	Metal-Organic Frameworks and Their Derived Materials as Electrocatalysts and Photocatalysts for CO ₂ Reduction: Progress, Challenges, and Perspectives. <i>Chemistry - A European Journal</i> , 2018, 24, 18137-18157.	1.7	117
16	Materializing efficient methanol oxidation via electron delocalization in nickel hydroxide nanoribbon. <i>Nature Communications</i> , 2020, 11, 4647.	5.8	117
17	Self-templated Hierarchically Porous Carbon Nanorods Embedded with Atomic FeN ₄ Active Sites as Efficient Oxygen Reduction Electrocatalysts in Zn-Air Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008085.	7.8	117
18	Carbon riveted microcapsule Pt/MWCNTs-TiO ₂ catalyst prepared by in situ carbonized glucose with ultrahigh stability for proton exchange membrane fuel cell. <i>Energy and Environmental Science</i> , 2011, 4, 2558.	15.6	105

#	ARTICLE	IF	CITATIONS
19	Effect of Ni on PtRu/C Catalyst Performance for Ethanol Electrooxidation in Acidic Medium. <i>Journal of Physical Chemistry C</i> , 2008, 112, 6582-6587.	1.5	100
20	Methanol oxidation on Pt/CeO ₂ @C electrocatalyst prepared by microwave-assisted ethylene glycol process. <i>Applied Catalysis B: Environmental</i> , 2011, 102, 9-18.	10.8	98
21	Interfacial and Electronic Modulation via Localized Sulfurization for Boosting Lithium Storage Kinetics. <i>Advanced Materials</i> , 2020, 32, e2000151.	11.1	98
22	Investigation of ethanol electrooxidation on a Pt@Ru@Ni/C catalyst for a direct ethanol fuel cell. <i>Journal of Power Sources</i> , 2006, 160, 37-43.	4.0	97
23	Durability studies on performance degradation of Pt/C catalysts of proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 4387-4394.	3.8	96
24	Electrochemical studies of Pt/Ir@IrO ₂ electrocatalyst as a bifunctional oxygen electrode. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 59-67.	3.8	95
25	Self-assembling hierarchical NiCo ₂ O ₄ /MnO ₂ nanosheets and MoO ₃ /PPy core-shell heterostructured nanobelts for supercapacitor. <i>Chemical Engineering Journal</i> , 2017, 312, 296-305.	6.6	95
26	Ethanol-assisted hydrothermal synthesis of LiNi _{0.5} Mn _{1.5} O ₄ with excellent long-term cyclability at high rate for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4185-4191.	5.2	94
27	Synthesis and characterization of PtRuMo/C nanoparticle electrocatalyst for direct ethanol fuel cell. <i>Journal of Power Sources</i> , 2007, 170, 242-250.	4.0	92
28	Advanced non-noble materials in bifunctional catalysts for ORR and OER toward aqueous metal-air batteries. <i>Nanoscale</i> , 2020, 12, 21534-21559.	2.8	91
29	Investigation on CaTiO ₂ nanotubes composite as Pt catalyst support for methanol electrooxidation. <i>Journal of Power Sources</i> , 2014, 255, 43-51.	4.0	88
30	Dual conductive surface engineering of Li-Rich oxides cathode for superior high-energy-density Li-Ion batteries. <i>Nano Energy</i> , 2019, 59, 527-536.	8.2	88
31	Pt/porous-IrO ₂ nanocomposite as promising electrocatalyst for unitized regenerative fuel cell. <i>Electrochemistry Communications</i> , 2012, 14, 63-66.	2.3	87
32	Elastic soft hydrogel supercapacitor for energy storage. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24942-24950.	5.2	87
33	Local electronic structure modulation enhances operating voltage in Li-rich cathodes. <i>Nano Energy</i> , 2019, 66, 104102.	8.2	87
34	Layered-spinel capped nanotube assembled 3D Li-rich hierarchitectures for high performance Li-ion battery cathodes. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18416-18425.	5.2	86
35	High energy and power lithium-ion capacitors based on Mn ₃ O ₄ /3D-graphene as anode and activated polyaniline-derived carbon nanorods as cathode. <i>Chemical Engineering Journal</i> , 2019, 370, 1485-1492.	6.6	86
36	Effects of ozone treatment of carbon support on Pt@Ru/C catalysts performance for direct methanol fuel cell. <i>Carbon</i> , 2006, 44, 133-140.	5.4	85

#	ARTICLE	IF	CITATIONS
37	Investigation of PtNi/C anode electrocatalysts for direct borohydride fuel cell. <i>Journal of Power Sources</i> , 2010, 195, 185-189.	4.0	85
38	Pseudocapacitance of TiO ₂ /CNT Anodes for High-Performance Quasi-Solid-State Li-Ion and Na-Ion Capacitors. <i>Small</i> , 2018, 14, e1704508.	5.2	85
39	Honeycomb-like mesoporous nitrogen-doped carbon supported Pt catalyst for methanol electrooxidation. <i>Carbon</i> , 2015, 93, 1050-1058.	5.4	84
40	Multiwall-carbon nanotube modified by N-doped carbon quantum dots as Pt catalyst support for methanol electrooxidation. <i>Journal of Power Sources</i> , 2015, 289, 63-70.	4.0	83
41	In Situ Growth of Free-Standing All Metal Oxide Asymmetric Supercapacitor. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26019-26029.	4.0	80
42	3D Hierarchical Pt-Nitrogen-Doped-Graphene-Carbonized Commercially Available Sponge as a Superior Electrocatalyst for Low-Temperature Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16026-16034.	4.0	80
43	Controllable synthesis of hierarchical ball-in-ball hollow microspheres for a high performance layered Li-rich oxide cathode material. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9365-9376.	5.2	79
44	Advanced Support Materials and Interactions for Atomically Dispersed Noble-Metal Catalysts: From Support Effects to Design Strategies. <i>Advanced Energy Materials</i> , 2022, 12, 2102556.	10.2	78
45	Robust and Conductive Na ₂ Ti ₂ O ₅ Nanowire Arrays for High-Performance Flexible Sodium-Ion Capacitor. <i>Chemistry of Materials</i> , 2017, 29, 9133-9141.	3.2	77
46	A sponge-templated sandwich-like cobalt-embedded nitrogen-doped carbon polyhedron/graphene composite as a highly efficient catalyst for Zn-air batteries. <i>Nanoscale</i> , 2020, 12, 973-982.	2.8	74
47	Facile one-pot synthesis of Pt/graphene-TiO ₂ hybrid catalyst with enhanced methanol electrooxidation performance. <i>Journal of Power Sources</i> , 2015, 279, 210-217.	4.0	72
48	Performance of Pt/C catalysts prepared by microwave-assisted polyol process for methanol electrooxidation. <i>Journal of Power Sources</i> , 2010, 195, 1799-1804.	4.0	71
49	Advanced deformable all-in-one hydrogel supercapacitor based on conducting polymer: Toward integrated mechanical and capacitive performance. <i>Journal of Alloys and Compounds</i> , 2019, 805, 1044-1051.	2.8	71
50	1D N-doped hierarchically porous hollow carbon tubes derived from a supramolecular template as metal-free electrocatalysts for a highly efficient oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6212-6219.	5.2	69
51	Binder-free V ₂ O ₅ /CNT paper electrode for high rate performance zinc ion battery. <i>Nanoscale</i> , 2019, 11, 19723-19728.	2.8	68
52	Hybrid of carbon-supported Pt nanoparticles and three dimensional graphene aerogel as high stable electrocatalyst for methanol electrooxidation. <i>Electrochimica Acta</i> , 2016, 189, 175-183.	2.6	65
53	The influence of anode gas diffusion layer on the performance of low-temperature DMFC. <i>Journal of Power Sources</i> , 2007, 168, 453-458.	4.0	64
54	Carbon riveted Pt/C catalyst with high stability prepared by in situ carbonized glucose. <i>Chemical Communications</i> , 2010, 46, 6998.	2.2	64

#	ARTICLE	IF	CITATIONS
55	A novel Pt/Au/C cathode catalyst for direct methanol fuel cells with simultaneous methanol tolerance and oxygen promotion. <i>Electrochemistry Communications</i> , 2008, 10, 831-834.	2.3	63
56	3D ultralong nanowire arrays with a tailored hydrogen titanate phase as binder-free anodes for Li-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8716-8723.	5.2	63
57	Facile synthesis of hollow spherical sandwich PtPd/C catalyst by electrostatic self-assembly in polyol solution for methanol electrooxidation. <i>Journal of Power Sources</i> , 2012, 203, 17-25.	4.0	62
58	Materials Engineering toward Durable Electrocatalysts for Proton Exchange Membrane Fuel Cells. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	61
59	Effects of hot pressing conditions on the performances of MEAs for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2007, 165, 73-81.	4.0	58
60	Nitrogen-doped carbon nanotubes for high-performance platinum-based catalysts in methanol oxidation reaction. <i>Carbon</i> , 2016, 108, 561-567.	5.4	57
61	Thermally Driven Structure and Performance Evolution of Atomically Dispersed FeN ₄ Sites for Oxygen Reduction. <i>Angewandte Chemie</i> , 2019, 131, 19147-19156.	1.6	57
62	Synergistic effects of ion doping and surface-modifying for lithium transition-metal oxide: Synthesis and characterization of La ₂ O ₃ -modified LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ . <i>Electrochimica Acta</i> , 2018, 272, 11-21.	2.6	56
63	Co-regulating the surface and bulk structure of Li-rich layered oxides by a phosphor doping strategy for high-energy Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 8302-8314.	5.2	56
64	Facile one-step carbothermal reduction synthesis of Na ₃ V ₂ (PO ₄) ₂ F ₃ /C serving as cathode for sodium ion batteries. <i>Electrochimica Acta</i> , 2019, 298, 459-467.	2.6	56
65	Preparation of Pt/Irx(IrO ₂) ₁₀ ^x bifunctional oxygen catalyst for unitized regenerative fuel cell. <i>Journal of Power Sources</i> , 2012, 210, 321-326.	4.0	55
66	A newly-designed sandwich-structured graphene@Pt/graphene catalyst with improved electrocatalytic performance for fuel cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5313-5320.	5.2	55
67	Crystal structure and multicomponent effects in Li _{1+x} Mn _{2-x} Al _y O ₄ cathode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2014, 262, 104-111.	4.0	54
68	Investigation on performance of Li(Ni _{0.5} Co _{0.2} Mn _{0.3}) _{1-x} Ti _x O ₂ cathode materials for lithium-ion battery. <i>Ceramics International</i> , 2015, 41, 9069-9077.	2.3	54
69	Ultrathin graphitic carbon nitride nanosheets and graphene composite material as high-performance PtRu catalyst support for methanol electro-oxidation. <i>Carbon</i> , 2015, 93, 105-115.	5.4	53
70	In-situ surface chemical and structural self-reconstruction strategy enables high performance of Li-rich cathode. <i>Nano Energy</i> , 2021, 79, 105459.	8.2	53
71	High performance Na ₃ V ₂ (PO ₄) ₃ cathode prepared by a facile solution evaporation method for sodium-ion batteries. <i>Ceramics International</i> , 2017, 43, 4950-4956.	2.3	52
72	Effects of MEA preparation on the performance of a direct methanol fuel cell. <i>Journal of Power Sources</i> , 2006, 160, 1035-1040.	4.0	51

#	ARTICLE	IF	CITATIONS
73	Effect of a Carbon Support Containing Large Mesopores on the Performance of a Pt ¹⁰⁰ Ru ¹⁰⁰ Ni/C Catalyst for Direct Methanol Fuel Cells. <i>Journal of Physical Chemistry C</i> , 2010, 114, 672-677.	1.5	51
74	Fabrication and theoretical investigation of cobaltosic sulfide nanosheets for flexible aqueous Zn/Co batteries. <i>Nano Energy</i> , 2020, 68, 104314.	8.2	51
75	Effect of multiwalled carbon nanotubes with different specific surface areas on the stability of supported Pt catalysts. <i>Journal of Power Sources</i> , 2014, 245, 637-643.	4.0	49
76	Investigation on electrochemical performance of LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ coated by heterogeneous layer of TiO ₂ . <i>Journal of Alloys and Compounds</i> , 2018, 739, 961-971.	2.8	49
77	Investigation on preparation and performance of spinel LiNi _{0.5} Mn _{1.5} O ₄ with different microstructures for lithium-ion batteries. <i>Scientific Reports</i> , 2015, 5, 13299.	1.6	48
78	Ultra-fine Pt nanoparticles supported on 3D porous N-doped graphene aerogel as a promising electro-catalyst for methanol electrooxidation. <i>Catalysis Communications</i> , 2016, 86, 46-50.	1.6	48
79	Investigation on performance of Pd/Al ₂ O ₃ -C catalyst synthesized by microwave assisted polyol process for electrooxidation of formic acid. <i>RSC Advances</i> , 2012, 2, 344-350.	1.7	47
80	Electrochemical durability investigation of single-walled and multi-walled carbon nanotubes under potentiostatic conditions. <i>Journal of Power Sources</i> , 2008, 176, 128-131.	4.0	46
81	Investigation of the Pt-Ni-Pb/C ternary alloy catalysts for methanol electrooxidation. <i>Electrochemistry Communications</i> , 2008, 10, 443-446.	2.3	46
82	Graphitic carbon nitride nanosheet coated carbon black as a high-performance PtRu catalyst support material for methanol electrooxidation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20139-20146.	5.2	46
83	Investigations of Compositions and Performance of PtRuMo/C Ternary Catalysts for Methanol Electrooxidation. <i>Fuel Cells</i> , 2009, 9, 106-113.	1.5	45
84	Growth of ZnO nanostructures on metallic and semiconducting substrates by pulsed laser deposition technique. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 045415.	1.3	45
85	NiMoO ₄ nanowire arrays and carbon nanotubes film as advanced electrodes for high-performance supercapacitor. <i>Applied Surface Science</i> , 2018, 458, 478-488.	3.1	45
86	Pt/Tin Oxide/Carbon Nanocomposites as Promising Oxygen Reduction Electrocatalyst with Improved Stability and Activity. <i>Electrochimica Acta</i> , 2014, 117, 413-419.	2.6	44
87	A lightweight, compressible and portable sponge-based supercapacitor for future power supply. <i>Chemical Engineering Journal</i> , 2018, 349, 509-521.	6.6	44
88	Enhanced electrochemical performance by size-dependent SEI layer reactivation of NiCo ₂ O ₄ anodes for lithium ion batteries. <i>Electrochimica Acta</i> , 2019, 297, 1011-1017.	2.6	44
89	A Gas-Phase Migration Strategy to Synthesize Atomically Dispersed Mn-N-C Catalysts for Zn-Air Batteries. <i>Small Methods</i> , 2021, 5, e2100024.	4.6	44
90	Ascorbic acid-assisted solvothermal synthesis of LiMn _{0.9} Fe _{0.1} PO ₄ /C nanoplatelets with enhanced electrochemical performance for lithium ion batteries. <i>Journal of Power Sources</i> , 2013, 243, 872-879.	4.0	43

#	ARTICLE	IF	CITATIONS
91	3D N-doped graphene nanomesh foam for long cycle life lithium-sulfur battery. <i>Chemical Engineering Journal</i> , 2017, 326, 265-272.	6.6	43
92	Metal-free amino acid glycine-derived nitrogen-doped carbon aerogel with superhigh surface area for highly efficient Zn-Air batteries. <i>Carbon</i> , 2020, 167, 75-84.	5.4	43
93	Studies of performance decay of Pt/C catalysts with working time of proton exchange membrane fuel cell. <i>Journal of Power Sources</i> , 2008, 184, 245-250.	4.0	42
94	Preparation of submicrocrystal LiMn ₂ O ₄ used Mn ₃ O ₄ as precursor and its electrochemical performance for lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2015, 622, 902-907.	2.8	42
95	Hierarchical Heterostructured Mo ₂ C/Mo ₃ Co ₃ C Bouquet-like Nanowire Arrays: An Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7294-7303.	3.2	41
96	Hierarchical carbon coated molybdenum dioxide nanotubes as a highly active and durable electrocatalytic support for methanol oxidation. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4067-4074.	5.2	40
97	Hierarchical CoP ₃ /NiMoO ₄ heterostructures on Ni foam as an efficient bifunctional electrocatalyst for overall water splitting. <i>Ceramics International</i> , 2019, 45, 17128-17136.	2.3	40
98	Soft X-ray Ptychography Chemical Imaging of Degradation in a Composite Surface-Reconstructed Li-Rich Cathode. <i>ACS Nano</i> , 2021, 15, 1475-1485.	7.3	40
99	Phosphotungstic acid immobilized nanofibers-Nafion composite membrane with low vanadium permeability and high selectivity for vanadium redox flow battery. <i>Journal of Colloid and Interface Science</i> , 2019, 542, 177-186.	5.0	39
100	Investigation of the performance decay of anodic PtRu catalyst with working time of direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 181, 93-100.	4.0	38
101	Structural, morphological and electrochemical investigation of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode material synthesized in different sintering conditions. <i>Ceramics International</i> , 2015, 41, 11815-11823.	2.3	38
102	Effects of precursor particle size on the performance of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ cathode material. <i>Ceramics International</i> , 2015, 41, 15185-15192.	2.3	37
103	Effect of different structures of carbon supports for cathode catalyst on performance of direct methanol fuel cell. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 1859-1870.	3.8	37
104	A low-cost wearable yarn supercapacitor constructed by a highly bended polyester fiber electrode and flexible film. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15144-15153.	5.2	37
105	Thermal-induced interlayer defect engineering toward super high-performance sodium ion capacitors. <i>Nano Energy</i> , 2019, 59, 17-25.	8.2	36
106	Boosted electrochemical performance of LiNi _{0.5} Mn _{1.5} O ₄ via synergistic modification of Li ⁺ -Conductive Li ₂ ZrO ₃ coating layer and superficial Zr-doping. <i>Electrochimica Acta</i> , 2020, 343, 136105.	2.6	36
107	Catalyst failure analysis of a direct methanol fuel cell membrane electrode assembly. <i>Journal of Power Sources</i> , 2008, 177, 386-392.	4.0	35
108	Recent advances in high-loading catalysts for low-temperature fuel cells: From nanoparticle to single atom. <i>SusMat</i> , 2021, 1, 569-592.	7.8	35

#	ARTICLE	IF	CITATIONS
109	Tuning lattice spacing in titanate nanowire arrays for enhanced sodium storage and long-term stability. <i>Nano Energy</i> , 2018, 45, 337-345.	8.2	34
110	Influence of cathode oxygen transport on the discharging time of passive DMFC. <i>Journal of Power Sources</i> , 2008, 175, 458-463.	4.0	33
111	Carbon-rieveted Pt catalyst supported on nanocapsule MWCNTs@Al ₂ O ₃ with ultrahigh stability for high-temperature proton exchange membrane fuel cells. <i>Nanoscale</i> , 2012, 4, 7411.	2.8	33
112	Carbon riveted PtRu/C catalyst from glucose in-situ carbonization through hydrothermal method for direct methanol fuel cell. <i>Journal of Power Sources</i> , 2013, 238, 283-289.	4.0	33
113	How to appropriately assess the oxygen reduction reaction activity of platinum group metal catalysts with rotating disk electrode. <i>IScience</i> , 2021, 24, 103024.	1.9	33
114	Boosting ion/e ⁻ transfer of Ti ₃ C ₂ via interlayered and interfacial co-modification for high-performance Li-ion capacitors. <i>Chemical Engineering Journal</i> , 2021, 404, 127116.	6.6	32
115	Revealing the Thermodynamics and Kinetics of In-Plane Disordered Li ₂ MnO ₃ Structure in Li-Rich Cathodes. <i>ACS Energy Letters</i> , 2021, 6, 3836-3843.	8.8	32
116	Effects of anatase TiO ₂ with different particle sizes and contents on the stability of supported Pt catalysts. <i>Journal of Power Sources</i> , 2011, 196, 8207-8215.	4.0	31
117	Multiphase sodium titanate/titania composite nanostructures as Pt-based catalyst supports for methanol oxidation. <i>Journal of Materials Chemistry A</i> , 2015, 3, 840-846.	5.2	31
118	High sulfur content microporous carbon coated sulfur composites synthesized via in situ oxidation of metal sulfide for high-performance Li/S batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6052-6059.	5.2	31
119	Platinum Deposition on Multiwalled Carbon Nanotubes by Ion-Exchange Method as Electrocatalysts for Oxygen Reduction. <i>Journal of the Electrochemical Society</i> , 2007, 154, B687.	1.3	30
120	Effect of Mg content on discharge behavior of Al-0.05Ga-0.05Sn-0.05Pb-xMg alloy anode for aluminum-air battery. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 53-62.	1.2	30
121	Simple Water Treatment Strategy To Optimize the Li ₂ MnO ₃ Activation of Lithium-Rich Cathode Materials. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 12825-12837.	3.2	29
122	Pseudocapacitive Crystalline MnCo ₂ O _{4.5} and Amorphous MnCo ₂ S ₄ Core/Shell Heterostructure with Graphene for High-Performance K-Ion Hybrid Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 54773-54781.	4.0	29
123	An efficient antimony doped tin oxide and carbon nanotubes hybrid support of Pd catalyst for formic acid electrooxidation. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 5678-5688.	3.8	28
124	Facile strategy of NCA cation mixing regulation and its effect on electrochemical performance. <i>RSC Advances</i> , 2016, 6, 108558-108565.	1.7	28
125	NiCo ₂ O ₄ nanosheets and nanocones as additive-free anodes for high-performance Li-ion batteries. <i>Ceramics International</i> , 2017, 43, 13710-13716.	2.3	28
126	Optimizing the Structural Evolution of Li-Rich Oxide Cathode Materials via Microwave-Assisted Pre-Activation. <i>ACS Applied Energy Materials</i> , 2018, 1, 4158-4168.	2.5	28

#	ARTICLE	IF	CITATIONS
127	Tailoring Nitrogen Terminals on MXene Enables Fast Charging and Stable Cycling Na-Ion Batteries at Low Temperature. <i>Nano-Micro Letters</i> , 2022, 14, .	14.4	28
128	Improvement of cycle performance for silicon/carbon composite used as anode for lithium ion batteries. <i>Materials Chemistry and Physics</i> , 2009, 115, 757-760.	2.0	27
129	Electrochemical impedance studies of electrooxidation of methanol and formic acid on Pt/C catalyst in acid medium. <i>Journal of Power Sources</i> , 2009, 190, 336-340.	4.0	27
130	Effect of W on activity of Pt-Ru/C catalyst for methanol electrooxidation in acidic medium. <i>Journal of Alloys and Compounds</i> , 2009, 479, 395-400.	2.8	27
131	Tungsten doped Co-Se nanocomposites as an efficient non precious metal catalyst for oxygen reduction. <i>Electrochimica Acta</i> , 2013, 91, 179-184.	2.6	27
132	Effect of pH value on H ₂ Ti ₂ O ₅ /TiO ₂ composite nanotubes as Pt catalyst support for methanol oxidation. <i>Journal of Power Sources</i> , 2014, 272, 196-202.	4.0	27
133	Recent advances in cathode materials for Li-S battery: structure and performance. <i>Rare Metals</i> , 2017, 36, 365-380.	3.6	27
134	Mesoporous g-C ₃ N ₄ derived nano-titanium nitride modified carbon black as ultra-fine PtRu catalyst support for Methanol electro-oxidation. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 5153-5162.	3.8	27
135	Biology-inspired polydopamine-assisted strategy for high-performance supercapacitor. <i>Chemical Engineering Journal</i> , 2019, 375, 122056.	6.6	27
136	Ultra-High Ion Selectivity of a Modified Nafion Composite Membrane for Vanadium Redox Flow Battery by Incorporation of Phosphotungstic Acid Coupled UiO-66-NH ₂ . <i>ChemistrySelect</i> , 2019, 4, 4633-4641.	0.7	27
137	Effect of anode current collector on the performance of passive direct methanol fuel cells. <i>International Journal of Energy Research</i> , 2009, 33, 719-727.	2.2	26
138	Ce _{0.8} Sn _{0.2} O ₂ -C composite as a co-catalytic support for Pt catalysts toward methanol electrooxidation. <i>Journal of Power Sources</i> , 2014, 265, 335-344.	4.0	26
139	Three-dimensional hybrid aerogels built from graphene and polypyrrole-derived nitrogen-doped carbon nanotubes as a high-efficiency Pt-based catalyst support. <i>Carbon</i> , 2017, 121, 518-526.	5.4	26
140	CeO ₂ nanowires stretch-embedded in reduced graphite oxide nanocomposite support for Pt nanoparticles as potential electrocatalyst for methanol oxidation reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 20549-20559.	3.8	26
141	Intercalation-pseudocapacitance hybrid anode for high rate and energy lithium-ion capacitors. <i>Journal of Energy Chemistry</i> , 2021, 55, 459-467.	7.1	26
142	Cu ₃ (PO ₄) ₂ : Novel Anion Converter for Aqueous Dual-Ion Battery. <i>Nano-Micro Letters</i> , 2021, 13, 41.	14.4	26
143	One-pot synthesis of a three-dimensional graphene aerogel supported Pt catalyst for methanol electrooxidation. <i>RSC Advances</i> , 2015, 5, 98160-98165.	1.7	25
144	Surface modification by fluorine doping to increase discharge capacity of Li _{1.2} Ni _{0.2} Mn _{0.6} O ₂ cathode materials. <i>Ionics</i> , 2020, 26, 151-161.	1.2	25

#	ARTICLE	IF	CITATIONS
145	A simple one-step molten salt method for synthesis of micron-sized single primary particle LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ cathode material for lithium-ion batteries. <i>Ionics</i> , 2020, 26, 1635-1643.	1.2	25
146	Electrochemical properties of high-voltage LiNi _{0.5} Mn _{1.5} O ₄ synthesized by a solid-state method. <i>RSC Advances</i> , 2014, 4, 26022-26029.	1.7	24
147	Cobalt and Nitrogen Codoped Carbon Nanosheets Templated from NaCl as Efficient Oxygen Reduction Electrocatalysts. <i>Chemistry - an Asian Journal</i> , 2018, 13, 3057-3062.	1.7	24
148	Controlling the surface roughness of chain-like Pd nanowires by pH values as excellent catalysts for oxygen reduction reaction. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 6551-6559.	3.8	24
149	Facile synthesis of flower-like dual-metal (Co/Zn) MOF-derived 3D porous Co@Co-NPC as reversible oxygen electrocatalyst for rechargeable zinc-air batteries. <i>Ionics</i> , 2020, 26, 1913-1922.	1.2	24
150	Suppressed phase separation in spinel LiNi _{0.5} Mn _{1.5} O ₄ cathode via interstitial sites modulation. <i>Nano Energy</i> , 2022, 91, 106636.	8.2	24
151	Electro-oxidation of dimethyl ether on platinum nanocubes with preferential {100} surfaces. <i>Electrochemistry Communications</i> , 2009, 11, 1596-1598.	2.3	23
152	High stability and high activity Pd/ITO-CNTs electrocatalyst for direct formic acid fuel cell. <i>Electrochimica Acta</i> , 2014, 137, 676-684.	2.6	23
153	Improving Electrochemical Performance of High-Voltage Spinel LiNi _{0.5} Mn _{1.5} O ₄ Cathode by Cobalt Surface Modification. <i>ACS Applied Energy Materials</i> , 2019, 2, 2982-2989.	2.5	23
154	Engineering sulphur vacancy in VS ₂ as high performing zinc-ion batteries with high cyclic stability. <i>New Journal of Chemistry</i> , 2020, 44, 15951-15957.	1.4	23
155	Porous Na ₃ V ₂ (PO ₄) ₃ prepared by freeze-drying method as high performance cathode for sodium-ion batteries. <i>Ceramics International</i> , 2018, 44, 9880-9886.	2.3	22
156	Nitrogen-doped graphene aerogel with an open structure assisted by in-situ hydrothermal restructuring of ZIF-8 as excellent Pt catalyst support for methanol electro-oxidation. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 21899-21907.	3.8	22
157	High proton conductivity polybenzimidazole proton exchange membrane based on phosphotungstic acid-anchored nano-Kevlar fibers. <i>Journal of Materials Science</i> , 2019, 54, 1640-1653.	1.7	22
158	Na ₃ V ₂ (PO ₄) ₃ with specially designed carbon framework as high performance cathode for sodium-ion batteries. <i>Ceramics International</i> , 2019, 45, 4637-4644.	2.3	22
159	Enhancing Na-Ion Storage at Subzero Temperature via Interlayer Confinement of Sn ²⁺ . <i>ACS Nano</i> , 2020, 14, 13765-13774.	7.3	22
160	Enhancing metal-support interaction by in situ ion-exchanging strategy for high performance Pt catalysts in hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16582-16589.	5.2	22
161	The Nature of the Ultrahigh Initial Coulombic Efficiency of Ni ₂ Fe(CN) ₆ in Aqueous Ammonium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 9594-9599.	2.5	22
162	The influence of acidic and alkaline precursors on PtRu/C catalyst performance for a direct methanol fuel cell. <i>Journal of Power Sources</i> , 2007, 163, 688-694.	4.0	21

#	ARTICLE	IF	CITATIONS
163	Synthesis and characterization of carbon riveted Pt/MWCNTs@TiO ₂ @TiC catalyst with high durability for PEMFCs application. Applied Catalysis B: Environmental, 2012, 123-124, 214-220.	10.8	21
164	Flower-like nitrogen-oxygen-doped carbon encapsulating sulfur composite synthesized via in-situ oxidation approach. Chemical Engineering Journal, 2018, 345, 271-279.	6.6	21
165	Functional Differentiation of Three Pores for Effective Sulfur Confinement in Li-S Battery. Small, 2018, 14, e1703279.	5.2	21
166	WO ₃ /C supported Pd catalysts for formic acid electro-oxidation activity. International Journal of Hydrogen Energy, 2018, 43, 407-416.	3.8	21
167	A novel synthetic route to cathode materials for Li-S batteries: from organic sulfides to sulfur/nitrogenous carbon composites. Journal of Materials Chemistry A, 2017, 5, 16796-16802.	5.2	20
168	A rapid synthesis of TiO ₂ nanotubes in an ethylene glycol system by anodization as a Pt-based catalyst support for methanol electrooxidation. RSC Advances, 2015, 5, 35518-35523.	1.7	18
169	A simple method for industrialization to enhance the tap density of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ cathode material for high-specific volumetric energy lithium-ion batteries. RSC Advances, 2016, 6, 65941-65949.	1.7	18
170	Graphitic-C ₃ N ₄ quantum dots modified carbon nanotubes as a novel support material for a low Pt loading fuel cell catalyst. RSC Advances, 2016, 6, 32290-32297.	1.7	18
171	A highly proton-/vanadium-selective perfluorosulfonic acid membrane for vanadium redox flow batteries. New Journal of Chemistry, 2019, 43, 11374-11381.	1.4	18
172	Titanium compounds TiC and TiO ₂ supported Pd catalysts for formic acid electrooxidation. International Journal of Hydrogen Energy, 2012, 37, 15096-15104.	3.8	17
173	Spinel (Ni _{0.4} Co _{0.4} Mn _{0.2}) ₃ O ₄ nanoparticles as conversion-type anodes for Li- and Na-ion batteries. Ceramics International, 2019, 45, 7552-7559.	2.3	17
174	Enhanced Potassium Storage Performance for K-Te Batteries <i>via</i> Electrode Design and Electrolyte Salt Chemistry. ACS Applied Materials & Interfaces, 2021, 13, 16345-16354.	4.0	17
175	Vacuum vapor migration strategy for atom@nanoparticle composite catalysts boosting bifunctional oxygen catalysis and rechargeable Zn-air batteries. Journal of Materials Chemistry A, 2022, 10, 3112-3121.	5.2	17
176	3D NiCo ₂ S ₄ nanorod arrays as electrode materials for electrochemical energy storage application. Ceramics International, 2016, 42, 18173-18180.	2.3	16
177	Coupling fine Pt nanoparticles and Co-N _x moiety as a synergistic bi-active site catalyst for oxygen reduction reaction in acid media. Journal of Colloid and Interface Science, 2022, 613, 276-284.	5.0	16
178	Improved electrochemical performance of LiNi _{0.4} Ti _{0.1} Mn _{1.5} O ₄ as cathode of lithium ion battery by carbon-coating. RSC Advances, 2014, 4, 57041-57047.	1.7	15
179	Effect of core/shell structured TiO ₂ @C nanowire support on the Pt catalytic performance for methanol electrooxidation. Catalysis Science and Technology, 2016, 6, 3767-3775.	2.1	15
180	One-step synthesis of 3D N-doped graphene supported metal oxide for high performance Li-S battery. Ceramics International, 2018, 44, 13419-13425.	2.3	15

#	ARTICLE	IF	CITATIONS
181	UV-curable-based plastic crystal polymer electrolyte for high-performance all-solid-state Li-ion batteries. <i>Ionics</i> , 2019, 25, 1607-1615.	1.2	15
182	The journey of lithium ions in the lattice of $\text{PNb}_9\text{O}_{25}$. <i>Materials Chemistry Frontiers</i> , 2020, 4, 631-637.	3.2	15
183	Nickel ferrocyanides for aqueous ammonium ion batteries. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2001-2010.	3.0	15
184	Durability studies of unsupported Pt cathodic catalyst with working time of direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 185, 1066-1072.	4.0	14
185	Investigation of a novel MEA for direct dimethyl ether fuel cell. <i>Electrochemistry Communications</i> , 2008, 10, 238-241.	2.3	14
186	Investigation on Spinel $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ Synthesized by MnCO_3 Prepared under Different Conditions for Lithium-ion Batteries. <i>ChemistrySelect</i> , 2017, 2, 4325-4331.	0.7	14
187	Hybrid of molybdenum trioxide and carbon as high performance platinum catalyst support for methanol electrooxidation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 2045-2053.	3.8	14
188	Crystallization evoked surface defects in layered titanates for high-performance sodium storage. <i>Energy Storage Materials</i> , 2020, 25, 537-546.	9.5	14
189	Electrochemical investigation of silicon/carbon composite as anode material for lithium ion batteries. <i>Journal of Materials Science</i> , 2008, 43, 3149-3152.	1.7	13
190	Hierarchical Hydrogen Titanate Nanowire Arrays/Anatase TiO_2 Heterostructures as Binder-Free Anodes for Li-ion Capacitors. <i>Electrochimica Acta</i> , 2016, 222, 27-35.	2.6	13
191	Understanding Li roles in chemical reversibility of O2-type Li-rich layered cathode materials. <i>Journal of Energy Chemistry</i> , 2022, 66, 666-675.	7.1	13
192	Trigger Na^+ -solvent co-intercalation to achieve high-performance sodium-ion batteries at subzero temperature. <i>Chemical Engineering Journal</i> , 2022, 430, 132750.	6.6	13
193	Electrocatalytic oxidation of dimethyl ether on ruthenium modified platinum single crystal electrodes. <i>Catalysis Communications</i> , 2009, 10, 971-974.	1.6	12
194	Synthesis and performance of hollow $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ with different particle sizes for lithium-ion batteries. <i>RSC Advances</i> , 2015, 5, 100730-100735.	1.7	12
195	Hollow-sphere iron oxides exhibiting enhanced cycling performance as lithium-ion battery anodes. <i>Chemical Communications</i> , 2019, 55, 11638-11641.	2.2	12
196	Zinc/graphitic carbon nitride co-mediated dual-template synthesis of densely populated Fe_xN -embedded 2D carbon nanosheets towards oxygen reduction reactions for Zn-air batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 5971-5980.	5.2	12
197	Stable PtNiPb/WC Catalyst for Direct Methanol Fuel Cells. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, A13.	2.2	11
198	Nitrogen-doped carbon with mesoporous structure as high surface area catalyst support for methanol oxidation reaction. <i>RSC Advances</i> , 2016, 6, 39310-39316.	1.7	11

#	ARTICLE	IF	CITATIONS
199	Improving rate performance of high-voltage spinel cathode by changing structural evolution from two-phase to solid-solution reactions. <i>Electrochimica Acta</i> , 2018, 281, 24-30.	2.6	11
200	Study on Prelithiation Technology of Hard Carbon Electrode Using Stable Metal Lithium Powder. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2019, 16, .	1.1	11
201	Design of synergistic-coated layer of La ₂ O ₃ /Al ₂ O ₃ in LiNi _{0.5} Mn _{1.5} O ₄ cathode for enhanced cycling stability and rate capability. <i>Ionics</i> , 2019, 25, 2459-2468.	1.2	11
202	Fabrication of C@Mo TiO ₂ nanocrystalline with functionalized interface as efficient and robust PtRu catalyst support for methanol electrooxidation. <i>Journal of Energy Chemistry</i> , 2020, 40, 7-14.	7.1	11
203	Absence of a Relationship between Surface Conductivity and Electrochemical Rates: Redox-Active Monolayers on Si(211), Si(111), and Si(110). <i>Journal of Physical Chemistry C</i> , 2021, 125, 18197-18203.	1.5	11
204	Synthesis and electrochemical properties of LiNi _{0.5} Mn _{1.5} O ₄ as a 5 V cathode material for lithium ion batteries. <i>RSC Advances</i> , 2012, 2, 11988.	1.7	10
205	Investigation on the durability of direct dimethyl ether fuel cell. Part I: Anode degradation. <i>Journal of Power Sources</i> , 2012, 198, 170-175.	4.0	10
206	Effect of N-doped carbon quantum dots/multiwall-carbon nanotube composite support on Pt catalytic performance for methanol electrooxidation. <i>RSC Advances</i> , 2016, 6, 67096-67101.	1.7	10
207	Three-dimensional TiO ₂ @C nano-network with high porosity as a highly efficient Pt-based catalyst support for methanol electrooxidation. <i>RSC Advances</i> , 2016, 6, 79254-79262.	1.7	10
208	Supramolecular Assembly Templated Nitrogen-Doped Hollow Carbon Tubes as Highly Active and Durable Catalytic Support for Methanol Electrooxidation. <i>ACS Applied Energy Materials</i> , 2018, 1, 4096-4105.	2.5	10
209	Nitrogen doped carbon coated Mo modified TiO ₂ nanowires (NC@MTNWs-FI) with functionalized interfacial as advanced PtRu catalyst support for methanol electrooxidation. <i>Electrochimica Acta</i> , 2020, 331, 135410.	2.6	10
210	Effects of Small Molecule Interlayer Engineering in Vanadium Oxide for Zinc Ion Battery. <i>ChemistrySelect</i> , 2020, 5, 8951-8958.	0.7	10
211	Investigation on performances of Li _{1.2} Co _{0.4} Mn _{0.4} O ₂ prepared by self-combustion reaction as stable cathode for lithium-ion batteries. <i>Ceramics International</i> , 2016, 42, 14818-14825.	2.3	9
212	Clustered-Microcapsule-Shaped Microporous Carbon-Coated Sulfur Composite Synthesized via in Situ Oxidation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 44512-44518.	4.0	9
213	Preparation of BiFeO ₃ and its photoelectric performance as photoanode of DSSC. <i>Ceramics International</i> , 2021, 47, 27565-27570.	2.3	9
214	3D Nano-heterostructure of ZnMn ₂ O ₄ @Graphene-Carbon Microtubes for High-Performance Li-Ion Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 52542-52548.	4.0	9
215	Influence of different buffer solutions on the performance of anodic Pt-Ru/C nanoparticle electrocatalysts for a direct methanol fuel cell. <i>Journal of Power Sources</i> , 2007, 166, 317-323.	4.0	8
216	Sensing performances of ZnO nanostructures grown under different oxygen pressures to hydrogen. <i>Materials Research Bulletin</i> , 2012, 47, 4420-4426.	2.7	8

#	ARTICLE	IF	CITATIONS
217	A membrane electrode assembly with high fuel coulombic efficiency for passive direct borohydride fuel cells. <i>Electrochemistry Communications</i> , 2010, 12, 1070-1073.	2.3	7
218	The effect of hydrothermal treatment time and level of carbon coating on the performance of PtRu/C catalysts in a direct methanol fuel cell. <i>RSC Advances</i> , 2014, 4, 63922-63932.	1.7	7
219	3D MnCo ₂ O _{4.5} Nanorod Arrays on Ni Foam as Binder-Free Anodes for Li-Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 1965-1969.	0.9	7
220	Correlative imaging of ionic transport and electronic structure in nano Li _{0.5} FePO ₄ electrodes. <i>Chemical Communications</i> , 2020, 56, 984-987.	2.2	7
221	High-stability Mn-Co-Ni ternary metal oxide microspheres as conversion-type anodes for sodium-ion batteries. <i>Ceramics International</i> , 2021, 47, 17540-17549.	2.3	7
222	The effects of sodium fluoride as the electrolyte additive on the electrochemical performances of magnesium-lithium-zinc electrode in sodium chloride solution. <i>RSC Advances</i> , 2014, 4, 63182-63188.	1.7	6
223	Electrochemical properties of citric acid-assisted combustion synthesis of Li ₄ Ti ₅ O ₁₂ adopting Cr by the solid-state reaction process. <i>Ionics</i> , 2015, 21, 1545-1551.	1.2	6
224	Effect of polytetrafluoroethylene (PTFE) in current collecting layer on the performance of zinc-air battery. <i>Progress in Natural Science: Materials International</i> , 2020, 30, 861-867.	1.8	6
225	Effect of UV light polymerization time on the properties of plastic crystal composite polyacrylate polymer electrolyte for all solid-state lithium-ion batteries. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	1.3	6
226	A dual-confined lithium nucleation and growth design enables dendrite-free lithium metal batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11659-11666.	5.2	6
227	Improving the electrical conductivity and electrochemical performance of LiMn ₂ O ₄ by Sm gaseous penetration technology. <i>Applied Surface Science</i> , 2022, 599, 153923.	3.1	6
228	Effects of carbon sources and carbonized carbon contents during carbon riveting process on the stability of Pt/C catalyst. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 10276-10285.	3.8	5
229	The influence of anode diffusion layer on the performance of direct dimethyl ether fuel cell. <i>International Journal of Energy Research</i> , 2012, 36, 886-890.	2.2	5
230	Investigation on LiNi _{0.5} Mn _{1.5} O ₄ cathode material based on the precursor of nickel-manganese compound for lithium-ion battery. <i>Ionics</i> , 2017, 23, 35-41.	1.2	5
231	Ultrathin Graphitic Carbon Coated Molybdenum Phosphide as Noble-Metal-Free Electrocatalyst for Hydrogen Evolution. <i>ChemistrySelect</i> , 2019, 4, 846-852.	0.7	5
232	MnO ₂ depositing on the surface of hollow porous carbon microspheres for supercapacitor application. <i>Ceramics International</i> , 2022, 48, 10533-10538.	2.3	5
233	Galvanic replacement mediated synthesis of Pd-Cu Alloy Nanospheres as Electrocatalysts for Formic Acid Oxidation. <i>Materials Today Sustainability</i> , 2022, , 100140.	1.9	5
234	The electrochemical behaviors of the Mg-7.5Li-3.5Al and Mg-7.5Li-3.5Al-1Y electrodes in sodium chloride solution. <i>Ionics</i> , 2015, 21, 429-435.	1.2	4

#	ARTICLE	IF	CITATIONS
235	Dehydration-triggered electronic structure modulation enables high-performance quasi-solid-state Li-ion capacitors. <i>Chemical Engineering Journal</i> , 2020, 392, 123795.	6.6	4
236	High-performance ternary metal oxide anodes for lithium storage. <i>Ceramics International</i> , 2020, 46, 28914-28921.	2.3	4
237	Highly Durable Direct Methanol Fuel Cell with Double-Layered Catalyst Cathode. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-8.	1.5	3
238	Study on $\text{Li}_x\text{Ni}_{0.5}\text{Mn}_{1.5}\text{O}_4$ ($x=0.8, 0.9, 1, 1.1, \text{ and } 1.2$) high-voltage cathode for lithium-ion batteries. <i>Ionics</i> , 2018, 24, 3317-3323.	1.2	3
239	Simple co-precipitation synthesis of high-voltage spinel cathodes with different Ni/Mn ratios for lithium-ion batteries. <i>Journal of Nanoparticle Research</i> , 2018, 20, 1.	0.8	3
240	Core-shell structure $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2@$ ultrathin Ti-MnO_2 nanoflakes cathode material with high electrochemical performance for lithium-ion batteries. <i>Ionics</i> , 2019, 25, 5249-5258.	1.2	3
241	Interface Functionalized $\text{Mo}_x\text{Ti}_{1-x}\text{O}_{2+x}$ Composite via a Postgrowth Modification Approach as High Performance PtRu Catalyst Support for Methanol Electrooxidation. <i>ACS Applied Energy Materials</i> , 2019, 2, 4882-4889.	2.5	3
242	A Collaboration of Surface Protection and Bulk Doping for High-performance Li-rich Cathode Materials. <i>ChemistrySelect</i> , 2019, 4, 6256-6264.	0.7	3
243	Compositing $\text{SrLi}_2\text{Ti}_6\text{O}_{14}$ with chemical deposited silver for enhancing lithium ion storage. <i>Ceramics International</i> , 2019, 45, 6885-6890.	2.3	3
244	In situ functionally utilize surface residual lithium of Co-free Li-rich layered oxides. <i>Ionics</i> , 2021, 27, 3837-3846.	1.2	3
245	Achieving fast and durable alkali-ion storage by designing gradient interface with low charge transfer barrier. <i>Nano Energy</i> , 2021, 85, 106022.	8.2	3
246	Influence of hot-pressing temperature on physical and electrochemical performance of catalyst coated membranes for direct methanol fuel cells. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 859-866.	1.5	2
247	The effect of sodium stannate as the electrolyte additive on the electrochemical performance of the Mg^{2+} electrode in NaCl solution. <i>RSC Advances</i> , 2014, 4, 18074-18079.	1.7	2
248	Hierarchical $\text{Mn}_{1.5}\text{Co}_{1.5}\text{O}_4$ microspheres constructed from one-dimensional nanorods as high-performance anode material for lithium-ion battery. <i>Ionics</i> , 2017, 23, 1067-1074.	1.2	2
249	Carbon-Coated and Interfacially Functionalized Mixed-Phase $\text{Mo}_x\text{Ti}_{1-x}\text{O}_{2+x}$ Nanotubes as Highly Active and Durable PtRu Catalyst Support for Methanol Electrooxidation. <i>Chemistry - an Asian Journal</i> , 2019, 14, 1549-1556.	1.7	2
250	Interface crystal domain regulation via TiO_2 surface modification enhancing stability of layered $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ for lithium-ion batteries. <i>Ionics</i> , 2021, 27, 1871-1880.	1.2	2
251	Reducing atmosphere improves the conductivity of $\text{NaTi}_2(\text{PO}_4)_3/\text{C}$ material for hybrid aqueous rechargeable lithium-ion battery anode. <i>Ceramics International</i> , 2022, 48, 26408-26415.	2.3	2
252	Enhanced VRLA deep cycling performance via lattice modification using Bi doping. <i>Ionics</i> , 2020, 26, 3989-3995.	1.2	1

#	ARTICLE	IF	CITATIONS
253	Silica and nitrogen-doped carbon co-coated lithium manganese iron phosphate microspheres as cathode materials for lithium batteries. <i>Canadian Journal of Chemistry</i> , 2022, 100, 353-359.	0.6	1
254	Preparation and electrochemical properties of natural spherical graphite materials coated with manganese chloride. <i>Ionics</i> , 2022, 28, 3187-3195.	1.2	1
255	Preparation and influence of performance of anodic catalysts for direct methanol fuel cell. <i>Frontiers of Chemical Engineering in China</i> , 2007, 1, 20-25.	0.6	0
256	WO ₃ -x Nanorod Arrays Based Sensors with High Sensitivity and Quick Response for Detecting Pollutants. <i>Materials Research Society Symposia Proceedings</i> , 2008, 1080, 1.	0.1	0