

Kwang-Geun Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2102671/kwang-geun-lee-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,304
citations

22
h-index

45
g-index

96
ext. papers

2,686
ext. citations

4.6
avg, IF

5.35
L-index

#	Paper	IF	Citations
91	Determination of 113 pesticides in hot pepper powder in Korea. <i>Journal of Pesticide Sciences</i> , 2021 , 46, 173-181	2.7	2
90	Analysis of Volatile Compounds in Coffee Prepared by Various Brewing and Roasting Methods. <i>Foods</i> , 2021 , 10,	4.9	3
89	Analysis of glyoxal, methylglyoxal and diacetyl in soy sauce. <i>Food Science and Biotechnology</i> , 2021 , 30, 1403-1408	3	0
88	Analysis of furan and monosaccharides in various coffee beans. <i>Journal of Food Science and Technology</i> , 2021 , 58, 862-869	3.3	7
87	Effect of roasting temperature and time on volatile compounds, total polyphenols, total flavonoids, and lignan of omija (<i>Schisandra chinensis</i> Baillon) fruit extract. <i>Food Chemistry</i> , 2021 , 338, 127836	8.5	7
86	Analysis of volatile compounds in rooibos tea (<i>Aspalathus linearis</i>) using different extraction methods and their relationship with human sensory perception. <i>Food Research International</i> , 2021 , 141, 109942	7	5
85	Analysis of Hdicarbonyl compounds in coffee (<i>Coffea arabica</i>) prepared under various roasting and brewing methods. <i>Food Chemistry</i> , 2021 , 343, 128525	8.5	9
84	3-MCPD (3-monochloro-1,2-propanediol) inhibit myogenic differentiation in murine skeletal myoblasts. <i>Chemico-Biological Interactions</i> , 2021 , 336, 109311	5	1
83	Analysis of furan in various instant noodles by solid-phase microextraction gas chromatography/mass spectrometry. <i>Food Control</i> , 2021 , 126, 108047	6.2	1
82	Effects of Various Pre-Treatment and Cooking on the Levels of Biogenic Amines in Korean and Norwegian Mackerel. <i>Foods</i> , 2021 , 10,	4.9	3
81	Effect of various roasting, extraction and drinking conditions on furan and 5-hydroxymethylfurfural levels in coffee. <i>Food Chemistry</i> , 2021 , 358, 129806	8.5	9
80	Analysis of Hdicarbonyl compounds and 4-methylimidazole in coffee made with various roasting and brewing conditions. <i>LWT - Food Science and Technology</i> , 2021 , 151, 112231	5.4	5
79	Characterization of Key Aroma-Active Compounds Isolated from Omija Fruit Treated Differently Based on Odor Activity Values and Descriptive Sensory Analysis. <i>Foods</i> , 2020 , 9,	4.9	4
78	Optimisation of extraction conditions for terpenoids in <i>Schizandra chinensis</i> Baillon using the response surface method. <i>Flavour and Fragrance Journal</i> , 2020 , 35, 492-503	2.5	1
77	Effect of roasting conditions on the formation and kinetics of furan in various nuts. <i>Food Chemistry</i> , 2020 , 331, 127338	8.5	4
76	Development of caramel colour with improved colour stability and reduced 4-methylimidazole. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020 , 37, 1110-1117	3.2	
75	Correlation analysis between the concentration of Hdicarbonyls and flavor compounds in soy sauce. <i>Food Bioscience</i> , 2020 , 36, 100615	4.9	3

74	Halide Perovskite Solar Cells with Biocompatibility. <i>Advanced Energy and Sustainability Research</i> , 2020 , 1, 200028	1.6	6
73	Analysis of furan in semi-solid and paste type foods. <i>Food Science and Biotechnology</i> , 2020 , 29, 293-301	3	11
72	Antioxidative activities of volatile and non-volatile extracts of Schisandra chinensis Baill fruit. <i>Flavour and Fragrance Journal</i> , 2020 , 35, 435-442	2.5	0
71	Analysis of dicarbonyl compounds and volatiles formed in Maillard reaction model systems. <i>Scientific Reports</i> , 2019 , 9, 5325	4.9	17
70	ATP degradation products as freshness indicator of flatfish during storage. <i>Food Science and Biotechnology</i> , 2019 , 28, 1891-1897	3	3
69	Carcinogenic risk associated with popular Korean dishes: An approach of combined risk assessments using Oral Slope Factor and BMDL values. <i>Food Research International</i> , 2019 , 125, 108530	7	2
68	Analysis and reduction of benzene in various beverages such as vitamin drinks and cranberry juice. <i>LWT - Food Science and Technology</i> , 2019 , 115, 108444	5.4	
67	Analytical method to detect adulteration of ground roasted coffee. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 256-262	3.8	11
66	Validation of analytical method for furan determination in eight food matrices and its levels in various foods. <i>Journal of Separation Science</i> , 2019 , 42, 1012-1018	3.4	3
65	Protective effect of oat (<i>Avena sativa</i>) bran extracts on acute hepatic liver damage in mice. <i>Food and Agricultural Immunology</i> , 2019 , 30, 34-46	2.9	4
64	Instrumental volatile flavor analysis of omija (<i>Schisandra chinensis</i> Baillon) using headspace stir-bar sorptive extraction-gas chromatography-mass spectrometry and its relationship to human sensory perceptions. <i>Food Research International</i> , 2019 , 120, 650-655	7	17
63	Antimicrobial-resistant and MRSA prevalence among Korean families and household items. <i>Food Science and Biotechnology</i> , 2018 , 27, 269-275	3	1
62	Analysis of ethyl carbamate in plum wines produced in Korea. <i>Food Science and Biotechnology</i> , 2018 , 27, 277-282	3	6
61	Analytical method validation for terbutryn using gas chromatography/ion trap, gas chromatography/mass selective detector, and liquid chromatography/triple quadrupole mass spectrometers. <i>Food Science and Biotechnology</i> , 2018 , 27, 1525-1530	3	
60	Categorization of fruits according to their content of polyphenols and vitamin C, antiradical activity, and quality parameters. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13421	2.1	5
59	Determination of compositional quality and volatile flavor characteristics of radish-based Kimchi suitable for Chinese consumers and its correlation to consumer acceptability. <i>Food Science and Biotechnology</i> , 2018 , 27, 1265-1273	3	7
58	Defining gu-soo perception in Doenjang (fermented soybean paste) using consumer tests with limited sensory modality and instrumental analysis. <i>Food Chemistry</i> , 2018 , 267, 210-216	8.5	10
57	Sensory and instrumental volatile flavor analysis of commercial orange juices prepared by different processing methods. <i>Food Chemistry</i> , 2018 , 267, 217-222	8.5	25

56	Identification of phenolic constituents and antioxidant activity of Aloe barbadensis flower extracts. <i>Food and Agricultural Immunology</i> , 2018 , 29, 27-38	2.9	16
55	Analysis of Arsenic Species in Processed Rice Bran Products Using HPLC-ICP-MS. <i>Journal of Food Science</i> , 2018 , 83, 2682-2687	3.4	5
54	Reduction of biogenic amine contents in fermented soybean paste using food additives. <i>LWT - Food Science and Technology</i> , 2018 , 98, 470-476	5.4	9
53	Polycyclic aromatic hydrocarbon levels and risk assessment for food from service facilities in Korea. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2017 , 10, 143-148	3.3	1
52	Validation of analytical method for dicarbonyl compounds using gas chromatography-nitrogen phosphorous detector and their levels in alcoholic beverages. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 1491-1497	3.8	8
51	Effects of the predominant bacteria from meju and doenjang on the production of volatile compounds during soybean fermentation. <i>International Journal of Food Microbiology</i> , 2017 , 262, 8-13	5.8	30
50	Organic acids as a freshness indicator for tofu (soybean curd). <i>Journal of Food Science and Technology</i> , 2017 , 54, 3443-3450	3.3	2
49	Reduction of 4(5)-Methylimidazole Using Cookie Model Systems. <i>Journal of Food Science</i> , 2017 , 82, 2526-2531	3.4	7
48	Furan Levels and Sensory Profiles of Commercial Coffee Products Under Various Handling Conditions. <i>Journal of Food Science</i> , 2017 , 82, 2759-2766	3.4	15
47	Therapeutic effects of <i>Ligularia stenocephala</i> against inflammatory bowel disease by regulating antioxidant and inflammatory mediators. <i>Food and Agricultural Immunology</i> , 2017 , 28, 1142-1154	2.9	7
46	Effect of reversed coffee grinding and roasting process on physicochemical properties including volatile compound profiles. <i>Innovative Food Science and Emerging Technologies</i> , 2017 , 44, 97-102	6.8	21
45	Effect of the solvent composition and annealing process on the preparation of spray freeze-dried acetaminophen powder. <i>Drying Technology</i> , 2017 , 35, 625-630	2.6	2
44	Safety and technological characterization of coagulase-negative staphylococci isolates from traditional Korean fermented soybean foods for starter development. <i>International Journal of Food Microbiology</i> , 2016 , 236, 9-16	5.8	37
43	Analysis and risk assessment of 4(5)-methylimidazole in brown colored foods and beverages. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2016 , 9, 59-65	3.3	12
42	Volatile and non-volatile compounds in green tea affected in harvesting time and their correlation to consumer preference. <i>Journal of Food Science and Technology</i> , 2016 , 53, 3735-3743	3.3	28
41	Determination of furan levels in commercial orange juice products and its correlation to the sensory and quality characteristics. <i>Food Chemistry</i> , 2016 , 211, 654-60	8.5	18
40	Analysis of polychlorinated biphenyls (PCBs), heavy metals and omega-3 fatty acids in commercially available Korean functional fish oil supplements. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 2217-2224	3.8	13
39	Effect of Various Food Additives on the Levels of 4(5)-Methylimidazole in a Soy Sauce Model System. <i>Journal of Food Science</i> , 2016 , 81, T262-7	3.4	7

38	Formation and reduction of furan in a soy sauce model system. <i>Food Chemistry</i> , 2015 , 189, 114-9	8.5	10
37	Effect of citrulline, urea, ethanol, and urease on the formation of ethyl carbamate in soybean paste model system. <i>Food Chemistry</i> , 2015 , 189, 74-9	8.5	17
36	Formation and reduction of carcinogenic furan in various model systems containing food additives. <i>Food Chemistry</i> , 2015 , 189, 108-13	8.5	14
35	Pesticide residues in yuza (<i>Citrus junos</i>) cultivated using ordinary and environmentally friendly cultures. <i>Journal of Pesticide Sciences</i> , 2015 , 40, 60-64	2.7	3
34	Development of a spray freeze-drying method for preparation of volatile shiitake mushroom (<i>Lentinus edodes</i>) powder. <i>International Journal of Food Science and Technology</i> , 2015 , 50, 2222-2228	3.8	15
33	Analysis of 3-MCPD and 1,3-DCP in Various Foodstuffs Using GC-MS. <i>Toxicological Research</i> , 2015 , 31, 313-9	3.7	16
32	Korean research project on the integrated exposure assessment of hazardous substances for food safety. <i>Environmental Health and Toxicology</i> , 2015 , 30, e2015004	0.7	15
31	Influences of intrinsic and extrinsic factors on consumer acceptance of orange juice using consumer liking testing and Kano analysis techniques. <i>Food Science and Biotechnology</i> , 2015 , 24, 1687-1693	3	7
30	Reduction of aflatoxins (B ₁ , B ₂ , G ₁ and G ₂) in soybean-based model systems. <i>Food Chemistry</i> , 2015 , 189, 45-51	8.5	43
29	Volatile compounds as markers of tofu (soybean curd) freshness during storage. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 772-9	5.7	13
28	Reduction of carcinogenic 4(5)-methylimidazole in a caramel model system: influence of food additives. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 6481-6	5.7	17
27	Correlating consumer perception and consumer acceptability of traditional Doenjang in Korea. <i>Journal of Food Science</i> , 2014 , 79, S2330-6	3.4	19
26	Antioxidant activities of volatile and non-volatile fractions of selected traditionally brewed Korean rice wines. <i>Journal of the Institute of Brewing</i> , 2014 , 120, n/a-n/a	2	5
25	Consumer awareness and interest toward sodium reduction trends in Korea. <i>Journal of Food Science</i> , 2014 , 79, S1416-23	3.4	13
24	Analysis and risk assessment of ethyl carbamate in various fermented foods. <i>European Food Research and Technology</i> , 2013 , 236, 891-898	3.4	17
23	Formation of carcinogenic 4(5)-methylimidazole in caramel model systems: a role of sulphite. <i>Food Chemistry</i> , 2013 , 136, 1165-8	8.5	27
22	Volatile compounds isolated from rice beers brewed with three medicinal plants. <i>Journal of the Institute of Brewing</i> , 2013 , 119, 271-279	2	6
21	Antibacterial and Antioxidant Activities of Various Medicinal Plants Used in Oriental Medicine. <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300800	0.9	

20	Monitoring and risk assessment of pesticide residues in yuza fruits (<i>Citrus junos</i> Sieb. ex Tanaka) and yuza tea samples produced in Korea. <i>Food Chemistry</i> , 2012 , 135, 2930-3	8.5	26
19	Multiresidue pesticide analysis in Korean ginseng by gas chromatography-triple quadrupole tandem mass spectrometry. <i>Food Chemistry</i> , 2012 , 134, 2497-503	8.5	24
18	Antioxidant activities of Korean rice wine concentrates. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 7039-44	5.7	16
17	Analysis of acrylamide using gas chromatography-nitrogen phosphorus detector (GC-NPD). <i>Food Science and Biotechnology</i> , 2011 , 20, 835-839	3	19
16	Preparation of kanamycin powder by an optimized spray freeze-drying method. <i>Powder Technology</i> , 2010 , 199, 159-164	5.2	20
15	Analysis of furan in heat-processed foods consumed in Korea using solid phase microextraction-gas chromatography/mass spectrometry (SPME-GC/MS). <i>Food Chemistry</i> , 2010 , 123, 1328-1333	8.5	40
14	Antioxidant properties of Korean black raspberry wines and their apoptotic effects on cancer cells. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 970-977	4.3	24
13	Furan in commercially processed foods: four-year field monitoring and risk assessment study in Korea. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009 , 72, 1304-10	3.2	22
12	Antioxidant Activity of Volatile Extracts Isolated from Various Herbs and Spices. <i>ACS Symposium Series</i> , 2008 , 199-212	0.4	
11	Understanding consumer preferences for rice wines using sensory data. <i>Journal of the Science of Food and Agriculture</i> , 2008 , 88, 690-698	4.3	27
10	Antioxidant activity and characterization of volatile extracts of <i>Capsicum annuum</i> L. and <i>Allium</i> spp.. <i>Flavour and Fragrance Journal</i> , 2008 , 23, 178-184	2.5	23
9	Antioxidative activity of volatile extracts isolated from <i>Angelica tenuissima</i> roots, peppermint leaves, pine needles, and sweet flag leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 4124-9	5.7	73
8	Identification of volatile components in basil (<i>Ocimum basilicum</i> L.) and thyme leaves (<i>Thymus vulgaris</i> L.) and their antioxidant properties. <i>Food Chemistry</i> , 2005 , 91, 131-137	8.5	521
7	Antioxidant activity and characterization of volatile constituents of beechwood creosote. <i>Journal of the Science of Food and Agriculture</i> , 2005 , 85, 1580-1586	4.3	15
6	Antioxidative activities of fractions obtained from brewed coffee. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 592-6	5.7	126
5	Inhibitory effects of plant-derived flavonoids and phenolic acids on malonaldehyde formation from ethyl arachidonate. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7203-7	5.7	34
4	Antioxidative activity of heterocyclic compounds found in coffee volatiles produced by Maillard reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 5480-4	5.7	183
3	Determination of antioxidant potential of volatile extracts isolated from various herbs and spices. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 4947-52	5.7	218

- | | | | |
|---|---|-----|----|
| 2 | Antioxidant activities of volatile components isolated from Eucalyptus species. <i>Journal of the Science of Food and Agriculture</i> , 2001 , 81, 1573-1579 | 4-3 | 67 |
| 1 | Antioxidant properties of aroma compounds isolated from soybeans and mung beans. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 4290-3 | 5-7 | 99 |