
Gard F T Svingen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2103663/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Associations of Plasma Kynurenines With Risk of Acute Myocardial Infarction in Patients With Stable Angina Pectoris. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 455-462.	2.4	133
2	Plasma Dimethylglycine and Risk of Incident Acute Myocardial Infarction in Patients With Stable Angina Pectoris. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2041-2048.	2.4	92
3	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. Lancet Diabetes and Endocrinology,the, 2017, 5, 534-543.	11.4	84
4	Increased plasma trimethylamine- N -oxide is associated with incident atrial fibrillation. International Journal of Cardiology, 2018, 267, 100-106.	1.7	67
5	The kynurenine:tryptophan ratio as a predictor of incident type 2 diabetes mellitus in individuals with coronary artery disease. Diabetologia, 2017, 60, 1712-1721.	6.3	58
6	Plasma Concentrations and Dietary Intakes of Choline and Betaine in Association With Atrial Fibrillation Risk: Results From 3 Prospective Cohorts With Different Health Profiles. Journal of the American Heart Association, 2018, 7, .	3.7	31
7	Serum Carnitine Metabolites and Incident Type 2 Diabetes Mellitus in Patients With Suspected Stable Angina Pectoris. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1033-1041.	3.6	27
8	Fibrinogen and Neopterin Is Associated with Future Myocardial Infarction and Total Mortality in Patients with Stable Coronary Artery Disease. Thrombosis and Haemostasis, 2018, 47, 778-790.	3.4	16
9	Plasma cystathionine and risk of acute myocardial infarction among patients with coronary heart disease: Results from two independent cohorts. International Journal of Cardiology, 2018, 266, 24-30.	1.7	15
10	Plasma Cystathionine and Risk of Incident Stroke in Patients With Suspected Stable Angina Pectoris. Journal of the American Heart Association, 2018, 7, e008824.	3.7	14
11	Plasma methionine and risk of acute myocardial infarction: Effect modification by established risk factors. Atherosclerosis, 2018, 272, 175-181.	0.8	13
12	Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A. Atherosclerosis, 2017, 265, 325-330.	0.8	12
13	Neopterin as an Effect Modifier of the Cardiovascular Risk Predicted by Total Homocysteine: A Prospective 2 ohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	12
14	Usefulness of Higher Levels of Cardiac Troponin T in Patients With Stable Angina Pectoris to Predict Risk of Acute Myocardial Infarction. American Journal of Cardiology, 2018, 122, 1142-1147.	1.6	11
15	Dietary choline is related to increased risk of acute myocardial infarction in patients with stable angina pectoris. Biochimie, 2020, 173, 68-75.	2.6	11
16	Creatinine, total cysteine and uric acid are associated with serum retinol in patients with cardiovascular disease. European Journal of Nutrition, 2020, 59, 2383-2393.	3.9	10
17	Elevated plasma cystathionine is associated with increased risk of mortality among patients with suspected or established coronary heart disease. American Journal of Clinical Nutrition, 2019, 109, 1546-1554.	4.7	8
18	Methylenetetrahydrofolate Dehydrogenase 1 Polymorphisms Modify the Associations of Plasma Glycine and Serine With Risk of Acute Myocardial Infarction in Patients With Stable Angina Pectoris in WENBIT (Western Norway B Vitamin Intervention Trial). Circulation: Cardiovascular Genetics, 2016, 9, 541-547.	5.1	6

GARD F T SVINGEN

#	Article	IF	CITATIONS
19	Plasma Homoarginine Concentrations According to Use of Hormonal Contraception. Scientific Reports, 2018, 8, 12217.	3.3	5
20	Transsulfuration metabolites and the association with incident atrial fibrillation – An observational cohort study among Norwegian patients with stable angina pectoris. International Journal of Cardiology, 2020, 317, 75-80.	1.7	5
21	β-blocker use and risk of all-cause mortality in patients with coronary heart disease: effect modification by serum vitamin A. European Journal of Preventive Cardiology, 2022, 28, 1897-1902.	1.8	5
22	Lipid parameters and vitamin A modify cardiovascular risk prediction by plasma neopterin. Heart, 2020, 106, 1073-1079.	2.9	4
23	Trimethyllysine predicts all-cause and cardiovascular mortality in community-dwelling adults and patients with coronary heart disease. European Heart Journal Open, 2021, 1, .	2.3	4