

ValÃ©ria Cid Maia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2105911/publications.pdf>

Version: 2024-02-01

112
papers

1,163
citations

471509

17
h-index

501196

28
g-index

115
all docs

115
docs citations

115
times ranked

316
citing authors

#	ARTICLE	IF	CITATIONS
1	Insect galls on Asteraceae in Brazil: richness, geographic distribution, associated fauna, endemism and economic importance. <i>Biota Neotropica</i> , 2022, 22, .	0.5	1
2	Gall midges (Insecta, Diptera, Cecidomyiidae) associated with Clusiaceae in Brazil: richness and distribution. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20190710.	0.8	0
3	Cecidomyiidae (Diptera, Insecta): richness of species and distribution in Brazil. <i>Biota Neotropica</i> , 2021, 21, .	0.5	2
4	Topological structure of a tritrophic network composed of host plants, gall-inducing insects and parasitoids in a restinga area in <sc>Brazil</sc>. <i>Entomological Science</i> , 2021, 24, 201-216.	0.6	9
5	Review of the inquiline fauna associated with insect galls in Brazilian restingas. <i>Brazilian Journal of Biology</i> , 2021, 82, e235395.	0.9	1
6	Insect galls of the Brazilian Cerrado: associated fauna. <i>Biota Neotropica</i> , 2021, 21, .	0.5	1
7	A new species of <i>Zalepidota</i> $\frac{1}{4}$ bsaamen, 1908 (Diptera, Cecidomyiidae) on <i>Piper vicosanum</i> (Piperaceae), an endemic plant to Brazil. <i>Revista Brasileira De Entomologia</i> , 2021, 65, .	0.4	0
8	A compilation of host plants and their gall-inducing insects for the Caatinga Biome. <i>Biota Neotropica</i> , 2021, 21, .	0.5	0
9	Plant-galling insect interactions: a data set of host plants and their gall-inducing insects for the Cerrado. <i>Ecology</i> , 2020, 101, e03149.	3.2	5
10	New geographic records of four species of Asphondyliini (Insecta, Diptera, Cecidomyiidae). <i>Check List</i> , 2020, 16, 859-864.	0.4	1
11	Insect galls of the Reserva Biológica União, Rio de Janeiro, Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	3
12	Three new species of <i>Bruggmanniella</i> Tavares, 1909 (Diptera, Cecidomyiidae) from Brazil with a key to species. <i>Revista Brasileira De Entomologia</i> , 2020, 64, .	0.4	2
13	Checklist of Cecidomyiidae (Diptera) in the state of Minas Gerais (Southeastern Brazil) / Título em português: Lista dos Cecidomyiidae (Diptera) no estado de Minas Gerais (Sudeste do Brasil). <i>Brazilian Journal of Animal and Environmental Research</i> , 2020, 3, 2627-2646.	0.1	1
14	Checklist of the gall midges (Diptera, Cecidomyiidae) in the state of Bahia (Northeastern Brazil) / Lista dos Cecidomyiidae (Diptera) no estado da Bahia (Nordeste do Brasil). <i>Brazilian Journal of Animal and Environmental Research</i> , 2020, 3, 3991-4013.	0.1	3
15	Plant-Galling Insect Interactions: A Data Set of Host Plants and Their Gall-Inducing Insects for the Cerrado. <i>Bulletin of the Ecological Society of America</i> , 2020, 101, .	0.2	0
16	<i>Lopesia leandrae</i> (Diptera, Cecidomyiidae), a new species of gall midge associated with <i>Leandra ionopogon</i> (Mart.) Cogn. (Melastomataceae), a native plant to Brazil. <i>Revista Brasileira De Entomologia</i> , 2019, 63, 234-237.	0.4	2
17	Insect galls on <i>Bauhinia cupulata</i> (Fabaceae): morphotypes characterization and description of a new species of <i>Schizomyia</i> (Cecidomyiidae, Diptera). <i>Revista Brasileira De Entomologia</i> , 2019, 63, 356-362.	0.4	4
18	A new species of <i>Youngomyia</i> Felt from Brazil and new morphological data on <i>Youngomyia pouteriae</i> Maia (Insecta, Diptera, Cecidomyiidae). <i>Revista Brasileira De Entomologia</i> , 2019, 63, 130-135.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Insect galls on Myrtaceae: richness and distribution in Brazilian restingas. <i>Biota Neotropica</i> , 2019, 19, .	0.5	0
20	A Review of Galls on Ferns and Lycophytes. <i>Environmental Entomology</i> , 2019, 48, 53-60.	1.4	18
21	A synopsis of fern galls in Brazil. <i>Biota Neotropica</i> , 2018, 18, .	0.5	9
22	Asilidae (Diptera) of two Atlantic Forest protected areas of Rio de Janeiro, Southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2018, 90, 1579-1589.	0.8	2
23	<i>Lopesia indaiensis</i> (Diptera, Cecidomyiidae), a new species of gall midge feeding on <i>Andira fraxinifolia</i> Benth (Fabaceae), an endemic plant in Brazil. <i>Revista Brasileira De Entomologia</i> , 2018, 62, 125-130.	0.4	4
24	<i>Myrciamyia pterandrae</i> (Diptera, Cecidomyiidae, Lopesiini), a new species of gall midge associated with <i>Pterandra pyroidea</i> A. Juss. (Malpighiaceae), an endemic plant in Brazilian Cerrado. <i>Revista Brasileira De Entomologia</i> , 2018, 62, 220-224.	0.4	1
25	Insect galls of Pantanal areas in the State of Mato Grosso do Sul, Brazil: characterization and occurrence. <i>Anais Da Academia Brasileira De Ciencias</i> , 2018, 90, 1543-1564.	0.8	11
26	A new genus and species of Lasiopteridi (Diptera, Cecidomyiidae) on <i>Haplopappus foliosus</i> (Asteraceae) from Chile. <i>Revista Brasileira De Entomologia</i> , 2017, 61, 162-169.	0.4	1
27	Insect Galls of the Parque Nacional do Itatiaia (Southeast Region, Brazil). <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 505-575.	0.8	21
28	Representativity of the genus <i>Asphondylia</i> Loew, 1850 (Diptera, Cecidomyiidae) in Brazil. <i>Papeis Avulsos De Zoologia</i> , 2017, 57, 393.	0.4	2
29	Diversity of insect galls associated with coastal shrub vegetation in Rio de Janeiro, Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 1407-1418.	0.8	29
30	A new species of <i>Machaerobia</i> RÅ¼bsaamen, 1915 (Diptera, Cecidomyiidae) from Brazil. <i>Revista Brasileira De Entomologia</i> , 2016, 60, 227-230.	0.4	3
31	FAMILY CECIDOMYIIDAE. <i>Zootaxa</i> , 2016, 4122, 26.	0.5	0
32	Insect galls of a protected remnant of the Atlantic Forest tableland from Rio de Janeiro State (Brazil). <i>Revista Brasileira De Entomologia</i> , 2016, 60, 40-56.	0.4	23
33	Insect galls on <i>Mikania glomerata</i> (Asteraceae) in an area of Atlantic Forest in ViãSosa (Minas Gerais,) Tj ETQq1 1 0,784314 rgBT /Ove	0.4	2
34	New state record of gall midge species (Diptera, Cecidomyiidae) associated with <i>Calophyllum brasiliense</i> Cambess (Calophyllaceae). <i>Check List</i> , 2015, 11, 1564.	0.4	1
35	New state record of <i>Lopesia grandis</i> Maia, 2001 (Insecta, Diptera, Cecidomyiidae). <i>Check List</i> , 2015, 11, 1621.	0.4	2
36	Insect galls of Itamonte (Minas Gerais, Brazil): characterization and occurrence. <i>Biota Neotropica</i> , 2014, 14, .	1.0	9

#	ARTICLE	IF	CITATIONS
37	Galls in the Brazilian Coastal Vegetation. , 2014, , 295-361.		3
38	Intrapuparial Development of <i>Chrysomya putoria</i> (Diptera: Calliphoridae). Journal of Medical Entomology, 2014, 51, 908-914.	1.8	16
39	New state record of four species of gall midges (Insecta, Diptera, Cecidomyiidae). Check List, 2014, 10, 942-943.	0.4	3
40	New state record of <i>Lopesia similis</i> Maia (Insecta, Diptera, Cecidomyiidae). Check List, 2014, 10, 1555.	0.4	1
41	New state record of <i>Schismatodiplosis lantanae</i> (Rä¼bsaamen, 1908) (Insecta, Diptera, Cecidomyiidae) in Brazil. Check List, 2014, 10, 1557.	0.4	4
42	Insect galls of restinga areas of Ilha da Marambaia, Rio de Janeiro, Brazil. Revista Brasileira De Entomologia, 2014, 58, 173-197.	0.4	35
43	A new genus and species of Lasiopteridi (Diptera, Cecidomyiidae) associated with <i>Myrciaria delicatula</i> (Myrtaceae) from Brazil, with identification keys of tribes and unplaced genera. Biota Neotropica, 2013, 13, 63-69.	1.0	2
44	Insect galls of the xeric vegetation of Ilha do Cabo Frio (Arraial do Cabo, RJ, Brazil). Biota Neotropica, 2013, 13, 278-288.	1.0	25
45	Galhas de insetos em restingas da regiÃ£o sudeste do Brasil com novos registros. Biota Neotropica, 2013, 13, 183-209.	1.0	29
46	Insect galls of SÃ£o TomÃ© das Letras (MG, Brazil). Biota Neotropica, 2013, 13, 164-189.	1.0	23
47	Coleopterous galls from the Neotropical region. Papeis Avulsos De Zoologia, 2012, 52, 175-184.	0.4	10
48	Representatividade do gÃªnero <i>Clinodiplosis</i> Kieffer (Diptera, Cecidomyiidae) no Brasil. Papeis Avulsos De Zoologia, 2012, 52, 223-231.	0.4	2
49	Richness of hymenopterous galls from South America. Papeis Avulsos De Zoologia, 2012, 52, 423-429.	0.4	4
50	<i>Eugeniomyia</i> dispar em pitangueira: parasitoides associados, dinÃ¢mica populacional e distribuiÃ£o de galhas na planta. Revista Brasileira De Fruticultura, 2012, 34, 109-115.	0.5	4
51	A new genus and species of gall midge (Diptera, Cecidomyiidae) associated with <i>Microgramma vacciniifolia</i> (Langsd. & Fisch.) Copel. (Polypodiaceae) from Brazil. Revista Brasileira De Entomologia, 2011, 55, 40-44.	0.4	14
52	New gall midges (Diptera, Cecidomyiidae) associated with <i>Eugenia uniflora</i> and <i>Psidium cattleianum</i> (Myrtaceae). Iheringia - Serie Zoologia, 2011, 101, 69-74.	0.5	2
53	Representatividade do gÃªnero <i>Lopesia</i> Rä¼bsaamen (Diptera, Cecidomyiidae) no Brasil. Papeis Avulsos De Zoologia, 2011, 51, 359-365.	0.4	2
54	Two new species of gall midges (Diptera, Cecidomyiidae) associated with <i>Erythroxylum ovalifolium</i> Peyr. (Erythroxylaceae) from the Barra de MaricÃ; restinga, MaricÃ;, Rio de Janeiro, Brazil. Brazilian Journal of Biology, 2011, 71, 521-526.	0.9	7

#	ARTICLE	IF	CITATIONS
55	Characterization of insect galls, gall makers, and associated fauna of PlatÃ´ Bacaba (Porto de Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	28
56	Burseramyia braziliensis, a new species of gall midge (Diptera, Cecidomyiidae, Asphondyliini) associated with Swartzia langsdorffii Raddi (Fabaceae). Biota Neotropica, 2011, 11, 55-57.	1.0	3
57	Galhas de insetos da Reserva BiolÃ³gica Estadual da Praia do Sul (Ilha Grande, Angra dos Reis, RJ). Biota Neotropica, 2010, 10, 227-237.	1.0	36
58	A new species of Bruggmanniella (Diptera, Cecidomyiidae, Asphondyliini) associated with Doliocarpus dentatus (Dilleniaceae) in Brazil. Revista Brasileira De Entomologia, 2010, 54, 225-228.	0.4	5
59	Two new species of Lopesia RÃ¼bsaamen (Diptera, Cecidomyiidae) associated with Mimosa hostilis (Mimosaceae) in Brazil. Revista Brasileira De Entomologia, 2010, 54, 578-583.	0.4	13
60	Uma nova espÃ©cie de Youngomyia (Diptera, Cecidomyiidae) do Brasil. Iheringia - Serie Zoologia, 2010, 100, 222-224.	0.5	1
61	Description of the female, pupa and gall of Pisphondylia brasiliensis Couri and Maia, 1992 (Diptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0,9	5
62	Duas novas espÃ©cies de Lopesia RÃ¼bsaamen (Diptera, Cecidomyiidae) do Brasil, com chave para as espÃ©cies. Biota Neotropica, 2010, 10, 85-99.	1.0	11
63	Gall midges (Diptera, Cecidomyiidae) associated with Aldina heterophylla Spr. ex Benth. (Fabaceae) from Brazil. Biota Neotropica, 2010, 10, 161-166.	1.0	10
64	A new replacement name for Brethesia Maia (Diptera, Cecidomyiidae). Revista Brasileira De Entomologia, 2010, 54, 146-146.	0.4	2
65	Galhas de insetos do Parque Estadual Paulo CÃ©sar Vinha (Guarapari, ES, Brasil). Biota Neotropica, 2010, 10, 265-274.	1.0	46
66	Are gall midge species (Diptera, Cecidomyiidae) host-plant specialists?. Revista Brasileira De Entomologia, 2009, 53, 365-378.	0.4	124
67	Uma nova espÃ©cie de Schizomyia (Diptera, Cecidomyiidae), indutora de galhas nos botÃ£es florais de Jacquemontia holosericea (Convolvulaceae). Revista Brasileira De Entomologia, 2009, 53, 356-360.	0.4	3
68	A new genus and species of gall midge (Diptera, Cecidomyiidae) associated with Myrcia retorta (Myrtaceae). Revista Brasileira De Entomologia, 2009, 53, 38-40.	0.4	5
69	Micro-himenÃ³pteros associados com galhas de Cecidomyiidae (Diptera) em Restingas do Estado do Rio de Janeiro (Brasil). Biota Neotropica, 2009, 9, 151-164.	1.0	19
70	Neolasioptera ramicola, a new species of Cecidomyiidae (Diptera) associated with Physalis angulata (Solanaceae). Revista Brasileira De Entomologia, 2009, 53, 163-165.	0.4	7
71	Asphondylia fructicola, a new species of Cecidomyiidae (Diptera) associated with Solanum sp. (Solanaceae) from Brazil. Revista Brasileira De Entomologia, 2009, 53, 166-170.	0.4	6
72	Asphondylia gochnatiae, a new species of gall midge (Diptera, Cecidomyiidae) associated with Gochnatia polymorpha (Less.) Cabrera (Asteraceae). Zootaxa, 2008, 1740, 53.	0.5	6

#	ARTICLE	IF	CITATIONS
73	Ocorrência e caracterização de galhas de insetos em áreas de restinga de Bertoga (São Paulo, Brasil). <i>Biota Neotropica</i> , 2008, 8, 167-197.	1.0	76
74	A new species of <i>Schizomyia</i> (Diptera, Cecidomyiidae, Asphondyliini) associated with <i>Tetrapterys phlomoides</i> (Malpighiaceae). <i>Iheringia - Serie Zoologia</i> , 2007, 97, 311-313.	0.5	7
75	Um novo gênero e espécie de <i>Schizomyiina</i> (Diptera, Cecidomyiidae) associados com Piperaceae no Brasil. <i>Iheringia - Serie Zoologia</i> , 2007, 97, 137-142.	0.5	1
76	Uma nova espécie de Cecidomyiidae (Diptera) associada com <i>Sebastiania glandulosa</i> (Euphorbiaceae). <i>Iheringia - Serie Zoologia</i> , 2007, 97, 97-101.	0.5	4
77	<i>Myrciariamyia admirabilis</i> , a new species of gall midge (Diptera, Cecidomyiidae) associated with <i>Erythroxyllum suberosum</i> (Erythroxyllaceae). <i>Zootaxa</i> , 2007, 1554, 41-48.	0.5	3
78	New genera and species of gall midges (Diptera, Cecidomyiidae) associated with <i>Guarea macrophylla</i> (Meliaceae). <i>Revista Brasileira De Zoologia</i> , 2007, 24, 449-456.	0.5	6
79	Description of the pupa of <i>Lopesia brasiliensis</i> (Diptera, Cecidomyiidae). <i>Revista Brasileira De Zoologia</i> , 2007, 24, 941-942.	0.5	2
80	A new genus and species of gall midge (Diptera, Cecidomyiidae) associated with <i>Parkia pendula</i> (Fabaceae, Mimosoideae). <i>Revista Brasileira De Entomologia</i> , 2006, 50, 1-5.	0.4	8
81	<i>Clinodiplosis costai</i> , uma nova espécie galhadora (Diptera, Cecidomyiidae) associada com <i>Paullinia weinmanniaefolia</i> Mart (Sapindaceae). <i>Revista Brasileira De Zoologia</i> , 2005, 22, 676-679.	0.5	6
82	Two new species of Asphondyliini (Diptera: Cecidomyiidae) associated with <i>Bauhinia brevipes</i> (Fabaceae) in Brazil. <i>Zootaxa</i> , 2005, 1091, 27-40.	0.5	19
83	A new genus and species of gall midge (Diptera: Cecidomyiidae) associated with <i>Waltheria indica</i> L. (Sterculiaceae). <i>Zootaxa</i> , 2005, 1060, 27-36.	0.5	7
84	New gall midges (Diptera, Cecidomyiidae) associated with two species of <i>Eugenia</i> (Myrtaceae). <i>Revista Brasileira De Entomologia</i> , 2005, 49, 347-352.	0.4	9
85	Two new species of gall midges (Diptera, Cecidomyiidae) associated with <i>Protium heptaphyllum</i> (Aubl.) Marchand (Burseraceae) in Brazil. <i>Revista Brasileira De Entomologia</i> , 2004, 48, 485-490.	0.4	11
86	Description of a new species of <i>Bruggmannia</i> Tavares (Diptera, Cecidomyiidae) associated with <i>Guapira opposita</i> (Vell.) Reitz (Nyctaginaceae) from Brazil. <i>Revista Brasileira De Zoologia</i> , 2004, 21, 761-764.	0.5	8
87	Description of the larva of <i>Houardodiplosis rochae</i> Tavares, 1925 (Diptera, Cecidomyiidae). <i>Revista Brasileira De Zoologia</i> , 2004, 21, 46, 81-82.	0.4	6
88	The gall midges (Diptera, Cecidomyiidae) from three restingas of Rio de Janeiro State, Brazil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 583-629.	0.5	95
89	New genera and species of gall midges (Diptera, Cecidomyiidae) from three restingas of Rio de Janeiro State, Brazil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 1-32.	0.5	27
90	<i>Cordiamyia globosa</i> Maia (Diptera, Cecidomyiidae), flutuação populacional e parasitoides (Hymenoptera) associados. <i>Revista Brasileira De Zoologia</i> , 2000, 17, 589-593.	0.5	14

#	ARTICLE	IF	CITATIONS
91	Descrição de imaturos de quatro espécies de Asphondyliini neotropicais e nota taxonômica sobre <i>Asphondylia maytenuse</i> Maia & Couri (Diptera, Cecidomyiidae). <i>Revista Brasileira De Zoologia</i> , 1999, 16, 775-778.	0.5	5
92	Espécies cecidígenas (Diptera, Cecidomyiidae) e parasitoides (Hymenoptera) associadas a <i>Guapira opposita</i> (Vell.) Reitz: (Nyctaginaceae) na Restinga da Barra de Maricá, Rio de Janeiro. <i>Revista Brasileira De Zoologia</i> , 1999, 16, 483-487.	0.5	24
93	<i>Dasineura gigantea</i> sp.n. (Diptera, Cecidomyiidae) associada a <i>Psidium cattleianum</i> Sabine (Myrtaceae) no Brasil. <i>Revista Brasileira De Zoologia</i> , 1999, 16, 191-195.	0.5	9
94	Description of male, pupa and larva of <i>Neolasioptera cerei</i> ¼bsaamen (Diptera, Cecidomyiidae). <i>Revista Brasileira De Zoologia</i> , 1999, 16, 119-122.	0.5	3
95	<i>Clusiamyia nitida</i> gen.n. e sp.n. (Diptera, Cecidomyiidae, Cecidomyiidi) associada com <i>Clusia lanceolata</i> Camb. (Clusiaceae) no Brasil. <i>Revista Brasileira De Zoologia</i> , 1996, 13, 829-832.	0.5	9
96	<i>Cordiamyia globosa</i> gen.n. e sp.n. (Diptera, Cecidomyiidae, Cecidomyiidi) associado com <i>Cordia Verbenacea</i> DC. (Boraginaceae) no Brasil. <i>Revista Brasileira De Zoologia</i> , 1996, 13, 579-583.	0.5	10
97	<i>Eugeniamyia dispar</i> gen.n. and sp.n. (Diptera, Cecidomyiidae, Lasiopteridi) associated with <i>Eugenia uniflora</i> L. (Myrtaceae) in Brazil. <i>Revista Brasileira De Zoologia</i> , 1996, 13, 1087-1090.	0.5	18
98	Dois gêneros novos de Cecidomyiidae (Diptera) associados à Myrtaceae, na Restinga de Barra de Maricá, Rio de Janeiro, Brasil. <i>Revista Brasileira De Zoologia</i> , 1995, 12, 567-574.	0.5	15
99	Três espécies novas de <i>Dasineura Rondani</i> (Diptera, Cecidomyiidae) associadas a Myrtaceae na Restinga da Barra de Maricá, Rio de Janeiro. <i>Revista Brasileira De Zoologia</i> , 1995, 12, 1001-1008.	0.5	10
100	Chaves para classificação de galhas de Cecidomyiidae (Diptera) em Myrtaceae na Restinga da Barra de Maricá, Rio de Janeiro. <i>Revista Brasileira De Zoologia</i> , 1995, 12, 1009-1013.	0.5	10
101	<i>Myrciariamyia bivalva</i> , gen.n. e sp.n. (Diptera, Cecidomyiidae, Oligotrophini) associado com <i>Myrciaria floribunda</i> (Camb.) Legr. (Myrtaceae) no Brasil. <i>Revista Brasileira De Zoologia</i> , 1994, 11, 635-639.	0.5	10
102	Considerações sobre <i>Stephomyia tavares</i> (Diptera, Cecidomyiidae, Asphondyliidi), com descrições de quatro espécies novas associadas com <i>Eugenia</i> L. e <i>Neomithranthes obscura</i> (DC.) Legr. (Myrtaceae). <i>Revista Brasileira De Zoologia</i> , 1993, 10, 521-530.	0.5	13
103	Uma nova espécie de <i>Clinodiplosis</i> Kieffer (Diptera, Cecidomyiidae) associada com <i>Melissa officinalis</i> Linnaeus (Labiatae) no Brasil. <i>Revista Brasileira De Zoologia</i> , 1993, 10, 695-697.	0.5	9
104	Considerações sobre <i>Proasphondylia felt</i> (Diptera, Cecidomyiidae) com descrições de duas espécies novas associadas com <i>Guapira opposita</i> (Velloso) Reitz (Nyctaginaceae). <i>Revista Brasileira De Zoologia</i> , 1993, 10, 215-218.	0.5	12
105	A new species of <i>Clinodiplosis</i> Kieffer (Diptera, Cecidomyiidae) associated with <i>Cecropia</i> sp. (Urticaceae) in Brazil. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206003.	0.4	2
106	A new species of gall midge (Diptera, Cecidomyiidae) associated with <i>Ocotea pulchella</i> (Nees & Mart.) Mez (Lauraceae) from Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 0, , 1-14.	1.0	0
107	First characterization of a taxonomically well-resolved trophic network composed by host plants and gall midges (Diptera: Cecidomyiidae) in the Neotropical region. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216134.	0.4	0
108	New species of <i>Asphondylia</i> (Diptera, Cecidomyiidae, Asphondyliini) from Brazil. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216157.	0.4	0

#	ARTICLE	IF	CITATIONS
109	Bruggmannia chapadensis sp. nov. (Diptera: Cecidomyiidae), a new midge inducing galls on Guapira pernambucensis (Nyctaginaceae) from the Parque Nacional da Chapada dos Guimarães, Mato Grosso State, Brazil. Zoologia, 0, 35, 1-6.	0.5	3
110	New genus and species of Schizomyiina (Diptera, Cecidomyiidae) from Brazil. Papeis Avulsos De Zoologia, 0, 61, e20216187.	0.4	0
111	A new species of Bruggmannia Tavares, 1906 (Diptera, Cecidomyiidae) on Neea theifera (Nyctaginaceae), a native plant to Brazil. Studies on Neotropical Fauna and Environment, 0, , 1-10.	1.0	0
112	Geographic distribution patterns of galling insects in a protected area of Atlantic forest (southeast,)	0.4	0