

Colm Durkan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2106709/publications.pdf>

Version: 2024-02-01

103
papers

3,194
citations

186209

28
h-index

168321

53
g-index

107
all docs

107
docs citations

107
times ranked

4448
citing authors

#	ARTICLE	IF	CITATIONS
1	Site-specific variations in surface structure and Young's modulus of human hair surfaces at the nanometer scale as induced through bleach treatment. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022, 126, 105001.	1.5	3
2	Identification of organic species with "double-sided tape" characteristics on the surface of carbonate reservoir rock. <i>Fuel</i> , 2021, 288, 119627.	3.4	10
3	Nanoparticles retard immune cells recruitment in vivo by inhibiting chemokine expression. <i>Biomaterials</i> , 2021, 265, 120392.	5.7	19
4	Theoretical estimation of size effects on the electronic transport in tailored graphene nanoribbons. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 1727-1737.	1.3	1
5	Photooxidation crosslinking to recover residual stress in decellularized blood vessel. <i>International Journal of Energy Production and Management</i> , 2021, 8, rbaa058.	1.9	4
6	Recent advances of electrochemical sensors for detecting and monitoring ROS/RNS. <i>Biosensors and Bioelectronics</i> , 2021, 179, 113052.	5.3	55
7	Cadmium-induced dysfunction of the blood-brain barrier depends on ROS-mediated inhibition of PTPase activity in zebrafish. <i>Journal of Hazardous Materials</i> , 2021, 412, 125198.	6.5	41
8	Plasmon-Induced Trap State Emission from Single Quantum Dots. <i>Physical Review Letters</i> , 2021, 126, 047402.	2.9	14
9	Mussel adhesive protein fused with VE-cadherin extracellular domain promotes endothelial cell tight junctions and <i>in vivo</i> endothelialization recovery of vascular stent. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2020, 108, 94-103.	1.6	7
10	Electron Transport through a Coordination Junction Formed by Carboxy Thiophenols and Bivalent Metal Ions. <i>Journal of Physical Chemistry C</i> , 2020, 124, 21137-21146.	1.5	4
11	SRGN, a new identified shear-stress-responsive gene in endothelial cells. <i>Molecular and Cellular Biochemistry</i> , 2020, 474, 15-26.	1.4	9
12	High-Fidelity Determination and Tracing of Small Extracellular Vesicle Cargoes. <i>Small</i> , 2020, 16, e2002800.	5.2	21
13	M2 macrophage-derived exosomes promote the c-KIT phenotype of vascular smooth muscle cells during vascular tissue repair after intravascular stent implantation. <i>Theranostics</i> , 2020, 10, 10712-10728.	4.6	56
14	Size effects in the resistivity of graphene nanoribbons. <i>Nanotechnology</i> , 2019, 30, 445203.	1.3	6
15	Multiscale Approach Linking Self-Aggregation and Surface Interactions of Synthesized Foulants to Fouling Mitigation Strategies. <i>Energy & Fuels</i> , 2019, 33, 7216-7224.	2.5	4
16	Adsorption of 4-n-Nonylphenol, Carvacrol, and Ethanol onto Iron Oxide from Nonaqueous Hydrocarbon Solvents. <i>Langmuir</i> , 2019, 35, 11662-11669.	1.6	1
17	Probing the Interactions of Dolomite Surfaces with Oil at the Molecular Scale. <i>Energy & Fuels</i> , 2019, 33, 6161-6169.	2.5	2
18	Correlation between the microstructure and the deformation behaviour of metallic nanowires. <i>Computational Materials Science</i> , 2019, 168, 116-124.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Cleaning Transferred Graphene for Optimization of Device Performance. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801794.	1.9	9
20	Effect of the heteroatom-separation on the electron transport behavior of heteroacene-junctions. <i>Computational Materials Science</i> , 2019, 162, 124-132.	1.4	4
21	Atherosclerosis Treatment with Stimuli-Responsive Nanoagents: Recent Advances and Future Perspectives. <i>Advanced Healthcare Materials</i> , 2019, 8, e1900036.	3.9	55
22	Anomalously Large Spectral Shifts near the Quantum Tunnelling Limit in Plasmonic Rulers with Subatomic Resolution. <i>Nano Letters</i> , 2019, 19, 2051-2058.	4.5	35
23	Overview of Crosstalk Between Multiple Factor of Transcytosis in Blood Brain Barrier. <i>Frontiers in Neuroscience</i> , 2019, 13, 1436.	1.4	31
24	On the use of nanomechanical atomic force microscopy to characterise oil-exposed surfaces. <i>RSC Advances</i> , 2018, 8, 6680-6689.	1.7	14
25	Electron transport behavior of quinoidal heteroacene-based junctions: effective electron-transport pathways and quantum interference. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 28860-28870.	1.3	7
26	Recent advancements in the use of exosomes as drug delivery systems. <i>Journal of Nanobiotechnology</i> , 2018, 16, 81.	4.2	416
27	Periodic ripples on thermally-annealed graphene on Cu (110) reconstruction or moiré pattern?. <i>Nanotechnology</i> , 2018, 29, 455705.	1.3	4
28	Effect of Surface Treatments on the Nanomechanical Properties of Human Hair. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 3063-3071.	2.6	18
29	Endogenous pH-responsive nanoparticles with programmable size changes for targeted tumor therapy and imaging applications. <i>Theranostics</i> , 2018, 8, 3038-3058.	4.6	159
30	Evaluating femtosecond laser ablation of graphene on SiO ₂ /Si substrate. <i>Journal of Laser Applications</i> , 2016, 28, 022202.	0.8	20
31	Characterisation of carbonaceous deposition in oil exposed surfaces at the nanoscale. , 2016, , .		0
32	A novel paradigm for the fabrication of highly uniform nanowire arrays using residual stress-induced patterning. <i>Journal of Materials Chemistry C</i> , 2016, 4, 5814-5821.	2.7	1
33	On the failure of graphene devices by Joule heating under current stressing conditions. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	10
34	On the Manipulation of Ferroelectric and Ferroelastic Domains at the Nanoscale. <i>Journal of Electronic Materials</i> , 2015, 44, 2230-2242.	1.0	2
35	Nanometer-Scale Investigations into Oil-Rich Chalk Formations. <i>Energy & Fuels</i> , 2015, 29, 6896-6902.	2.5	2
36	Towards reproducible, scalable lateral molecular electronic devices. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	1

#	ARTICLE	IF	CITATIONS
37	High-frequency programmable acoustic wave device realized through ferroelectric domain engineering. Applied Physics Letters, 2014, 104, 133505.	1.5	11
38	Nanometre-scale investigations by atomic force microscopy into the effect of different treatments on the surface structure of hair. International Journal of Cosmetic Science, 2014, 36, 598-605.	1.2	7
39	Nano-Domain Pinning in Ferroelastic-Ferroelectrics by Extended Structural Defects. Advanced Functional Materials, 2014, 24, 5567-5574.	7.8	15
40	The inverse problem in magnetic force microscopy—inferring sample magnetization from MFM images. Nanotechnology, 2013, 24, 305705.	1.3	4
41	Reversible nanoscale switching of polytwin orientation in a ferroelectric thin film induced by a local electric field. Applied Physics Letters, 2013, 103, 092904.	1.5	5
42	Controllable nanodomain defects in ferroelectric/ferroelastic biferroic thin films. , 2013, , .		1
43	Probing the location of displayed cytochrome b562 on amyloid by scanning tunnelling microscopy. Nanotechnology, 2013, 24, 175102.	1.3	5
44	Electrical actuation and readout in a nanoelectromechanical resonator based on a laterally suspended zinc oxide nanowire. Nanotechnology, 2012, 23, 025501.	1.3	20
45	Calibration of the spring constant of cantilevers of arbitrary shape using the phase signal in an atomic force microscope. Nanotechnology, 2012, 23, 485708.	1.3	3
46	Performing quantitative MFM measurements on soft magnetic nanostructures. Nanotechnology, 2012, 23, 455701.	1.3	5
47	Hydrothermally-Grown ZnO Nanowire Tips for Scanning Tunnelling Microscopy. Journal of Nanoscience and Nanotechnology, 2012, 12, 2394-2398.	0.9	2
48	Nucleation, growth, and control of ferroelectric-ferroelastic domains in thin polycrystalline films. Physical Review B, 2012, 86, .	1.1	35
49	Channel selective tunnelling through a nanographene assembly. Nanotechnology, 2012, 23, 095601.	1.3	3
50	Shifting atomic patterns: on the origin of the different atomic-scale patterns of graphite as observed using scanning tunnelling microscopy. Nanotechnology, 2012, 23, 185703.	1.3	9
51	Altering the ordering and disordering of a triangular nanographene at room temperature. Nanotechnology, 2012, 23, 015606.	1.3	1
52	Unexpected Controllable Pair-Structure in Ferroelectric Nanodomains. Nano Letters, 2011, 11, 4619-4625.	4.5	30
53	Domains Beyond the Grain Boundary. Advanced Functional Materials, 2011, 21, 1827-1832.	7.8	32
54	Domains Beyond Grain Boundaries: Domains Beyond the Grain Boundary (Adv. Funct. Mater. 10/2011). Advanced Functional Materials, 2011, 21, 1746-1746.	7.8	1

#	ARTICLE	IF	CITATIONS
55	Imaging confined charge density oscillations on graphite at room temperature. Physical Review B, 2011, 84, .	1.1	7
56	Edge and terrace structure of CoTPP on Au(1 1 1) investigated by ultra-high vacuum scanning tunnelling microscopy at room temperature. Surface Science, 2010, 604, 660-665.	0.8	14
57	Response to "Comment on "Nanometer resolution piezoreponse force microscopy to study deep submicron ferroelectric and ferroelastic domains" [Appl. Phys. Lett. 97, 046101 (2010)]. Applied Physics Letters, 2010, 97, 046102.	1.5	0
58	Flux Closure Vortexlike Domain Structures in Ferroelectric Thin Films. Physical Review Letters, 2010, 104, 207602.	2.9	116
59	Correlation between shape and stray field in indented square nanomagnets: Experimental and theoretical study. Physical Review B, 2010, 82, .	1.1	3
60	Anomalous n-type electrical behaviour of Pd-contacted CNTFET fabricated on small-diameter nanotube. Nanotechnology, 2010, 21, 215202.	1.3	6
61	Bundles of polytwins as meta-elastic domains in the thin polycrystalline simple multi-ferroic system PZT. Nanotechnology, 2010, 21, 065702.	1.3	35
62	Unraveling the rotational disorder of graphene layers in graphite. Physical Review B, 2010, 81, .	1.1	20
63	$\langle \cos^2 \theta \rangle$ domain dynamics and relaxation in thin ferroelectric/ferroelastic films. Physical Review B, 2010, 81, .		23
64	Role of hybridization on the Schottky barrier height of carbon nanotube field effect transistors. Physical Review B, 2009, 79, .	1.1	7
65	Nanometer resolution piezoresponse force microscopy to study deep submicron ferroelectric and ferroelastic domains. Applied Physics Letters, 2009, 94, 162903.	1.5	33
66	Tailoring the Local Interaction between Graphene Layers in Graphite at the Atomic Scale and Above Using Scanning Tunneling Microscopy. ACS Nano, 2009, 3, 3455-3462.	7.3	52
67	Direct measurement of charge transport through helical poly(ethyl propiolate) nanorods wired into gaps in single walled carbon nanotubes. Nanotechnology, 2009, 20, 105201.	1.3	12
68	The frontiers of microscopy. Materials Today, 2008, 11, 8-11.	8.3	11
69	Silicon depletion layer actuators. Applied Physics Letters, 2008, 92, .	1.5	22
70	Current at the Nanoscale. , 2008, , .		5
71	A Depletion Layer Actuator. , 2007, , .		13
72	Controlled fabrication of 1-2nm nanogaps by electromigration in gold and gold-palladium nanowires. Applied Physics Letters, 2007, 91, 123120.	1.5	53

#	ARTICLE	IF	CITATIONS
73	Observation and investigation of graphite superlattice boundaries by scanning tunneling microscopy. <i>Surface Science</i> , 2007, 601, 498-509.	0.8	42
74	Observation of Large-Scale Features on Graphite by Scanning Tunnelling Microscopy. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 5443-5446.	0.8	9
75	Simple Model of Electronic Density of States of Graphite and Its Application to the Investigation of Superlattices. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 5365-5369.	0.8	8
76	A review and outlook for an anomaly of scanning tunnelling microscopy (STM): superlattices on graphite. <i>Journal Physics D: Applied Physics</i> , 2005, 38, R329-R355.	1.3	146
77	Study of polarization-dependent energy coupling between near-field optical probe and mesoscopic metal structure. <i>Journal of Applied Physics</i> , 2004, 95, 3988-3993.	1.1	9
78	Detection of single electronic spins by scanning tunnelling microscopy. <i>Contemporary Physics</i> , 2004, 45, 1-10.	0.8	29
79	Optical impedance matching with scanning near-field optical microscopy. <i>Journal Physics D: Applied Physics</i> , 2003, 36, 2193-2197.	1.3	2
80	Response to Comment on "Single Crystals of Single-Walled Carbon Nanotubes Formed by Self-Assembly". <i>Science</i> , 2003, 300, 1236c-1236.	6.0	7
81	Mechanics of nanosprings: Stiffness and Young's modulus of molybdenum-based nanocrystals. <i>Applied Physics Letters</i> , 2002, 80, 4244-4246.	1.5	11
82	Surface enhanced Raman spectroscopy as a probe for local modification of carbon films. <i>Physical Review B</i> , 2002, 66, .	1.1	44
83	Electronic spin detection in molecules using scanning-tunneling- microscopy-assisted electron-spin resonance. <i>Applied Physics Letters</i> , 2002, 80, 458-460.	1.5	173
84	Single Crystals of Single-Walled Carbon Nanotubes Formed by Self-Assembly. <i>Science</i> , 2001, 292, 1136-1139.	6.0	174
85	Redox Activation of a Polyaniline-Coated Cantilever: An Electro-Driven Microdevice Parts of this research are supported by The Israel Ministry of Science and the Israel Science Foundation. M. Lahav gratefully acknowledges the support of The Clore Israel Foundation Scholars Programme.. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 4095.	7.2	65
86	Temperature dependence of the ohmic conductivity and activation energy of $Pb_{1+y}(Zr_{0.3}Ti_{0.7})O_3$ thin films. <i>Applied Physics Letters</i> , 2001, 79, 518-520.	1.5	10
87	Analysis of failure mechanisms in electrically stressed gold nanowires. <i>Ultramicroscopy</i> , 2000, 82, 125-133.	0.8	49
88	Investigations into local ferroelectric properties by atomic force microscopy. <i>Ultramicroscopy</i> , 2000, 82, 141-148.	0.8	18
89	A high pressure, high temperature, scanning tunneling microscope for in situ studies of catalysts. <i>Review of Scientific Instruments</i> , 2000, 71, 3777.	0.6	15
90	High-contrast topography-free sample for near-field optical microscopy. <i>Applied Physics Letters</i> , 2000, 76, 1206-1208.	1.5	16

#	ARTICLE	IF	CITATIONS
91	Size effects in the electrical resistivity of polycrystalline nanowires. <i>Physical Review B</i> , 2000, 61, 14215-14218.	1.1	247
92	Investigations into local piezoelectric properties by atomic force microscopy. <i>Applied Physics Letters</i> , 2000, 76, 366-368.	1.5	58
93	Nanometer Scale Electrical Characterization of Artificial Mesostructures. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2000, 25, 1-28.	6.8	15
94	Scaling of piezoelectric properties in nanometre to micrometre scale. <i>Electronics Letters</i> , 2000, 36, 1538.	0.5	5
95	Probing domains at the nanometer scale in piezoelectric thin films. <i>Physical Review B</i> , 1999, 60, 16198-16204.	1.1	74
96	Analysis of failure mechanisms in electrically stressed Au nanowires. <i>Journal of Applied Physics</i> , 1999, 86, 1280-1286.	1.1	129
97	Polarization effects in reflection-mode scanning near-field optical microscopy. <i>Journal of Applied Physics</i> , 1998, 83, 1837-1843.	1.1	21
98	Reflection-mode scanning near-field optical microscopy: Influence of sample type, tip shape, and polarization of light. <i>Journal of Applied Physics</i> , 1998, 83, 1171-1176.	1.1	14
99	Observation of magnetic domains using a reflection-mode scanning near-field optical microscope. <i>Applied Physics Letters</i> , 1997, 70, 1323-1325.	1.5	51
100	Method for increasing shear-force detection sensitivity with uncoated fiber tips. <i>Applied Optics</i> , 1997, 36, 8173.	2.1	3
101	Investigation of the physical mechanisms of shear-force imaging. <i>Journal of Applied Physics</i> , 1996, 80, 5659-5664.	1.1	28
102	Study of shear force as a distance regulation mechanism for scanning near-field optical microscopy. <i>Journal of Applied Physics</i> , 1996, 79, 1219-1223.	1.1	24
103	40 nm resolution in reflection-mode SNOM with $\lambda = 685$ nm. <i>Ultramicroscopy</i> , 1995, 61, 227-231.	0.8	8