

Shuang-Jiang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2106748/publications.pdf>

Version: 2024-02-01

197
papers

8,191
citations

53660

45
h-index

76769

74
g-index

209
all docs

209
docs citations

209
times ranked

7683
citing authors

#	ARTICLE	IF	CITATIONS
1	The enriched gut commensal <i>Faeciroseburia intestinalis</i> contributes to the anti-metabolic disorders effects of the <i>Ganoderma meroterpene</i> derivative. <i>Food Science and Human Wellness</i> , 2022, 11, 85-96.	2.2	4
2	Genetic Foundations of Direct Ammonia Oxidation (Dirammox) to N ₂ and MoxR-Like Transcriptional Regulator DnfR in <i>Alcaligenes faecalis</i> Strain JQ135. <i>Applied and Environmental Microbiology</i> , 2022, 88, aem0226121.	1.4	9
3	The Response Regulator FlmD Regulates Biofilm Formation in <i>Comamonas testosteroni</i> through the Transcriptional Activator SoxR. <i>Microorganisms</i> , 2022, 10, 356.	1.6	1
4	iMeta: Integrated metaomics for biology and environments. , 2022, 1, .		13
5	<i>Niabella beijingensis</i> sp. nov. and <i>Thermomonas beijingensis</i> sp. nov., two bacteria from constructed wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	12
6	<i>Alkaliphilus flagellatus</i> sp. nov., <i>Butyricoccus intestinisimiae</i> sp. nov., <i>Clostridium mobile</i> sp. nov., <i>Clostridium simiarum</i> sp. nov., <i>Dysosmobacter acutus</i> sp. nov., <i>Paenibacillus brevis</i> sp. nov., <i>Peptoniphilus ovalis</i> sp. nov. and <i>Tissierella simiarum</i> sp. nov., isolated from monkey faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	34
7	Changes to gut amino acid transporters and microbiome associated with increased E/I ratio in Chd8+/+ mouse model of ASD-like behavior. <i>Nature Communications</i> , 2022, 13, 1151.	5.8	35
8	<i>Alicyclobacillus curvatus</i> sp. nov. and <i>Alicyclobacillus mengziensis</i> sp. nov., two acidophilic bacteria isolated from acid mine drainage. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	9
9	<i>Roseburia hominis</i> Increases Intestinal Melatonin Level by Activating p-CREB-AANAT Pathway. <i>Nutrients</i> , 2022, 14, 117.	1.7	22
10	<i>Pararoseburia lenta</i> gen. nov., sp. nov. isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	10
11	Organic fertilizer potentiates the transfer of typical antibiotic resistance gene among special bacterial species. <i>Journal of Hazardous Materials</i> , 2022, 435, 128985.	6.5	15
12	Dirammox Is Widely Distributed and Dependently Evolved in <i>Alcaligenes</i> and Is Important to Nitrogen Cycle. <i>Frontiers in Microbiology</i> , 2022, 13, .	1.5	6
13	The monkey microbial biobank brings previously uncultivated bioresources for nonhuman primate and human gut microbiomes. , 2022, 1, 210-217.		3
14	<i>Bacteroides propionicigenes</i> sp. nov., isolated from human faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	0.8	7
15	PapA, a peptidoglycan-associated protein, interacts with OmpC and maintains cell envelope integrity. <i>Environmental Microbiology</i> , 2021, 23, 600-612.	1.8	5
16	Environmental microbiology in China. <i>Environmental Microbiology</i> , 2021, 23, 529-529.	1.8	0
17	Host Gasdermin D restrains systemic endotoxemia by capturing Proteobacteria in the colon of high-fat diet-feeding mice. <i>Gut Microbes</i> , 2021, 13, 1946369.	4.3	19
18	Microbial Interactions Drive the Complete Catabolism of the Antibiotic Sulfamethoxazole in Activated Sludge Microbiomes. <i>Environmental Science & Technology</i> , 2021, 55, 3270-3282.	4.6	70

#	ARTICLE	IF	CITATIONS
19	Bacteria and Metabolic Potential in Karst Caves Revealed by Intensive Bacterial Cultivation and Genome Assembly. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	1.4	12
20	Structural Basis for Selective Oxidation of Phosphorylated Ethylphenols by Cytochrome P450 Monooxygenase CreJ. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	1.4	2
21	Mobile genetic elements mediate the mixotrophic evolution of novel <i>Alicyclobacillus</i> species for acid mine drainage adaptation. <i>Environmental Microbiology</i> , 2021, 23, 3896-3912.	1.8	12
22	Enlightening the taxonomy darkness of human gut microbiomes with a cultured biobank. <i>Microbiome</i> , 2021, 9, 119.	4.9	479
23	Effect of preferential UV photolysis on the source control of antibiotic resistome during subsequent biological treatment systems. <i>Journal of Hazardous Materials</i> , 2021, 414, 125484.	6.5	12
24	Submerged macrophytes recruit unique microbial communities and drive functional zonation in an aquatic system. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 7517-7528.	1.7	9
25	Novel <i>Alcaligenes ammonioxydans</i> sp. nov. from wastewater treatment sludge oxidizes ammonia to N_2 with a previously unknown pathway. <i>Environmental Microbiology</i> , 2021, 23, 6965-6980.	1.8	33
26	<i>Blautia intestinalis</i> sp. nov., isolated from human feces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
27	<i>Candidatus</i> <i>Kaistella beijingensis</i> sp. nov., Isolated from a Municipal Wastewater Treatment Plant, Is Involved in Sludge Foaming. <i>Applied and Environmental Microbiology</i> , 2021, 87, e0153421.	1.4	3
28	Responses of soil microbiome to steel corrosion. <i>Npj Biofilms and Microbiomes</i> , 2021, 7, 6.	2.9	28
29	Multi-omics study reveals that statin therapy is associated with restoration of gut microbiota homeostasis and improvement in outcomes in patients with acute coronary syndrome. <i>Theranostics</i> , 2021, 11, 5778-5793.	4.6	38
30	Tropical and temperate wastewater treatment plants assemble different and diverse microbiomes. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 853-867.	1.7	5
31	Physiology, Taxonomy, and Sulfur Metabolism of the Sulfolobales, an Order of Thermoacidophilic Archaea. <i>Frontiers in Microbiology</i> , 2021, 12, 768283.	1.5	4
32	Key Factors Governing Microbial Community in Extremely Acidic Mine Drainage (pH ≤ 3). <i>Frontiers in Microbiology</i> , 2021, 12, 761579.	1.5	12
33	The Mouse Gut Microbial Biobank expands the coverage of cultured bacteria. <i>Nature Communications</i> , 2020, 11, 79.	5.8	55
34	Insights into palladium nanoparticles produced by <i>Shewanella oneidensis</i> MR-1: Roles of NADH dehydrogenases and hydrogenases. <i>Environmental Research</i> , 2020, 191, 110196.	3.7	17
35	Activation of a Specific Gut Bacteroides-Folate-Liver Axis Benefits for the Alleviation of Nonalcoholic Hepatic Steatosis. <i>Cell Reports</i> , 2020, 32, 108005.	2.9	65
36	Abundant Taxa and Favorable Pathways in the Microbiome of Soda-Saline Lakes in Inner Mongolia. <i>Frontiers in Microbiology</i> , 2020, 11, 1740.	1.5	27

#	ARTICLE	IF	CITATIONS
37	Novel Pathway for Chloramphenicol Catabolism in the Activated Sludge Bacterial Isolate <i>Sphingobium</i> sp. CAP-1. <i>Environmental Science & Technology</i> , 2020, 54, 7591-7600.	4.6	41
38	Visualizing the invisible: class excursions to ignite children's enthusiasm for microbes. <i>Microbial Biotechnology</i> , 2020, 13, 844-887.	2.0	26
39	Comparative Genomic Analysis Reveals the Metabolism and Evolution of the Thermophilic Archaeal Genus <i>Metallosphaera</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1192.	1.5	8
40	UV photolysis as an efficient pretreatment method for antibiotics decomposition and their antibacterial activity elimination. <i>Journal of Hazardous Materials</i> , 2020, 392, 122321.	6.5	54
41	<i>Casimicrobium huifangae</i> gen. nov., sp. nov., a Ubiquitous "Most-Wanted" Core Bacterial Taxon from Municipal Wastewater Treatment Plants. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	1.4	26
42	<i>Rufibacter latericius</i> sp. nov., isolated from Baiyang Lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5943-5949.	0.8	7
43	Harnessing microfluidic streak plate technique to investigate the gut microbiome of <i>Reticulitermes chinensis</i> . <i>MicrobiologyOpen</i> , 2019, 8, e00654.	1.2	16
44	Diversity, Distribution and Co-occurrence Patterns of Bacterial Communities in a Karst Cave System. <i>Frontiers in Microbiology</i> , 2019, 10, 1726.	1.5	80
45	Enhanced Microbial Interactions and Deterministic Successions During Anoxic Decomposition of <i>Microcystis</i> Biomass in Lake Sediment. <i>Frontiers in Microbiology</i> , 2019, 10, 2474.	1.5	9
46	Chemotaxis Towards Aromatic Compounds: Insights from <i>Comamonas testosteroni</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 2701.	1.8	22
47	The ligand-binding domain of a chemoreceptor from <i>Comamonas testosteroni</i> has a previously unknown homotrimeric structure. <i>Molecular Microbiology</i> , 2019, 112, 906-917.	1.2	13
48	Cross Talk between Chemosensory Pathways That Modulate Chemotaxis and Biofilm Formation. <i>MBio</i> , 2019, 10, .	1.8	49
49	Hybrid Two-Component Sensors for Identification of Bacterial Chemoreceptor Function. <i>Applied and Environmental Microbiology</i> , 2019, 85, .	1.4	12
50	gcMeta: a Global Catalogue of Metagenomics platform to support the archiving, standardization and analysis of microbiome data. <i>Nucleic Acids Research</i> , 2019, 47, D637-D648.	6.5	70
51	<i>Parabacteroides distasonis</i> Alleviates Obesity and Metabolic Dysfunctions via Production of Succinate and Secondary Bile Acids. <i>Cell Reports</i> , 2019, 26, 222-235.e5.	2.9	630
52	Beneficial effect of butyrate-producing <i>Lachnospiraceae</i> on stress-induced visceral hypersensitivity in rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1368-1376.	1.4	182
53	Chemotactic screening of imidazolinone-degrading bacteria by microfluidic SlipChip. <i>Journal of Hazardous Materials</i> , 2019, 366, 512-519.	6.5	20
54	<i>Crenobacter cavernae</i> sp. nov., isolated from a karst cave, and emended description of the genus <i>Crenobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 476-480.	0.8	11

#	ARTICLE	IF	CITATIONS
55	<i>Parabacteroides acidifaciens</i> sp. nov., isolated from human faeces. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 761-766.	0.8	18
56	Structural Modification of Natural Product Ganomycin I Leading to Discovery of a β -Glucosidase and HMG-CoA Reductase Dual Inhibitor Improving Obesity and Metabolic Dysfunction in Vivo. Journal of Medicinal Chemistry, 2018, 61, 3609-3625.	2.9	56
57	Engineering the bacterium <i>Comamonas testosteroni</i> CNB-1: Plasmid curing and genetic manipulation. Biochemical Engineering Journal, 2018, 133, 74-82.	1.8	13
58	The global catalogue of microorganisms 10K type strain sequencing project: closing the genomic gaps for the validly published prokaryotic and fungi species. GigaScience, 2018, 7, .	3.3	35
59	New Intracellular Shikimic Acid Biosensor for Monitoring Shikimate Synthesis in <i>Corynebacterium glutamicum</i> . ACS Synthetic Biology, 2018, 7, 591-601.	1.9	45
60	Environmental Adaptability and Quorum Sensing: Iron Uptake Regulation during Biofilm Formation by <i>Paracoccus denitrificans</i> . Applied and Environmental Microbiology, 2018, 84, .	1.4	25
61	Developing a Synthetic Biology Toolkit for <i>Comamonas testosteroni</i> , an Emerging Cellular Chassis for Bioremediation. ACS Synthetic Biology, 2018, 7, 1753-1762.	1.9	30
62	Selective oxidation of aliphatic C-H bonds in alkylphenols by a chemomimetic biocatalytic system. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E5129-E5137.	3.3	19
63	<i>Devosia nitraria</i> sp. nov., a novel species isolated from the roots of <i>Nitraria sibirica</i> in China. Antonie Van Leeuwenhoek, 2017, 110, 1475-1483.	0.7	17
64	Construction of an easy-to-use CRISPR-Cas9 system by patching a newly designed EXIT circuit. Journal of Biological Engineering, 2017, 11, 32.	2.0	9
65	Sodium butyrate attenuates high-fat diet-induced steatohepatitis in mice by improving gut microbiota and gastrointestinal barrier. World Journal of Gastroenterology, 2017, 23, 60.	1.4	288
66	<i>Parapedobacter defluvii</i> sp. nov., isolated from the sewage treatment packing of a coking chemical plant. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4698-4703.	0.8	10
67	<i>Hymenobacter cavernae</i> sp. nov., isolated from a karst cave. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4825-4829.	0.8	19
68	A new subclass of intrinsic aminoglycoside nucleotidyltransferases, ANT(3'')-II, is horizontally transferred among <i>Acinetobacter</i> spp. by homologous recombination. PLoS Genetics, 2017, 13, e1006602.	1.5	27
69	Direct sensing and signal transduction during bacterial chemotaxis toward aromatic compounds in <i>Comamonas testosteroni</i> . Molecular Microbiology, 2016, 101, 224-237.	1.2	34
70	Reconstruction of metabolic networks in a fluoranthene-degrading enrichments from polycyclic aromatic hydrocarbon polluted soil. Journal of Hazardous Materials, 2016, 318, 90-98.	6.5	44
71	Automated Chemotactic Sorting and Single-cell Cultivation of Microbes using Droplet Microfluidics. Scientific Reports, 2016, 6, 24192.	1.6	36
72	A New Acyl-homoserine Lactone Molecule Generated by <i>Nitrobacter winogradskyi</i> . Scientific Reports, 2016, 6, 22903.	1.6	22

#	ARTICLE	IF	CITATIONS
73	Characterization of a Unique Pathway for 4-Cresol Catabolism Initiated by Phosphorylation in <i>Corynebacterium glutamicum</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 6583-6594.	1.6	38
74	High-Throughput Single-Cell Cultivation on Microfluidic Streak Plates. <i>Applied and Environmental Microbiology</i> , 2016, 82, 2210-2218.	1.4	136
75	Cultivation and characterization of symbiotic bacteria from the gut of <i>Reticulitermes chinensis</i> . <i>Applied Environmental Biotechnology</i> , 2016, 1, 3.	1.0	5
76	Ribosome binding site libraries and pathway modules for shikimic acid synthesis with <i>Corynebacterium glutamicum</i> . <i>Microbial Cell Factories</i> , 2015, 14, 71.	1.9	78
77	Functional characterization of a mycothiol peroxidase in <i>Corynebacterium glutamicum</i> that uses both mycoredoxin and thioredoxin reducing systems in the response to oxidative stress. <i>Biochemical Journal</i> , 2015, 469, 45-57.	1.7	43
78	<i>Corynebacterium glutamicum</i> Methionine Sulfoxide Reductase A Uses both Mycoredoxin and Thioredoxin for Regeneration and Oxidative Stress Resistance. <i>Applied and Environmental Microbiology</i> , 2015, 81, 2781-2796.	1.4	42
79	Engineering of <i>Ralstonia eutropha</i> for the production of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) from glucose. <i>Journal of Biotechnology</i> , 2015, 195, 82-88.	1.9	34
80	Unraveling the kinetic diversity of microbial 3-dehydroquinone dehydratases of shikimate pathway. <i>AMB Express</i> , 2015, 5, 7.	1.4	5
81	<i>Methylophilum henanense</i> sp. nov., a novel methylotrophic bacterium isolated from tribenuron methyl-contaminated wheat soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 329-336.	0.7	13
82	A novel chemoreceptor MCP2983 from <i>Comamonas testosteroni</i> specifically binds to cis-aconitate and triggers chemotaxis towards diverse organic compounds. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 2773-2781.	1.7	25
83	<i>Gryllotalpicola reticulitermitis</i> sp. nov., isolated from a termite gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 85-89.	0.8	20
84	<i>Metallosphaera tengchongensis</i> sp. nov., an acidothermophilic archaeon isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 537-542.	0.8	19
85	<i>Tumebacillus algifaecis</i> sp. nov., isolated from decomposing algal scum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2194-2198.	0.8	14
86	<i>Alicyclobacillus fodiniaquatis</i> sp. nov., isolated from acid mine water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4915-4920.	0.8	15
87	<i>Clostridium algifaecis</i> sp. nov., an anaerobic bacterial species from decomposing algal scum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3844-3848.	0.8	24
88	Benzoate Metabolism Intermediate Benzoyl Coenzyme A Affects Gentisate Pathway Regulation in <i>Comamonas testosteroni</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 4051-4062.	1.4	27
89	Thiosulfate Transfer Mediated by DsrE/TusA Homologs from Acidothermophilic Sulfur-oxidizing Archaeon <i>Metallosphaera cuprina</i> . <i>Journal of Biological Chemistry</i> , 2014, 289, 26949-26959.	1.6	53
90	Metabolic flux responses to genetic modification for shikimic acid production by <i>Bacillus subtilis</i> strains. <i>Microbial Cell Factories</i> , 2014, 13, 40.	1.9	29

#	ARTICLE	IF	CITATIONS
91	Genetic characterization of 4-cresol catabolism in <i>Corynebacterium glutamicum</i> . <i>Journal of Biotechnology</i> , 2014, 192, 355-365.	1.9	15
92	Proteomic and molecular investigations revealed that <i>Acidithiobacillus caldus</i> adopts multiple strategies for adaptation to NaCl stress. <i>Science Bulletin</i> , 2014, 59, 301-309.	1.7	19
93	Construction and application of an expression vector from the new plasmid pLATc1 of <i>Acidithiobacillus caldus</i> . <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 4083-4094.	1.7	14
94	Bacterial chemotaxis on SlipChip. <i>Lab on A Chip</i> , 2014, 14, 3074-3080.	3.1	35
95	Resolution of carbon metabolism and sulfur-oxidation pathways of <i>Metallosphaera cuprina</i> Ar-4 via comparative proteomics. <i>Journal of Proteomics</i> , 2014, 109, 276-289.	1.2	30
96	NrdH Redoxin Enhances Resistance to Multiple Oxidative Stresses by Acting as a Peroxidase Cofactor in <i>Corynebacterium glutamicum</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 1750-1762.	1.4	43
97	Interaction between DAHP synthase and chorismate mutase endows new regulation on DAHP synthase activity in <i>Corynebacterium glutamicum</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 10373-10380.	1.7	12
98	Assimilation of aromatic compounds by <i>Comamonas testosteroni</i> : characterization and spreadability of protocatechuate 4,5-cleavage pathway in bacteria. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 6031-6041.	1.7	36
99	<i>Paenibacillus taihuensis</i> sp. nov., isolated from an eutrophic lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3652-3658.	0.8	19
100	Structures of aminophenol dioxygenase in complex with intermediate, product and inhibitor. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013, 69, 32-43.	2.5	19
101	<i>Chryseobacterium taihuense</i> sp. nov., isolated from a eutrophic lake, and emended descriptions of the genus <i>Chryseobacterium</i> , <i>Chryseobacterium taiwanense</i> , <i>Chryseobacterium jejuense</i> and <i>Chryseobacterium indoltheticum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 913-919.	0.8	65
102	<i>Undibacterium terreum</i> sp. nov., isolated from permafrost soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2296-2300.	0.8	19
103	<i>Parapedobacter pyrenivorans</i> sp. nov., isolated from a pyrene-degrading microbial enrichment, and emended description of the genus <i>Parapedobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3994-3999.	0.8	27
104	Consumers of 4-chloro-2-methylphenoxyacetic acid from agricultural soil and drilosphere harbor <i>cadA</i> , <i>r/sdpA</i> , and <i>tfdA</i> -like gene encoding oxygenases. <i>FEMS Microbiology Ecology</i> , 2013, 86, 114-129.	1.3	19
105	<i>Comamonas testosteroni</i> uses a chemoreceptor for tricarboxylic acid cycle intermediates to trigger chemotactic responses towards aromatic compounds. <i>Molecular Microbiology</i> , 2013, 90, 813-823.	1.2	62
106	Identification and Characterization of \hat{I}^3 -Aminobutyric Acid Uptake System GabP _{Cg} (NCgl0464) in <i>Corynebacterium glutamicum</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 2596-2601.	1.4	48
107	<i>Deinococcus reticulitermitis</i> sp. nov., isolated from a termite gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 78-83.	0.8	36
108	Phenylacetic Acid Catabolism and Its Transcriptional Regulation in <i>Corynebacterium glutamicum</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 5796-5804.	1.4	32

#	ARTICLE	IF	CITATIONS
109	Crystallization and preliminary crystallographic analysis of 2-aminophenol 1,6-dioxygenase complexed with substrate and with an inhibitor. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012, 68, 1337-1340.	0.7	3
110	<i>Pseudomonas linyingensis</i> sp. nov.: A Novel Bacterium Isolated from Wheat Soil Subjected to Long-term Herbicides Application. <i>Current Microbiology</i> , 2012, 65, 595-600.	1.0	20
111	The TetR-Type Transcriptional Repressor RolR from <i>Corynebacterium glutamicum</i> Regulates Resorcinol Catabolism by Binding to a Unique Operator, <i>roLO</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 6009-6016.	1.4	22
112	Degradation and assimilation of aromatic compounds by <i>Corynebacterium glutamicum</i> : another potential for applications for this bacterium?. <i>Applied Microbiology and Biotechnology</i> , 2012, 95, 77-89.	1.7	109
113	Biochemical and Molecular Characterization of the Gentisate Transporter GenK in <i>Corynebacterium glutamicum</i> . <i>PLoS ONE</i> , 2012, 7, e38701.	1.1	24
114	<i>Metallosphaera cuprina</i> sp. nov., an acidothermophilic, metal-mobilizing archaeon. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2395-2400.	0.8	50
115	Unraveling the <i>Acidithiobacillus caldus</i> complete genome and its central metabolisms for carbon assimilation. <i>Journal of Genetics and Genomics</i> , 2011, 38, 243-252.	1.7	60
116	Crystal Structures of the Transcriptional Repressor RolR Reveals a Novel Recognition Mechanism between Inducer and Regulator. <i>PLoS ONE</i> , 2011, 6, e19529.	1.1	12
117	<i>Alphaproteobacteria</i> dominate active methylchlorophenoxyacetic acid herbicide degraders in agricultural soil and drilosphere. <i>Environmental Microbiology</i> , 2011, 13, 991-1009.	1.8	41
118	The earthworm <i>Aporrectodea caliginosa</i> stimulates abundance and activity of phenoxyalkanoic acid herbicide degraders. <i>ISME Journal</i> , 2011, 5, 473-485.	4.4	43
119	Genomic analysis of <i>Acidianus hospitalis</i> W1 a host for studying crenarchaeal virus and plasmid life cycles. <i>Extremophiles</i> , 2011, 15, 487-497.	0.9	35
120	Functional characterization of a gene cluster involved in gentisate catabolism in <i>Rhodococcus</i> sp. strain NCIMB 12038. <i>Applied Microbiology and Biotechnology</i> , 2011, 90, 671-678.	1.7	35
121	The ncg1108 (PheP Cg) gene encodes a new l-Phe transporter in <i>Corynebacterium glutamicum</i> . <i>Applied Microbiology and Biotechnology</i> , 2011, 90, 2005-2013.	1.7	23
122	Conserved residues in the aromatic acid/H ⁺ symporter family are important for benzoate uptake by NCgl2325 in <i>Corynebacterium glutamicum</i> . <i>International Biodeterioration and Biodegradation</i> , 2011, 65, 527-532.	1.9	10
123	<i>Frateuria terrea</i> sp. nov., isolated from forest soil, and emended description of the genus <i>Frateuria</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 443-447.	0.8	18
124	<i>Phycoccus cremeus</i> sp. nov., isolated from forest soil, and emended description of the genus <i>Phycoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 71-75.	0.8	27
125	Complete Genome Sequence of <i>Metallosphaera cuprina</i> , a Metal Sulfide-Oxidizing Archaeon from a Hot Spring. <i>Journal of Bacteriology</i> , 2011, 193, 3387-3388.	1.0	39
126	Identification and quantification of mycothiol in Actinobacteria by a novel enzymatic method. <i>Applied Microbiology and Biotechnology</i> , 2010, 88, 1393-1401.	1.7	7

#	ARTICLE	IF	CITATIONS
127	<i>Agrococcus terreus</i> sp. nov. and <i>Micrococcus terreus</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1897-1903.	0.8	47
128	PcaO Positively Regulates <i>pcaHG</i> of the Î ² -Keto adipate Pathway in <i>Corynebacterium glutamicum</i> . Journal of Bacteriology, 2010, 192, 1565-1572.	1.0	30
129	Abundance of Novel and Diverse <i>tfdA</i> -Like Genes, Encoding Putative Phenoxyalkanoic Acid Herbicide-Degrading Dioxygenases, in Soil. Applied and Environmental Microbiology, 2010, 76, 119-128.	1.4	57
130	<i>Sphingomonas changbaiensis</i> sp. nov., isolated from forest soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 790-795.	0.8	34
131	Genetic and biochemical identification of the chorismate mutase from <i>Corynebacterium glutamicum</i> . Microbiology (United Kingdom), 2009, 155, 3382-3391.	0.7	17
132	The Complete Genome of <i>Comamonas testosteroni</i> Reveals Its Genetic Adaptations to Changing Environments. Applied and Environmental Microbiology, 2009, 75, 6812-6819.	1.4	86
133	Isolation and characterization of ferrous- and sulfur-oxidizing bacteria from Tengchong solfataric region, China. Journal of Environmental Sciences, 2009, 21, 1247-1252.	3.2	18
134	Intraspecific polymorphism of 16S rRNA genes in two halophilic archaeal genera, Haloarcula and Halomicrobium. Extremophiles, 2009, 13, 31-37.	0.9	149
135	Proteomic and molecular investigation on the physiological adaptation of <i>Comamonas</i> sp. strain CNB-1 growing on 4-chloronitrobenzene. Biodegradation, 2009, 20, 55-66.	1.5	17
136	Site-directed mutagenesis reveals new and essential elements for iron-coordination of the sulfur oxygenase reductase from the acidothermophilic <i>Acidianus tengchongensis</i> . Science Bulletin, 2009, 54, 652-657.	1.7	2
137	Physiological adaptation of <i>Corynebacterium glutamicum</i> to benzoate as alternative carbon source – a membrane proteome-centric view. Proteomics, 2009, 9, 3635-3651.	1.3	37
138	Genetic and biochemical characterization of a 4-hydroxybenzoate hydroxylase from <i>Corynebacterium glutamicum</i> . Applied Microbiology and Biotechnology, 2008, 78, 75-83.	1.7	39
139	Archaeal and Bacterial Sulfur Oxygenase-Reductases: Genetic Diversity and Physiological Function. , 2008, , 217-224.		8
140	Preparation of Uniformly Sized Agarose Microcapsules by Membrane Emulsification for Application in Sorting Bacteria. Industrial & Engineering Chemistry Research, 2008, 47, 6386-6390.	1.8	13
141	<i>Alicyclobacillus ferrooxydans</i> sp. nov., a ferrous-oxidizing bacterium from solfataric soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2898-2903.	0.8	75
142	<i>Corynebacterium glutamicum</i> Contains 3-Deoxy- <i>scpD</i> -Arabino-Heptulosonate 7-Phosphate Synthases That Display Novel Biochemical Features. Applied and Environmental Microbiology, 2008, 74, 5497-5503.	1.4	31
143	Crystal Structures and Site-directed Mutagenesis of a Mycothiol-dependent Enzyme Reveal a Novel Folding and Molecular Basis for Mycothiol-mediated Maleylpyruvate Isomerization. Journal of Biological Chemistry, 2007, 282, 16288-16294.	1.6	25
144	<i>Salegentibacter catena</i> sp. nov., isolated from sediment of the South China Sea, and emended description of the genus <i>Salegentibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 219-222.	0.8	38

#	ARTICLE	IF	CITATIONS
145	Genome-wide investigation of aromatic acid transporters in <i>Corynebacterium glutamicum</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 857-865.	0.7	63
146	<i>Wenxinia marina</i> gen. nov., sp. nov., a novel member of the Roseobacter clade isolated from oilfield sediments of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1711-1716.	0.8	37
147	Nucleotide Sequence of Plasmid pCNB1 from <i>Comamonas</i> Strain CNB-1 Reveals Novel Genetic Organization and Evolution for 4-Chloronitrobenzene Degradation. <i>Applied and Environmental Microbiology</i> , 2007, 73, 4477-4483.	1.4	56
148	<i>Haloarcula amylolytica</i> sp. nov., an extremely halophilic archaeon isolated from Aibi salt lake in Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 103-106.	0.8	38
149	<i>Micrococcus flavus</i> sp. nov., isolated from activated sludge in a bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 66-69.	0.8	38
150	<i>Natronorubrum sulfidifaciens</i> sp. nov., an extremely haloalkaliphilic archaeon isolated from Aiding salt lake in Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 738-740.	0.8	28
151	Responses to arsenate stress by <i>Comamonas</i> sp. strain CNB-1 at genetic and proteomic levels. <i>Microbiology (United Kingdom)</i> , 2007, 153, 3713-3721.	0.7	39
152	<i>Halorubrum litoreum</i> sp. nov., an extremely halophilic archaeon from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2204-2206.	0.8	88
153	A Novel Deaminase Involved in Chloronitrobenzene and Nitrobenzene Degradation with <i>Comamonas</i> sp. Strain CNB-1. <i>Journal of Bacteriology</i> , 2007, 189, 2677-2682.	1.0	29
154	Nanoclimate environment of cyanobacterial communities in China's hot and cold hyperarid deserts. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	15
155	Comparative proteomes of <i>Corynebacterium glutamicum</i> grown on aromatic compounds revealed novel proteins involved in aromatic degradation and a clear link between aromatic catabolism and gluconeogenesis via fructose-1,6-bisphosphatase. <i>Proteomics</i> , 2007, 7, 3775-3787.	1.3	46
156	Plant-microbe association for rhizoremediation of chloronitroaromatic pollutants with <i>Comamonas</i> sp. strain CNB-1. <i>Environmental Microbiology</i> , 2007, 9, 465-473.	1.8	92
157	Simultaneous biodegradation of nitrogen-containing aromatic compounds in a sequencing batch bioreactor. <i>Journal of Environmental Sciences</i> , 2007, 19, 530-535.	3.2	32
158	<i>Halorubrum lipolyticum</i> sp. nov. and <i>Halorubrum aidingense</i> sp. nov., isolated from two salt lakes in Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1631-1634.	0.8	51
159	Novel Partial Reductive Pathway for 4-Chloronitrobenzene and Nitrobenzene Degradation in <i>Comamonas</i> sp. Strain CNB-1. <i>Applied and Environmental Microbiology</i> , 2006, 72, 1759-1765.	1.4	145
160	<i>Halobacterium jilantaiense</i> sp. nov., a halophilic archaeon isolated from a saline lake in Inner Mongolia, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2353-2355.	0.8	34
161	Genetic cloning and functional expression in <i>Escherichia coli</i> of an archaerhodopsin gene from <i>Halorubrum xinjiangense</i> . <i>Extremophiles</i> , 2006, 10, 29-33.	0.9	11
162	Characterization of genes involved in the initial reactions of 4-chloronitrobenzene degradation in <i>Pseudomonasputida</i> ZWL73. <i>Applied Microbiology and Biotechnology</i> , 2006, 73, 166-171.	1.7	42

#	ARTICLE	IF	CITATIONS
163	<i>Haloterrigena longa</i> sp. nov. and <i>Haloterrigena limicola</i> sp. nov., extremely halophilic archaea isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1837-1840.	0.8	37
164	<i>Natronorubrum aibiense</i> sp. nov., an extremely halophilic archaeon isolated from Aibi salt lake in Xin-Jiang, China, and emended description of the genus <i>Natronorubrum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1515-1517.	0.8	30
165	The Gene <i>ncgl2918</i> Encodes a Novel Maleylpyruvate Isomerase That Needs Mycothiol as Cofactor and Links Mycothiol Biosynthesis and Gentsiate Assimilation in <i>Corynebacterium glutamicum</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 10778-10785.	1.6	74
166	<i>Pseudonocardia ammonioxydans</i> sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 555-558.	0.8	44
167	Genetic Characterization of the Resorcinol Catabolic Pathway in <i>Corynebacterium glutamicum</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 7238-7245.	1.4	43
168	<i>Yangia pacifica</i> gen. nov., sp. nov., a novel member of the Roseobacter clade from coastal sediment of the East China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 529-533.	0.8	35
169	<i>Cyclobacterium lianum</i> sp. nov., a marine bacterium isolated from sediment of an oilfield in the South China Sea, and emended description of the genus <i>Cyclobacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2927-2930.	0.8	43
170	<i>Paracoccus sulfuroxidans</i> sp. nov., a sulfur oxidizer from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2693-2695.	0.8	44
171	<i>Zhouia amylolytica</i> gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from sediment of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2825-2829.	0.8	33
172	<i>Flavobacterium saliperosum</i> sp. nov., isolated from freshwater lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 439-442.	0.8	54
173	Genomic Analysis and Identification of Catabolic Pathways for Aromatic Compounds in <i>Corynebacterium glutamicum</i> . <i>Microbes and Environments</i> , 2005, 20, 160-167.	0.7	45
174	A novel 2-aminophenol 1,6-dioxygenase involved in the degradation of p-chloronitrobenzene by <i>Comamonas</i> strain CNB-1: purification, properties, genetic cloning and expression in <i>Escherichia coli</i> . <i>Archives of Microbiology</i> , 2005, 183, 1-8.	1.0	63
175	<i>Planomicrobium chinense</i> sp. nov., isolated from coastal sediment, and transfer of <i>Planococcus psychrophilus</i> and <i>Planococcus alkanoclasticus</i> to <i>Planomicrobium</i> as <i>Planomicrobium psychrophilum</i> comb. nov. and <i>Planomicrobium alkanoclasticum</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 699-702.	0.8	72
176	<i>Natrinema altunense</i> sp. nov., an extremely halophilic archaeon isolated from a salt lake in Altun Mountain in Xinjiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1311-1314.	0.8	53
177	Key Role of Cysteine Residues in Catalysis and Subcellular Localization of Sulfur Oxygenase-Reductase of <i>Acidianus tengchongensis</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 621-628.	1.4	56
178	<i>Haloterrigena saccharevitans</i> sp. nov., an extremely halophilic archaeon from Xin-Jiang, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2539-2542.	0.8	37
179	<i>Asticcacaulis taihuensis</i> sp. nov., a novel stalked bacterium isolated from Taihu Lake, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1239-1242.	0.8	14
180	<i>Novosphingobium taihuense</i> sp. nov., a novel aromatic-compound-degrading bacterium isolated from Taihu Lake, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1229-1232.	0.8	123

#	ARTICLE	IF	CITATIONS
181	<i>Sanguibacter marinus</i> sp. nov., isolated from coastal sediment. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1755-1758.	0.8	37
182	<i>Halobiforma lacisalsi</i> sp. nov., isolated from a salt lake in China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1949-1952.	0.8	30
183	Functional Identification of Novel Genes Involved in the Glutathione-Independent Gentisate Pathway in <i>Corynebacterium glutamicum</i> . Applied and Environmental Microbiology, 2005, 71, 3442-3452.	1.4	111
184	<i>Halorubrum alkaliphilum</i> sp. nov., a novel haloalkaliphile isolated from a soda lake in Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 149-152.	0.8	64
185	<i>Halorubrum xinjiangense</i> sp. nov., a novel halophile isolated from saline lakes in China. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1789-1791.	0.8	50
186	<i>Saccharothrix xinjiangensis</i> sp. nov., a pyrene-degrading actinomycete isolated from Tianchi Lake, Xinjiang, China. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 2091-2094.	0.8	42
187			