Leonard D Tijing

List of Publications by Citations

Source: https://exaly.com/author-pdf/2106865/leonard-d-tijing-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers5,233
citations39
h-index70
g-index127
ext. papers6,105
ext. citations6.8
avg, IF6.01
L-index

#	Paper	IF	Citations
122	Fouling and its control in membrane distillation Areview. <i>Journal of Membrane Science</i> , 2015 , 475, 215-2	446	581
121	Recent progress of membrane distillation using electrospun nanofibrous membrane. <i>Journal of Membrane Science</i> , 2014 , 453, 435-462	9.6	263
120	Superhydrophobic nanofiber membrane containing carbon nanotubes for high-performance direct contact membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 502, 158-170	9.6	256
119	Effect of stacking sequence on the flexural properties of hybrid composites reinforced with carbon and basalt fibers. <i>Composites Part B: Engineering</i> , 2014 , 58, 251-258	10	194
118	Graphene oxide incorporated polysulfone substrate for the fabrication of flat-sheet thin-film composite forward osmosis membranes. <i>Journal of Membrane Science</i> , 2015 , 493, 496-507	9.6	178
117	Antibacterial and superhydrophilic electrospun polyurethane nanocomposite fibers containing tourmaline nanoparticles. <i>Chemical Engineering Journal</i> , 2012 , 197, 41-48	14.7	149
116	Water desalination using graphene-enhanced electrospun nanofiber membrane via air gap membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 520, 99-110	9.6	144
115	CF4 plasma-modified omniphobic electrospun nanofiber membrane for produced water brine treatment by membrane distillation. <i>Journal of Membrane Science</i> , 2017 , 529, 234-242	9.6	124
114	Simultaneous preparation of Ag/Fe3O4 coreEhell nanocomposites with enhanced magnetic moment and strong antibacterial and catalytic properties. <i>Chemical Engineering Journal</i> , 2013 , 226, 243	- 25 47	113
113	A novel dual-layer bicomponent electrospun nanofibrous membrane for desalination by direct contact membrane distillation. <i>Chemical Engineering Journal</i> , 2014 , 256, 155-159	14.7	112
112	Electrospun dual-layer nonwoven membrane for desalination by air gap membrane distillation. <i>Desalination</i> , 2017 , 403, 187-198	10.3	107
111	A review of membrane wettability for the treatment of saline water deploying membrane distillation. <i>Desalination</i> , 2020 , 479, 114312	10.3	106
110	Removal of oil from water using magnetic bicomponent composite nanofibers fabricated by electrospinning. <i>Composites Part B: Engineering</i> , 2015 , 77, 311-318	10	104
109	Characterization and mechanical performance comparison of multiwalled carbon nanotube/polyurethane composites fabricated by electrospinning and solution casting. <i>Composites Part B: Engineering</i> , 2013 , 44, 613-619	10	102
108	Antibacterial and photocatalytic properties of Ag/TiO2/ZnO nano-flowers prepared by facile one-pot hydrothermal process. <i>Ceramics International</i> , 2013 , 39, 1503-1510	5.1	100
107	A green and facile one-pot synthesis of AgInO/RGO nanocomposite with effective photocatalytic activity for removal of organic pollutants. <i>Ceramics International</i> , 2013 , 39, 5083-5091	5.1	98
106	Photocatalytic TiO2 R GO/nylon-6 spider-wave-like nano-nets via electrospinning and hydrothermal treatment. <i>Journal of Membrane Science</i> , 2013 , 429, 225-234	9.6	94

(2013-2016)

105	Effect of sulphonated polyethersulfone substrate for thin film composite forward osmosis membrane. <i>Desalination</i> , 2016 , 389, 129-136	10.3	88
104	Dual-layered nanocomposite substrate membrane based on polysulfone/graphene oxide for mitigating internal concentration polarization in forward osmosis. <i>Polymer</i> , 2017 , 110, 36-48	3.9	83
103	Graphene/PVDF flat-sheet membrane for the treatment of RO brine from coal seam gas produced water by air gap membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 513, 74-84	9.6	80
102	Effect of heat-press conditions on electrospun membranes for desalination by direct contact membrane distillation. <i>Desalination</i> , 2016 , 378, 80-91	10.3	75
101	Bimodal fiber diameter distributed graphene oxide/nylon-6 composite nanofibrous mats via electrospinning. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 407, 121-125	5.1	75
100	3D printing for membrane separation, desalination and water treatment. <i>Applied Materials Today</i> , 2020 , 18, 100486	6.6	74
99	Synthesis, characterization, and photocatalytic properties of ZnO nano-flower containing TiO2 NPs. <i>Ceramics International</i> , 2012 , 38, 2943-2950	5.1	71
98	Hierarchical Composite Membranes with Robust Omniphobic Surface Using Layer-By-Layer Assembly Technique. <i>Environmental Science & Environmental Scienc</i>	10.3	62
97	ZnO micro-flowers assembled on reduced graphene sheets with high photocatalytic activity for removal of pollutants. <i>Powder Technology</i> , 2013 , 235, 853-858	5.2	60
96	A study on heat transfer enhancement using straight and twisted internal fin inserts. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 719-726	5.8	59
95	Potential and performance of a polydopamine-coated multiwalled carbon nanotube/polysulfone nanocomposite membrane for ultrafiltration application. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 34, 364-373	6.3	55
94	Physical water treatment using RF electric fields for the mitigation of CaCO3 fouling in cooling water. <i>International Journal of Heat and Mass Transfer</i> , 2010 , 53, 1426-1437	4.9	54
93	Hybrid membrane distillation: Resource, nutrient and energy recovery. <i>Journal of Membrane Science</i> , 2020 , 599, 117832	9.6	53
92	One-step fabrication of antibacterial (silver nanoparticles/poly(ethylene oxide)) IPolyurethane bicomponent hybrid nanofibrous mat by dual-spinneret electrospinning. <i>Materials Chemistry and Physics</i> , 2012 , 134, 557-561	4.4	53
91	Aggregation behaviour of engineered nanoparticles in natural waters: characterising aggregate structure using on-line laser light scattering. <i>Journal of Hazardous Materials</i> , 2015 , 284, 190-200	12.8	52
90	Controlled assembly of superparamagnetic iron oxide nanoparticles on electrospun PU nanofibrous membrane: A novel heat-generating substrate for magnetic hyperthermia application. <i>European Polymer Journal</i> , 2013 , 49, 3796-3805	5.2	47
89	Corellhell structured electrospun biomimetic composite nanofibers of calcium lactate/nylon-6 for tissue engineering. <i>Chemical Engineering Journal</i> , 2013 , 221, 90-98	14.7	45
88	Characterization of the surface biocompatibility of an electrospun nylon 6/CaP nanofiber scaffold using osteoblasts. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 57-64	14.7	41

87	Mechanical performance of multiscale basalt fiber poxy laminates containing tourmaline micro/nano particles. <i>Composites Part B: Engineering</i> , 2014 , 58, 611-617	10	40
86	Synthesis, characterization, and mineralization of polyamide-6/calcium lactate composite nanofibers for bone tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 102, 152-7	6	40
85	Characteristics of membrane fouling by consecutive chemical cleaning in pressurized ultrafiltration as pre-treatment of seawater desalination. <i>Desalination</i> , 2015 , 369, 51-61	10.3	39
84	Semiconductor photothermal materials enabling efficient solar steam generation toward desalination and wastewater treatment. <i>Desalination</i> , 2021 , 500, 114853	10.3	39
83	Effects of volatile organic compounds on water recovery from produced water via vacuum membrane distillation. <i>Desalination</i> , 2018 , 440, 146-155	10.3	39
82	Two-nozzle electrospinning of (MWNT/PU)/PU nanofibrous composite mat with improved mechanical and thermal properties. <i>Current Applied Physics</i> , 2013 , 13, 1247-1255	2.6	38
81	Antibacterial tourmaline nanoparticles/polyurethane hybrid mat decorated with silver nanoparticles prepared by electrospinning and UV photoreduction. <i>Current Applied Physics</i> , 2013 , 13, 205-210	2.6	36
80	Mitigation of scaling in heat exchangers by physical water treatment using zinc and tourmaline. <i>Applied Thermal Engineering</i> , 2011 , 31, 2025-2031	5.8	36
79	Use of catalytic materials for the mitigation of mineral fouling. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 14-23	5.8	33
78	Coagulation performance and floc characteristics of polytitanium tetrachloride and titanium tetrachloride compared with ferric chloride for coal mining wastewater treatment. <i>Separation and Purification Technology</i> , 2015 , 152, 94-100	8.3	30
77	Effect of powdered activated carbon on integrated submerged membrane bioreactor-nanofiltration process for wastewater reclamation. <i>Bioresource Technology</i> , 2016 , 210, 18-2.	5 ¹¹	30
76	Progress on the Fabrication and Application of Electrospun Nanofiber Composites. <i>Membranes</i> , 2020 , 10,	3.8	30
75	Volatile fatty acids and biogas recovery using thermophilic anaerobic membrane distillation bioreactor for wastewater reclamation. <i>Journal of Environmental Management</i> , 2019 , 231, 833-842	7.9	30
74	Thin-film composite membrane on a compacted woven backing fabric for pressure assisted osmosis. <i>Desalination</i> , 2017 , 406, 98-108	10.3	29
73	Fouling and Inactivation of Titanium Dioxide-Based Photocatalytic Systems. <i>Critical Reviews in Environmental Science and Technology</i> , 2015 , 45, 1880-1915	11.1	29
72	Improved mechanical properties of solution-cast silicone film reinforced with electrospun polyurethane nanofiber containing carbon nanotubes. <i>Applied Surface Science</i> , 2013 , 264, 453-458	6.7	29
71	Effect of high-frequency electric fields on calcium carbonate scaling. <i>Desalination</i> , 2011 , 279, 47-53	10.3	29
70	Modification of Nanofiber Support Layer for Thin Film Composite forward Osmosis Membranes via Layer-by-Layer Polyelectrolyte Deposition. <i>Membranes</i> , 2018 , 8,	3.8	29

(2007-2019)

69	Nanoscale zero-valent iron (nZVI) immobilization onto graphene oxide (GO)-incorporated electrospun polyvinylidene fluoride (PVDF) nanofiber membrane for groundwater remediation via gravity-driven membrane filtration. <i>Science of the Total Environment</i> , 2019 , 688, 787-796	10.2	27
68	Facile in situ growth of highly monodispersed Ag nanoparticles on electrospun PU nanofiber membranes: Flexible and high efficiency substrates for surface enhanced Raman scattering. <i>Applied Surface Science</i> , 2014 , 308, 396-401	6.7	27
67	Hybrid multi-scale basalt fiber-epoxy composite laminate reinforced with Electrospun polyurethane nanofibers containing carbon nanotubes. <i>Fibers and Polymers</i> , 2014 , 15, 1295-1302	2	26
66	Fertilizer-drawn forward osmosis for irrigation of tomatoes. <i>Desalination and Water Treatment</i> , 2015 , 53, 2746-2759		25
65	Facile synthesis and immobilization of AgliO2 nanoparticles on electrospun PU nanofibers by polyol technique and simple immersion. <i>Materials Chemistry and Physics</i> , 2012 , 135, 277-281	4.4	25
64	Janus membranes for membrane distillation: Recent advances and challenges. <i>Advances in Colloid and Interface Science</i> , 2021 , 289, 102362	14.3	22
63	Nanosheet-based Fe2O3 hierarchical structure decorated with TiO2 nanospheres via a simple one-pot route: Magnetically recyclable photocatalysts. <i>Journal of Alloys and Compounds</i> , 2013 , 580, 143-	-₹ <i>4</i> 7	21
62	RGO/Nylon-6 composite mat with unique structural features and electrical properties obtained from electrospinning and hydrothermal process. <i>Fibers and Polymers</i> , 2013 , 14, 970-975	2	21
61	Simultaneous synthesis of TiO2 microrods in situ decorated with Ag nanoparticles and their bactericidal efficiency. <i>Current Applied Physics</i> , 2012 , 12, 1106-1112	2.6	21
60	Fabrication and photocatalytic activity of electrospun nylon-6 nanofibers containing tourmaline and titanium dioxide nanoparticles. <i>Ceramics International</i> , 2013 , 39, 7143-7148	5.1	20
59	Improving Nanofiber Membrane Characteristics and Membrane Distillation Performance of Heat-Pressed Membranes via Annealing Post-Treatment. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 78	2.6	19
58	Use of an Oscillating Electric Field to Mitigate Mineral Fouling in a Heat Exchanger. <i>Experimental Heat Transfer</i> , 2009 , 22, 257-270	2.4	19
57	Recyclable nanoscale zerovalent iron (nZVI)-immobilized electrospun nanofiber composites with improved mechanical strength for groundwater remediation. <i>Composites Part B: Engineering</i> , 2019 , 171, 339-346	10	18
56	Biomass-based photothermal materials for interfacial solar steam generation: a review. <i>Materials Today Energy</i> , 2021 , 21, 100716	7	18
55	Preparation and characterization of LA/PCL composite fibers containing beta tricalcium phosphate (ETCP) particles. <i>Ceramics International</i> , 2014 , 40, 5049-5054	5.1	17
54	Preparation and characterization of (polyurethane/nylon-6) nanofiber/ (silicone) film composites via electrospinning and dip-coating. <i>Fibers and Polymers</i> , 2012 , 13, 339-345	2	17
53	1.16 Electrospinning for Membrane Fabrication: Strategies and Applications 2017, 418-444		16
52	An experimental study on the bulk precipitation mechanism of physical water treatment for the mitigation of mineral fouling. <i>International Communications in Heat and Mass Transfer</i> , 2007 , 34, 673-681	15.8	16

51	Hydrothermal growth of mop-brush-shaped ZnO rods on the surface of electrospun nylon-6 nanofibers. <i>Ceramics International</i> , 2013 , 39, 3095-3102	5.1	15
50	Heat-Treated Titanium Balls for the Mitigation of Mineral Fouling in Heat Exchangers. <i>Experimental Heat Transfer</i> , 2008 , 21, 115-132	2.4	15
49	Inductive heating of electrospun Fe2O3/polyurethane composite mat under high-frequency magnetic field. <i>Ceramics International</i> , 2013 , 39, 9785-9790	5.1	14
48	Co-axially electrospun superhydrophobic nanofiber membranes with 3D-hierarchically structured surface for desalination by long-term membrane distillation. <i>Journal of Membrane Science</i> , 2021 , 623, 119028	9.6	14
47	An angled robotic dual-nozzle electrospinning set-up for preparing PU/PA6 composite fibers. <i>Textile Reseach Journal</i> , 2013 , 83, 311-320	1.7	13
46	Ammonia recovery from human urine as liquid fertilizers in hollow fiber membrane contactor: Effects of permeate chemistry. <i>Environmental Engineering Research</i> , 2021 , 26,	3.6	13
45	Inactivation of bacteria in batch suspension by fluidized ceramic tourmaline nanoparticles under oscillating radio frequency electric fields. <i>Ceramics International</i> , 2013 , 39, 2141-2145	5.1	12
44	Enhancement of nanoscale zero-valent iron immobilization onto electrospun polymeric nanofiber mats for groundwater remediation. <i>Chemical Engineering Research and Design</i> , 2017 , 112, 200-208	5.5	11
43	Polyvinylidene fluoride phase design by two-dimensional boron nitride enables enhanced performance and stability for seawater desalination. <i>Journal of Membrane Science</i> , 2020 , 598, 117669	9.6	11
42	Solution blow spinning (SBS) and SBS-spun nanofibers: Materials, methods, and applications. <i>Materials Today Communications</i> , 2020 , 25, 101656	2.5	11
41	Improving membrane distillation performance: Morphology optimization of hollow fiber membranes with selected non-solvent in dope solution. <i>Chemosphere</i> , 2019 , 230, 117-126	8.4	10
40	Simple fabrication of Ag nanoparticle-impregnated electrospun nanofibres as SERS substrates. <i>Bulletin of Materials Science</i> , 2015 , 38, 267-270	1.7	9
39	Agglomeration behaviour of titanium dioxide nanoparticles in river waters: A multi-method approach combining light scattering and field-flow fractionation techniques. <i>Journal of Environmental Management</i> , 2015 , 159, 135-142	7.9	9
38	Characterization and Photocatalytic Efficiency of TiO2/Ti Beads Fabricated by Simple Heat-Treatment. <i>Journal of Materials Science and Technology</i> , 2012 , 28, 184-192	9.1	9
37	Preparation and Characterization of Photoactive Anatase TiO2 from Algae Bloomed Surface Water. <i>Catalysts</i> , 2020 , 10, 452	4	8
36	Needle-free transdermal delivery using PLGA nanoparticles: effect of particle size, injection pressure and syringe orifice diameter. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 123, 710-5	6	8
35	Synthesis and NO removal performance of anatase S-TiO/g-CN heterojunction formed from dye wastewater sludge. <i>Chemosphere</i> , 2021 , 275, 130020	8.4	8
34	Facile synthesis and characterization of anatase TiO/g-CN composites for enhanced photoactivity under UV-visible spectrum. <i>Chemosphere</i> , 2021 , 262, 128004	8.4	8

(2013-2017)

33	Robbing behavior[and re-immobilization of nanoscale zero-valent iron (nZVI) onto electrospun polymeric nanofiber mats for trichloroethylene (TCE) remediation. <i>Separation and Purification Technology</i> , 2017 , 189, 375-381	8.3	7	
32	Effect of annealing on the phase transition and morphology of Ag NPs on/in TiO2 rods synthesized by a polyol method. <i>Ceramics International</i> , 2012 , 38, 6365-6375	5.1	7	
31	Introduction: Membrane Desalination Today, Past, and Future 2019, xxv-xlvi		6	
30	Stability of Fe-oxide nanoparticles coated with natural organic matter under relevant environmental conditions. <i>Water Science and Technology</i> , 2014 , 70, 2040-6	2.2	6	
29	3D microflowers CuS/Sn2S3 heterostructure for highly efficient solar steam generation and water purification. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 232, 111377	6.4	6	
28	Preparation and characterization of TiO generated from synthetic wastewater using TiCl based coagulation/flocculation aided with Ca(OH). <i>Journal of Environmental Management</i> , 2019 , 250, 109521	7.9	5	
27	Synthesis and characterisation of potassium polytitanate for photocatalytic degradation of crystal violet. <i>Journal of Environmental Sciences</i> , 2014 , 26, 2348-54	6.4	5	
26	Characterization and biostability of HA/Ti6Al4V ACL anchor prepared by simple heat-treatment. <i>Ceramics International</i> , 2012 , 38, 5385-5391	5.1	5	
25	Modified Hydrothermal Route for Synthesis of Photoactive Anatase TiO2/g-CN Nanotubes from Sludge Generated TiO2. <i>Catalysts</i> , 2020 , 10, 1350	4	5	
24	Nanofibers for Water and Wastewater Treatment: Recent Advances and Developments. <i>Energy, Environment, and Sustainability</i> , 2019 , 431-468	0.8	5	
23	Hydrophilic/Hydrophobic Silane Grafting on TiO2 Nanoparticles: Photocatalytic Paint for Atmospheric Cleaning. <i>Catalysts</i> , 2021 , 11, 193	4	5	
22	Assessing the effect of catalytic materials on the scaling of carbon steel. <i>Desalination</i> , 2013 , 313, 189-1	98 0.3	4	
21	Effect of laser polishing on the surface roughness and corrosion resistance of Nitinol stents. <i>Bio-Medical Materials and Engineering</i> , 2015 , 25, 67-75	1	4	
20	3D-Printed Absorbers for Solar-Driven Interfacial Water Evaporation: A Mini-Review 2021 , 3, 0210103		4	
19	Synthesis and Characterisation of Silica-Modified Titania for Photocatalytic Decolouration of Crystal Violet. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 5326-9	1.3	3	
18	Efficacy of zinc and tourmaline in mitigating corrosion of carbon steel in non-flow mode. <i>Chemical Papers</i> , 2013 , 67,	1.9	3	
17	Physical Water Treatment Using Oscillating Electric Fields to Mitigate Scaling in Heat Exchangers 2014 , 105-155		3	
16	Accelerated in vitro durability testing of nonvascular Nitinol stents based on the electrical potential sensing method. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 112, 919-926	2.6	2	

15	A novel electrical potential sensing method for in vitro stent fracture monitoring and detection. <i>Bio-Medical Materials and Engineering</i> , 2011 , 21, 213-22	1	2
14	Preparation of effective lithium-ion sieve from sludge-generated TiO2. <i>Desalination</i> , 2022 , 525, 115491	10.3	2
13	Adsorption and Photocatalytic Degradation of Methylene Blue Using Potassium Polytitanate and Solar Simulator. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 4342-9	1.3	2
12	Exploring shredded waste PET bottles as a biofilter media for improved on-site sanitation. <i>Chemical Engineering Research and Design</i> , 2021 , 148, 370-381	5.5	2
11	Visible light activation of photocatalysts formed from the heterojunction of sludge-generated TiO and g-CN towards NO removal. <i>Journal of Hazardous Materials</i> , 2022 , 422, 126919	12.8	2
10	Mitigation of fouling and wetting in membrane distillation by electrical repulsion using a multi-layered single-wall carbon nanotube/polyvinylidene fluoride membrane. <i>Journal of Membrane Science</i> , 2022 , 120519	9.6	2
9	Magnetic Polishing of Titanium-Nickel Alloy Stents: Surface Characterization and Catheter Deployment Test. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012 , 43, 3006-3010	2.3	1
8	Deposition behavior of self-assembled monolayers and bacteria on metallic surfaces using an electrochemical quartz crystal nanobalance. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 1354	. 1 3	1
7	A study of the onset of biofouling using quartz crystal nanobalance. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 7-13	5.8	1
6	Elucidation of physicochemical scaling mechanisms in membrane distillation (MD): Implication to the control of inorganic fouling. <i>Desalination</i> , 2022 , 527, 115573	10.3	1
5	On-site domestic wastewater treatment system using shredded waste plastic bottles as biofilter media: Pilot-scale study on effluent standards in Bhutan. <i>Chemosphere</i> , 2022 , 286, 131729	8.4	O
4	Highly stable gold nanolayer membrane for efficient solar water evaporation under a harsh environment <i>Chemosphere</i> , 2022 , 299, 134394	8.4	О
3	Insight into the role of polydopamine nanostructures on nickel foam-based photothermal materials for solar water evaporation. <i>Separation and Purification Technology</i> , 2022 , 121054	8.3	0
2	Basalt Fabric-Electrospun Nanofiber-Based Composite Laminates. <i>Applied Mechanics and Materials</i> , 2013 , 465-466, 852-856	0.3	
1	Recent Progress in the Fabrication of Electrospun Nanofiber Membranes for Membrane Distillation 2018 , 71-100		

8