

Leonard D Tijing

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2106865/leonard-d-tijing-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

5,233
citations

39
h-index

70
g-index

127
ext. papers

6,105
ext. citations

6.8
avg, IF

6.01
L-index

#	Paper	IF	Citations
122	Elucidation of physicochemical scaling mechanisms in membrane distillation (MD): Implication to the control of inorganic fouling. <i>Desalination</i> , 2022 , 527, 115573	10.3	1
121	Preparation of effective lithium-ion sieve from sludge-generated TiO ₂ . <i>Desalination</i> , 2022 , 525, 115491	10.3	2
120	On-site domestic wastewater treatment system using shredded waste plastic bottles as biofilter media: Pilot-scale study on effluent standards in Bhutan. <i>Chemosphere</i> , 2022 , 286, 131729	8.4	0
119	Visible light activation of photocatalysts formed from the heterojunction of sludge-generated TiO and g-CN towards NO removal. <i>Journal of Hazardous Materials</i> , 2022 , 422, 126919	12.8	2
118	Mitigation of fouling and wetting in membrane distillation by electrical repulsion using a multi-layered single-wall carbon nanotube/polyvinylidene fluoride membrane. <i>Journal of Membrane Science</i> , 2022 , 120519	9.6	2
117	Highly stable gold nanolayer membrane for efficient solar water evaporation under a harsh environment.. <i>Chemosphere</i> , 2022 , 299, 134394	8.4	0
116	Insight into the role of polydopamine nanostructures on nickel foam-based photothermal materials for solar water evaporation. <i>Separation and Purification Technology</i> , 2022 , 121054	8.3	0
115	Ammonia recovery from human urine as liquid fertilizers in hollow fiber membrane contactor: Effects of permeate chemistry. <i>Environmental Engineering Research</i> , 2021 , 26,	3.6	13
114	Janus membranes for membrane distillation: Recent advances and challenges. <i>Advances in Colloid and Interface Science</i> , 2021 , 289, 102362	14.3	22
113	Co-axially electrospun superhydrophobic nanofiber membranes with 3D-hierarchically structured surface for desalination by long-term membrane distillation. <i>Journal of Membrane Science</i> , 2021 , 623, 119028	9.6	14
112	3D-Printed Absorbers for Solar-Driven Interfacial Water Evaporation: A Mini-Review 2021 , 3, 0210103		4
111	Synthesis and NO removal performance of anatase S-TiO/g-CN heterojunction formed from dye wastewater sludge. <i>Chemosphere</i> , 2021 , 275, 130020	8.4	8
110	Facile synthesis and characterization of anatase TiO/g-CN composites for enhanced photoactivity under UV-visible spectrum. <i>Chemosphere</i> , 2021 , 262, 128004	8.4	8
109	Exploring shredded waste PET bottles as a biofilter media for improved on-site sanitation. <i>Chemical Engineering Research and Design</i> , 2021 , 148, 370-381	5.5	2
108	Semiconductor photothermal materials enabling efficient solar steam generation toward desalination and wastewater treatment. <i>Desalination</i> , 2021 , 500, 114853	10.3	39
107	Hydrophilic/Hydrophobic Silane Grafting on TiO ₂ Nanoparticles: Photocatalytic Paint for Atmospheric Cleaning. <i>Catalysts</i> , 2021 , 11, 193	4	5
106	Biomass-based photothermal materials for interfacial solar steam generation: a review. <i>Materials Today Energy</i> , 2021 , 21, 100716	7	18

105	3D microflowers CuS/Sn2S3 heterostructure for highly efficient solar steam generation and water purification. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 232, 111377	6.4	6
104	Preparation and Characterization of Photoactive Anatase TiO2 from Algae Bloomed Surface Water. <i>Catalysts</i> , 2020 , 10, 452	4	8
103	Hybrid membrane distillation: Resource, nutrient and energy recovery. <i>Journal of Membrane Science</i> , 2020 , 599, 117832	9.6	53
102	A review of membrane wettability for the treatment of saline water deploying membrane distillation. <i>Desalination</i> , 2020 , 479, 114312	10.3	106
101	Polyvinylidene fluoride phase design by two-dimensional boron nitride enables enhanced performance and stability for seawater desalination. <i>Journal of Membrane Science</i> , 2020 , 598, 117669	9.6	11
100	Solution blow spinning (SBS) and SBS-spun nanofibers: Materials, methods, and applications. <i>Materials Today Communications</i> , 2020 , 25, 101656	2.5	11
99	Modified Hydrothermal Route for Synthesis of Photoactive Anatase TiO2/g-CN Nanotubes from Sludge Generated TiO2. <i>Catalysts</i> , 2020 , 10, 1350	4	5
98	Progress on the Fabrication and Application of Electrospun Nanofiber Composites. <i>Membranes</i> , 2020 , 10,	3.8	30
97	3D printing for membrane separation, desalination and water treatment. <i>Applied Materials Today</i> , 2020 , 18, 100486	6.6	74
96	Recyclable nanoscale zerovalent iron (nZVI)-immobilized electrospun nanofiber composites with improved mechanical strength for groundwater remediation. <i>Composites Part B: Engineering</i> , 2019 , 171, 339-346	10	18
95	Improving membrane distillation performance: Morphology optimization of hollow fiber membranes with selected non-solvent in dope solution. <i>Chemosphere</i> , 2019 , 230, 117-126	8.4	10
94	Introduction: Membrane Desalination Today, Past, and Future 2019 , xxv-xlvi		6
93	Nanoscale zero-valent iron (nZVI) immobilization onto graphene oxide (GO)-incorporated electrospun polyvinylidene fluoride (PVDF) nanofiber membrane for groundwater remediation via gravity-driven membrane filtration. <i>Science of the Total Environment</i> , 2019 , 688, 787-796	10.2	27
92	Preparation and characterization of TiO generated from synthetic wastewater using TiCl based coagulation/flocculation aided with Ca(OH). <i>Journal of Environmental Management</i> , 2019 , 250, 109521	7.9	5
91	Nanofibers for Water and Wastewater Treatment: Recent Advances and Developments. <i>Energy, Environment, and Sustainability</i> , 2019 , 431-468	0.8	5
90	Volatile fatty acids and biogas recovery using thermophilic anaerobic membrane distillation bioreactor for wastewater reclamation. <i>Journal of Environmental Management</i> , 2019 , 231, 833-842	7.9	30
89	Hierarchical Composite Membranes with Robust Omniphobic Surface Using Layer-By-Layer Assembly Technique. <i>Environmental Science & Technology</i> , 2018 , 52, 2186-2196	10.3	62
88	Recent Progress in the Fabrication of Electrospun Nanofiber Membranes for Membrane Distillation 2018 , 71-100		

87	Effects of volatile organic compounds on water recovery from produced water via vacuum membrane distillation. <i>Desalination</i> , 2018 , 440, 146-155	10.3	39
86	Modification of Nanofiber Support Layer for Thin Film Composite forward Osmosis Membranes via Layer-by-Layer Polyelectrolyte Deposition. <i>Membranes</i> , 2018 , 8,	3.8	29
85	Electrospun dual-layer nonwoven membrane for desalination by air gap membrane distillation. <i>Desalination</i> , 2017 , 403, 187-198	10.3	107
84	Thin-film composite membrane on a compacted woven backing fabric for pressure assisted osmosis. <i>Desalination</i> , 2017 , 406, 98-108	10.3	29
83	CF4 plasma-modified omniphobic electrospun nanofiber membrane for produced water brine treatment by membrane distillation. <i>Journal of Membrane Science</i> , 2017 , 529, 234-242	9.6	124
82	Enhancement of nanoscale zero-valent iron immobilization onto electrospun polymeric nanofiber mats for groundwater remediation. <i>Chemical Engineering Research and Design</i> , 2017 , 112, 200-208	5.5	11
81	Dual-layered nanocomposite substrate membrane based on polysulfone/graphene oxide for mitigating internal concentration polarization in forward osmosis. <i>Polymer</i> , 2017 , 110, 36-48	3.9	83
80	Robbing behavior and re-immobilization of nanoscale zero-valent iron (nZVI) onto electrospun polymeric nanofiber mats for trichloroethylene (TCE) remediation. <i>Separation and Purification Technology</i> , 2017 , 189, 375-381	8.3	7
79	1.16 Electrospinning for Membrane Fabrication: Strategies and Applications 2017 , 418-444		16
78	Improving Nanofiber Membrane Characteristics and Membrane Distillation Performance of Heat-Pressed Membranes via Annealing Post-Treatment. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 78	2.6	19
77	Water desalination using graphene-enhanced electrospun nanofiber membrane via air gap membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 520, 99-110	9.6	144
76	Effect of powdered activated carbon on integrated submerged membrane bioreactor-nanofiltration process for wastewater reclamation. <i>Bioresource Technology</i> , 2016 , 210, 18-25 ¹¹		30
75	Effect of sulphonated polyethersulfone substrate for thin film composite forward osmosis membrane. <i>Desalination</i> , 2016 , 389, 129-136	10.3	88
74	Potential and performance of a polydopamine-coated multiwalled carbon nanotube/polysulfone nanocomposite membrane for ultrafiltration application. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 34, 364-373	6.3	55
73	Superhydrophobic nanofiber membrane containing carbon nanotubes for high-performance direct contact membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 502, 158-170	9.6	256
72	Effect of heat-press conditions on electrospun membranes for desalination by direct contact membrane distillation. <i>Desalination</i> , 2016 , 378, 80-91	10.3	75
71	Adsorption and Photocatalytic Degradation of Methylene Blue Using Potassium Polytitanate and Solar Simulator. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 4342-9	1.3	2
70	Graphene/PVDF flat-sheet membrane for the treatment of RO brine from coal seam gas produced water by air gap membrane distillation. <i>Journal of Membrane Science</i> , 2016 , 513, 74-84	9.6	80

69	Graphene oxide incorporated polysulfone substrate for the fabrication of flat-sheet thin-film composite forward osmosis membranes. <i>Journal of Membrane Science</i> , 2015 , 493, 496-507	9.6	178
68	Fouling and Inactivation of Titanium Dioxide-Based Photocatalytic Systems. <i>Critical Reviews in Environmental Science and Technology</i> , 2015 , 45, 1880-1915	11.1	29
67	Simple fabrication of Ag nanoparticle-impregnated electrospun nanofibres as SERS substrates. <i>Bulletin of Materials Science</i> , 2015 , 38, 267-270	1.7	9
66	Fertilizer-drawn forward osmosis for irrigation of tomatoes. <i>Desalination and Water Treatment</i> , 2015 , 53, 2746-2759		25
65	Removal of oil from water using magnetic bicomponent composite nanofibers fabricated by electrospinning. <i>Composites Part B: Engineering</i> , 2015 , 77, 311-318	10	104
64	Coagulation performance and floc characteristics of polytitanium tetrachloride and titanium tetrachloride compared with ferric chloride for coal mining wastewater treatment. <i>Separation and Purification Technology</i> , 2015 , 152, 94-100	8.3	30
63	Synthesis and Characterisation of Silica-Modified Titania for Photocatalytic Decolouration of Crystal Violet. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 5326-9	1.3	3
62	Aggregation behaviour of engineered nanoparticles in natural waters: characterising aggregate structure using on-line laser light scattering. <i>Journal of Hazardous Materials</i> , 2015 , 284, 190-200	12.8	52
61	Fouling and its control in membrane distillation: A review. <i>Journal of Membrane Science</i> , 2015 , 475, 215-246	9.6	581
60	Agglomeration behaviour of titanium dioxide nanoparticles in river waters: A multi-method approach combining light scattering and field-flow fractionation techniques. <i>Journal of Environmental Management</i> , 2015 , 159, 135-142	7.9	9
59	Characteristics of membrane fouling by consecutive chemical cleaning in pressurized ultrafiltration as pre-treatment of seawater desalination. <i>Desalination</i> , 2015 , 369, 51-61	10.3	39
58	Effect of laser polishing on the surface roughness and corrosion resistance of Nitinol stents. <i>Bio-Medical Materials and Engineering</i> , 2015 , 25, 67-75	1	4
57	Effect of stacking sequence on the flexural properties of hybrid composites reinforced with carbon and basalt fibers. <i>Composites Part B: Engineering</i> , 2014 , 58, 251-258	10	194
56	Preparation and characterization of LA/PCL composite fibers containing beta tricalcium phosphate (βTCP) particles. <i>Ceramics International</i> , 2014 , 40, 5049-5054	5.1	17
55	Recent progress of membrane distillation using electrospun nanofibrous membrane. <i>Journal of Membrane Science</i> , 2014 , 453, 435-462	9.6	263
54	Mechanical performance of multiscale basalt fiber/Epoxy laminates containing tourmaline micro/nano particles. <i>Composites Part B: Engineering</i> , 2014 , 58, 611-617	10	40
53	Synthesis and characterisation of potassium polytitanate for photocatalytic degradation of crystal violet. <i>Journal of Environmental Sciences</i> , 2014 , 26, 2348-54	6.4	5
52	A novel dual-layer bicomponent electrospun nanofibrous membrane for desalination by direct contact membrane distillation. <i>Chemical Engineering Journal</i> , 2014 , 256, 155-159	14.7	112

51	Needle-free transdermal delivery using PLGA nanoparticles: effect of particle size, injection pressure and syringe orifice diameter. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 123, 710-5	6	8
50	Hybrid multi-scale basalt fiber-epoxy composite laminate reinforced with Electrospun polyurethane nanofibers containing carbon nanotubes. <i>Fibers and Polymers</i> , 2014 , 15, 1295-1302	2	26
49	Stability of Fe-oxide nanoparticles coated with natural organic matter under relevant environmental conditions. <i>Water Science and Technology</i> , 2014 , 70, 2040-6	2.2	6
48	Facile in situ growth of highly monodispersed Ag nanoparticles on electrospun PU nanofiber membranes: Flexible and high efficiency substrates for surface enhanced Raman scattering. <i>Applied Surface Science</i> , 2014 , 308, 396-401	6.7	27
47	Physical Water Treatment Using Oscillating Electric Fields to Mitigate Scaling in Heat Exchangers 2014 , 105-155		3
46	Nanosheet-based Fe ₂ O ₃ hierarchical structure decorated with TiO ₂ nanospheres via a simple one-pot route: Magnetically recyclable photocatalysts. <i>Journal of Alloys and Compounds</i> , 2013 , 580, 143-147	5.7	21
45	Fabrication and photocatalytic activity of electrospun nylon-6 nanofibers containing tourmaline and titanium dioxide nanoparticles. <i>Ceramics International</i> , 2013 , 39, 7143-7148	5.1	20
44	Inductive heating of electrospun Fe ₂ O ₃ /polyurethane composite mat under high-frequency magnetic field. <i>Ceramics International</i> , 2013 , 39, 9785-9790	5.1	14
43	Photocatalytic TiO ₂ /RGO/nylon-6 spider-wave-like nano-nets via electrospinning and hydrothermal treatment. <i>Journal of Membrane Science</i> , 2013 , 429, 225-234	9.6	94
42	RGO/Nylon-6 composite mat with unique structural features and electrical properties obtained from electrospinning and hydrothermal process. <i>Fibers and Polymers</i> , 2013 , 14, 970-975	2	21
41	Accelerated in vitro durability testing of nonvascular Nitinol stents based on the electrical potential sensing method. <i>Applied Physics A: Materials Science and Processing</i> , 2013 , 112, 919-926	2.6	2
40	Efficacy of zinc and tourmaline in mitigating corrosion of carbon steel in non-flow mode. <i>Chemical Papers</i> , 2013 , 67,	1.9	3
39	Two-nozzle electrospinning of (MWNT/PU)/PU nanofibrous composite mat with improved mechanical and thermal properties. <i>Current Applied Physics</i> , 2013 , 13, 1247-1255	2.6	38
38	Controlled assembly of superparamagnetic iron oxide nanoparticles on electrospun PU nanofibrous membrane: A novel heat-generating substrate for magnetic hyperthermia application. <i>European Polymer Journal</i> , 2013 , 49, 3796-3805	5.2	47
37	Antibacterial tourmaline nanoparticles/polyurethane hybrid mat decorated with silver nanoparticles prepared by electrospinning and UV photoreduction. <i>Current Applied Physics</i> , 2013 , 13, 205-210	2.6	36
36	Antibacterial and photocatalytic properties of Ag/TiO ₂ /ZnO nano-flowers prepared by facile one-pot hydrothermal process. <i>Ceramics International</i> , 2013 , 39, 1503-1510	5.1	100
35	Improved mechanical properties of solution-cast silicone film reinforced with electrospun polyurethane nanofiber containing carbon nanotubes. <i>Applied Surface Science</i> , 2013 , 264, 453-458	6.7	29
34	Assessing the effect of catalytic materials on the scaling of carbon steel. <i>Desalination</i> , 2013 , 313, 189-198	0.3	4

33	Core-shell structured electrospun biomimetic composite nanofibers of calcium lactate/nylon-6 for tissue engineering. <i>Chemical Engineering Journal</i> , 2013 , 221, 90-98	14.7	45
32	Inactivation of bacteria in batch suspension by fluidized ceramic tourmaline nanoparticles under oscillating radio frequency electric fields. <i>Ceramics International</i> , 2013 , 39, 2141-2145	5.1	12
31	Characterization of the surface biocompatibility of an electrospun nylon 6/CaP nanofiber scaffold using osteoblasts. <i>Chemical Engineering Journal</i> , 2013 , 215-216, 57-64	14.7	41
30	Simultaneous preparation of Ag/Fe ₃ O ₄ core-shell nanocomposites with enhanced magnetic moment and strong antibacterial and catalytic properties. <i>Chemical Engineering Journal</i> , 2013 , 226, 243-254	14.7	113
29	ZnO micro-flowers assembled on reduced graphene sheets with high photocatalytic activity for removal of pollutants. <i>Powder Technology</i> , 2013 , 235, 853-858	5.2	60
28	A green and facile one-pot synthesis of Ag ₂ ZnO/RGO nanocomposite with effective photocatalytic activity for removal of organic pollutants. <i>Ceramics International</i> , 2013 , 39, 5083-5091	5.1	98
27	Characterization and mechanical performance comparison of multiwalled carbon nanotube/polyurethane composites fabricated by electrospinning and solution casting. <i>Composites Part B: Engineering</i> , 2013 , 44, 613-619	10	102
26	Synthesis, characterization, and mineralization of polyamide-6/calcium lactate composite nanofibers for bone tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 102, 152-7	6	40
25	Hydrothermal growth of mop-brush-shaped ZnO rods on the surface of electrospun nylon-6 nanofibers. <i>Ceramics International</i> , 2013 , 39, 3095-3102	5.1	15
24	Basalt Fabric-Electrospun Nanofiber-Based Composite Laminates. <i>Applied Mechanics and Materials</i> , 2013 , 465-466, 852-856	0.3	
23	An angled robotic dual-nozzle electrospinning set-up for preparing PU/PA6 composite fibers. <i>Textile Research Journal</i> , 2013 , 83, 311-320	1.7	13
22	One-step fabrication of antibacterial (silver nanoparticles/poly(ethylene oxide)) [Polyurethane bicomponent hybrid nanofibrous mat by dual-spinneret electrospinning. <i>Materials Chemistry and Physics</i> , 2012 , 134, 557-561	4.4	53
21	Characterization and Photocatalytic Efficiency of TiO ₂ /Ti Beads Fabricated by Simple Heat-Treatment. <i>Journal of Materials Science and Technology</i> , 2012 , 28, 184-192	9.1	9
20	Characterization and biostability of HA/Ti6Al4V ACL anchor prepared by simple heat-treatment. <i>Ceramics International</i> , 2012 , 38, 5385-5391	5.1	5
19	Antibacterial and superhydrophilic electrospun polyurethane nanocomposite fibers containing tourmaline nanoparticles. <i>Chemical Engineering Journal</i> , 2012 , 197, 41-48	14.7	149
18	Bimodal fiber diameter distributed graphene oxide/nylon-6 composite nanofibrous mats via electrospinning. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 407, 121-125	5.1	75
17	Effect of annealing on the phase transition and morphology of Ag NPs on/in TiO ₂ rods synthesized by a polyol method. <i>Ceramics International</i> , 2012 , 38, 6365-6375	5.1	7
16	Facile synthesis and immobilization of Ag ₂ TiO ₂ nanoparticles on electrospun PU nanofibers by polyol technique and simple immersion. <i>Materials Chemistry and Physics</i> , 2012 , 135, 277-281	4.4	25

15	Magnetic Polishing of Titanium-Nickel Alloy Stents: Surface Characterization and Catheter Deployment Test. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012 , 43, 3006-3010	2.3	1
14	Preparation and characterization of (polyurethane/nylon-6) nanofiber/ (silicone) film composites via electrospinning and dip-coating. <i>Fibers and Polymers</i> , 2012 , 13, 339-345	2	17
13	Simultaneous synthesis of TiO ₂ microrods in situ decorated with Ag nanoparticles and their bactericidal efficiency. <i>Current Applied Physics</i> , 2012 , 12, 1106-1112	2.6	21
12	Synthesis, characterization, and photocatalytic properties of ZnO nano-flower containing TiO ₂ NPs. <i>Ceramics International</i> , 2012 , 38, 2943-2950	5.1	71
11	A novel electrical potential sensing method for in vitro stent fracture monitoring and detection. <i>Bio-Medical Materials and Engineering</i> , 2011 , 21, 213-22	1	2
10	Effect of high-frequency electric fields on calcium carbonate scaling. <i>Desalination</i> , 2011 , 279, 47-53	10.3	29
9	Mitigation of scaling in heat exchangers by physical water treatment using zinc and tourmaline. <i>Applied Thermal Engineering</i> , 2011 , 31, 2025-2031	5.8	36
8	Deposition behavior of self-assembled monolayers and bacteria on metallic surfaces using an electrochemical quartz crystal nanobalance. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 1354-8	1.3	1
7	Physical water treatment using RF electric fields for the mitigation of CaCO ₃ fouling in cooling water. <i>International Journal of Heat and Mass Transfer</i> , 2010 , 53, 1426-1437	4.9	54
6	Use of an Oscillating Electric Field to Mitigate Mineral Fouling in a Heat Exchanger. <i>Experimental Heat Transfer</i> , 2009 , 22, 257-270	2.4	19
5	Heat-Treated Titanium Balls for the Mitigation of Mineral Fouling in Heat Exchangers. <i>Experimental Heat Transfer</i> , 2008 , 21, 115-132	2.4	15
4	An experimental study on the bulk precipitation mechanism of physical water treatment for the mitigation of mineral fouling. <i>International Communications in Heat and Mass Transfer</i> , 2007 , 34, 673-681	5.8	16
3	A study of the onset of biofouling using quartz crystal nanobalance. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 7-13	5.8	1
2	Use of catalytic materials for the mitigation of mineral fouling. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 14-23	5.8	33
1	A study on heat transfer enhancement using straight and twisted internal fin inserts. <i>International Communications in Heat and Mass Transfer</i> , 2006 , 33, 719-726	5.8	59