

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2107392/publications.pdf>

Version: 2024-02-01

126  
papers

2,239  
citations

201674

27  
h-index

265206

42  
g-index

126  
all docs

126  
docs citations

126  
times ranked

698  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorinated Peroxides. Chemical Reviews, 1996, 96, 1779-1808.	47.7	210
2	Synthesis of self-assembled fluoroalkyl end-capped oligomeric aggregatesâ€™Applications of these aggregates to fluorinated oligomeric nanocomposites. Progress in Polymer Science, 2007, 32, 509-533.	24.7	99
3	Novel self-assembled molecular aggregates formed by fluoroalkyl end-capped oligomers and their application. Journal of Fluorine Chemistry, 2003, 121, 111-130.	1.7	93
4	Synthesis and surfactant properties of fluoroalkylated oligomers containing carboxy groups. Journal of the Chemical Society Chemical Communications, 1992, , 537.	2.0	67
5	Synthesis of fluorine-containing organosilicon oligomers. Journal of the Chemical Society Chemical Communications, 1991, , 677.	2.0	65
6	Development of Fluorinated Polymeric Functional Materials Using Fluorinated Organic Peroxide as Key Material. Polymer Journal, 2007, 39, 637-650.	2.7	65
7	Preparation and applications of novel fluoroalkyl end-capped oligomeric nanocomposites. Polymer Chemistry, 2012, 3, 46-65.	3.9	64
8	Chemistry of fluoroalkanoyl peroxides, 1980â€™1998. Journal of Fluorine Chemistry, 2000, 105, 219-220.	1.7	62
9	Iodine Transfer Terpolymerization of Vinylidene Fluoride, Î±-Trifluoromethacrylic Acid and Hexafluoropropylene for Exceptional Thermostable Fluoropolymers/Silica Nanocomposites. Macromolecules, 2011, 44, 1114-1124.	4.8	56
10	Polymer Micelles. I. Synthesis of Fluoroalkyl End-Capped Oligomers with Fluoroalkanoyl Peroxides-Architecture of Self-Assembled Aggregates of These Oligomers.. Kobunshi Ronbunshu, 2001, 58, 147-160.	0.2	48
11	Polymer Micelles II. Properties of Self-Assembled Aggregates of Fluoroalkyl End-Capped Oligomers.. Kobunshi Ronbunshu, 2001, 58, 255-266.	0.2	47
12	Synthesis and Surface Properties of Novel Fluoroalkylated Flip-Flop-Type Silane Coupling Agents. Langmuir, 1996, 12, 3529-3530.	3.5	44
13	Preparation and properties of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric nanoparticlesâ€™A new approach to facile creation of a completely superhydrophobic coating surface with these nanoparticles. Colloid and Polymer Science, 2008, 286, 1569-1574.	2.1	43
14	Creation of coating surfaces possessing superhydrophobic and superoleophobic characteristics with fluoroalkyl end-capped vinyltrimethoxysilane oligomeric nanocomposites having biphenylene segments. Journal of Colloid and Interface Science, 2011, 362, 375-381.	9.4	43
15	Synthesis and Surfactant Properties of Novel Amphiphilic Fluorinated Silicon Oligomers Containing Carboxy Groups. Langmuir, 1994, 10, 994-995.	3.5	42
16	Fluorinated functional materials possessing biological activities: gel formation of novel fluoroalkylated end-capped 2-acrylamido-2-methylpropanesulfonic acid polymers under non-crosslinked conditions. Journal of Materials Chemistry, 1998, 8, 1517-1524.	6.7	42
17	Reactions of acrylic acid with fluoroalkanoyl peroxides â€™ the formation of acrylic acid oligomers containing two fluoroalkylated end-groups. Journal of Fluorine Chemistry, 1993, 65, 169-173.	1.7	40
18	Synthesis and antibacterial activity of novel fluoroalkyl end-capped cooligomers containing dimethyl(octyl)ammonium segments. European Polymer Journal, 2001, 37, 1433-1439.	5.4	40

#	ARTICLE	IF	CITATIONS
19	Preparation and Surface Property of Fluoroalkyl End-Capped Vinyltrimethoxysilane Oligomer/Talc Composite-Encapsulated Organic Compounds: Application for the Separation of Oil and Water. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 13782-13793.	8.0	39
20	Synthesis and surfactant properties of novel acrylic acid co-oligomers containing fluoroalkylated end-groups: a new approach to polymeric inhibitors of human immunodeficiency virus type-1. <i>Journal of Fluorine Chemistry</i> , 1996, 77, 51-64.	1.7	37
21	Synthesis of Amphiphilic Fluoroalkoxyl End-Capped Cooligomers Containing Oxime-Blocked Isocyanato Segments: Architecture and Applications of New Self-Assembled Fluorinated Molecular Aggregates. <i>Macromolecules</i> , 2002, 35, 4306-4313.	4.8	35
22	Solubilization of fullerene into water with fluoroalkyl end-capped amphiphilic oligomers: novel fluorescence properties. <i>Journal of Colloid and Interface Science</i> , 2003, 263, 1-3.	9.4	33
23	Molecular Assemblies of Fluorinated Silicon Oligomers with Carboxylic Acid Groups: Effects of Chemical Oligomer Structure on Assembly Shape. <i>Langmuir</i> , 1998, 14, 2061-2067.	3.5	31
24	Surface Chemical and Solution Properties of Fluorinated Silicon Oligomers with Carboxylic Acid Groups. <i>Langmuir</i> , 1998, 14, 2055-2060.	3.5	30
25	Gelation of fluoroalkylated 2-acrylamido-2-methylpropanesulfonic acid oligomers as potential for prevention of HIV-1 transmission. <i>Polymer</i> , 1998, 39, 743-745.	3.8	28
26	A fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide oligomer/silica gel nanocomposite with no weight loss even at 800°C equal to an original silica gel. <i>Colloid and Polymer Science</i> , 2007, 285, 977-983.	2.1	27
27	Facile creation of superoleophobic and superhydrophilic surface by using fluoroalkyl end-capped vinyltrimethoxysilane oligomer/calcium silicide nanocomposites: development of these nanocomposites to environmental cyclical type-fluorine recycle through formation of calcium fluoride. <i>Colloid and Polymer Science</i> , 2015, 293, 65-73.	2.1	27
28	Preparation of Novel Fluoroalkyl-End-Capped 2-Acrylamido-2-methylpropanesulfonic Acid Cooligomeric Nanoparticles Containing Adamantane Units Possessing a Lower Critical Solution Temperature Characteristic in Organic Media. <i>Langmuir</i> , 2007, 23, 5848-5851.	3.5	26
29	Gelation of Fluoroalkylated End-Capped Oligomers Containing Triol Segments under Non-Crosslinked Conditions, and Binding or Releasing of Metal Ions by These Oligomers. <i>Bulletin of the Chemical Society of Japan</i> , 1997, 70, 2839-2845.	3.2	25
30	Architecture of Linear Arrays of Fluorinated Co-oligomeric Nanocomposite-Encapsulated Gold Nanoparticles: A New Approach to the Development of Gold Nanoparticles Possessing an Extremely Red-Shifted Absorption Characteristic. <i>Langmuir</i> , 2008, 24, 9215-9218.	3.5	25
31	Fluoroalkyl end-capped oligomers possessing nonflammable and flammable characteristics in silica gel matrices after calcination at 800°C under atmospheric conditions. <i>Polymer Journal</i> , 2010, 42, 167-171.	2.7	24
32	Synthesis and surfactant properties of fluoroalkylated sulfonic acid oligomers as a new class of human immunodeficiency virus inhibitors. <i>Journal of Fluorine Chemistry</i> , 1996, 79, 149-155.	1.7	23
33	Poly(amide-ether) Thermoplastic Elastomers Based on Monodisperse Aromatic Amide Hard Segments as Shape-Memory and Moisture-Responsive Materials. <i>Macromolecules</i> , 2018, 51, 9430-9441.	4.8	23
34	Preparation of novel fluoroalkyl end-capped oligomers/silica hybrid nanoparticles-encapsulation of a variety of guest molecules into fluorinated nanoparticles. <i>Colloid and Polymer Science</i> , 2006, 284, 551-555.	2.1	22
35	Synthesis and applications of a variety of fluoroalkyl end-capped oligomers/silica gel polymer hybrids. <i>Journal of Applied Polymer Science</i> , 2005, 98, 169-177.	2.6	20
36	Preparation of a variety of fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide oligomer/silica nanocomposites possessing no weight loss characteristic at 800°C. <i>Polymers for Advanced Technologies</i> , 2008, 19, 739-747.	3.2	20

#	ARTICLE	IF	CITATIONS
37	UV-induced switching behavior of novel fluoroalkyl end-capped vinyltrimethoxysilane oligomer/titanium oxide nanocomposite between superhydrophobicity and superhydrophilicity with good oleophobicity. <i>Composites Part B: Engineering</i> , 2010, 41, 498-502.	12.0	20
38	Low molecular weight aromatic compounds possessing a nonflammable characteristic in fluoroalkyl end-capped acrylic acid oligomer/silica nanocomposite matrices after calcination at 800 Å°C under atmospheric conditions. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1070-1078.	2.3	20
39	Fluoroalkyl end-capped oligomer possessing a nonflammable characteristic in silica gel matrices even at 800Å°C under atmospheric conditions. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3482-3487.	2.6	19
40	A new approach to highly conductive polymer electrolytes: synthesis of gelling fluoroalkylated end-capped 2-acrylamido-2-methylpropanesulfonic acid copolymers containing poly(oxyethylene) units. <i>European Polymer Journal</i> , 2000, 36, 2523-2526.	5.4	18
41	Facile creation of superoleophobic and superhydrophilic surface by using perfluoropolyether dicarboxylic acid/silica nanocomposites. <i>Polymers for Advanced Technologies</i> , 2015, 26, 345-352.	3.2	17
42	Synthesis of Novel Fluoroalkylated Oligomers Containing Phosphinico Segments: A New Approach to Functional Materials Possessing Anti-HIV 1 Activity. <i>Macromolecules</i> , 1997, 30, 6706-6708.	4.8	16
43	Preparation of Novel Fluoroalkyl End-Capped Trimethoxyvinylsilane Oligomeric Nanoparticle-Encapsulated Binaphthol: Encapsulated Binaphthol Remaining Thermally Stable Even at 800 Å°C. <i>Bulletin of the Chemical Society of Japan</i> , 2010, 83, 75-81.	3.2	16
44	The role of lipids in heme synthesis. <i>Lipids</i> , 1969, 4, 321-326.	1.7	15
45	Synthesis and Properties of Gelling Fluoroalkylated End-Capped Oligomers Containing Hydroxy Segments. <i>Polymer Journal</i> , 1998, 30, 797-804.	2.7	15
46	Preparation and applications of novel fluoroalkyl end-capped oligomers/calcium carbonate nanocomposites. <i>Colloid and Polymer Science</i> , 2007, 285, 499-506.	2.1	15
47	Controlling photochromism between fluoroalkyl end-capped oligomer/polyaniline and N,N-2-diphenyl-1,4-phenylenediamine nanocomposites induced by UV-light-responsive titanium oxide nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2011, 359, 461-466.	9.4	15
48	Aggregation of fluoroalkyl units: synthesis of gelling fluoroalkylated end-capped oligomers containing hydroxy segments possessing metal ion binding and releasing abilities. <i>Chemical Communications</i> , 1997, , 1391-1392.	4.1	14
49	Dispersion of gold nanoparticles above the poly(methyl methacrylate) surface by the use of fluoroalkyl end-capped oligomeric aggregates. <i>Colloid and Polymer Science</i> , 2005, 283, 583-586.	2.1	14
50	Fluoroalkyl end-capped vinyltrimethoxysilane oligomer/anatase titanium oxide nanocomposites possessing photocatalytic activity even after calcination at 1000Å°C. <i>Journal of Colloid and Interface Science</i> , 2012, 387, 141-145.	9.4	14
51	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/magnetite composites " Application to separation of oil and water. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 581, 123668.	4.7	13
52	MNDO MO theoretical study of electronic structure and homolytic dissociation of perfluoroalkanoyl peroxides. <i>Journal of Fluorine Chemistry</i> , 1990, 50, 393-410.	1.7	12
53	Cross-Linked Fluoroalkyl End-Capped Co-Oligomeric Nanoparticle-Encapsulated Fullerene" A New Approach to the Surface Modification of Traditional Organic Polymers with Fullerene-Containing Nanoparticles. <i>Langmuir</i> , 2009, 25, 415-421.	3.5	12
54	Facile preparation of gold nanoparticles through autoreduction of gold ions in the presence of fluoroalkyl end-capped cooligomeric aggregates: LCST-triggered sol-gel switching behavior of novel thermoresponsive fluoroalkyl end-capped cooligomeric nanocomposite-encapsulated gold nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2010, 351, 166-170.	9.4	12

#	ARTICLE	IF	CITATIONS
55	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(tetrafluoroethylene) nanocomposites possessing a superoleophilic/superhydrophobic characteristic: application to the separation of oil and water. <i>Journal of Sol-Gel Science and Technology</i> , 2017, 81, 611-622.	2.4	11
56	Preparation of magnetic nanoparticles by the use of self-assembled fluorinated oligomeric aggregates—A new approach to the dispersion of magnetic particles on poly(methyl methacrylate) film surface. <i>Journal of Fluorine Chemistry</i> , 2005, 126, 914-917.	1.7	10
57	Dispersion of nanodiamond into organic media by the use of fluoroalkyl end-capped oligomers—applications to surface modification of poly(methyl methacrylate) with the dispersed nanodiamond. <i>Polymers for Advanced Technologies</i> , 2005, 16, 651-654.	3.2	10
58	Reactions of fluoroalkanoyl peroxides with single-walled carbon nanotubes: application to sidewall modification of single-walled carbon nanotubes with the introduction of fluoroalkyl groups. <i>Polymers for Advanced Technologies</i> , 2005, 16, 764-769.	3.2	10
59	Synthesis of novel fluoroalkyl end-capped oligomers/silica gel polymer hybrids possessing antibacterial activity. <i>Polymers for Advanced Technologies</i> , 2005, 16, 459-465.	3.2	9
60	Preparation of fluoroalkyl end-capped cooligomers/silica nanoparticles: A new approach to fluorinated nanoparticle inhibitors of Human Immunodeficiency Virus Type 1 and Simian Immunodeficiency Virus (SIVmac). <i>Journal of Fluorine Chemistry</i> , 2007, 128, 1416-1420.	1.7	9
61	Photocatalytic activity of vinylidene fluoride-containing copolymers/anatase titanium oxide/silica nanocomposites. <i>European Polymer Journal</i> , 2014, 58, 79-89.	5.4	9
62	Synthesis and properties of novel perfluorocyclohexylated compounds with bis(perfluorocyclohexane carbonyl) peroxide. <i>Journal of Applied Polymer Science</i> , 1999, 72, 1101-1108.	2.6	8
63	Synthesis and properties of novel fluoroalkyl end-capped oligomers containing phosphorus segments. <i>Journal of Applied Polymer Science</i> , 2001, 79, 228-245.	2.6	8
64	Gelation and ionic conductivity of fluoroalkyl end-capped 2-acrylamido-2-methylpropanesulfonic acid oligomers in ionic liquids. <i>European Polymer Journal</i> , 2004, 40, 1595-1597.	5.4	8
65	Preparation of self-assembled fluorinated molecular aggregates, fluorescein nanocomposites: an extremely enhanced light absorption in nanocomposites. <i>Colloid and Polymer Science</i> , 2005, 283, 812-816.	2.1	8
66	Reactions of copper ions with amines in the presence of self-assembled fluorinated oligomeric aggregates. <i>Journal of Applied Polymer Science</i> , 2006, 100, 1328-1334.	2.6	8
67	Preparation of RF-(VM-SiO <sub>2</sub> ) <sub>n</sub> -RF/AM-Cellu Nanocomposites, and Use Thereof for the Modification of Glass and Filter Paper Surfaces: Creation of a Glass Thermoresponsive Switching Behavior and an Efficient Separation Paper Membrane. <i>Polymers</i> , 2017, 9, 92.	4.5	8
68	RD6-2198, a novel betain-type fluoroalkylated oligomer, inhibits the replications of human immunodeficiency virus type 1 and other enveloped viruses. <i>Antiviral Research</i> , 1998, 38, 141-149.	4.1	7
69	Arrangement of fullerene above the poly(methyl methacrylate) surface with fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide polymers. <i>European Polymer Journal</i> , 2003, 39, 1991-1993.	5.4	7
70	Architectures of novel fluorinated block copolymers fuelled by a poor radical polymerizable characteristic of 1,3-divinyltetramethyldisiloxane. <i>Polymers for Advanced Technologies</i> , 2006, 17, 66-69.	3.2	7
71	Preparation and applications of a variety of fluoroalkyl end-capped oligomer/hydroxyapatite composites. <i>Journal of Colloid and Interface Science</i> , 2008, 320, 436-444.	9.4	7
72	Preparation of size-controlled cross-linked fluoroalkyl end-capped oligomer/gold nanocomposites. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009, 337, 57-60.	4.7	7

#	ARTICLE	IF	CITATIONS
73	Coloring&#x2014;decoloring behavior of fluoroalkyl end&#x2013;capped 2&#x2013;acrylamido&#x2013;methylpropanesulfonic acid oligomer/acetone composite in methanol. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2555-2564.	2.3	7
74	Synthesis and applications of bis(perfluorodecalin-1-carbonyl) peroxide. <i>European Polymer Journal</i> , 2001, 37, 1409-1415.	5.4	6
75	Synthesis and antibacterial activity of novel fluoroalkyl end-capped oligomers containing ammonium segments: application to new fluorinated gelling materials with antibacterial activity. <i>Journal of Materials Chemistry</i> , 2002, 12, 188-194.	6.7	6
76	Synthesis and applications of silicone oil-soluble fluoroalkyl end-capped cooligomers. <i>Journal of Applied Polymer Science</i> , 2005, 96, 1467-1476.	2.6	6
77	Preparation and photocatalytic activity of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/anatase titanium oxide nanocomposite-encapsulated low molecular weight aromatic compounds. <i>Colloid and Polymer Science</i> , 2013, 291, 2947-2957.	2.1	6
78	Solubilization of fullerene into ionic liquids by the use of fluoroalkyl end-capped oligomers. <i>Polymers for Advanced Technologies</i> , 2005, 16, 655-658.	3.2	5
79	Preparation of fluoroalkyl end-capped oligomers/magnetite nanocomposites possessing a good dispersibility and stability. <i>Journal of Fluorine Chemistry</i> , 2007, 128, 1104-1111.	1.7	5
80	Fluoroalkyl end&#x2013;capped oligomers possessing nonflammable characteristic in calcium carbonate nanocomposites. <i>Polymers for Advanced Technologies</i> , 2013, 24, 532-540.	3.2	5
81	Preparation of magnesium carbonate nanoparticles encapsulated by nanocomposite material derived from fluoroalkyl end-capped vinyltrimethoxysilane oligomer &#x2013; Application to the surface modification of glass and poly(methyl methacrylate). <i>Journal of Fluorine Chemistry</i> , 2015, 177, 70-79.	1.7	5
82	Preparation of Fluoroalkyl End-Capped Vinyltrimethoxysilane Oligomeric Silica Nanocomposites Containing Gluconamide Units Possessing Highly Oleophobic/Superhydrophobic, Highly Oleophobic/Superhydrophilic, and Superoleophilic/Superhydrophobic Characteristics on the Modified Surfaces. <i>Polymers</i> , 2017, 9, 292.	4.5	5
83	Contact angle and surface tension in studies of lung surfactant.. <i>Tohoku Journal of Experimental Medicine</i> , 1978, 124, 233-240.	1.2	4
84	Synthesis and properties of novel fluoroalkyl end-capped oligomers having adamantane units in the main chains via a radical process. <i>Polymers for Advanced Technologies</i> , 2005, 16, 749-752.	3.2	4
85	DISSOLUTION OF CARBON NANOTUBES IN WATER AND ORGANIC MEDIA WITH A VARIETY OF FLUOROALKYL END-CAPPED OLIGOMERS. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2005, 54, 247-256.	3.4	4
86	Preparation and applications of novel fluoroalkyl end-capped sulfonic acid oligomers&#x2013;silica gel polymer hybrids. <i>Journal of Applied Polymer Science</i> , 2007, 103, 110-117.	2.6	4
87	Preparation of novel fluoroalkyl end-capped oligomers/polyaniline and/N,N&#x2013;diphenyl-1,4-phenylenediamine nanocomposites. <i>Colloid and Polymer Science</i> , 2011, 289, 1103-1110.	2.1	4
88	Coloring&#x2014;decoloring behavior of amphiphilic fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)acrylamide &#x2013; Acryloylmorpholine cooligomer/fluorescein nanocomposites in protic and aprotic solvents. <i>Journal of Colloid and Interface Science</i> , 2012, 377, 76-80.	9.4	4
89	Biphenylene units possessing flammable and nonflammable characteristics in fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica gel matrices after calcination at 800&#x00C0;C. <i>Colloid and Polymer Science</i> , 2012, 290, 11-21.	2.1	4
90	Preparation of perfluoro-1,3-propanedisulfonic acid/Nafion/silica hybrid nanoparticles-thermally stable Nafion in these silica hybrid nanoparticles even after calcination at 800 &#x00C0;C. <i>Journal of Polymer Science Part A</i> , 2014, 52, 1869-1877.	2.3	4

#	ARTICLE	IF	CITATIONS
91	Controlled surface modification of poly(methyl methacrylate) film by fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/hexagonal boron nitride nanocomposites. <i>Journal of Coatings Technology Research</i> , 2020, 17, 643-655.	2.5	4
92	Preparation and applications of wettability-controlled fluoroalkyl end-capped oligomer/cellulose nanofiber composites. <i>Journal of Composite Materials</i> , 2021, 55, 609-623.	2.4	4
93	Synthesis and properties of fluoroalkyl end-capped sulfobetaine polymers. <i>Journal of Applied Polymer Science</i> , 2004, 92, 1144-1153.	2.6	3
94	Synthesis and Applications of Novel Fluoroalkyl End-capped Oligomers/Silica Gel Polymer Hybrids. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2005, 54, 305-310.	3.4	3
95	SYNTHESIS AND APPLICATIONS OF NOVEL FLUOROALKYL END-CAPPED OLIGOMERS CONTAINING 3,5-DIMETHYL-4-HYDROXYBENZYL AND 3-(2H-BENZOTRIAZOL-2-yl)-4-HYDROXYPHENYL SEGMENTS. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2005, 54, 311-332.	3.4	3
96	Preparation and applications of novel amphiphilic fluoroalkyl end-capped oligomers-clay nanocomposites. <i>Polymers for Advanced Technologies</i> , 2006, 17, 479-483.	3.2	3
97	Low molecular weight aromatic compounds possessing nonflammable and flammable characteristics in calcium fluoride nanocomposite matrices after calcination at 800°C. <i>Colloid and Polymer Science</i> , 2013, 291, 945-953.	2.1	3
98	Preparation and thermal stability of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/boric acid nanocomposites encapsulated a variety of low molecular weight organic compounds. <i>Journal of Polymer Science Part A</i> , 2016, 54, 3835-3845.	2.3	3
99	Preparation and thermal stability of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(acrylonitrile-co-butadiene) nanocomposites application to the separation of oil and water. <i>Colloid and Polymer Science</i> , 2016, 294, 1529-1539.	2.1	3
100	Preparation of morphology-controlled fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/magnesium oxide nanocomposite particles: development of magnesium oxide nanocomposite particles possessing a water-resistance ability. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 89, 135-147.	2.4	3
101	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/micro-sized silica composites possessing superoleophilic/superhydrophobic characteristic: application to selective removal of aromatic compounds from aqueous methanol solution by using these composites. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 96, 636-648.	2.4	3
102	Facile creation of modified surface possessing the controlled wettability between superamphiphobic and superoleophobic/superhydrophilic characteristics by using perfluorocarboxamides/calcium carbonate/calcium fluoride nanocomposites: Application to the separation of oil and water. <i>Journal of Composite Materials</i> , 2016, 50, 3831-3842.	2.4	2
103	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/boric acid/poly(N-methyl benzamide)-b-poly(propylene oxide) block copolymer nanocomposites no weight loss behavior of the block copolymer in the nanocomposites even after calcination at 800°C. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 85, 318-329.	2.4	2
104	Facile preparation and application of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/methyltrimethoxysilane nanocomposite lipogels possessing superoleophilic/superhydrophobic characteristic. <i>Colloid and Polymer Science</i> , 2021, 299, 637-648.	2.1	2
105	Preparation of Fluoroalkyl End-Capped Oligomers/Hexagonal Boron Nitride Nanocomposites Possessing No Weight Loss Behavior in Nanocomposites Even after Calcination at 800°C. <i>Open Journal of Composite Materials</i> , 2019, 09, 72-98.	0.8	2
106	Preparation of Fluoroalkyl End-Capped Oligomer/Cyclodextrin Polymer Composites: Development of Fluorinated Composite Material Having a Higher Adsorption Ability toward Organic Molecules. <i>Journal of Encapsulation and Adsorption Sciences</i> , 2018, 08, 117-138.	0.3	2
107	Solubilization of phthalocyanines into methanol with fluoroalkyl end-capped N-(1,1-dimethyl-3-oxobutyl)- and N,N-dimethyl-acrylamide oligomers. <i>Journal of Applied Polymer Science</i> , 2004, 93, 521-525.	2.6	1
108	Application of Ionic Liquid as Surface Modifier. <i>Journal of the Japan Society of Colour Material</i> , 2010, 83, 368-373.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Preparation and applications of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric nanoparticle ionogels. <i>Journal of Sol-Gel Science and Technology</i> , 2016, 79, 210-219.	2.4	1
110	Reaction of fluorinated aliphatic alcohols with calcium chloride: formation of the fluorinated alcohol/calcium fluoride nanocompositesâ€™ thermal stability and application to the surface modification of these nanocomposites. <i>Journal of Coatings Technology Research</i> , 2016, 13, 851-861.	2.5	1
111	Preparation and thermal stability of initiator fragments end-capped oligomers/silica nanocomposites. <i>Colloid and Polymer Science</i> , 2016, 294, 1173-1186.	2.1	1
112	Preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/phosphonic acids nanocomposites possessing superoleophobic/superhydrophilic and superoleophilic/superhydrophobic characteristics: application of these nanocomposites to the separation of oil and water. <i>Journal of Coatings Technology Research</i> , 2017, 14, 1183-1193.	2.5	1
113	Gelation of ionic liquids by the use of fluoroalkyl end-capped oligomers/polyaniline composites. <i>Polymer Composites</i> , 2018, 39, 221-228.	4.6	1
114	Preparation of amphiphobically modified poly(vinyl alcohol) film by fluoroalkyl end-capped vinyltrimethoxysilane oligomer. <i>Journal of Coatings Technology Research</i> , 2019, 16, 651-660.	2.5	1
115	Preparation and properties of fluoroalkyl end-capped 2-acrylamido-2-methylpropanesulfonic acid oligomer/poly(vinyl alcohol) composite film. <i>Journal of Coatings Technology Research</i> , 2020, 17, 219-230.	2.5	1
116	Preparation and applications of fluoroalkyl end-capped oligomeric composites. , 2020, , 189-207.		1
117	Preparation of monolithic fluoroalkyl end-capped vinyltrimethoxysilane oligomer /methyltrimethoxysilane/magnetite composites: Application to selective removal of fluorinated aromatic compounds from aqueous methanol solution under magnetic field. <i>Composites Part C: Open Access</i> , 2020, 1, 100003.	3.2	1
118	Amorphous low molecular weight aromatic compounds possessing no weight loss behavior in fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/hexagonal boron nitride nanocomposites even after calcination at 800Å°C. <i>Journal of Coatings Technology Research</i> , 2020, 17, 1053-1064.	2.5	1
119	Preparation and applications of fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/chemically modified cellulose fibers composites. <i>Polymers and Polymer Composites</i> , 0, , 096739112199292.	1.9	1
120	Synthesis of fluoroalkyl end-capped preoligomers containing succinimidyl segments?Application to novel fluorinated oligomers possessing surface antibacterial activity. <i>Journal of Applied Polymer Science</i> , 2004, 92, 3874-3880.	2.6	0
121	SYNTHESIS OF FLUOROALKYL END-CAPPED OLIGOMERS CONTAINING PENDANT PHOSPHINIC AND PHOSPHONIC ACID SEGMENTSâ€™APPLICATION TO NOVEL FLUORINATED BIOACTIVE POLYMERS POSSESSING ANTIBACTERIAL AND ANTI-HIV-1 ACTIVITIES. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2005, 54, 257-277.	3.4	0
122	Synthesis and Application of Fluoroalkyl End-Capped Oligomers/Silica. <i>ACS Symposium Series</i> , 2008, , 190-202.	0.5	0
123	Wettability control between superoleophobic and superoleophilic characteristics on the modified superhydrophobic surfaces treated with fluoroalkyl end-capped vinyltrimethoxysilane oligomeric silica/poly(styrene-co-butadiene) nanocomposites: application to the separation of oil and water. <i>Journal of Coatings Technology Research</i> , 2018, 15, 211-222.	2.5	0
124	Facile preparation of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/±, %-dihydroxy-terminated poly(dimethylsiloxane) composite rubber: application to effective removal of fluorinated aromatic compound from aqueous methanol solution by fluoroalkylated silicone composite rubber. <i>Journal of Coatings Technology Research</i> , 2021, 18, 63-73.	2.5	0
125	Facile Preparation of Fluoroalkyl End-Capped Vinyltrimethoxysilane Oligomer/Sand Composites Possessing Superoleophilic/Superhydrophobic Characteristic: Application to Oil/Water Separation and Selective Removal of Fluorinated Aromatic Compounds from Aqueous Methanol Solution. <i>Open Journal of Composite Materials</i> , 2022, 12, 56-71.	0.8	0
126	Preparation and applications of two fluoroalkyl end-capped vinyltrimethoxysilane oligomeric composites possessing superoleophilic/superhydrophobic characteristic: a review. <i>Journal of Coatings Technology Research</i> , 0, , 1.	2.5	0