
Gerhard Gmel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2109386/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	13.7	9,397
2	The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview. Addiction, 2003, 98, 1209-1228.	3.3	778
3	Binge drinking: Health impact, prevalence, correlates and interventions. Psychology and Health, 2017, 32, 976-1017.	2.2	256
4	Risky singleâ€occasion drinking: bingeing is not bingeing. Addiction, 2011, 106, 1037-1045.	3.3	149
5	Examining non-response bias in substance use research—Are late respondents proxies for non-respondents?. Drug and Alcohol Dependence, 2013, 132, 316-323.	3.2	144
6	Are alcohol outlet densities strongly associated with alcoholâ€related outcomes? A critical review of recent evidence. Drug and Alcohol Review, 2016, 35, 40-54.	2.1	131
7	Recall Bias for Seven-Day Recall Measurement of Alcohol Consumption Among Emergency Department Patients: Implications for Case-Crossover Designs*. Journal of Studies on Alcohol and Drugs, 2007, 68, 303-310.	1.0	125
8	Global alcohol exposure estimates by country, territory and region for 2005—a contribution to the <scp>C</scp> omparative <scp>R</scp> isk <scp>A</scp> ssessment for the 2010 <scp>G</scp> lobal <scp>B</scp> urden of <scp>D</scp> isease <scp>S</scp> tudy. Addiction, 2013, 108, 912-922.	3.3	125
9	Determining the best population-level alcohol consumption model and its impact on estimates of alcohol-attributable harms. Population Health Metrics, 2012, 10, 6.	2.7	115
10	Brief alcohol interventions: Do counsellors' and patients' communication characteristics predict change?. Alcohol and Alcoholism, 2007, 43, 62-69.	1.6	109
11	Alcohol consumption in late adolescence and early adulthood - where is the problem?. Swiss Medical Weekly, 2013, 143, w13826.	1.6	98
12	Alcoholâ€Attributable Injuries in Admissions to a Swiss Emergency Room—An Analysis of the Link Between Volume of Drinking, Drinking Patterns, and Preattendance Drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 501-509.	2.4	78
13	Social roles and alcohol consumption: A study of 10 industrialised countries. Social Science and Medicine, 2009, 68, 1263-1270.	3.8	75
14	The effect of mode of data collection and of non-response on reported alcohol consumption: a split-sample study in Switzerland. Addiction, 2000, 95, 123-134.	3.3	74
15	Not in Education, Employment, or Training Status Among Young Swiss Men. Longitudinal Associations With Mental Health and Substance Use. Journal of Adolescent Health, 2015, 56, 238-243.	2.5	73
16	Routes of Administration of Cannabis Used for Nonmedical Purposes and Associations With Patterns of Drug Use. Journal of Adolescent Health, 2014, 54, 235-240.	2.5	63
17	Psychometric properties of the 7-item game addiction scale among french and German speaking adults. BMC Psychiatry, 2016, 16, 132.	2.6	60
18	Change talk sequence during brief motivational intervention, towards or away from drinking. Addiction. 2010. 105. 2106-2112.	3.3	59

#	Article	IF	CITATIONS
19	A Pre-Post Study on the Appropriateness and Effectiveness of a Web- and Text Messaging-Based Intervention to Reduce Problem Drinking in Emerging Adults. Journal of Medical Internet Research, 2013, 15, e196.	4.3	59
20	Adding Tobacco to CannabisIts Frequency and Likely Implications. Nicotine and Tobacco Research, 2011, 13, 746-750.	2.6	55
21	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. BMC Public Health, 2012, 12, 708.	2.9	55
22	Peer pressure and alcohol use in young men: A mediation analysis of drinking motives. International Journal of Drug Policy, 2014, 25, 700-708.	3.3	53
23	Video Gaming Disorder and Sport and Exercise in Emerging Adulthood: A Longitudinal Study. Behavioral Medicine, 2016, 42, 105-111.	1.9	51
24	Gender Differences in Binge Drinking. Alcohol Research: Current Reviews, 2018, 39, 57-76.	3.6	49
25	Emerging Adulthood: A Time of Changes in Psychosocial Well-Being. Evaluation and the Health Professions, 2017, 40, 383-400.	1.9	48
26	Revising the Cannabis Use Disorders Identification Test (CUDIT) by means of Item Response Theory. International Journal of Methods in Psychiatric Research, 2010, 19, 142-155.	2.1	47
27	Life-time risk of mortality due to different levels of alcohol consumption in seven European countries: implications for low-risk drinking guidelines. Addiction, 2017, 112, 1535-1544.	3.3	47
28	Reframing video gaming and internet use addiction: empirical crossâ€national comparison of heavy use over time and addiction scales among young users. Addiction, 2016, 111, 513-522.	3.3	46
29	Need for Informed Consent in Substance Use Studies—Harm of Bias?. Journal of Studies on Alcohol and Drugs, 2013, 74, 931-940.	1.0	45
30	Is frequency of drinking an indicator of problem drinking? A psychometric analysis of a modified version of the alcohol use disorders identification test in Switzerland. Drug and Alcohol Dependence, 2001, 64, 151-163.	3.2	44
31	Does change talk during brief motivational interventions with young men predict change in alcohol use?. Journal of Substance Abuse Treatment, 2013, 44, 177-185.	2.8	44
32	Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. Drug and Alcohol Dependence, 2011, 113, 69-75.	3.2	42
33	Religion Is Good, Belief Is Better: Religion, Religiosity, and Substance Use Among Young Swiss Men. Substance Use and Misuse, 2013, 48, 1085-1098.	1.4	42
34	Predictors of onset of cannabis and other drug use in male young adults: results from a longitudinal study. BMC Public Health, 2014, 14, 1202.	2.9	42
35	Internetâ€based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. Addiction, 2015, 110, 1735-1743.	3.3	42
36	Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. BMC Public Health, 2016, 16, 333.	2.9	42

#	Article	IF	CITATIONS
37	The alcohol purchase task in young men from the general population. Drug and Alcohol Dependence, 2015, 146, 39-44.	3.2	41
38	E-cigarette use in young Swiss men: is vaping an effective way of reducing or quitting smoking?. Swiss Medical Weekly, 2016, 146, w14271.	1.6	41
39	Aggregating dimensions of alcohol consumption to predict medical and social consequences. Journal of Substance Abuse, 2000, 12, 155-168.	1.1	40
40	Alcohol and cannabis use as risk factors for injury – a case-crossover analysis in a Swiss hospital emergency department. BMC Public Health, 2009, 9, 40.	2.9	40
41	International Differences in Alcohol Use According to Sexual Orientation. Substance Abuse, 2011, 32, 210-219.	2.3	39
42	Influence of Counselor Characteristics and Behaviors on the Efficacy of a Brief Motivational Intervention for Heavy Drinking in Young Men-A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2014, 38, 2138-2147.	2.4	39
43	Body mass index and health-related quality of life among young Swiss men. BMC Public Health, 2013, 13, 1028.	2.9	36
44	Temporal Patterns of Alcohol Consumption and Alcohol-Related Road Accidents in Young Swiss Men: Seasonal, Weekday and Public Holiday Effects. Alcohol and Alcoholism, 2015, 50, 565-572.	1.6	36
45	Hospital admission rates for alcoholic intoxication after policy changes in the canton of Geneva, Switzerland. Drug and Alcohol Dependence, 2011, 118, 209-215.	3.2	34
46	Unique versus shared associations between self-reported behavioral addictions and substance use disorders and mental health problems: A commonality analysis in a large sample of young Swiss men. Journal of Behavioral Addictions, 2019, 8, 664-677.	3.7	34
47	Parental monitoring: a way to decrease substance use among Swiss adolescents?. European Journal of Pediatrics, 2013, 172, 1229-1234.	2.7	32
48	Beverage preferences and associated drinking patterns, consequences and other substance use behaviours. European Journal of Public Health, 2014, 24, 496-501.	0.3	32
49	Associations of physical activity and sport and exercise with at-risk substance use in young men: A longitudinal study. Preventive Medicine, 2014, 64, 27-31.	3.4	32
50	An 8-Item Short Form of the Inventory of Dimensions of Emerging Adulthood (IDEA) Among Young Swiss Men. Evaluation and the Health Professions, 2015, 38, 246-254.	1.9	32
51	Who Drinks Most of the Total Alcohol in Young Men—Risky Single Occasion Drinking as Normative Behaviour. Alcohol and Alcoholism, 2008, 43, 692-697.	1.6	31
52	A quasi-randomized group trial of a brief alcohol intervention on risky single occasion drinking among secondary school students. International Journal of Public Health, 2012, 57, 935-944.	2.3	31
53	ls attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow-up? A longitudinal study involving young Swiss men. Addiction, 2016, 111, 1867-1878.	3.3	31
54	Problematic smartphone use in young Swiss men: Its association with problematic substance use and risk factors derived from the pathway model. Journal of Behavioral Addictions, 2019, 8, 326-334.	3.7	31

#	Article	IF	CITATIONS
55	Acute Alcohol Consumption and Injury: Risk Associations and Attributable Fractions for Different Injury Mechanisms. Journal of Studies on Alcohol and Drugs, 2008, 69, 218-226.	1.0	30
56	The association between drinking motives and alcoholâ€related consequences – room for biases and measurement issues?. Addiction, 2012, 107, 1580-1589.	3.3	29
57	Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. Addiction Science & Clinical Practice, 2013, 8, 15.	2.6	29
58	Concurrent and simultaneous polydrug use among young Swiss males: use patterns and associations of number of substances used with health issues. International Journal of Adolescent Medicine and Health, 2014, 26, 217-224.	1.3	29
59	Alcohol-attributable mortality in Switzerland in 2011 – age-specific causes of death and impact of heavy versus non-heavy drinking. Swiss Medical Weekly, 2014, 144, w13947.	1.6	27
60	Patterns of cannabis use and prospective associations with health issues among young males. Addiction, 2014, 109, 937-945.	3.3	26
61	Alcoholâ€induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. Addiction, 2019, 114, 1556-1566.	3.3	26
62	Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. Journal of Substance Abuse Treatment, 2013, 44, 231-240.	2.8	25
63	Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention Journal of Consulting and Clinical Psychology, 2016, 84, 211-220.	2.0	25
64	Cannabis use and other predictors of the onset of daily cigarette use in young men: what matters most? Results from a longitudinal study. BMC Public Health, 2015, 15, 843.	2.9	24
65	Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. Journal of Affective Disorders, 2018, 232, 243-251.	4.1	24
66	Latent Class Analysis of Gambling Activities in a Sample of Young Swiss Men: Association with Gambling Problems, Substance Use Outcomes, Personality Traits and Coping Strategies. Journal of Gambling Studies, 2016, 32, 421-440.	1.6	23
67	Bidirectional Associations Between Self-Reported Gaming Disorder and Adult Attention Deficit Hyperactivity Disorder: Evidence From a Sample of Young Swiss Men. Frontiers in Psychiatry, 2018, 9, 649.	2.6	23
68	Latent profiles of family background, personality and mental health factors and their association with behavioural addictions and substance use disorders in young Swiss men. European Psychiatry, 2018, 52, 76-84.	0.2	23
69	More Is Not Always Better—Comparison of Three Instruments Measuring Volume of Drinking in a Sample of Young Men and Their Association With Consequences. Journal of Studies on Alcohol and Drugs, 2014, 75, 880-888.	1.0	22
70	Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. Journal of Substance Abuse Treatment, 2016, 65, 58-65.	2.8	22
71	Drinking Motives As Mediators of the Associations between Reinforcement Sensitivity and Alcohol Misuse and Problems. Frontiers in Psychology, 2016, 7, 718.	2.1	21
72	Reciprocal Influences of Drinking Motives on Alcohol Use and Related Consequences: A Full Cross-Lagged Panel Study Among Young Adult Men. Behavioral Medicine, 2017, 43, 277-284.	1.9	21

#	Article	IF	CITATIONS
73	ls Brief Motivational Intervention Effective in Reducing Alcohol Use Among Young Men Voluntarily Receiving It? A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2011, 35, 1822-1830.	2.4	20
74	Prevalence of and Associated Factors for Adult Attention Deficit Hyperactivity Disorder in Young Swiss Men. PLoS ONE, 2014, 9, e89298.	2.5	20
75	Prevalence and factors associated with use of smokeless tobacco in young Swiss men. European Journal of Public Health, 2014, 24, 459-464.	0.3	20
76	Drinking locations and alcohol-related harm: Cross-sectional and longitudinal associations in a sample of young Swiss men. International Journal of Drug Policy, 2015, 26, 653-661.	3.3	20
77	Cybersex use and problematic cybersex use among young Swiss men: Associations with sociodemographic, sexual, and psychological factors. Journal of Behavioral Addictions, 2019, 8, 794-803.	3.7	20
78	The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. PLoS ONE, 2021, 16, e0255050.	2.5	20
79	Game Addiction Scale Assessment Through a Nationally Representative Sample of Young Adult Men: Item Response Theory Graded–Response Modeling. Journal of Medical Internet Research, 2018, 20, e10058.	4.3	20
80	Use of Neuroenhancement Drugs: Prevalence, Frequency and Use Expectations in Switzerland. International Journal of Environmental Research and Public Health, 2014, 11, 3032-3045.	2.6	19
81	Injury and repeated injury - what is the link with acute consumption, binge drinking and chronic heavy alcohol use?. Swiss Medical Weekly, 2007, 137, 642-8.	1.6	19
82	Concurrent Versus Simultaneous Use of Alcohol and Non-Medical Use of Prescription Drugs: Is Simultaneous Use Worse for Mental, Social, and Health Issues?. Journal of Psychoactive Drugs, 2014, 46, 334-339.	1.7	17
83	Health impact of sport and exercise in emerging adult men: a prospective study. Quality of Life Research, 2014, 23, 2225-2234.	3.1	17
84	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0144146.	2.5	17
85	Development of a short form of the compulsive internet use scale in <scp>Switzerland</scp> . International Journal of Methods in Psychiatric Research, 2019, 28, e1765.	2.1	16
86	Patterns and Transitions in Substance Use Among Young Swiss Men. Journal of Drug Issues, 2014, 44, 381-393.	1.2	15
87	Screened Attention Deficit/Hyperactivity Disorder as a Predictor of Substance Use Initiation and Escalation in Early Adulthood and the Role of Self-Reported Conduct Disorder and Sensation Seeking: A 5-Year Longitudinal Study with Young Adult Swiss Men. European Addiction Research, 2020, 26, 233-244.	2.4	15
88	Does Drinking Location Matter? Profiles of Risky Single-Occasion Drinking by Location and Alcohol-Related Harm among Young Men. Frontiers in Public Health, 2014, 2, 64.	2.7	14
89	Health-risk behaviors and quality of life among young men. Quality of Life Research, 2014, 23, 1009-1017.	3.1	14
90	Validation of a brief form of the Perceived Neighborhood Social Cohesion questionnaire. Journal of Health Psychology, 2017, 22, 218-227.	2.3	14

#	Article	IF	CITATIONS
91	Alcohol and Nonlethal Injuries: A Swiss Emergency Department Study on the Risk Relationship Between Acute Alcohol Consumption and Type of Injury. Journal of Trauma, 2008, 65, 203-211.	2.3	13
92	Physical Activity and Snus: Is There a Link?. International Journal of Environmental Research and Public Health, 2015, 12, 7185-7198.	2.6	13
93	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. Addictive Behaviors, 2016, 63, 97-101.	3.0	13
94	Identifying an accurate selfâ€reported screening tool for alcohol use disorder: evidence from a Swiss, male populationâ€based assessment. Addiction, 2020, 115, 426-436.	3.3	13
95	Sport and alcohol: An emergency department study in Switzerland. European Journal of Sport Science, 2009, 9, 11-22.	2.7	12
96	Geographical variation in the prevalence of heavy drinking in young Swiss men. European Journal of Public Health, 2016, 26, 850-855.	0.3	12
97	Adult attention-deficit/hyperactivity disorder, risky substance use and substance use disorders: a follow-up study among young men. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 667-679.	3.2	12
98	Social roles among recruits in Switzerland: Do social roles relate to alcohol use and does role change have an impact?. Addictive Behaviors, 2016, 54, 59-63.	3.0	11
99	Comorbidity of Symptoms of Alcohol and Cannabis Use Disorders among a Population-Based Sample of Simultaneous Users. Insight from a Network Perspective. International Journal of Environmental Research and Public Health, 2018, 15, 2893.	2.6	11
100	Light and heavy drinking in jurisdictions with different alcohol policy environments. International Journal of Drug Policy, 2019, 65, 86-96.	3.3	11
101	The Change Questionnaire predicts change in hazardous tobacco and alcohol use. Addictive Behaviors, 2013, 38, 2718-2723.	3.0	10
102	DSM-IV and DSM-5 alcohol use disorder among young Swiss men. Addiction, 2015, 110, 429-440.	3.3	10
103	Risky substance use and peer pressure in Swiss young men: Test of moderation effects. Drug and Alcohol Dependence, 2016, 168, 89-98.	3.2	10
104	Validation of French and German versions of a Perceived Neighborhood Social Cohesion Questionnaire among young Swiss males, and its relationship with substance use. Journal of Health Psychology, 2016, 21, 171-182.	2.3	10
105	Substance Use in Young Swiss Men: The Interplay of Perceived Social Support and Dispositional Characteristics. Substance Use and Misuse, 2017, 52, 798-810.	1.4	10
106	Family-Related Stress versus External Stressors: Differential Impacts on Alcohol and Illicit Drug Use in Young Men. European Addiction Research, 2017, 23, 284-297.	2.4	10
107	Non-medical use of prescription drugs by young men: impact of potentially traumatic events and of social-environmental stressors. HA¶gre Utbildning, 2018, 9, 1468706.	3.0	10
108	Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. Addiction Research and Theory, 2019, 27, 489-497.	1.9	10

#	Article	IF	CITATIONS
109	Estimated changes in hospital admissions for alcohol intoxication after partial bans on offâ€premises sales of alcoholic beverages in the canton of Vaud, Switzerland: an interrupted time–series analysis. Addiction, 2020, 115, 1459-1469.	3.3	10
110	Challenging the "Inoffensiveness―of Regular Cannabis Use by Its Associations with Other Current Risky Substance Use—A Census of 20-Year-Old Swiss Men. International Journal of Environmental Research and Public Health, 2010, 7, 46-59.	2.6	9
111	Non-medical prescription drug and illicit street drug use among young Swiss men and associated mental health issues. International Journal of Adolescent Medicine and Health, 2014, 26, 525-530.	1.3	9
112	Liberal alcohol legislation: does it amplify the effects among Swiss men of personâ€related risk factors on heavy alcohol use?. Addiction, 2015, 110, 1746-1756.	3.3	9
113	Is the Relationship Between Major Depressive Disorder and Self-Reported Alcohol Use Disorder an Artificial One?. Alcohol and Alcoholism, 2015, 50, 195-199.	1.6	9
114	Attention deficit hyperactivity disorder and future alcohol outcomes: Examining the roles of coping and enhancement drinking motives among young men. PLoS ONE, 2019, 14, e0218469.	2.5	9
115	Are Changes in Personality Traits and Alcohol Use Associated? A Cohort Study Among Young Swiss Men. Frontiers in Psychiatry, 2020, 11, 591003.	2.6	9
116	Curvilinear associations between sexual orientation and problematic substance use, behavioural addictions and mental health among young Swiss men. Addictive Behaviors, 2021, 112, 106609.	3.0	9
117	Do Objective Measures of Blood Alcohol Concentrations Make More Sense than Self-reports in Emergency Department Studies?. Journal of Addiction Medicine, 2008, 2, 96-102.	2.6	9
118	Risky single occasion drinking frequency and alcohol-related consequences: can abstinence during early adulthood lead to alcohol problems?. Swiss Medical Weekly, 2014, 144, w14017.	1.6	9
119	Alcohol's harm to others in Switzerland in the year 2011/2012. Journal of Substance Use, 2017, 22, 403-411.	0.7	8
120	Comparison of self-reported measures of alcohol-related dependence among young Swiss men: a study protocol for a cross-sectional controlled sample. BMJ Open, 2018, 8, e023632.	1.9	8
121	Reconsidering the associations between self-reported alcohol use disorder and mental health problems in the light of co-occurring addictions in young Swiss men. PLoS ONE, 2019, 14, e0222806.	2.5	8
122	Should We Agree to Disagree? An Evaluation of the Inter-Rater Reliability of Gait Quality Traits in Franches-Montagnes Stallions. Journal of Equine Veterinary Science, 2020, 88, 102932.	0.9	8
123	Multiple trajectories of alcohol use and the development of alcohol use disorder: Do Swiss men mature-out of problematic alcohol use during emerging adulthood?. PLoS ONE, 2020, 15, e0220232.	2.5	8
124	The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. Swiss Medical Weekly, 2021, 151, w30028.	1.6	8
125	Regional abundance of onâ€premise outlets and drinking patterns among <scp>S</scp> wiss young men: District level analyses and geographic adjustments. Drug and Alcohol Review, 2014, 33, 526-533.	2.1	7
126	Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. Trials, 2020, 21, 191.	1.6	7

#	Article	IF	CITATIONS
127	Associations of age at cannabis first use and later substance abuse with mental health and depression in young men. Journal of Substance Use, 2016, 21, 85-91.	0.7	6
128	Beneficial effects of moderate alcohol use—a case for Occam's razor?. Addiction, 2017, 112, 215-217.	3.3	6
129	Does level of attention deficit-hyperactivity disorder symptoms predicts poor transition into adulthood?. International Journal of Public Health, 2019, 64, 165-172.	2.3	6
130	Cannabis use disorder trajectories and their prospective predictors in a large populationâ€based sample of young Swiss men. Addiction, 2021, 116, 560-570.	3.3	6
131	Online Gambling's Associations With Gambling Disorder and Related Problems in a Representative Sample of Young Swiss Men. Frontiers in Psychiatry, 2021, 12, 703118.	2.6	6
132	Routes of Administration of Illicit Drugs among Young Swiss Men: Their Prevalence and Associated Socio-Demographic Characteristics and Adverse Outcomes. International Journal of Environmental Research and Public Health, 2021, 18, 11158.	2.6	6
133	Factor structure and psychometric properties of a French and German shortened version of the Behavioural Inhibition System/Behavioural Activation System scales. International Journal of Methods in Psychiatric Research, 2016, 25, 44-54.	2.1	5
134	We have to become more specific: A reply to Morrison <i>et al.</i> . Drug and Alcohol Review, 2016, 35, 58-60.	2.1	5
135	Bidirectional relationship between the body mass index and substance use in young men. Substance Abuse, 2016, 37, 190-196.	2.3	5
136	Snus and Snuff Use in Switzerland Among Young Men: Are There Beneficial Effects on Smoking?. Nicotine and Tobacco Research, 2018, 20, 1301-1309.	2.6	5
137	Fourâ€year followâ€up of an internetâ€based brief intervention for unhealthy alcohol use in young men. Addiction, 2018, 113, 1517-1521.	3.3	5
138	Detecting computer-generated random responding in online questionnaires: An extension of Dupuis, Meier & Cuneo (2019) on dichotomous data. Personality and Individual Differences, 2020, 157, 109812.	2.9	5
139	Motivational interviewing technical and relational skills, change talk, and alcohol outcomes—A moderated mediation analysis Journal of Consulting and Clinical Psychology, 2021, 89, 707-716.	2.0	5
140	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men. PLoS ONE, 2020, 15, e0244336.	2.5	5
141	Sexual Minority Orientation Is Associated With Greater Psychological Impact Due to the COVID-19 Crisis—Evidence From a Longitudinal Cohort Study of Young Swiss Men. Frontiers in Public Health, 2021, 9, 692884.	2.7	5
142	Brief alcohol intervention as pragmatic intervention: Who is voluntarily taking an offered intervention?. Alcohol, 2012, 46, 551-558.	1.7	4
143	Association Between Nonmedical Prescription Drug Use and Health Status Among Young Swiss Men. Journal of Adolescent Health, 2014, 55, 549-555.	2.5	4
144	Association between nonâ€medical prescription drug use and personality traits among young <scp>S</scp> wiss men. Psychiatry and Clinical Neurosciences, 2015, 69, 228-237.	1.8	4

#	Article	IF	CITATIONS
145	Cannabis use and other illicit drug use: do subjective experiences during first cannabis use increase the probability of using illicit drug?. Journal of Substance Use, 2015, 20, 234-238.	0.7	4
146	The association between alcohol abstinence, drinking or binge drinking and drug use: is alcohol abstinence that safe?. Drugs and Alcohol Today, 2016, 16, 212-221.	0.7	4
147	Comparing Mental Health across Distinct Groups of Users of Psychedelics, MDMA, Psychostimulants, and Cannabis. Journal of Psychoactive Drugs, 2019, 51, 236-246.	1.7	4
148	The Association between Type and Intensity of Sport and Tobacco or Nicotine Use—A Cross-Sectional Study among Young Swiss Men. International Journal of Environmental Research and Public Health, 2020, 17, 8299.	2.6	4
149	Improving measurement of harms from others' drinking: A key informant study on type and severity of harm. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 122-140.	1.3	4
150	Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. Addictive Behaviors, 2021, 112, 106615.	3.0	4
151	Excessive alcohol consumption in young men: is there an association with their earlier family situation? A baseline-analysis of the C-SURF-study (Cohort Study on Substance Use Risk Factors). Swiss Medical Weekly, 2014, 144, w14007.	1.6	4
152	Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. Journal of Behavioral Addictions, 2021, 10, 901-911.	3.7	4
153	Behavioral economics indices predict alcohol use and consequences in young men at 4â€year followâ€up. Addiction, 2022, 117, 2816-2825.	3.3	4
154	Case-crossover designs for alcohol use: The potential for more than one bias. Journal of Studies on Alcohol and Drugs, 2010, 71, 620-621.	1.0	3
155	Trajectories of drug use among French young people: Prototypical stages of involvement in illicit drug use. Journal of Substance Use, 2016, 21, 485-490.	0.7	3
156	Exposure to potentially traumatic events in young Swiss men: associations with socio-demographics and mental health outcomes (alcohol use disorder, major depression and suicide attempts). Högre Utbildning, 2019, 10, 1611093.	3.0	3
157	Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. International Journal of Environmental Research and Public Health, 2019, 16, 1372.	2.6	3
158	Gait quality scoring data of Franches-Montagnes stallions at walk and trot on a treadmill by experts of the breed and their reliability. Data in Brief, 2022, 42, 108123.	1.0	3
159	Ageâ€based differences in quantity and frequency of consumption when screening for harmful alcohol use. Addiction, 2022, 117, 2431-2437.	3.3	3
160	Factor Structure of Early Smoking Experiences and Associations with Smoking Behavior: Valence or Sensitivity Model?. International Journal of Environmental Research and Public Health, 2013, 10, 6305-6318.	2.6	2
161	Commentary on Rossow <i>et al</i> . (2014) and Norström & Svensson (2014): We want to believe-or do we have to?. Addiction, 2014, 109, 1459-1461.	3.3	2
162	Protective Behavioral Strategies Scaleâ€20: Psychometric properties of a French and German version among young males in Switzerland. International Journal of Methods in Psychiatric Research, 2019, 28, e1777.	2.1	2

#	Article	IF	CITATIONS
163	Social cohesion, depression, and substance use severity among young men: Cross-sectional and longitudinal analyses from a Swiss cohort. Addictive Behaviors, 2020, 110, 106510.	3.0	2
164	Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: Diagnostic accuracy in a sample of young Swiss men. Addictive Behaviors, 2020, 106, 106354.	3.0	2
165	Prosocialness in young males with substance and behavioral addictions. Journal of Behavioral Addictions, 2021, 10, 327-337.	3.7	2
166	Correlates of the use of electronic devices to vape cannabis in a cohort of young Swiss male reporting current cannabis use. European Journal of Public Health, 2021, 31, 437-441.	0.3	2
167	MEASURING ALCOHOL CONSUMPTION-IS A REASONABLE CHANGE ALWAYS REASONABLE? RESPONSE TO KIEFER & SPANAGEL (2006). Addiction, 2006, 101, 1216-1218.	3.3	1
168	A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 91-108.	1.6	1
169	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. Internet Interventions, 2020, 19, 100298.	2.7	1
170	Comparison of Water Pipes vs Other Modes of Cannabis Consumption and Subsequent Illicit Drug Use in a Longitudinal Cohort of Young Swiss Men. JAMA Network Open, 2021, 4, e213220.	5.9	1
171	Improving measurement of harms from others' drinking: Using itemâ€response theory to scale harms from others' heavy drinking in 10 countries. Drug and Alcohol Review, 2021, , .	2.1	1
172	When vaping lobbyists get science wrong – reply to Poirson. Swiss Medical Weekly, 2016, 146, w14332.	1.6	1
173	A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 04.	1.6	1
174	Young Swiss men's risky single-occasion drinking: Identifying those who do not respond to stricter alcohol policy environments. Drug and Alcohol Dependence, 2022, 234, 109410.	3.2	1
175	Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. Addiction Research and Theory, 2018, 26, 52-62.	1.9	0
176	Development of alcohol use disorder in young Swiss men: the influence of retrospectively perceived parenting profiles. Drugs: Education, Prevention and Policy, 2020, , 1-11.	1.3	0
177	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. Journal of Studies on Alcohol and Drugs, 2018, 79, 585-590.	1.0	0
178	Prevalence, modes of administration and motives for cannabidiol use in young Swiss men. , 2021, 151, w30054.		0
179	Title is missing!. , 2020, 15, e0244336.		0

#	Article	IF	CITATIONS
181	Title is missing!. , 2020, 15, e0244336.		0
182	Title is missing!. , 2020, 15, e0244336.		0