
Gerhard Gmel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2109386/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Young Swiss men's risky single-occasion drinking: Identifying those who do not respond to stricter alcohol policy environments. Drug and Alcohol Dependence, 2022, 234, 109410.	1.6	1
2	Gait quality scoring data of Franches-Montagnes stallions at walk and trot on a treadmill by experts of the breed and their reliability. Data in Brief, 2022, 42, 108123.	0.5	3
3	Ageâ€based differences in quantity and frequency of consumption when screening for harmful alcohol use. Addiction, 2022, 117, 2431-2437.	1.7	3
4	Behavioral economics indices predict alcohol use and consequences in young men at 4â€year followâ€up. Addiction, 2022, 117, 2816-2825.	1.7	4
5	Cannabis use disorder trajectories and their prospective predictors in a large populationâ€based sample of young Swiss men. Addiction, 2021, 116, 560-570.	1.7	6
6	Curvilinear associations between sexual orientation and problematic substance use, behavioural addictions and mental health among young Swiss men. Addictive Behaviors, 2021, 112, 106609.	1.7	9
7	Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. Addictive Behaviors, 2021, 112, 106615.	1.7	4
8	Comparison of Water Pipes vs Other Modes of Cannabis Consumption and Subsequent Illicit Drug Use in a Longitudinal Cohort of Young Swiss Men. JAMA Network Open, 2021, 4, e213220.	2.8	1
9	The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. PLoS ONE, 2021, 16, e0255050.	1.1	20
10	Prosocialness in young males with substance and behavioral addictions. Journal of Behavioral Addictions, 2021, 10, 327-337.	1.9	2
11	Online Gambling's Associations With Gambling Disorder and Related Problems in a Representative Sample of Young Swiss Men. Frontiers in Psychiatry, 2021, 12, 703118.	1.3	6
12	Motivational interviewing technical and relational skills, change talk, and alcohol outcomes—A moderated mediation analysis Journal of Consulting and Clinical Psychology, 2021, 89, 707-716.	1.6	5
13	Improving measurement of harms from others' drinking: Using itemâ€response theory to scale harms from others' heavy drinking in 10 countries. Drug and Alcohol Review, 2021, , .	1.1	1
14	The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. Swiss Medical Weekly, 2021, 151, w30028.	0.8	8
15	Sexual Minority Orientation Is Associated With Greater Psychological Impact Due to the COVID-19 Crisis—Evidence From a Longitudinal Cohort Study of Young Swiss Men. Frontiers in Public Health, 2021, 9, 692884.	1.3	5
16	Routes of Administration of Illicit Drugs among Young Swiss Men: Their Prevalence and Associated Socio-Demographic Characteristics and Adverse Outcomes. International Journal of Environmental Research and Public Health, 2021, 18, 11158.	1.2	6
17	Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. Journal of Behavioral Addictions, 2021, 10, 901-911.	1.9	4
18	Correlates of the use of electronic devices to vape cannabis in a cohort of young Swiss male reporting current cannabis use. European Journal of Public Health, 2021, 31, 437-441.	0.1	2

0

#	Article	IF	CITATIONS
19	Prevalence, modes of administration and motives for cannabidiol use in young Swiss men. , 2021, 151, w30054.		0
20	ldentifying an accurate selfâ€reported screening tool for alcohol use disorder: evidence from a Swiss, male populationâ€based assessment. Addiction, 2020, 115, 426-436.	1.7	13
21	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. Internet Interventions, 2020, 19, 100298.	1.4	1
22	The Association between Type and Intensity of Sport and Tobacco or Nicotine Use—A Cross-Sectional Study among Young Swiss Men. International Journal of Environmental Research and Public Health, 2020, 17, 8299.	1.2	4
23	Are Changes in Personality Traits and Alcohol Use Associated? A Cohort Study Among Young Swiss Men. Frontiers in Psychiatry, 2020, 11, 591003.	1.3	9
24	Development of alcohol use disorder in young Swiss men: the influence of retrospectively perceived parenting profiles. Drugs: Education, Prevention and Policy, 2020, , 1-11.	0.8	0
25	Improving measurement of harms from others' drinking: A key informant study on type and severity of harm. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 122-140.	0.7	4
26	Screened Attention Deficit/Hyperactivity Disorder as a Predictor of Substance Use Initiation and Escalation in Early Adulthood and the Role of Self-Reported Conduct Disorder and Sensation Seeking: A 5-Year Longitudinal Study with Young Adult Swiss Men. European Addiction Research, 2020, 26, 233-244.	1.3	15
27	Social cohesion, depression, and substance use severity among young men: Cross-sectional and longitudinal analyses from a Swiss cohort. Addictive Behaviors, 2020, 110, 106510.	1.7	2
28	Should We Agree to Disagree? An Evaluation of the Inter-Rater Reliability of Gait Quality Traits in Franches-Montagnes Stallions. Journal of Equine Veterinary Science, 2020, 88, 102932.	0.4	8
29	Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: Diagnostic accuracy in a sample of young Swiss men. Addictive Behaviors, 2020, 106, 106354.	1.7	2
30	Estimated changes in hospital admissions for alcohol intoxication after partial bans on offâ€premises sales of alcoholic beverages in the canton of Vaud, Switzerland: an interrupted time–series analysis. Addiction, 2020, 115, 1459-1469.	1.7	10
31	Multiple trajectories of alcohol use and the development of alcohol use disorder: Do Swiss men mature-out of problematic alcohol use during emerging adulthood?. PLoS ONE, 2020, 15, e0220232.	1.1	8
32	Detecting computer-generated random responding in online questionnaires: An extension of Dupuis, Meier & Cuneo (2019) on dichotomous data. Personality and Individual Differences, 2020, 157, 109812.	1.6	5
33	Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. Trials, 2020, 21, 191.	0.7	7
34	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men. PLoS ONE, 2020, 15, e0244336.	1.1	5
35	Title is missing!. , 2020, 15, e0244336.		0

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0244336.		0
38	Title is missing!. , 2020, 15, e0244336.		0
39	Does level of attention deficit-hyperactivity disorder symptoms predicts poor transition into adulthood?. International Journal of Public Health, 2019, 64, 165-172.	1.0	6
40	Exposure to potentially traumatic events in young Swiss men: associations with socio-demographics and mental health outcomes (alcohol use disorder, major depression and suicide attempts). HA¶gre Utbildning, 2019, 10, 1611093.	1.4	3
41	Reconsidering the associations between self-reported alcohol use disorder and mental health problems in the light of co-occurring addictions in young Swiss men. PLoS ONE, 2019, 14, e0222806.	1.1	8
42	Attention deficit hyperactivity disorder and future alcohol outcomes: Examining the roles of coping and enhancement drinking motives among young men. PLoS ONE, 2019, 14, e0218469.	1.1	9
43	Alcoholâ€induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. Addiction, 2019, 114, 1556-1566.	1.7	26
44	Problematic smartphone use in young Swiss men: Its association with problematic substance use and risk factors derived from the pathway model. Journal of Behavioral Addictions, 2019, 8, 326-334.	1.9	31
45	Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. International Journal of Environmental Research and Public Health, 2019, 16, 1372.	1.2	3
46	Comparing Mental Health across Distinct Groups of Users of Psychedelics, MDMA, Psychostimulants, and Cannabis. Journal of Psychoactive Drugs, 2019, 51, 236-246.	1.0	4
47	Protective Behavioral Strategies Scaleâ€20: Psychometric properties of a French and German version among young males in Switzerland. International Journal of Methods in Psychiatric Research, 2019, 28, e1777.	1.1	2
48	Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. Addiction Research and Theory, 2019, 27, 489-497.	1.2	10
49	Unique versus shared associations between self-reported behavioral addictions and substance use disorders and mental health problems: A commonality analysis in a large sample of young Swiss men. Journal of Behavioral Addictions, 2019, 8, 664-677.	1.9	34
50	Cybersex use and problematic cybersex use among young Swiss men: Associations with sociodemographic, sexual, and psychological factors. Journal of Behavioral Addictions, 2019, 8, 794-803.	1.9	20
51	Development of a short form of the compulsive internet use scale in <scp>Switzerland</scp> . International Journal of Methods in Psychiatric Research, 2019, 28, e1765.	1.1	16
52	Adult attention-deficit/hyperactivity disorder, risky substance use and substance use disorders: a follow-up study among young men. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 667-679.	1.8	12
53	Light and heavy drinking in jurisdictions with different alcohol policy environments. International Journal of Drug Policy, 2019, 65, 86-96.	1.6	11
54	Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. Journal of Affective Disorders, 2018, 232, 243-251.	2.0	24

#	Article	IF	CITATIONS
55	Snus and Snuff Use in Switzerland Among Young Men: Are There Beneficial Effects on Smoking?. Nicotine and Tobacco Research, 2018, 20, 1301-1309.	1.4	5
56	Fourâ€year followâ€up of an internetâ€based brief intervention for unhealthy alcohol use in young men. Addiction, 2018, 113, 1517-1521.	1.7	5
57	Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. Addiction Research and Theory, 2018, 26, 52-62.	1.2	0
58	Comorbidity of Symptoms of Alcohol and Cannabis Use Disorders among a Population-Based Sample of Simultaneous Users. Insight from a Network Perspective. International Journal of Environmental Research and Public Health, 2018, 15, 2893.	1.2	11
59	Bidirectional Associations Between Self-Reported Gaming Disorder and Adult Attention Deficit Hyperactivity Disorder: Evidence From a Sample of Young Swiss Men. Frontiers in Psychiatry, 2018, 9, 649.	1.3	23
60	Non-medical use of prescription drugs by young men: impact of potentially traumatic events and of social-environmental stressors. HA¶gre Utbildning, 2018, 9, 1468706.	1.4	10
61	Comparison of self-reported measures of alcohol-related dependence among young Swiss men: a study protocol for a cross-sectional controlled sample. BMJ Open, 2018, 8, e023632.	0.8	8
62	Latent profiles of family background, personality and mental health factors and their association with behavioural addictions and substance use disorders in young Swiss men. European Psychiatry, 2018, 52, 76-84.	0.1	23
63	Game Addiction Scale Assessment Through a Nationally Representative Sample of Young Adult Men: Item Response Theory Graded–Response Modeling. Journal of Medical Internet Research, 2018, 20, e10058.	2.1	20
64	Gender Differences in Binge Drinking. Alcohol Research: Current Reviews, 2018, 39, 57-76.	1.9	49
65	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. Journal of Studies on Alcohol and Drugs, 2018, 79, 585-590.	0.6	0
66	Validation of a brief form of the Perceived Neighborhood Social Cohesion questionnaire. Journal of Health Psychology, 2017, 22, 218-227.	1.3	14
67	Reciprocal Influences of Drinking Motives on Alcohol Use and Related Consequences: A Full Cross-Lagged Panel Study Among Young Adult Men. Behavioral Medicine, 2017, 43, 277-284.	1.0	21
68	Binge drinking: Health impact, prevalence, correlates and interventions. Psychology and Health, 2017, 32, 976-1017.	1.2	256
69	Life-time risk of mortality due to different levels of alcohol consumption in seven European countries: implications for low-risk drinking guidelines. Addiction, 2017, 112, 1535-1544.	1.7	47
70	Substance Use in Young Swiss Men: The Interplay of Perceived Social Support and Dispositional Characteristics. Substance Use and Misuse, 2017, 52, 798-810.	0.7	10
71	Alcohol's harm to others in Switzerland in the year 2011/2012. Journal of Substance Use, 2017, 22, 403-411.	0.3	8
72	Emerging Adulthood: A Time of Changes in Psychosocial Well-Being. Evaluation and the Health Professions, 2017, 40, 383-400.	0.9	48

#	Article	IF	CITATIONS
73	Beneficial effects of moderate alcohol use—a case for Occam's razor?. Addiction, 2017, 112, 215-217.	1.7	6
74	Family-Related Stress versus External Stressors: Differential Impacts on Alcohol and Illicit Drug Use in Young Men. European Addiction Research, 2017, 23, 284-297.	1.3	10
75	Drinking Motives As Mediators of the Associations between Reinforcement Sensitivity and Alcohol Misuse and Problems. Frontiers in Psychology, 2016, 7, 718.	1.1	21
76	Factor structure and psychometric properties of a French and German shortened version of the Behavioural Inhibition System/Behavioural Activation System scales. International Journal of Methods in Psychiatric Research, 2016, 25, 44-54.	1.1	5
77	Reframing video gaming and internet use addiction: empirical crossâ€national comparison of heavy use over time and addiction scales among young users. Addiction, 2016, 111, 513-522.	1.7	46
78	Is attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow-up? A longitudinal study involving young Swiss men. Addiction, 2016, 111, 1867-1878.	1.7	31
79	Social roles among recruits in Switzerland: Do social roles relate to alcohol use and does role change have an impact?. Addictive Behaviors, 2016, 54, 59-63.	1.7	11
80	Psychometric properties of the 7-item game addiction scale among french and German speaking adults. BMC Psychiatry, 2016, 16, 132.	1.1	60
81	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. Addictive Behaviors, 2016, 63, 97-101.	1.7	13
82	Geographical variation in the prevalence of heavy drinking in young Swiss men. European Journal of Public Health, 2016, 26, 850-855.	0.1	12
83	We have to become more specific: A reply to Morrison <i>et al.</i> . Drug and Alcohol Review, 2016, 35, 58-60.	1.1	5
84	The association between alcohol abstinence, drinking or binge drinking and drug use: is alcohol abstinence that safe?. Drugs and Alcohol Today, 2016, 16, 212-221.	0.3	4
85	Risky substance use and peer pressure in Swiss young men: Test of moderation effects. Drug and Alcohol Dependence, 2016, 168, 89-98.	1.6	10
86	Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. BMC Public Health, 2016, 16, 333.	1.2	42
87	Video Gaming Disorder and Sport and Exercise in Emerging Adulthood: A Longitudinal Study. Behavioral Medicine, 2016, 42, 105-111.	1.0	51
88	Trajectories of drug use among French young people: Prototypical stages of involvement in illicit drug use. Journal of Substance Use, 2016, 21, 485-490.	0.3	3
89	Validation of French and German versions of a Perceived Neighborhood Social Cohesion Questionnaire among young Swiss males, and its relationship with substance use. Journal of Health Psychology, 2016, 21, 171-182.	1.3	10
90	Are alcohol outlet densities strongly associated with alcoholâ€related outcomes? A critical review of recent evidence. Drug and Alcohol Review, 2016, 35, 40-54.	1.1	131

#	Article	IF	CITATIONS
91	Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. Journal of Substance Abuse Treatment, 2016, 65, 58-65.	1.5	22
92	Associations of age at cannabis first use and later substance abuse with mental health and depression in young men. Journal of Substance Use, 2016, 21, 85-91.	0.3	6
93	Bidirectional relationship between the body mass index and substance use in young men. Substance Abuse, 2016, 37, 190-196.	1.1	5
94	Latent Class Analysis of Gambling Activities in a Sample of Young Swiss Men: Association with Gambling Problems, Substance Use Outcomes, Personality Traits and Coping Strategies. Journal of Gambling Studies, 2016, 32, 421-440.	1.1	23
95	Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention Journal of Consulting and Clinical Psychology, 2016, 84, 211-220.	1.6	25
96	E-cigarette use in young Swiss men: is vaping an effective way of reducing or quitting smoking?. Swiss Medical Weekly, 2016, 146, w14271.	0.8	41
97	When vaping lobbyists get science wrong – reply to Poirson. Swiss Medical Weekly, 2016, 146, w14332.	0.8	1
98	Association between nonâ€medical prescription drug use and personality traits among young <scp>S</scp> wiss men. Psychiatry and Clinical Neurosciences, 2015, 69, 228-237.	1.0	4
99	Cannabis use and other predictors of the onset of daily cigarette use in young men: what matters most? Results from a longitudinal study. BMC Public Health, 2015, 15, 843.	1.2	24
100	Internetâ€based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. Addiction, 2015, 110, 1735-1743.	1.7	42
101	DSM-IV and DSM-5 alcohol use disorder among young Swiss men. Addiction, 2015, 110, 429-440.	1.7	10
102	Liberal alcohol legislation: does it amplify the effects among Swiss men of personâ€related risk factors on heavy alcohol use?. Addiction, 2015, 110, 1746-1756.	1.7	9
103	Physical Activity and Snus: Is There a Link?. International Journal of Environmental Research and Public Health, 2015, 12, 7185-7198.	1.2	13
104	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0144146.	1.1	17
105	Is the Relationship Between Major Depressive Disorder and Self-Reported Alcohol Use Disorder an Artificial One?. Alcohol and Alcoholism, 2015, 50, 195-199.	0.9	9
106	Temporal Patterns of Alcohol Consumption and Alcohol-Related Road Accidents in Young Swiss Men: Seasonal, Weekday and Public Holiday Effects. Alcohol and Alcoholism, 2015, 50, 565-572.	0.9	36
107	Cannabis use and other illicit drug use: do subjective experiences during first cannabis use increase the probability of using illicit drug?. Journal of Substance Use, 2015, 20, 234-238.	0.3	4
108	Not in Education, Employment, or Training Status Among Young Swiss Men. Longitudinal Associations With Mental Health and Substance Use. Journal of Adolescent Health, 2015, 56, 238-243.	1.2	73

#	Article	IF	CITATIONS
109	An 8-Item Short Form of the Inventory of Dimensions of Emerging Adulthood (IDEA) Among Young Swiss Men. Evaluation and the Health Professions, 2015, 38, 246-254.	0.9	32
110	Drinking locations and alcohol-related harm: Cross-sectional and longitudinal associations in a sample of young Swiss men. International Journal of Drug Policy, 2015, 26, 653-661.	1.6	20
111	The alcohol purchase task in young men from the general population. Drug and Alcohol Dependence, 2015, 146, 39-44.	1.6	41
112	Prevalence of and Associated Factors for Adult Attention Deficit Hyperactivity Disorder in Young Swiss Men. PLoS ONE, 2014, 9, e89298.	1.1	20
113	Does Drinking Location Matter? Profiles of Risky Single-Occasion Drinking by Location and Alcohol-Related Harm among Young Men. Frontiers in Public Health, 2014, 2, 64.	1.3	14
114	Use of Neuroenhancement Drugs: Prevalence, Frequency and Use Expectations in Switzerland. International Journal of Environmental Research and Public Health, 2014, 11, 3032-3045.	1.2	19
115	A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 91-108.	0.7	1
116	Prevalence and factors associated with use of smokeless tobacco in young Swiss men. European Journal of Public Health, 2014, 24, 459-464.	0.1	20
117	Beverage preferences and associated drinking patterns, consequences and other substance use behaviours. European Journal of Public Health, 2014, 24, 496-501.	0.1	32
118	Concurrent Versus Simultaneous Use of Alcohol and Non-Medical Use of Prescription Drugs: Is Simultaneous Use Worse for Mental, Social, and Health Issues?. Journal of Psychoactive Drugs, 2014, 46, 334-339.	1.0	17
119	Regional abundance of onâ€premise outlets and drinking patterns among <scp>S</scp> wiss young men: District level analyses and geographic adjustments. Drug and Alcohol Review, 2014, 33, 526-533.	1.1	7
120	Influence of Counselor Characteristics and Behaviors on the Efficacy of a Brief Motivational Intervention for Heavy Drinking in Young Men-A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2014, 38, 2138-2147.	1.4	39
121	Commentary on Rossow <i>et al</i> . (2014) and Norström & Svensson (2014): We want to believe-or do we have to?. Addiction, 2014, 109, 1459-1461.	1.7	2
122	Predictors of onset of cannabis and other drug use in male young adults: results from a longitudinal study. BMC Public Health, 2014, 14, 1202.	1.2	42
123	Patterns and Transitions in Substance Use Among Young Swiss Men. Journal of Drug Issues, 2014, 44, 381-393.	0.6	15
124	Non-medical prescription drug and illicit street drug use among young Swiss men and associated mental health issues. International Journal of Adolescent Medicine and Health, 2014, 26, 525-530.	0.6	9
125	Patterns of cannabis use and prospective associations with health issues among young males. Addiction, 2014, 109, 937-945.	1.7	26
126	Peer pressure and alcohol use in young men: A mediation analysis of drinking motives. International Journal of Drug Policy, 2014, 25, 700-708.	1.6	53

#	Article	lF	CITATIONS
127	Associations of physical activity and sport and exercise with at-risk substance use in young men: A longitudinal study. Preventive Medicine, 2014, 64, 27-31.	1.6	32
128	Routes of Administration of Cannabis Used for Nonmedical Purposes and Associations With Patterns of Drug Use. Journal of Adolescent Health, 2014, 54, 235-240.	1.2	63
129	Health-risk behaviors and quality of life among young men. Quality of Life Research, 2014, 23, 1009-1017.	1.5	14
130	Health impact of sport and exercise in emerging adult men: a prospective study. Quality of Life Research, 2014, 23, 2225-2234.	1.5	17
131	Association Between Nonmedical Prescription Drug Use and Health Status Among Young Swiss Men. Journal of Adolescent Health, 2014, 55, 549-555.	1.2	4
132	More Is Not Always Better—Comparison of Three Instruments Measuring Volume of Drinking in a Sample of Young Men and Their Association With Consequences. Journal of Studies on Alcohol and Drugs, 2014, 75, 880-888.	0.6	22
133	Concurrent and simultaneous polydrug use among young Swiss males: use patterns and associations of number of substances used with health issues. International Journal of Adolescent Medicine and Health, 2014, 26, 217-224.	0.6	29
134	Alcohol-attributable mortality in Switzerland in 2011 – age-specific causes of death and impact of heavy versus non-heavy drinking. Swiss Medical Weekly, 2014, 144, w13947.	0.8	27
135	Excessive alcohol consumption in young men: is there an association with their earlier family situation? A baseline-analysis of the C-SURF-study (Cohort Study on Substance Use Risk Factors). Swiss Medical Weekly, 2014, 144, w14007.	0.8	4
136	Risky single occasion drinking frequency and alcohol-related consequences: can abstinence during early adulthood lead to alcohol problems?. Swiss Medical Weekly, 2014, 144, w14017.	0.8	9
137	A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 04.	0.7	1
138	Parental monitoring: a way to decrease substance use among Swiss adolescents?. European Journal of Pediatrics, 2013, 172, 1229-1234.	1.3	32
139	The Change Questionnaire predicts change in hazardous tobacco and alcohol use. Addictive Behaviors, 2013, 38, 2718-2723.	1.7	10
140	Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. Addiction Science & Clinical Practice, 2013, 8, 15.	1.2	29
141	Religion Is Good, Belief Is Better: Religion, Religiosity, and Substance Use Among Young Swiss Men. Substance Use and Misuse, 2013, 48, 1085-1098.	0.7	42
142	Does change talk during brief motivational interventions with young men predict change in alcohol use?. Journal of Substance Abuse Treatment, 2013, 44, 177-185.	1.5	44
143	Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. Journal of Substance Abuse Treatment, 2013, 44, 231-240.	1.5	25
144	Examining non-response bias in substance use research—Are late respondents proxies for non-respondents?. Drug and Alcohol Dependence, 2013, 132, 316-323.	1.6	144

#	Article	IF	CITATIONS
145	Global alcohol exposure estimates by country, territory and region for 2005—a contribution to the <scp>C</scp> omparative <scp>R</scp> isk <scp>A</scp> ssessment for the 2010 <scp>G</scp> lobal <scp>B</scp> urden of <scp>D</scp> isease <scp>S</scp> tudy. Addiction, 2013, 108, 912-922.	1.7	125
146	Body mass index and health-related quality of life among young Swiss men. BMC Public Health, 2013, 13, 1028.	1.2	36
147	Need for Informed Consent in Substance Use Studies—Harm of Bias?. Journal of Studies on Alcohol and Drugs, 2013, 74, 931-940.	0.6	45
148	Factor Structure of Early Smoking Experiences and Associations with Smoking Behavior: Valence or Sensitivity Model?. International Journal of Environmental Research and Public Health, 2013, 10, 6305-6318.	1.2	2
149	A Pre-Post Study on the Appropriateness and Effectiveness of a Web- and Text Messaging-Based Intervention to Reduce Problem Drinking in Emerging Adults. Journal of Medical Internet Research, 2013, 15, e196.	2.1	59
150	Alcohol consumption in late adolescence and early adulthood - where is the problem?. Swiss Medical Weekly, 2013, 143, w13826.	0.8	98
151	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	6.3	9,397
152	A quasi-randomized group trial of a brief alcohol intervention on risky single occasion drinking among secondary school students. International Journal of Public Health, 2012, 57, 935-944.	1.0	31
153	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. BMC Public Health, 2012, 12, 708.	1.2	55
154	Determining the best population-level alcohol consumption model and its impact on estimates of alcohol-attributable harms. Population Health Metrics, 2012, 10, 6.	1.3	115
155	Brief alcohol intervention as pragmatic intervention: Who is voluntarily taking an offered intervention?. Alcohol, 2012, 46, 551-558.	0.8	4
156	The association between drinking motives and alcoholâ€related consequences – room for biases and measurement issues?. Addiction, 2012, 107, 1580-1589.	1.7	29
157	Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. Drug and Alcohol Dependence, 2011, 113, 69-75.	1.6	42
158	Hospital admission rates for alcoholic intoxication after policy changes in the canton of Geneva, Switzerland. Drug and Alcohol Dependence, 2011, 118, 209-215.	1.6	34
159	Risky singleâ€occasion drinking: bingeing is not bingeing. Addiction, 2011, 106, 1037-1045.	1.7	149
160	Is Brief Motivational Intervention Effective in Reducing Alcohol Use Among Young Men Voluntarily Receiving It? A Randomized Controlled Trial. Alcoholism: Clinical and Experimental Research, 2011, 35, 1822-1830.	1.4	20
161	International Differences in Alcohol Use According to Sexual Orientation. Substance Abuse, 2011, 32, 210-219.	1.1	39
162	Adding Tobacco to CannabisIts Frequency and Likely Implications. Nicotine and Tobacco Research, 2011, 13, 746-750.	1.4	55

#	Article	IF	CITATIONS
163	Case-crossover designs for alcohol use: The potential for more than one bias. Journal of Studies on Alcohol and Drugs, 2010, 71, 620-621.	0.6	3
164	Revising the Cannabis Use Disorders Identification Test (CUDIT) by means of Item Response Theory. International Journal of Methods in Psychiatric Research, 2010, 19, 142-155.	1.1	47
165	Change talk sequence during brief motivational intervention, towards or away from drinking. Addiction, 2010, 105, 2106-2112.	1.7	59
166	Challenging the "Inoffensiveness―of Regular Cannabis Use by Its Associations with Other Current Risky Substance Use—A Census of 20-Year-Old Swiss Men. International Journal of Environmental Research and Public Health, 2010, 7, 46-59.	1.2	9
167	Social roles and alcohol consumption: A study of 10 industrialised countries. Social Science and Medicine, 2009, 68, 1263-1270.	1.8	75
168	Alcohol and cannabis use as risk factors for injury – a case-crossover analysis in a Swiss hospital emergency department. BMC Public Health, 2009, 9, 40.	1.2	40
169	Sport and alcohol: An emergency department study in Switzerland. European Journal of Sport Science, 2009, 9, 11-22.	1.4	12
170	Who Drinks Most of the Total Alcohol in Young Men—Risky Single Occasion Drinking as Normative Behaviour. Alcohol and Alcoholism, 2008, 43, 692-697.	0.9	31
171	Acute Alcohol Consumption and Injury: Risk Associations and Attributable Fractions for Different Injury Mechanisms. Journal of Studies on Alcohol and Drugs, 2008, 69, 218-226.	0.6	30
172	Alcohol and Nonlethal Injuries: A Swiss Emergency Department Study on the Risk Relationship Between Acute Alcohol Consumption and Type of Injury. Journal of Trauma, 2008, 65, 203-211.	2.3	13
173	Do Objective Measures of Blood Alcohol Concentrations Make More Sense than Self-reports in Emergency Department Studies?. Journal of Addiction Medicine, 2008, 2, 96-102.	1.4	9
174	Brief alcohol interventions: Do counsellors' and patients' communication characteristics predict change?. Alcohol and Alcoholism, 2007, 43, 62-69.	0.9	109
175	Recall Bias for Seven-Day Recall Measurement of Alcohol Consumption Among Emergency Department Patients: Implications for Case-Crossover Designs*. Journal of Studies on Alcohol and Drugs, 2007, 68, 303-310.	0.6	125
176	Injury and repeated injury - what is the link with acute consumption, binge drinking and chronic heavy alcohol use?. Swiss Medical Weekly, 2007, 137, 642-8.	0.8	19
177	Alcohol-Attributable Injuries in Admissions to a Swiss Emergency Room-An Analysis of the Link Between Volume of Drinking, Drinking Patterns, and Preattendance Drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 501-509.	1.4	78
178	MEASURING ALCOHOL CONSUMPTION-IS A REASONABLE CHANGE ALWAYS REASONABLE? RESPONSE TO KIEFER & SPANAGEL (2006). Addiction, 2006, 101, 1216-1218.	1.7	1
179	The relationship of average volume of alcohol consumption and patterns of drinking to burden of disease: an overview. Addiction, 2003, 98, 1209-1228.	1.7	778
180	Is frequency of drinking an indicator of problem drinking? A psychometric analysis of a modified version of the alcohol use disorders identification test in Switzerland. Drug and Alcohol Dependence, 2001, 64, 151-163.	1.6	44

#	Article	IF	CITATIONS
181	The effect of mode of data collection and of non-response on reported alcohol consumption: a split-sample study in Switzerland. Addiction, 2000, 95, 123-134.	1.7	74
182	Aggregating dimensions of alcohol consumption to predict medical and social consequences. Journal of Substance Abuse, 2000, 12, 155-168.	1.1	40