

Mei Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2109671/publications.pdf>

Version: 2024-02-01

68
papers

7,191
citations

87888

38
h-index

95266

68
g-index

77
all docs

77
docs citations

77
times ranked

8376
citing authors

#	ARTICLE	IF	CITATIONS
1	TGF- β 1-induced migration of bone mesenchymal stem cells couples bone resorption with formation. <i>Nature Medicine</i> , 2009, 15, 757-765.	30.7	1,001
2	Inhibition of TGF- β 2 signaling in mesenchymal stem cells of subchondral bone attenuates osteoarthritis. <i>Nature Medicine</i> , 2013, 19, 704-712.	30.7	780
3	PDGF-BB secreted by preosteoclasts induces angiogenesis during coupling with osteogenesis. <i>Nature Medicine</i> , 2014, 20, 1270-1278.	30.7	641
4	Matrix IGF-1 maintains bone mass by activation of mTOR in mesenchymal stem cells. <i>Nature Medicine</i> , 2012, 18, 1095-1101.	30.7	498
5	BMP signaling in skeletal development. <i>Biochemical and Biophysical Research Communications</i> , 2005, 328, 651-657.	2.1	344
6	Subchondral bone osteoclasts induce sensory innervation and osteoarthritis pain. <i>Journal of Clinical Investigation</i> , 2019, 129, 1076-1093.	8.2	239
7	Parathyroid hormone signaling through low-density lipoprotein-related protein 6. <i>Genes and Development</i> , 2008, 22, 2968-2979.	5.9	208
8	Halofuginone attenuates osteoarthritis by inhibition of TGF- β 2 activity and H-type vessel formation in subchondral bone. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1714-1721.	0.9	182
9	MiR-497a/195 cluster regulates angiogenesis during coupling with osteogenesis by maintaining endothelial Notch and HIF-1 α activity. <i>Nature Communications</i> , 2017, 8, 16003.	12.8	157
10	Jab1 antagonizes TGF- β 2 signaling by inducing Smad4 degradation. <i>EMBO Reports</i> , 2002, 3, 171-176.	4.5	155
11	Prostaglandin E2 mediates sensory nerve regulation of bone homeostasis. <i>Nature Communications</i> , 2019, 10, 181.	12.8	152
12	TGF- β 2 type II receptor phosphorylates PTH receptor to integrate bone remodelling signalling. <i>Nature Cell Biology</i> , 2010, 12, 224-234.	10.3	136
13	Parathyroid hormone induces differentiation of mesenchymal stromal/stem cells by enhancing bone morphogenetic protein signaling. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 2001-2014.	2.8	136
14	Injury-Activated Transforming Growth Factor β 2 Controls Mobilization of Mesenchymal Stem Cells for Tissue Remodeling. <i>Stem Cells</i> , 2012, 30, 2498-2511.	3.2	129
15	Inhibition of overactive TGF- β 2 attenuates progression of heterotopic ossification in mice. <i>Nature Communications</i> , 2018, 9, 551.	12.8	125
16	Inhibition of Sca-1-Positive Skeletal Stem Cell Recruitment by Alendronate Blunts the Anabolic Effects of Parathyroid Hormone on Bone Remodeling. <i>Cell Stem Cell</i> , 2010, 7, 571-580.	11.1	122
17	Macrophage-lineage TRAP+ cells recruit periosteum-derived cells for periosteal osteogenesis and regeneration. <i>Journal of Clinical Investigation</i> , 2019, 129, 2578-2594.	8.2	102
18	Angiogenesis stimulated by elevated PDGF-BB in subchondral bone contributes to osteoarthritis development. <i>JCI Insight</i> , 2020, 5, .	5.0	99

#	ARTICLE	IF	CITATIONS
19	Smad4 Protein Stability Is Regulated by Ubiquitin Ligase SCF ^{Î2} -TrCP1. <i>Journal of Biological Chemistry</i> , 2004, 279, 14484-14487.	3.4	93
20	Mannose receptor modulates macrophage polarization and allergic inflammation through miR-511-3p. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 350-364.e8.	2.9	91
21	Mechanosignaling activation of TGF ^{Î2} maintains intervertebral disc homeostasis. <i>Bone Research</i> , 2017, 5, 17008.	11.4	83
22	Mechanical stress determines the configuration of TGF ^{Î2} activation in articular cartilage. <i>Nature Communications</i> , 2021, 12, 1706.	12.8	81
23	Sustained BMP Signaling in Osteoblasts Stimulates Bone Formation by Promoting Angiogenesis and Osteoblast Differentiation. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1224-1233.	2.8	74
24	Sensory innervation in porous endplates by Netrin-1 from osteoclasts mediates PGE2-induced spinal hypersensitivity in mice. <i>Nature Communications</i> , 2019, 10, 5643.	12.8	72
25	Programmed cell senescence in skeleton during late puberty. <i>Nature Communications</i> , 2017, 8, 1312.	12.8	70
26	Disruption of LRP6 in osteoblasts blunts the bone anabolic activity of PTH. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2094-2108.	2.8	66
27	Sensory nerves regulate mesenchymal stromal cell lineage commitment by tuning sympathetic tones. <i>Journal of Clinical Investigation</i> , 2020, 130, 3483-3498.	8.2	65
28	Systemic neutralization of TGF ^{Î2} attenuates osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , 2016, 1376, 53-64.	3.8	62
29	Functional Effects of TGF-Î21 on Mesenchymal Stem Cell Mobilization in Cockroach Allergen-Induced Asthma. <i>Journal of Immunology</i> , 2014, 192, 4560-4570.	0.8	61
30	RhoA determines lineage fate of mesenchymal stem cells by modulating CTGF-VEGF complex in extracellular matrix. <i>Nature Communications</i> , 2016, 7, 11455.	12.8	61
31	Excessive Activation of TGF ^{Î2} by Spinal Instability Causes Vertebral Endplate Sclerosis. <i>Scientific Reports</i> , 2016, 6, 27093.	3.3	59
32	Ciliary parathyroid hormone signaling activates transforming growth factor-Î2 to maintain intervertebral disc homeostasis during aging. <i>Bone Research</i> , 2018, 6, 21.	11.4	59
33	Cellular senescence in musculoskeletal homeostasis, diseases, and regeneration. <i>Bone Research</i> , 2021, 9, 41.	11.4	58
34	LRP6 Mediates cAMP Generation by G Protein-Coupled Receptors Through Regulating the Membrane Targeting of GÎ±. <i>Science Signaling</i> , 2011, 4, ra15.	3.6	54
35	SCF ^{Î2} -TrCP1 Controls Smad4 Protein Stability in Pancreatic Cancer Cells. <i>American Journal of Pathology</i> , 2005, 166, 1379-1392.	3.8	52
36	Aryl Hydrocarbon Receptor Protects Lungs from Cockroach Allergen-Induced Inflammation by Modulating Mesenchymal Stem Cells. <i>Journal of Immunology</i> , 2015, 195, 5539-5550.	0.8	52

#	ARTICLE	IF	CITATIONS
37	Osteoclasts protect bone blood vessels against senescence through the angiogenin/plexin-B2 axis. <i>Nature Communications</i> , 2021, 12, 1832.	12.8	50
38	Membrane type 1-matrix metalloproteinase induces epithelial-to-mesenchymal transition in esophageal squamous cell carcinoma: Observations from clinical and in vitro analyses. <i>Scientific Reports</i> , 2016, 6, 22179.	3.3	45
39	Mesenchymal Stem Cells Recruited by Active TGF β 2 Contribute to Osteogenic Vascular Calcification. <i>Stem Cells and Development</i> , 2014, 23, 1392-1404.	2.1	38
40	CaMKII oxidation regulates cockroach allergen-induced mitophagy in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1464-1477.e11.	2.9	38
41	Inhibition of cyclooxygenase-2 activity in subchondral bone modifies a subtype of osteoarthritis. <i>Bone Research</i> , 2019, 7, 29.	11.4	37
42	Quantitative 3D imaging of the cranial microvascular environment at single-cell resolution. <i>Nature Communications</i> , 2021, 12, 6219.	12.8	37
43	Aberrant TGF β 2 activation in bone tendon insertion induces enthesopathy-like disease. <i>Journal of Clinical Investigation</i> , 2018, 128, 846-860.	8.2	36
44	Parathyroid hormone attenuates osteoarthritis pain by remodeling subchondral bone in mice. <i>ELife</i> , 2021, 10, .	6.0	34
45	Aberrant subchondral osteoblastic metabolism modifies NaV1.8 for osteoarthritis. <i>ELife</i> , 2020, 9, .	6.0	34
46	Lipoprotein receptor-related protein 6 is required for parathyroid hormone-induced <i>Sost</i> suppression. <i>Annals of the New York Academy of Sciences</i> , 2016, 1364, 62-73.	3.8	33
47	Divalent metal cations stimulate skeleton interoception for new bone formation in mouse injury models. <i>Nature Communications</i> , 2022, 13, 535.	12.8	33
48	Ras homolog family member A/Rho-associated protein kinase 1 signaling modulates lineage commitment of mesenchymal stem cells in asthmatic patients through lymphoid enhancer-binding factor 1. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1560-1574.e6.	2.9	32
49	Chondrogenesis mediates progression of ankylosing spondylitis through heterotopic ossification. <i>Bone Research</i> , 2021, 9, 19.	11.4	32
50	Aberrant Transforming Growth Factor- β 2 Activation Recruits Mesenchymal Stem Cells During Prostatic Hyperplasia. <i>Stem Cells Translational Medicine</i> , 2017, 6, 394-404.	3.3	27
51	Oxidized phospholipids are ligands for LRP6. <i>Bone Research</i> , 2018, 6, 22.	11.4	27
52	A tale of the good and bad: Cell senescence in bone homeostasis and disease. <i>International Review of Cell and Molecular Biology</i> , 2019, 346, 97-128.	3.2	26
53	miR-511-3p protects against cockroach allergen-induced lung inflammation by antagonizing CCL2. <i>JCI Insight</i> , 2019, 4, .	5.0	26
54	Periosteal CD68 ⁺ F4/80 ⁺ Macrophages Are Mechanosensitive for Cortical Bone Formation by Secretion and Activation of TGF β 1. <i>Advanced Science</i> , 2022, 9, e2103343.	11.2	24

#	ARTICLE	IF	CITATIONS
55	LRP6 in mesenchymal stem cells is required for bone formation during bone growth and bone remodeling. <i>Bone Research</i> , 2014, 2, 14006.	11.4	23
56	Skeleton-secreted PDGF-BB mediates arterial stiffening. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	22
57	PGE2/EP4 skeleton interoception activity reduces vertebral endplate porosity and spinal pain with low-dose celecoxib. <i>Bone Research</i> , 2021, 9, 36.	11.4	17
58	Bone-derived sclerostin and Wnt/ β -catenin signaling regulate PDGFR α adipoprogenitor cell differentiation. <i>FASEB Journal</i> , 2021, 35, e21957.	0.5	17
59	Skeleton interoception regulates bone and fat metabolism through hypothalamic neuroendocrine NPY. <i>ELife</i> , 2021, 10, .	6.0	16
60	Antagonists of LRP6 regulate PTH-induced cAMP generation. <i>Annals of the New York Academy of Sciences</i> , 2011, 1237, 39-46.	3.8	14
61	Sialylation of TLR2 initiates osteoclast fusion. <i>Bone Research</i> , 2022, 10, 24.	11.4	12
62	Dendritic cell immunoreceptor drives atopic dermatitis by modulating oxidized CaMKII-involved mast cell activation. <i>JCI Insight</i> , 2022, , .	5.0	11
63	Metabolic Syndrome and Osteoarthritis Distribution in the Hand Joints: A Propensity Score Matching Analysis From the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2021, 48, 1608-1615.	2.0	8
64	Inhibition of Integrin α 5 β 1 Activation of TGF β 1 Attenuates Tendinopathy. <i>Advanced Science</i> , 2022, 9, e2104469.	11.2	8
65	Type II alveolar epithelial cell-specific loss of RhoA exacerbates allergic airway inflammation through SLC26A4. <i>JCI Insight</i> , 2021, 6, .	5.0	6
66	Statin use and MRI subchondral bone marrow lesion worsening in generalized osteoarthritis: longitudinal analysis from Osteoarthritis Initiative data. <i>European Radiology</i> , 2022, 32, 3944-3953.	4.5	6
67	Conventional MRI-derived subchondral trabecular biomarkers and their association with knee cartilage volume loss as early as 1 year: a longitudinal analysis from Osteoarthritis Initiative. <i>Skeletal Radiology</i> , 2022, 51, 1959-1966.	2.0	2
68	LRPs in Bone Homeostasis and Disease. , 2020, , 461-469.		0