Yunus DoÄ**ž**n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2109705/publications.pdf Version: 2024-02-01



Υμνικ Ποάζαν

#	Article	IF	CITATIONS
1	The Use of Wild Edible Plants in Western and Central Anatolia (Turkey). Economic Botany, 2004, 58, 684-690.	1.7	102
2	An ethnobotanical perspective on traditional fermented plant foods and beverages in Eastern Europe. Journal of Ethnopharmacology, 2015, 170, 284-296.	4.1	88
3	An ethnobotanical study in Midyat (Turkey), a city on the silk road where cultures meet. Journal of Ethnobiology and Ethnomedicine, 2018, 14, 12.	2.6	76
4	Traditionally used wild edible greens in the Aegean Region of Turkey. Acta Societatis Botanicorum Poloniae, 2012, 81, 329-342.	0.8	67
5	Local knowledge of medicinal plants and wild food plants among Tatars and Romanians in Dobruja (South-East Romania). Genetic Resources and Crop Evolution, 2015, 62, 605-620.	1.6	57
6	Of the importance of a leaf: the ethnobotany of sarma in Turkey and the Balkans. Journal of Ethnobiology and Ethnomedicine, 2015, 11, 26.	2.6	53
7	Plants Used as Natural Dye Sources in Turkey. Economic Botany, 2003, 57, 442-453.	1.7	45
8	Heavy metal accumulation in the bark and leaves of <i>Juglans regia</i> planted in Artvin City, Turkey. Biotechnology and Biotechnological Equipment, 2014, 28, 643-649.	1.3	43
9	Mineral, vitamin and phenolic contents and sugar profiles of some prominent date palm (Phoenix) Tj ETQq1 1	0.784314 r	gBT/Overloc
10	Medicinal Plants Used for Gastrointestinal Disorders in Some Districts of Izmir Province, Turkey. Studies on Ethno-Medicine, 2013, 7, 149-161.	0.1	42
11	Biomonitoring of trace element accumulation in plants growing at Murat Mountain. International Journal of Environmental Science and Technology, 2012, 9, 527-534.	3.5	41
12	Turkish Red Pine as a Biomonitor: A Comparative Study of the Accumulation of Trace Elements in the Needles and Bark. Ekoloji, 2010, 19, 88-96.	0.4	41
13	Concentrations of trace elements aluminum, boron, cobalt and tin in various wild edible mushroom species from Buyuk Menderes River Basin of Turkey by ICP-OES. Trace Elements and Electrolytes, 2011, 28, 242-248.	0.1	38
14	A study on detecting heavy metal accumulation through biomonitoring: content of trace elements in plants at Mount Kazdagi in Turkey. Applied Ecology and Environmental Research, 2014, 12, 627-636.	0.5	36
15	Determination of Toxic Metals in Fruits of Abelmoschus esculentus Grown in Contaminated Soils with Different Irrigation Sources by Spectroscopic Method. International Journal of Environmental Research, 2018, 12, 503-511.	2.3	35
16	Health risk assessment through determining bioaccumulation of iron in forages grown in soil irrigated with city effluent. Environmental Science and Pollution Research, 2019, 26, 14277-14286.	5.3	35
17	The Determination of Colour Intensity of <i>Rubia Tinctorum</i> and <i>Chrozophora Tinctoria</i> Distributed in Western Anatolia. Biotechnology and Biotechnological Equipment, 2009, 23, 410-413.	1.3	32
18	Heavy Metal Contents of Malva sylvestris Sold as Edible Greens in the Local Markets of Izmir. Ekoloji, 2015, , 13-25.	0.4	31

Yunus DoÄžan

#	Article	IF	CITATIONS
19	Effect of Sewage Water on Accumulation of Metals in Soil and Wheat in Punjab, Pakistan. Pakistan Journal of Analytical and Environmental Chemistry, 2019, 20, 60-66.	0.5	30
20	Copper bioaccumulation and translocation in forages grown in soil irrigated with sewage water. Pakistan Journal of Botany, 2020, 52, .	0.5	30
21	A Study of Trace Element Contents in Plants Growing at Honaz Dagi-Denizli, Turkey. Ekoloji, 2009, 18, 1-7.	0.4	30
22	Plants traditionally used to make brooms in several European countries. Journal of Ethnobiology and Ethnomedicine, 2007, 3, 20.	2.6	29
23	Potentially toxic metal accumulation and human health risk from consuming wild Urtica urens sold on the open markets of Izmir. Euro-Mediterranean Journal for Environmental Integration, 2019, 4, 1.	1.3	29
24	The Traditional Use of Plants for Handicrafts in Southeastern Europe. Human Ecology, 2011, 39, 813-828.	1.4	26
25	Medicinal Uses of Natural Dye-Yielding Plants in Turkey. Research Journal of Textile and Apparel, 2013, 17, 69-80.	1.1	24
26	THE DIVERSITY OF PLANTS USED FOR THE TRADITIONAL DISH SARMA IN TURKEY: NATURE, GARDEN AND TRADITIONAL CUISINE IN THE MODERN ERA. Emirates Journal of Food and Agriculture, 0, , 429.	1.0	24
27	Trace element pollution biomonitoring using the bark of Pinus brutia (Turkish red pine) in the Western Anatolian part of Turkey. Trace Elements and Electrolytes, 2007, 24, 146-150.	0.1	23
28	Ecophysiological responses of some maquis (Ceratonia siliqua L., Olea oleaster Hoffm. & Link, Pistacia) Tj ETQq Journal of Environmental Biology, 2010, 31, 233-45.	0 0 0 rgBT 0.5	Overlock 10 7 21
29	Evaluation of toxicity potential of cobalt in wheat irrigated with wastewater: health risk implications for public. Environmental Science and Pollution Research, 2021, 28, 21119-21131.	5.3	20
30	Human health risk assessment through the comparative analysis of diverse irrigation regimes for Luffa (Luffa cylindrica (L.) Roem.). Journal of Water Sanitation and Hygiene for Development, 2020, 10, 249-261.	1.8	19
31	Determination of Cadmium Concentrations of Vegetables Grown in Soil Irrigated with Wastewater: Evaluation of Health Risk to the Public. Egyptian Journal of Botany, 2019, .	0.2	18
32	Determination of some ecological characteristics and economical importance of Vitex agnus-castus. EurAsian Journal of BioSciences, 0, , 10-18.	0.3	17
33	Metal accumulation in Raphanus sativus and Brassica rapa: an assessment of potential health risk for inhabitants in Punjab, Pakistan. Environmental Science and Pollution Research, 2018, 25, 16676-16685.	5.3	17
34	Biomonitoring of zinc and manganese in bark of Turkish red pine of Western Anatolia. Journal of Environmental Biology, 2009, 30, 831-4.	0.5	14
35	Evaluation of heavy metals uptake by wheat growing in sewage water irrigated soil. Human and Ecological Risk Assessment (HERA), 2018, 24, 1409-1420.	3.4	13
36	Assessment of heavy metal content of wheat irrigated with wastewater in Sargodha, Pakistan: Implications for human health. Trace Elements and Electrolytes, 2019, 36, 82-92.	0.1	12

Yunus DoÄžan

#	Article	IF	CITATIONS
37	Trace element biomonitoring by leaves of Populus nigra L. from Western Anatolia, Turkey. Journal of Environmental Biology, 2005, 26, 665-8.	0.5	12
38	Folk food and medicinal botanical knowledge among the last remaining Yörüks of the Balkans. Acta Societatis Botanicorum Poloniae, 2017, 86, .	0.8	10
39	Trace Element Contents in Plants Growing at Mt. Akdag, Denizli. Biotechnology and Biotechnological Equipment, 2010, 24, 1587-1591.	1.3	7
40	Eco - physiological behaviour of two woody oak species to combat desertification in the east Mediterranean-a case study from Lebanon. Procedia, Social and Behavioral Sciences, 2011, 19, 787-796.	0.5	7
41	Indigenous wild plants and fungi traditionally used in folk medicine and functional food in District Neelum Azad Kashmir. Environment, Development and Sustainability, 2021, 23, 8307-8330.	5.0	6
42	Traditional practices of the ethnoveterinary plants in the Kaghan Valley, Western Himalayas-Pakistan. Revista De Biologia Tropical, 2021, 69, .	0.4	6
43	Monitoring of Zinc Profile of Forages Irrigated with City Effluent. Pakistan Journal of Analytical and Environmental Chemistry, 2020, 21, 303-313.	0.5	5
44	AN ECOLOCICAL STUDY ON Quercus ithaburensis Decne subsp. macrolepis (Kotschy) Hedge Et Yalt. (Fagaceae) DISTRIBUTED IN WEST ANATOLIA. Ekoloji, 2000, 9, 22-25.	0.4	4
45	The vascular plants of Buca Faculty of Education Campus (Izmir): Contribution to educational practices. EurAsian Journal of BioSciences, 2012, , 11-23.	0.3	3
46	Accumulation of Cobalt in Soils and Forages Irrigated with City Effluent. Egyptian Journal of Botany, 2020, .	0.2	3
47	Determination of heavy metal accumulation in wastewater irrigated pumpkin (Cucurbita maxima) Tj ETQq1 1 0.7	84314 rgE	3T JOverlock
48	Common selfheal in Bulgaria and Balkans: contribution to the ethnobotanical survey. Makedonsko Farmacevtski Bilten, 2022, 66, 11-12.	0.0	0