

Abbas Ghaderi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2109790/publications.pdf>

Version: 2024-02-01

27
papers

399
citations

933447

10
h-index

752698

20
g-index

29
all docs

29
docs citations

29
times ranked

413
citing authors

#	ARTICLE	IF	CITATIONS
1	Flourishing ocean drives the end-Permian marine mass extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10298-10303.	7.1	78
2	Discerning primary versus diagenetic signals in carbonate carbon and oxygen isotope records: An example from the Permian–Triassic boundary of Iran. <i>Chemical Geology</i> , 2016, 422, 94-107.	3.3	65
3	Lithostratigraphy and carbonate microfacies across the Permian–Triassic boundary near Julfa (NW Tj ETQq1 1 0.784314 rgBT /Over	1.4	38
4	High-resolution stratigraphy of the Changhsingian (Late Permian) successions of NW Iran and the Transcaucasus based on lithological features, conodonts and ammonoids. <i>Fossil Record</i> , 2014, 17, 41-57.	1.4	37
5	Pre–mass extinction decline of latest Permian ammonoids. <i>Geology</i> , 2018, 46, 283-286.	4.4	30
6	Latest Permian carbonate carbon isotope variability traces heterogeneous organic carbon accumulation and authigenic carbonate formation. <i>Climate of the Past</i> , 2017, 13, 1635-1659.	3.4	18
7	Eutrophication, microbial-sulfate reduction and mass extinctions. <i>Communicative and Integrative Biology</i> , 2016, 9, e1115162.	1.4	17
8	The ammonoids from the Late Permian <i>Paratirolites</i> Limestone of Julfa (East Azerbaijan, Iran). <i>Journal of Systematic Palaeontology</i> , 2016, 14, 841-890.	1.5	16
9	New stratigraphic data for the Lower Cretaceous Tirgan Formation, Kopet-Dagh Basin, NE Iran. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	1.3	16
10	New and revised small shelly fossil record from the lower Cambrian of northern Iran. <i>Papers in Palaeontology</i> , 2021, 7, 2141-2181.	1.5	12
11	Aras Valley (northwest Iran): high-resolution stratigraphy of a continuous central Tethyan Permian–Triassic boundary section. <i>Fossil Record</i> , 2020, 23, 33-69.	1.4	12
12	Ostracods from the end-Permian mass extinction in the Aras Valley section (northwest Iran). <i>Papers in Palaeontology</i> , 2021, 7, 1003-1042.	1.5	11
13	Stratigraphic distribution of shallow-water benthic foraminifera from the Lower Cretaceous Taft formation, Central Iran (Yazd Block), with evidence for the importance of hiatuses. <i>Annales De Paleontologie</i> , 2020, 106, 102399.	0.5	10
14	Early Changhsingian (Late Permian) ammonoids from NW Iran. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2019, 293, 37-56.	0.4	6
15	Permian Calcareous algae from the Khachik Formation at the Ali Bashi Mountains, NW of Iran. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	1.3	5
16	The Late Permian araxoceratid ammonoids: a case of repetitive temporal and spatial unfolding of homoplastic conch characters. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2019, 292, 339-350.	0.4	3
17	The morphospace of Late Permian coiled nautiloids. <i>Lethaia</i> , 2020, 53, 154-165.	1.4	3
18	Biostratigraphy of Campanian–Maastrichtian sequences and facies analysis in Anaran and Samand Anticlines, Zagros, Iran. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Baghuk Mountain (Central Iran): high-resolution stratigraphy of a continuous Central Tethyan Permian–Triassic boundary section. <i>Fossil Record</i> , 2021, 24, 171-192.	1.4	3
20	Saccocomid remains (Crinoidea, Roveacrinida, Saccocomidae) in the uppermost Santonian-Campanian deposits (Abtalkh Formation) from the Kopet-Dagh Range (NE Iran). <i>Annales De Paleontologie</i> , 2016, 102, 69-77.	0.5	2
21	Systematic paleontology and taphonomic studies of Ypresian mollusks at the Kopet-Dagh Basin, NE Iran. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2019, 71, 773-804.	0.3	2
22	The Changhsingian (Late Permian) ammonoids from Baghuk Mountain (Central Iran). <i>European Journal of Taxonomy</i> , 0, 776, 1-106.	0.6	2
23	Two fossilized swamps containing in situ Sphenophyta stems, rhizomes, and root systems from the Middle Jurassic Hojedk Formation, Kerman area (Iran). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2023, 103, 3-20.	1.5	2
24	Ammonoids from the Carboniferous-Permian boundary of east-central Iran. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2021, 301, 335-345.	0.4	1
25	First record of the Late Cretaceous starfish <i>Metopaster parkinsoni</i> (Forbes, 1848) in Iran. <i>Annales De Paleontologie</i> , 2013, 99, 91-100.	0.5	0
26	Biostratigraphy of Baghamshah Formation based on calcareous nannofossils in the Southwest Tabas, Iran. <i>Revista Brasileira De Paleontologia</i> , 2021, 24, 165-178.	0.4	0
27	A new record of the Permian ammonoid family <i>Cyclolobidae</i> from Julfa (NW Iran). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2021, 302, 221-230.	0.4	0