

Soo-Kyung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2110759/publications.pdf>

Version: 2024-02-01

9
papers

80
citations

2258059

3
h-index

1872680

6
g-index

9
all docs

9
docs citations

9
times ranked

125
citing authors

#	ARTICLE	IF	CITATIONS
1	Three-Dimensional Paper-Based Microfluidic Analytical Devices Integrated with a Plasma Separation Membrane for the Detection of Biomarkers in Whole Blood. ACS Applied Materials & Interfaces, 2019, 11, 36428-36434.	8.0	58
2	Variant Prediction by Analyzing RdRp/S Gene Double or Low Amplification Pattern in Allplex SARS-CoV-2 Assay. Diagnostics, 2021, 11, 1854.	2.6	12
3	Identification of a new HLA-A*11 allele, A*11:251N. Hla, 2018, 92, 167-168.	0.6	3
4	Vancomycin AUC ₂₄ /MIC Ratio in Patients with Methicillin-Resistant <i>Staphylococcus aureus</i> Pneumonia. Journal of Clinical Laboratory Analysis, 2016, 30, 485-489.	2.1	2
5	Proposal of Efficient Workflows for Confirmatory Neutralization Test for Initial Hepatitis B Surface Antigen Positive Samples. Clinical Laboratory, 2019, 65, .	0.5	2
6	Performance Evaluation of the VITEK2 and Sensititre Systems to Determine Colistin Resistance and MIC for <i>Acinetobacter baumannii</i> . Diagnostics, 2022, 12, 1487.	2.6	2
7	Prediction of HLA-DQ in Deceased Donors and its Clinical Significance in Kidney Transplantation. Annals of Laboratory Medicine, 2021, 41, 190-197.	2.5	1
8	Improvement of the Accuracy of Hepatitis B Surface Antigen Testing Using a Confirmatory Test. Journal of Laboratory Medicine and Quality Assurance, 2021, 43, 80-86.	0.4	0
9	Development and validation of an algorithm to estimate eplet mismatch by substituting imputation of HLA antigens for high-resolution HLA typing based on Korean HLA frequencies. Korean Journal of Transplantation, 2020, 34, S188-S188.	0.1	0