

# Soo-Kyung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2110759/publications.pdf>

Version: 2024-02-01

9  
papers

80  
citations

2258059

3  
h-index

1872680

6  
g-index

9  
all docs

9  
docs citations

9  
times ranked

125  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance Evaluation of the VITEK2 and Sensititre Systems to Determine Colistin Resistance and MIC for <i>Acinetobacter baumannii</i> . <i>Diagnostics</i> , 2022, 12, 1487.	2.6	2
2	Prediction of HLA-DQ in Deceased Donors and its Clinical Significance in Kidney Transplantation. <i>Annals of Laboratory Medicine</i> , 2021, 41, 190-197.	2.5	1
3	Improvement of the Accuracy of Hepatitis B Surface Antigen Testing Using a Confirmatory Test. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2021, 43, 80-86.	0.4	0
4	Variant Prediction by Analyzing RdRp/S Gene Double or Low Amplification Pattern in Allplex SARS-CoV-2 Assay. <i>Diagnostics</i> , 2021, 11, 1854.	2.6	12
5	Development and validation of an algorithm to estimate eplet mismatch by substituting imputation of HLA antigens for high-resolution HLA typing based on Korean HLA frequencies. <i>Korean Journal of Transplantation</i> , 2020, 34, S188-S188.	0.1	0
6	Three-Dimensional Paper-Based Microfluidic Analytical Devices Integrated with a Plasma Separation Membrane for the Detection of Biomarkers in Whole Blood. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 36428-36434.	8.0	58
7	Proposal of Efficient Workflows for Confirmatory Neutralization Test for Initial Hepatitis B Surface Antigen Positive Samples. <i>Clinical Laboratory</i> , 2019, 65, .	0.5	2
8	Identification of a new HLA-A*11 allele, A*11:251N. <i>Hla</i> , 2018, 92, 167-168.	0.6	3
9	Vancomycin AUC <sub>24</sub> /MIC Ratio in Patients with Methicillin-Resistant <i>Staphylococcus aureus</i> Pneumonia. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 485-489.	2.1	2