

Junhong Min

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2112690/junhong-min-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

2,729
citations

29
h-index

44
g-index

181
ext. papers

3,096
ext. citations

5.2
avg, IF

5.41
L-index

#	Paper	IF	Citations
177	RNA biosensor for the rapid detection of viable Escherichia coli in drinking water. <i>Biosensors and Bioelectronics</i> , 2003 , 18, 405-13	11.8	162
176	Multilevel biomemory device consisting of recombinant azurin/cytochrome C. <i>Advanced Materials</i> , 2010 , 22, 510-4	24	98
175	Gold nanoparticle silica nanopeapods. <i>Journal of the American Chemical Society</i> , 2014 , 136, 3833-41	16.4	87
174	Highly sensitive and specific detection of viable Escherichia coli in drinking water. <i>Analytical Biochemistry</i> , 2002 , 303, 186-93	3.1	81
173	Characterization and Optimization of Interdigitated Ultramicroelectrode Arrays as Electrochemical Biosensor Transducers. <i>Electroanalysis</i> , 2004 , 16, 724-729	3	80
172	Label-free and direct detection of C-reactive protein using reduced graphene oxide-nanoparticle hybrid impedimetric sensor. <i>Bioelectrochemistry</i> , 2016 , 107, 37-44	5.6	71
171	Optical organophosphorus biosensor consisting of acetylcholinesterase/viologen hetero Langmuir-Blodgett film. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 937-43	11.8	71
170	Electrochemical detection of dopamine using periodic cylindrical gold nanoelectrode arrays. <i>Scientific Reports</i> , 2018 , 8, 14049	4.9	70
169	Ultra-sensitive surface plasmon resonance based immunosensor for prostate-specific antigen using gold nanoparticle-antibody complex. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 313-314, 655-659	5.1	62
168	Nanopore sensor for fast label-free detection of short double-stranded DNAs. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 2926-31	11.8	61
167	Fabrication of peptide stabilized fluorescent gold nanocluster/graphene oxide nanocomplex and its application in turn-on detection of metalloproteinase-9. <i>Biosensors and Bioelectronics</i> , 2017 , 89, 666-672	11.8	59
166	An enzymatic biosensor for hydrogen peroxide based on CeO ₂ nanostructure electrodeposited on ITO surface. <i>Biosensors and Bioelectronics</i> , 2013 , 47, 385-90	11.8	58
165	Electrochemical performance of gold nanoparticle-cytochrome c hybrid interface for H ₂ O ₂ detection. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 92, 161-7	6	58
164	Hydrogel-based diffusion chip with Electric Cell-substrate Impedance Sensing (ECIS) integration for cell viability assay and drug toxicity screening. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 453-9	11.8	54
163	Fabrication of electrochemical biosensor consisted of multi-functional DNA structure/porous Au nanoparticle for avian influenza virus (H5N1) in chicken serum. <i>Materials Science and Engineering C</i> , 2019 , 99, 511-519	8.3	52
162	Protein-based biomemory device consisting of the cysteine-modified azurin. <i>Applied Physics Letters</i> , 2007 , 91, 263902	3.4	46
161	Gold nanoparticle/MXene for multiple and sensitive detection of oncomiRs based on synergetic signal amplification. <i>Biosensors and Bioelectronics</i> , 2020 , 159, 112208	11.8	44

160	Magnetic silica nanotube-assisted impedimetric immunosensor for the separation and label-free detection of Salmonella typhimurium. <i>Sensors and Actuators B: Chemical</i> , 2014 , 197, 314-320	8.5	43
159	The nanostructure effect on the adhesion and growth rates of epithelial cells with well-defined nanoporous alumina substrates. <i>Nanotechnology</i> , 2010 , 21, 125104	3.4	41
158	Label-Free Impedance Sensing of Aflatoxin B ₁ with Polyaniline Nanofibers/Au Nanoparticle Electrode Array. <i>Sensors</i> , 2018 , 18,	3.8	40
157	Fabrication of electrochemical biosensor composed of multi-functional DNA structure/Au nanospike on micro-gap/PCB system for detecting troponin I in human serum. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 175, 343-350	6	40
156	Laser-induced graphene interdigitated electrodes for label-free or nanolabel-enhanced highly sensitive capacitive aptamer-based biosensors. <i>Biosensors and Bioelectronics</i> , 2020 , 164, 112272	11.8	38
155	Label-free localized surface plasmon resonance biosensor composed of multi-functional DNA 3 way junction on hollow Au spike-like nanoparticles (HAuSN) for avian influenza virus detection. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 182, 110341	6	36
154	In situ label-free monitoring of human adipose-derived mesenchymal stem cell differentiation into multiple lineages. <i>Biomaterials</i> , 2018 , 154, 223-233	15.6	31
153	The microfluidic chip module for the detection of murine norovirus in oysters using charge switchable micro-bead beating. <i>Biosensors and Bioelectronics</i> , 2015 , 67, 625-633	11.8	30
152	Upconversion nanoparticles in bioassays, optical imaging and therapy. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 157-74	1.3	30
151	Local transdermal delivery of phenylephrine to the anal sphincter muscle using microneedles. <i>Journal of Controlled Release</i> , 2011 , 154, 138-47	11.7	30
150	Size-dependent effects of graphene oxide on the osteogenesis of human adipose-derived mesenchymal stem cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 169, 20-29	6	29
149	Amperometric sensor for hydrogen peroxide based on direct electron transfer of spinach ferredoxin on Au electrode. <i>Bioelectrochemistry</i> , 2011 , 80, 169-74	5.6	29
148	Electric Cell-Substrate Impedance Sensing (ECIS) with Microelectrode Arrays for Investigation of Cancer Cell-Fibroblasts Interaction. <i>PLoS ONE</i> , 2016 , 11, e0153813	3.7	29
147	Multifunctional 4-bit biomemory chip consisting of recombinant azurin variants. <i>Biomaterials</i> , 2011 , 32, 3815-21	15.6	27
146	Tumor-binding prodrug micelles of polymer-drug conjugates for anticancer therapy in HeLa cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 9385		24
145	Nanomaterials in label-free impedimetric biosensor: Current process and future perspectives. <i>Biochip Journal</i> , 2016 , 10, 318-330	4	24
144	Signal enhancement in a protein chip array using a 3-D nanosurface. <i>Ultramicroscopy</i> , 2010 , 110, 659-65	3.1	23
143	Rapid and sensitive electrochemical detection of anticancer effects of curcumin on human glioblastoma cells. <i>Sensors and Actuators B: Chemical</i> , 2019 , 288, 527-534	8.5	22

142	Electrochemical immunosensor for highly sensitive and quantitative detection of tumor necrosis factor- α in human serum. <i>Bioelectrochemistry</i> , 2018 , 122, 93-102	5.6	22
141	The immobilization of animal cells using the cysteine-modified RGD oligopeptide. <i>Ultramicroscopy</i> , 2008 , 108, 1144-7	3.1	22
140	Electrosynthesis of ERGO-NP Nanocomposite Films for Bioelectrocatalysis of Horseradish Peroxidase towards H ₂ O ₂ . <i>Journal of the Electrochemical Society</i> , 2014 , 161, G133-G140	3.9	21
139	Real-time monitoring in vitro cellular cytotoxicity of silica nanotubes using electric cell-substrate impedance sensing (ECIS). <i>Journal of Biomedical Nanotechnology</i> , 2013 , 9, 286-90	4	20
138	Multi-bit biomemory consisting of recombinant protein variants, azurin. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 1503-7	11.8	20
137	Nanoscale protein-based memory device composed of recombinant azurin. <i>Biomaterials</i> , 2010 , 31, 1293-8	5.6	20
136	Fabrication of ultrasensitive electrochemical biosensor for dengue fever viral RNA Based on CRISPR/Cpf1 reaction. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128677	8.5	20
135	Bioprocessing Device Composed of Protein/DNA/Inorganic Material Hybrid. <i>Advanced Functional Materials</i> , 2014 , 24, 1781-1789	15.6	19
134	Functional integration of DNA purification and concentration into a real time micro-PCR chip. <i>Lab on A Chip</i> , 2011 , 11, 259-65	7.2	19
133	Photocurrent of bacteriorhodopsin films deposited by electrophoretic method. <i>Thin Solid Films</i> , 1998 , 327-329, 698-702	2.2	19
132	Recombinant azurin-CdSe/ZnS hybrid structures for nanoscale resistive random access memory device. <i>Biosensors and Bioelectronics</i> , 2017 , 90, 23-30	11.8	18
131	Electrical dual-sensing method for real-time quantitative monitoring of cell-secreted MMP-9 and cellular morphology during migration process. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 631-7	11.8	17
130	Micro-fluidic chip platform for the characterization of breast cancer cells using aptamer-assisted immunohistochemistry. <i>Biosensors and Bioelectronics</i> , 2013 , 40, 161-6	11.8	17
129	Relay-race RNA/barcode gold nanoflower hybrid for wide and sensitive detection of microRNA in total patient serum. <i>Biosensors and Bioelectronics</i> , 2019 , 141, 111468	11.8	16
128	Epithelial cell patterns on a PDMS polymer surface using a micro plasma structure. <i>Journal of Biotechnology</i> , 2011 , 155, 308-11	3.7	16
127	Fiber-optic biosensor for the detection of organophosphorus compounds using AChE-immobilized viologen LB films. <i>Thin Solid Films</i> , 1998 , 327-329, 676-680	2.2	16
126	Adsorption behavior and photoelectric response characteristics of bacteriorhodopsin thin films fabricated by self-assembly technique. <i>Colloids and Surfaces B: Biointerfaces</i> , 2002 , 23, 327-337	6	16
125	Color image detection by biomolecular photoreceptor using bacteriorhodopsin-based complex LB films. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 925-35	11.8	16

124	A robust nanoscale biomemory device composed of recombinant azurin on hexagonally packed Au-nano array. <i>Biosensors and Bioelectronics</i> , 2013 , 40, 283-90	11.8	15
123	Morphological investigations of cells that adhered to the irregular patterned polydimethylsiloxane (PDMS) surface without reagents. <i>Ultramicroscopy</i> , 2009 , 109, 861-7	3.1	15
122	Bacteria adsorption on hydrophilic surfaces for the sensitive detection of pathogenic bacteria using a single tube chamber system. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 1763-7	11.8	15
121	Signal Enhancement of Electrochemical Biomemory Device Composed of Recombinant Azurin/Gold Nanoparticle. <i>Electroanalysis</i> , 2011 , 23, 2023-2029	3	14
120	Nanoscaled redox active protein adsorption on Au-dot arrays: An electrochemical scanning probe microscopic investigation for application in nano-biodesives. <i>Thin Solid Films</i> , 2009 , 518, 634-637	2.2	14
119	Hydrophobic end-gated silica nanotubes for intracellular glutathione-stimulated drug delivery in drug-resistant cancer cells. <i>Chemical Communications</i> , 2013 , 49, 3194-6	5.8	13
118	A Fluorescent Tile DNA Diagnocode System for In Situ Rapid and Selective Diagnosis of Cytosolic RNA Cancer Markers. <i>Scientific Reports</i> , 2015 , 5, 18497	4.9	13
117	Microfluidic device for bio analytical systems. <i>Biotechnology and Bioprocess Engineering</i> , 2004 , 9, 100-106	5.1	13
116	Nanostructured Au-Pt hybrid disk electrodes for enhanced parathyroid hormone detection in human serum. <i>Bioelectrochemistry</i> , 2019 , 128, 165-174	5.6	12
115	Three-Dimensional Graphene-RGD Peptide Nanoisland Composites That Enhance the Osteogenesis of Human Adipose-Derived Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	12
114	The fabrication of functional biosurface composed of iron storage protein, ferritin. <i>Ultramicroscopy</i> , 2008 , 108, 1356-9	3.1	12
113	A microfluidic system for the separation and detection of E. coli O157:H7 in soil sample using ternary interactions between humic acid, bacteria, and a hydrophilic surface. <i>Sensors and Actuators B: Chemical</i> , 2015 , 208, 238-244	8.5	11
112	STM and cyclic voltammetric investigation of recombinant azurin-gold nanoparticle hybrids. <i>Bioelectrochemistry</i> , 2012 , 83, 8-14	5.6	11
111	Robust Bioengineered Apoferritin Nanoprobes for Ultrasensitive Detection of Infectious Pancreatic Necrosis Virus. <i>Analytical Chemistry</i> , 2019 , 91, 5841-5849	7.8	10
110	The control of cell adhesion on a PMMA polymer surface consisting of nanopillar arrays. <i>Journal of Biotechnology</i> , 2013 , 164, 543-8	3.7	10
109	Chemiluminescent enzyme-linked immunosorbent assay on a strip to detect Escherichia coli O157:H7. <i>International Journal of Environmental Analytical Chemistry</i> , 2012 , 92, 655-664	1.8	10
108	Multifunctional DNA-based biomemory device consisting of ssDNA/Cu heterolayers. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2304-10	11.8	10
107	Write-Once-Read-Many-Times (WORM) biomemory device consisting of cysteine modified ferredoxin. <i>Electrochemistry Communications</i> , 2009 , 11, 854-858	5.1	10

106	Electrochemical biomemory device consisting of recombinant protein molecules. <i>Biotechnology and Bioprocess Engineering</i> , 2010 , 15, 30-39	3.1	10
105	Highly sensitive Escherichia coli O157:H7 detection in a large volume sample using a conical polymer tube chamber consisting of micro-glass beads. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 112-7	11.8	10
104	Optical peroxide biosensor using the electrically controlled-release technique. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 141-6	11.8	10
103	Optimal fabrication condition of bacteriorhodopsin films by electrophoretic sedimentation technique. <i>Supramolecular Science</i> , 1998 , 5, 687-690		10
102	Investigation of the redox property of a metalloprotein layer self-assembled on various chemical linkers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011 , 87, 36-41	6	9
101	Signal analysis of fiber-optic biosensor for the detection of organophosphorus compounds in the contaminated water. <i>Korean Journal of Chemical Engineering</i> , 1997 , 14, 101-108	2.8	9
100	Direct immobilization of cupredoxin azurin modified by site-directed mutagenesis on gold surface. <i>Ultramicroscopy</i> , 2008 , 108, 1390-5	3.1	9
99	Silica-encapsulated gold nanoparticle dimers for organelle-targeted cellular delivery. <i>Chemical Communications</i> , 2017 , 53, 5009-5012	5.8	8
98	High density gold nanostructure composites for precise electrochemical detection of human embryonic stem cells in cell mixture. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 180, 384-392	6	8
97	Integrated microsystems for the in situ genetic detection of dengue virus in whole blood using direct sample preparation and isothermal amplification. <i>Analyst, The</i> , 2020 , 145, 2405-2411	5	8
96	A cell-loss-free concave microwell array based size-controlled multi-cellular tumoroid generation for anti-cancer drug screening. <i>PLoS ONE</i> , 2019 , 14, e0219834	3.7	8
95	Molecular photoreceptor consisting of bacteriorhodopsin/flavin complex Langmuir-Blodgett films. <i>Biosensors and Bioelectronics</i> , 1998 , 13, 1069-1075	11.8	8
94	Fabrication of recombinant azurin self-assembled layer for the application of bioelectronic device. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 4982-7	1.3	8
93	Visual information processing using bacteriorhodopsin-based complex LB films. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 917-23	11.8	8
92	Control of electrochemical signals from quantum dots conjugated to organic materials by using DNA structure in an analog logic gate. <i>Bioelectrochemistry</i> , 2016 , 111, 1-6	5.6	8
91	Rapid, multiplexed, and nucleic acid amplification-free detection of SARS-CoV-2 RNA using an electrochemical biosensor. <i>Biosensors and Bioelectronics</i> , 2022 , 195, 113649	11.8	8
90	Detection of mRNA from Escherichia coli in drinking water on nanostructured polymeric surfaces using liquid crystals. <i>Colloid and Polymer Science</i> , 2014 , 292, 1163-1169	2.4	7
89	Electrochemical Bioelectronic Device Consisting of Metalloprotein for Analog Decision Making. <i>Scientific Reports</i> , 2015 , 5, 14501	4.9	7

88	Recombinant protein-based nanoscale biomemory devices. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 433-46	1.3	7
87	Multilevel electrochemical signal detections of metalloprotein heterolayers for bioelectronic device. <i>Thin Solid Films</i> , 2014 , 551, 174-180	2.2	7
86	Nanoscale film formation of ferritin and its application to biomemory device. <i>Ultramicroscopy</i> , 2009 , 109, 974-9	3.1	7
85	Charge storage investigation in self-assembled monolayer of redox-active recombinant azurin. <i>Current Applied Physics</i> , 2009 , 9, e71-e75	2.6	7
84	Targeted cell adhesion on selectively micropatterned polymer arrays on a poly(dimethylsiloxane) surface. <i>Biomedical Microdevices</i> , 2010 , 12, 13-21	3.7	7
83	Photoelectric conversion of bacteriorhodopsin films fabricated by self-assembly technique. <i>Synthetic Metals</i> , 2001 , 117, 141-143	3.6	7
82	Fabrication of Electrochemical-Based Bioelectronic Device and Biosensor Composed of Biomaterial-Nanomaterial Hybrid. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1064, 263-296	3.6	7
81	Nanoscale biomemory composed of recombinant azurin on a nanogap electrode. <i>Nanotechnology</i> , 2013 , 24, 365301	3.4	6
80	Fabrication of Magnetic Upconversion Nanohybrid for Luminescent Resonance Energy Transfer-Based Detection of Glutathione. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 7950-4	1.3	6
79	Fabrication of biofilm in nanoscale consisting of cytochrome f/2-MAA bilayer on Au surface for bioelectronic devices by self-assembly technique. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 7069-72	1.3	6
78	Fabrication of Biomemory Device Composed of Myoglobin on DTSSP Layer. <i>Molecular Crystals and Liquid Crystals</i> , 2010 , 519, 19-26	0.5	6
77	Nanoscale film formation of recombinant azurin variants with various cysteine residues on gold substrate for bioelectronic device. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 3241-5	1.3	6
76	Approximated solution of model for three-phase fluidized bed biofilm reactor in wastewater treatment. <i>Biotechnology and Bioprocess Engineering</i> , 2000 , 5, 65-70	3.1	6
75	Semi-automatic instrumentation for nucleic acid extraction and purification to quantify pathogens on surfaces. <i>Analyst, The</i> , 2019 , 144, 6586-6594	5	6
74	Fatigue Test of Cytochrome C Self-Assembled on a 11-MUA Layer Based on Electrochemical Analysis for Bioelectronic Device. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 5537-42	1.3	5
73	Electrochemical Scanning Tunneling Microscopy (ECSTM) [From Theory to Future Applications 2014 ,		5
72	An electrochemical H ₂ O ₂ detection method based on direct electrochemistry of myoglobin immobilized on gold deposited ITO electrode. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 6424-8	1.3	5
71	Biomemory device composed of mutant azurin thin films modified by site-directed mutagenesis. <i>Thin Solid Films</i> , 2009 , 518, 682-687	2.2	5

70	Ferredoxin molecular thin film with intrinsic switching mechanism for biomemory application. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 3220-3	1.3	5
69	Verification of surfactant CHAPS effect using AFM for making biomemory device consisting of recombinant azurin monolayer. <i>Ultramicroscopy</i> , 2010 , 110, 712-7	3.1	5
68	Photoreceptor consisting of spiropyran bacteriorhodopsin films for photosignal enhancement. <i>Biosensors and Bioelectronics</i> , 1998 , 13, 1151-1155	11.8	5
67	Fabrication of functional biomolecular layer using recombinant technique for the bioelectronic device. <i>Korean Journal of Chemical Engineering</i> , 2008 , 25, 1115-1119	2.8	5
66	Property modulation of the alginate-based hydrogel via semi-interpenetrating polymer network (semi-IPN) with poly(vinyl alcohol). <i>International Journal of Biological Macromolecules</i> , 2021 , 193, 1068-1077	7.9	5
65	Electrospun Nanofibers Embedded with Copper Oxide Nanoparticles to Improve Antiviral Function. <i>Journal of Nanoscience and Nanotechnology</i> , 2021 , 21, 4174-4178	1.3	5
64	Fusion protein-based biofilm fabrication composed of recombinant azurin/hyoglobin for dual-level biomemory application. <i>Applied Surface Science</i> , 2014 , 320, 448-454	6.7	4
63	Indium tin oxide based chip for optical and electrochemical characterization of protein/bell interaction. <i>Japanese Journal of Applied Physics</i> , 2015 , 54, 06FN03	1.4	4
62	Microvalve-assisted bead-beating system for selective nucleic acid preparation from bacteria and viruses. <i>Biochip Journal</i> , 2015 , 9, 332-338	4	4
61	Fabrication of nano scaled protein monolayer consisting of cytochrome c on self-assembled 11-MUA layer for bioelectronic device. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 7136-40	1.3	4
60	The fabrication of protein nano arrays using 3-dimensional plastic nanopillar patterns. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 4231-5	1.3	4
59	Discrimination and isolation of the virus from free RNA fragments for the highly sensitive measurement of SARS-CoV-2 abundance on surfaces using a graphene oxide nano surface. <i>Nano Convergence</i> , 2021 , 8, 31	9.2	4
58	A portable electromagnetic induction heating device for point-of-care diagnostics. <i>Biochip Journal</i> , 2016 , 10, 208-214	4	3
57	Fusion protein bilayer fabrication composed of recombinant azurin/cytochrome P450 by the sortase-mediated ligation method. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 120, 215-21	6	3
56	Direct buffer composition of blood pre-process for nucleic acid based diagnostics. <i>Biochip Journal</i> , 2017 , 11, 255-261	4	3
55	Analysis of nanoscale protein film consisting of lactoferrin/11-MUA bilayers for bioelectronic device. <i>Journal of Biomedical Nanotechnology</i> , 2013 , 9, 849-55	4	3
54	Protein-based multi-bit biomemory device consisting of various metalloproteins on self-assembled 11-MUA layer. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 523-7	1.3	3
53	Impedimetric Horseradish Peroxidase Sensor Based on Polyaniline-Nanofiber-Modified Microdisk Electrode Arrays. <i>Science of Advanced Materials</i> , 2017 , 9, 1595-1602	2.3	3

52	Silica nanotube surface modification for multiplex detection of pathogenic bacteria. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 5646-9	1.3	2
51	Electrochemical-signal enhanced information storage device composed of cytochrome c/SNP bilayer. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 2466-71	1.3	2
50	Multi-electrochemical signal generation using metalloprotein based on selective surface modification. <i>Biochip Journal</i> , 2017 , 11, 322-328	4	2
49	Fabrication of dual dye-doped silica nanotube as a fluorescent ratiometric pH sensor. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 8719-23	1.3	2
48	Impedance spectroscopy of highly ordered nano-porous electrodes based on Au-AAO (anodic aluminum oxide) structure. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 7482-6	1.3	2
47	Photoreceptor composed of spiropyran/CNQ films for image extraction. <i>Thin Solid Films</i> , 1998 , 327-329, 703-707	2.2	2
46	Rectified photocurrent of biophotodiode composed of cytochrome c/chlorophyll a heterostructure. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 313-314, 636-641	5.1	2
45	Electrochemical characterization of molecular orientation effect on self-assembled recombinant ferredoxin. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008 , 313-314, 439-443	5.1	2
44	Optimal Fabrication Condition of Bacteriorhodopsin Thin Films Onto Modified Self-Assembled Monolayers. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 349, 303-306		2
43	Bacterial Isolation by Adsorption on Graphene Oxide from Large Volume Sample. <i>Journal of Nanoscience and Nanotechnology</i> , 2020 , 20, 6975-6979	1.3	2
42	DNA-Recombinant Azurin Conjugation as a Biomemory Platform with Enhanced Sensitivity. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 11857-11861	1.3	2
41	Bacterial Adsorption on Nano Graphene Oxide-Coated Microbeads for Molecular Diagnosis. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 11887-11891	1.3	2
40	Enzyme Logic Gate with Summation Function Based on Putidaredoxin Reductase/Cytochrome c Enzyme Reaction. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 5189-5192	1.3	2
39	Fabrication of Bioprobe Self-Assembled on Au-Te Nanoworm Structure for SERS Biosensor. <i>Materials</i> , 2020 , 13,	3.5	2
38	Fabrication of an Electrochemical Aptasensor Composed of Multifunctional DNA Three-Way Junction on Au Microgap Electrode for Interferon Gamma Detection in Human Serum. <i>Biomedicines</i> , 2021 , 9,	4.8	2
37	The Effect of Chemical and Physical Characteristics of Nano Graphene Oxide Layer on Epithelial Cell Behavior. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 11882-11886	1.3	2
36	Circulating Tumor Marker Isolation with the Chemically Stable and Instantly Degradable (CSID) Hydrogel ImmunoSpheres. <i>Analytical Chemistry</i> , 2021 , 93, 1100-1109	7.8	2
35	Short-Length DNA Adsorption on Graphene Oxide-Coated Microbeads for DNA Target Separation from Clinical Samples. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 6364-6368	1.3	2

34	Mix-and-read, one-minute SARS-CoV-2 diagnostic assay: development of PIFE-based aptasensor. <i>Chemical Communications</i> , 2021 , 57, 10222-10225	5.8	2
33	The Application of Cell Based Biosensor and Biochip for Environmental Monitoring 2009 , 261-273		2
32	Electrochemical biosensor with aptamer/porous platinum nanoparticle on round-type micro-gap electrode for saxitoxin detection in fresh water.. <i>Biosensors and Bioelectronics</i> , 2022 , 210, 114300	11.8	2
31	Elimination of Humic Acid from Aqueous Sample Using Zinc Oxide/Graphene Oxide-Coated Microbeads. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 6360-6363	1.3	1
30	A fluorescence color-encoded lipid-supported polymeric particle. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 122, 840-845	6	1
29	The simple and fast isolation of Escherichia coli O157:H7 using magnet nanoparticle embedded silica nanotube for the nucleic acid based detection. <i>Journal of Biomedical Nanotechnology</i> , 2013 , 9, 886-904	4	1
28	Biomolecular Memory Device Composed of Cytochrome c on a Self-Assembled 11-Mercaptoundecanoic Acid Layer. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 01AG01	1.4	1
27	Nanoscale biofilm modification-method concerning a myoglobin/11-MUA bilayers for bioelectronic device. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 4119-26	1.3	1
26	Charge retention of self-assembled ferredoxin monolayer by the reduction-oxidation control for biomemory device. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 7113-7	1.3	1
25	Characterization and Optimization of Device Configuration Composed of Bacteriorhodopsin-Flavin Complex LB Films. <i>Molecular Crystals and Liquid Crystals</i> , 1999 , 327, 267-270		1
24	Recent Advances in Biomolecule-Nanomaterial Heterolayer-Based Charge Storage Devices for Bioelectronic Applications. <i>Materials</i> , 2020 , 13,	3.5	1
23	Dual-Level Biomemory Device Composed of Cytochrome c/DNA/Myoglobin Heterolayer. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 8724-8727	1.3	1
22	A Simple Pipetting-based Method for Encapsulating Live Cells into Multi-layered Hydrogel Droplets. <i>Biochip Journal</i> , 2018 , 12, 184-192	4	1
21	Fabrication of electrochemical biosensor composed of multi-functional DNA 4 way junction for TNF- α detection in human serum. <i>Bioelectrochemistry</i> , 2021 , 142, 107939	5.6	1
20	Recent Trends in Biosensors Based on Electrochemical and Optical Techniques for Cyanobacterial Neurotoxin Detection. <i>Biochip Journal</i> , 1	4	1
19	Facile and foldable point-of-care biochip for nucleic acid based-colorimetric detection of murine norovirus in fecal samples using G-quadruplex and graphene oxide coated microbeads.. <i>Biosensors and Bioelectronics</i> , 2021 , 199, 113878	11.8	0
18	Fabrication of a surface-enhanced Raman spectroscopy-based analytical method consisting of multifunctional DNA three-way junction-conjugated porous gold nanoparticles and Au-Te nanoworm for C-reactive protein detection. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 1	4.4	0
17	Differences in the gut microbiome composition of Korean children and adult samples based on different DNA isolation kits.. <i>PLoS ONE</i> , 2022 , 17, e0264291	3.7	0

- 16 A Novel Sensing Strategy for DNA Analysis Using Nanoscale Graphene Oxide-Coated Microbeads. *Journal of Nanoscience and Nanotechnology*, **2017**, 17, 7986-7990 1.3
- 15 A simple process for the isolation of epithelial cells from bacteria-contaminated samples using anchoring molecules. *Process Biochemistry*, **2013**, 48, 1429-1435 4.8
- 14 Nanoscale biomemory device composed of recombinant protein variants 86-102
- 13 Fabrication of biomolecules self-assembled on Au nanodot array for bioelectronic device. *Journal of Nanoscience and Nanotechnology*, **2013**, 13, 6020-6 1.3
- 12 Nano barcoding cell-based biosensor using fluorophore-embedded silica nanotubes. *Journal of Nanoscience and Nanotechnology*, **2011**, 11, 4419-23 1.3
- 11 Nanoscale fabrication of myoglobin monolayer on self-assembled DTSSP for bioelectronic device. *Journal of Nanoscience and Nanotechnology*, **2011**, 11, 4217-21 1.3
- 10 Top emitting organic light emitting diodes with opaque metal grid electrodes by transfer technique. *Journal of Nanoscience and Nanotechnology*, **2011**, 11, 4573-6 1.3
- 9 NANOSCALE BIOELECTRONIC DEVICE CONSISTING OF BIOMOLECULES **2010**, 347-374
- 8 Molecular scale photodiode composed of recombinant ferredoxin/chlorophyll a heterostructure. *Journal of Nanoscience and Nanotechnology*, **2008**, 8, 4527-32 1.3
- 7 Photoelectric Response Characteristics of Molecular Photoreceptor Using Bacteriorhodopsin/Flavin Complex LB Films. *Molecular Crystals and Liquid Crystals*, **2000**, 349, 299-302
- 6 Bioelectronic Device Consisting of Bacteriorhodopsin for Pattern Recognition. *Molecular Crystals and Liquid Crystals*, **2000**, 349, 311-314
- 5 Noise Filtering by Bioelectronic Device Consisting of Bacteriorhodopsin and Spiropyran. *Molecular Crystals and Liquid Crystals*, **1999**, 327, 263-266
- 4 Mismatch-introduced DNA probes constructed on the basis of thermodynamic analysis enable the discrimination of single nucleotide variants. *Analytical and Bioanalytical Chemistry*, **2021**, 1 4.4
- 3 Focused Ion Beam Based Fabrication and Electrical Impedance Characterization of Sub-Micropore Membrane. *Journal of Nanoscience and Nanotechnology*, **2016**, 16, 11928-11932 1.3
- 2 Improvement of Heat Sink Effect Using Zinc Oxide Nanostructure. *Journal of Nanoscience and Nanotechnology*, **2020**, 20, 6980-6984 1.3
- 1 Simple and portable on-site system for nucleic acid-based detection of *Clostridium difficile* in stool samples using two columns containing microbeads and loop-mediated isothermal amplification. *Analytical and Bioanalytical Chemistry*, **2021**, 1 4.4