

Adriana Maria Kakehasi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2113141/adriana-maria-kakehasi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

572
citations

12
h-index

19
g-index

107
ext. papers

784
ext. citations

2.6
avg, IF

3.79
L-index

#	Paper	IF	Citations
84	Treatment of ankylosing spondylitis with TNF blockers: a meta-analysis. <i>Rheumatology International</i> , 2013 , 33, 2199-213	3.6	68
83	Treatment of psoriatic arthritis with anti-TNF agents: a systematic review and meta-analysis of efficacy, effectiveness and safety. <i>Rheumatology International</i> , 2014 , 34, 1345-60	3.6	36
82	The presence of <i>Helicobacter pylori</i> in postmenopausal women is not a factor to the decrease of bone mineral density. <i>Arquivos De Gastroenterologia</i> , 2007 , 44, 266-70	1.3	27
81	Revisiting hydroxychloroquine and chloroquine for patients with chronic immunity-mediated inflammatory rheumatic diseases. <i>Advances in Rheumatology</i> , 2020 , 60, 32	3	24
80	Association between pre-sarcopenia, sarcopenia, and bone mineral density in patients with chronic hepatitis C. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 255-268	10.3	24
79	Chronic gastritis and bone mineral density in women. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 819-24	4	24
78	High levels of immunosuppression are related to unfavourable outcomes in hospitalised patients with rheumatic diseases and COVID-19: first results of ReumaCoV Brasil registry. <i>RMD Open</i> , 2021 , 7,	5.9	18
77	Association Between Tumor Necrosis Factor Inhibitors and the Risk of Hospitalization or Death Among Patients With Immune-Mediated Inflammatory Disease and COVID-19. <i>JAMA Network Open</i> , 2021 , 4, e2129639	10.4	17
76	2017 recommendations of the Brazilian Society of Rheumatology for the pharmacological treatment of rheumatoid arthritis. <i>Advances in Rheumatology</i> , 2018 , 58, 2	3	16
75	High prevalence of obesity in rheumatoid arthritis patients: association with disease activity, hypertension, dyslipidemia and diabetes, a multi-center study. <i>Advances in Rheumatology</i> , 2019 , 59, 44	3	14
74	Use of cone beam computed tomography in identifying postmenopausal women with osteoporosis. <i>Archives of Osteoporosis</i> , 2017 , 12, 26	2.9	13
73	Imaging methods for bone mass evaluation during childhood and adolescence: an update. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017 , 30, 485-497	1.6	13
72	Muscle strength and psychiatric symptoms influence health-related quality of life in patients with myasthenia gravis. <i>Journal of Clinical Neuroscience</i> , 2018 , 50, 41-44	2.2	12
71	Comparative effectiveness of adalimumab and etanercept for rheumatoid arthritis in the Brazilian Public Health System. <i>Journal of Comparative Effectiveness Research</i> , 2016 , 5, 539-549	2.1	12
70	Brazilian recommendations on the safety and effectiveness of the yellow fever vaccination in patients with chronic immune-mediated inflammatory diseases. <i>Advances in Rheumatology</i> , 2019 , 59, 17	3	11
69	Time since menopause, but not age, is associated with increased risk of osteoporosis. <i>Climacteric</i> , 2019 , 22, 523-526	3.1	11
68	Negative impact of high cumulative glucocorticoid dose on bone metabolism of patients with myasthenia gravis. <i>Neurological Sciences</i> , 2017 , 38, 1405-1413	3.5	10

67	Bioelectrical Impedance Analysis-Derived Measurements in Chronic Hepatitis C: Clinical Relevance of Fat-Free Mass and Phase Angle Evaluation. <i>Nutrition in Clinical Practice</i> , 2018 , 33, 238-246	3.6	10
66	Renin-angiotensin system molecules are associated with subclinical atherosclerosis and disease activity in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2021 , 31, 119-126	3.3	10
65	Which is the best cutoff of body mass index to identify obesity in female patients with rheumatoid arthritis? A study using dual energy X-ray absorptiometry body composition. <i>Revista Brasileira De Reumatologia</i> , 2016 , 57, 279-279		9
64	Medication persistence for psoriatic arthritis in a Brazilian real-world setting. <i>Future Science OA</i> , 2019 , 5, FSO369	2.7	9
63	Poorer functionality is related to better quality of life response following the use of biological drugs: 6-month outcomes in a prospective cohort from the Public Health System (Sistema Pico de Saude), Minas Gerais, Brazil. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2015 , 15, 403-12	2.2	8
62	Leptin as an obesity marker in rheumatoid arthritis. <i>Rheumatology International</i> , 2018 , 38, 1671-1677	3.6	8
61	Rituximabe para o tratamento da artrite reumatoide: Reviso sistemtica. <i>Revista Brasileira De Reumatologia</i> , 2014 , 54, 220-230		7
60	Healing of the Achilles tendon in rabbits--evaluation by magnetic resonance imaging and histopathology. <i>Journal of Orthopaedic Surgery and Research</i> , 2014 , 9, 132	2.8	7
59	Pulmonary hemorrhage as a manifestation of systemic lupus erythematosus. <i>Revista Do Hospital Das Clinicas</i> , 2004 , 59, 47-50		7
58	Fadiga Bsea: causa de dor em joelhos na osteoartrite. <i>Radiologia Brasileira</i> , 2012 , 45, 273-278	1.7	7
57	IL33 in rheumatoid arthritis: potential contribution to pathogenesis. <i>Revista Brasileira De Reumatologia</i> , 2016 , 56, 451-457		7
56	Access to high-cost medications for psoriatic arthritis in the National Health System in Brazil: the long path up to dispensation. <i>Advances in Rheumatology</i> , 2019 , 59, 48	3	7
55	Effectiveness and safety of anti-TNF in psoriatic arthritis patients in Brazil: a post-incorporation analysis. <i>Journal of Comparative Effectiveness Research</i> , 2018 , 7, 989-1000	2.1	7
54	Anti-CCP antibodies are not a marker of severity in established rheumatoid arthritis: a magnetic resonance imaging study. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 15-22		6
53	Body composition and adipokines plasma levels in patients with myasthenia gravis treated with high cumulative glucocorticoid dose. <i>Journal of the Neurological Sciences</i> , 2017 , 381, 169-175	3.2	6
52	Methotrexate use, not interleukin 33, is associated with lower carotid intima-media thickness in patients with rheumatoid arthritis. <i>Advances in Rheumatology</i> , 2019 , 59, 15	3	6
51	Infliximab, methotrexate and their combination for the treatment of rheumatoid arthritis: a systematic review and meta-analysis. <i>Revista Brasileira De Reumatologia</i> , 2015 , 55, 146-58		6
50	Ao da IL33 na artrite reumatoide: contribuio para a fisiopatologia. <i>Revista Brasileira De Reumatologia</i> , 2016 , 56, 451-457		6

49	Skeletal abnormalities of tricho-rhino-phalangeal syndrome type I. <i>Revista Brasileira De Reumatologia</i> , 2016 , 56, 86-9		5
48	Changing rate of serious infections in biologic-exposed rheumatoid arthritis patients. Data from South American registries BIOBADABRASIL and BIOBADASAR. <i>Clinical Rheumatology</i> , 2019 , 38, 2129-2139		5
47	Libman-Sacks endocarditis and oral anticoagulation. <i>Arquivos Brasileiros De Cardiologia</i> , 2004 , 82, 378-831.2		5
46	Increased resting metabolism in neurofibromatosis type 1. <i>Clinical Nutrition ESPEN</i> , 2019 , 32, 44-49	1.3	4
45	Impact of Chronic Use of Antimalarials on SARS-CoV-2 Infection in Patients With Immune-Mediated Rheumatic Diseases: Protocol for a Multicentric Observational Cohort Study. <i>JMIR Research Protocols</i> , 2020 , 9, e23532	2	4
44	Chronic use of hydroxychloroquine did not protect against COVID-19 in a large cohort of patients with rheumatic diseases in Brazil. <i>Advances in Rheumatology</i> , 2021 , 61, 60	3	4
43	A Brazilian Cohort of Patients With Immuno-Mediated Chronic Inflammatory Diseases Infected by SARS-CoV-2 (ReumaCoV-Brasil Registry): Protocol for a Prospective, Observational Study. <i>JMIR Research Protocols</i> , 2020 , 9, e24357	2	4
42	Assessment of adiposity in psoriatic patients by dual energy X-ray absorptiometry compared to conventional methods. <i>Anais Brasileiros De Dermatologia</i> , 2016 , 91, 150-5	1.6	4
41	Real Life Experience of First Course of Anti-TNF Treatment in Ankylosing Spondylitis Patients in Brazil. <i>Rheumatology and Therapy</i> , 2016 , 3, 143-154	4.4	3
40	Anormalidades esqueléticas da síndrome tricorriñofalangiana tipo I. <i>Revista Brasileira De Reumatologia</i> , 2016 , 56, 86-89		3
39	Adalimumabe no tratamento da artrite reumatoide: uma revisão sistemática e metanálise de ensaios clínicos randomizados. <i>Revista Brasileira De Reumatologia</i> , 2013 , 53, 419-430		3
38	High frequency of methotrexate intolerance in longstanding rheumatoid arthritis: using the methotrexate intolerance severity score (MISS). <i>Advances in Rheumatology</i> , 2020 , 60, 43	3	3
37	Serum levels of vitamin B12 are not related to low bone mineral density in postmenopausal Brazilian women. <i>Revista Brasileira De Reumatologia</i> , 2012 , 52, 863-9		3
36	Which is the best cutoff of body mass index to identify obesity in female patients with rheumatoid arthritis? A study using dual energy X-ray absorptiometry body composition. <i>Revista Brasileira De Reumatologia</i> , 2017 , 57, 279-285		2
35	Body composition indices in Brazilian adults: age-specific and sex-specific percentile curves. <i>Archives of Endocrinology and Metabolism</i> , 2019 , 63, 358-368	2.2	2
34	Impact of biologic DMARDs on quality of life: 12-month results of a rheumatic diseases cohort using the Brazilian EQ-5D tariff. <i>Hospital Practice (1995)</i> , 2020 , 48, 213-222	2.2	2
33	Undifferentiated spondyloarthritis in a heterogeneous Brazilian population: an eight-year follow-up study. <i>Rheumatology International</i> , 2014 , 34, 1019-23	3.6	2
32	A Brazilian Cohort of Patients With Immuno-Mediated Chronic Inflammatory Diseases Infected by SARS-CoV-2 (ReumaCoV-Brasil Registry): Protocol for a Prospective, Observational Study (Preprint)		2

31	Factors associated with bone mineral density in adults: a cross-sectional population-based study. <i>Revista Da Escola De Enfermagem Da U S P</i> , 2020 , 54, e03572	1	2
30	FIRST LINE OF SUBCUTANEOUS ANTI-TNF THERAPY FOR RHEUMATOID ARTHRITIS: A PROSPECTIVE COHORT STUDY. <i>Expert Review of Clinical Immunology</i> , 2020 , 16, 1217-1225	5.1	2
29	Safety of the Methotrexate-leflunomide Combination in Rheumatoid Arthritis: Results of a Multicentric, Registry-based, Cohort Study (BiobadaBrasil). <i>Journal of Rheumatology</i> , 2021 , 48, 1519-1527 ¹	4.1	2
28	THU0080 Serum irisin and myostatin levels in patients with rheumatoid arthritis 2018 ,		2
27	Academic detailing program for rheumatoid arthritis: a contribution to Brazilian public health system sustainability. <i>Journal of Pharmaceutical Health Services Research</i> , 2020 , 11, 249-254	1	1
26	Ghrelin plasma levels, gastric ghrelin cell density and bone mineral density in women with rheumatoid arthritis. <i>Brazilian Journal of Medical and Biological Research</i> , 2017 , 50, e5977	2.8	1
25	Rituximab for rheumatoid arthritis treatment: a systematic review. <i>Revista Brasileira De Reumatologia</i> , 2014 , 54, 220-230		1
24	Profile of patients with rheumatic diseases undergoing treatment with anti-TNF agents in the Brazilian Public Health System (SUS), Belo Horizonte - MG. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2015 , 51, 709-719	1.8	1
23	Movimentos involuntários anormais como primeira manifestação do lúpus eritematoso sistêmico: relato de caso. <i>Arquivos De Neuro-Psiquiatria</i> , 2001 , 59, 609-612	1.6	1
22	CULTURAL ADAPTATION AND VALIDATION OF THE METHOTREXATE INTOLERANCE SEVERITY SCORE (MISS) IN BRAZILIAN PORTUGUESE.		1
21	Reduced bone mineral content and density in neurofibromatosis type 1 and its association with nutrient intake. <i>Revista Da Associação Médica Brasileira</i> , 2020 , 66, 666-672	1.4	1
20	IL-22 increases the production of sFRP3 by FLS in inflammatory joint diseases. <i>Brazilian Journal of Medical and Biological Research</i> , 2020 , 53, e9880	2.8	1
19	Effects of Participating in a Research Project During the COVID-19 Pandemic on Medical Students: Educational Routines and Mental Health: Protocol for a Web-Based Survey Study. <i>JMIR Research Protocols</i> , 2021 , 10, e24617	2	1
18	Effectiveness and safety of anti-TNF therapy for ankylosing spondylitis: a real-world study. <i>Journal of Comparative Effectiveness Research</i> , 2021 , 10, 509-517	2.1	1
17	Prevalência e motivos para recusar participação em pesquisa clínica. <i>Revista Bioética</i> , 2016 , 24, 286-291	0.4	1
16	Cultural Adaptation and Validation of the Methotrexate Intolerance Severity Score in Brazilian Portuguese for Adults With Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, S168-S172 ^{1.1}	1.1	1
15	Association between Skeletal Mass Indices and Metabolic Syndrome in Brazilian Adults. <i>Journal of Clinical Densitometry</i> , 2021 , 24, 118-128	3.5	1
14	Vitamin D and bone health in adults: a systematic review and meta-analysis. <i>Ciencia E Saude Coletiva</i> , 2021 , 26, 3221-3244	2.2	1

13	Guidelines on COVID-19 vaccination in patients with immune-mediated rheumatic diseases: a Brazilian Society of Rheumatology task force.. <i>Advances in Rheumatology</i> , 2022 , 62, 3	3	0
12	Recommendations of the Brazilian Society of Rheumatology for the use of JAK inhibitors in the management of rheumatoid arthritis. <i>Advances in Rheumatology</i> , 2021 , 61, 70	3	0
11	Factors associated with bone mineral content in adults: a population-based study. <i>Einstein (Sao Paulo, Brazil)</i> , 2019 , 18, eAO4694	1.2	0
10	Does the relationship between 25-hydroxyvitamin D status and bone mass vary according to skin color in adults? Results of a Brazilian population-based study. <i>Archives of Osteoporosis</i> , 2021 , 16, 31	2.9	0
9	Skeletal mass indices are inversely associated with metabolically unhealthy phenotype in overweight/obese and normal-weight men: a population-based cross-sectional study. <i>British Journal of Nutrition</i> , 2021 , 126, 501-509	3.6	
8	THU0100 Serum Leptin as A Biomarker of Fat Mass Excess in Rheumatoid Arthritis Brazilian Patients. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 215.2-215	2.4	
7	Adalimumab in rheumatoid arthritis treatment: a systematic review and meta-analysis of randomized clinical trials. <i>Revista Brasileira De Reumatologia</i> , 2013 , 53, 419-430		
6	THU0157 Serum Levels of Interleukin 33 and its Soluble Receptor ST2 are not Related to Subclinical Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 251.1-251	2.4	
5	Força de preensão palmar e desempenho funcional em mulheres de meia-idade e idosas com artrite reumatoide. <i>Fisioterapia E Pesquisa</i> , 2019 , 26, 346-352	0.2	
4	Lower limb strength training (LLST) modulates serum and urinary levels of renin angiotensin system molecules in healthy young males. <i>Sport Sciences for Health</i> , 1	1.3	
3	SAT0556 Utility and Pitfalls of The FRAX [®] Tool Results in Brazilian Elderly Population. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 870.2-871	2.4	
2	Prevalence of low bone mass and changes in vitamin D levels in human immunodeficiency virus-infected adults unexposed to antiretrovirals. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2018 , 51, 596-602	1.5	
1	Magnetic resonance imaging in rheumatoid arthritis. <i>Revista Brasileira De Reumatologia</i> , 2011 , 51, 635-41		