

# Zhentao Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2113274/publications.pdf>

Version: 2024-02-01

54  
papers

847  
citations

516710

16  
h-index

610901

24  
g-index

63  
all docs

63  
docs citations

63  
times ranked

1014  
citing authors

#	ARTICLE	IF	CITATIONS
1	CXCR4 promotes the growth and metastasis of esophageal squamous cell carcinoma as a critical downstream mediator of HIF1 $\alpha$ . <i>Cancer Science</i> , 2022, 113, 926-939.	3.9	7
2	CSF2RB Is a Unique Biomarker and Correlated With Immune Infiltrates in Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 822849.	2.8	7
3	Diagnostic efficacy of deep learning-based prediction of origin for patients with cancers of unknown primary.. <i>Journal of Clinical Oncology</i> , 2022, 40, e13560-e13560.	1.6	0
4	Apatinib prevents natural killer cell dysfunction to enhance the efficacy of anti-PD-1 immunotherapy in hepatocellular carcinoma. <i>Cancer Gene Therapy</i> , 2021, 28, 89-97.	4.6	16
5	The biological role of the CXCL12/CXCR4 axis in esophageal squamous cell carcinoma. <i>Cancer Biology and Medicine</i> , 2021, 18, 401-410.	3.0	10
6	Prognostic Significance of the Preoperative Albumin/Fibrinogen Ratio in Patients with Esophageal Squamous Cell Carcinoma after Surgical Resection. <i>Journal of Cancer</i> , 2021, 12, 5025-5034.	2.5	11
7	Prognostic Significance of the Combination of Fibrinogen and Tumor Marker Index in Esophageal Squamous Cell Carcinoma Patients. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 1101-1111.	2.0	5
8	Myeloid-Derived Suppressor Cells in Immune Microenvironment Promote Progression of Esophagogastric Junction Adenocarcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 640080.	2.8	7
9	High-mobility group AT-hook 2 promotes growth and metastasis and is regulated by miR-204a-5p in oesophageal squamous cell carcinoma. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13563.	3.4	13
10	Comparative study of treatment options and construction nomograms to predict survival for early-stage esophageal cancer: a population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 635-646.	1.5	3
11	Identification and Validation of Immune-Related Gene Signature for Predicting Lymph Node Metastasis and Prognosis in Lung Adenocarcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 679031.	3.5	25
12	Role of chemotherapy after curative esophagectomy in squamous cell carcinoma of the thoracic esophagus: A propensity score-matched analysis. <i>Thoracic Cancer</i> , 2021, 12, 1800-1809.	1.9	3
13	Icotinib alone or with bevacizumab as first-line therapy in Chinese patients with advanced nonsquamous non-small cell lung cancer and activating EGFR mutations: A retrospective study. <i>Thoracic Cancer</i> , 2021, 12, 2369-2374.	1.9	2
14	Role of BCLAF1 in PD-L1 stabilization in response to ionizing irradiation. <i>Cancer Science</i> , 2021, 112, 4064-4074.	3.9	7
15	RSPH14 regulates the proliferation, cell cycle progression, and apoptosis of non-small cell lung cancer cells. <i>FEBS Open Bio</i> , 2021, 11, 2715-2726.	2.3	0
16	FoXA2 promotes esophageal squamous cell carcinoma progression by ZEB2 activation. <i>World Journal of Surgical Oncology</i> , 2021, 19, 286.	1.9	8
17	Metastasis patterns and prognosis in breast cancer patients aged $\geq$ 80 years: a SEER database analysis. <i>Journal of Cancer</i> , 2021, 12, 6445-6453.	2.5	5
18	Ratio between negative and positive lymph nodes is a novel prognostic indicator for patients with esophageal cancer: A Surveillance, Epidemiology and End Results database analysis. <i>Thoracic Cancer</i> , 2020, 11, 3490-3500.	1.9	2

#	ARTICLE	IF	CITATIONS
19	Integrated Analysis of lncRNA-Mediated ceRNA Network in Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 554759.	2.8	103
20	Baicalin reverses radioresistance in nasopharyngeal carcinoma by downregulating autophagy. <i>Cancer Cell International</i> , 2020, 20, 35.	4.1	10
21	Circ_0058063 upregulates GLUT1 expression and promotes glucose-uptake in esophageal squamous-cell carcinomas. <i>Journal of Thoracic Disease</i> , 2020, 12, 925-931.	1.4	17
22	Comparison of the short-term outcomes of robot-assisted minimally invasive, video-assisted minimally invasive, and open esophagectomy. <i>Journal of Thoracic Disease</i> , 2020, 12, 916-924.	1.4	19
23	International consensus statement on robot-assisted minimally invasive esophagectomy (RAMIE). <i>Journal of Thoracic Disease</i> , 2020, 12, 7387-7401.	1.4	13
24	The predictive value of a preoperative systemic immune-inflammation index and prognostic nutritional index in patients with esophageal squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , 2019, 234, 1794-1802.	4.1	111
25	Tumor Remission and Tumor-Infiltrating Lymphocytes During Chemoradiation Therapy: Predictive and Prognostic Markers in Locally Advanced Esophageal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 319-328.	0.8	22
26	Comparison of the therapeutic effects of endoscopic submucosal dissection and minimally invasive esophagectomy for T1 stage esophageal carcinoma. <i>Thoracic Cancer</i> , 2019, 10, 2161-2167.	1.9	14
27	International expert consensus on the management of bleeding during VATS lung surgery. <i>Annals of Translational Medicine</i> , 2019, 7, 712-712.	1.7	23
28	Society for Translational Medicine Expert consensus on the selection of surgical approaches in the management of thoracic esophageal carcinoma. <i>Journal of Thoracic Disease</i> , 2019, 11, 319-328.	1.4	10
29	Clinicopathological characteristics, staging classification, and survival outcomes of primary malignant melanoma of the esophagus. <i>Journal of Surgical Oncology</i> , 2018, 117, 588-596.	1.7	20
30	Lymph node dissection for Siewert type II esophagogastric junction adenocarcinoma: a retrospective study of 136 cases. <i>ANZ Journal of Surgery</i> , 2018, 88, E264-E267.	0.7	11
31	The Society for Translational Medicine: indications and methods of percutaneous transthoracic needle biopsy for diagnosis of lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5538-5544.	1.4	17
32	Society for Translational Medicine Expert Consensus on the prevention and treatment of postoperative pulmonary infection in esophageal cancer patients. <i>Journal of Thoracic Disease</i> , 2018, 10, 1050-1057.	1.4	8
33	Society for Translational Medicine Expert Consensus on the preoperative assessment of circulatory and cardiac functions and criteria for the assessment of risk factors in patients with lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5545-5549.	1.4	8
34	Society for Translational Medicine expert consensus on training and certification standards for surgeons and assistants in minimally invasive surgery for lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5666-5672.	1.4	5
35	PS02.123: LYMPH NODE METASTASIS STATUS AFTER DIFFERENT STRATEGIES OF NEO-ADJUVANT THERAPIES FOR THE ESOPHAGEAL SQUAMOUS CELLS CARCINOMAS. <i>Ecological Management and Restoration</i> , 2018, 31, 156-156.	0.4	0
36	PS02.097: PROGNOSTIC IMPACT OF LYMPH NODE METASTASIS STATIONS IN PN1 STAGE ESOPHAGEAL SQUAMOUS CARCINOMA PATIENTS. <i>Ecological Management and Restoration</i> , 2018, 31, 148-148.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Society for Translational Medicine expert consensus on the use of antibacterial drugs in thoracic surgery. <i>Journal of Thoracic Disease</i> , 2018, 10, 6356-6374.	1.4	4
38	Video-assisted thoracoscopic surgery versus open surgery for Stage I thymic epithelial tumours: a propensity score-matched study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1037-1044.	1.4	22
39	Downregulation of BIRC5 inhibits the migration and invasion of esophageal cancer cells by interacting with the PI3K/Akt signaling pathway. <i>Oncology Letters</i> , 2018, 16, 3373-3379.	1.8	29
40	High expression of Capn4 is associated with metastasis and poor prognosis in esophageal squamous cell carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 765-772.	0.5	1
41	Vav1 expression is increased in esophageal squamous cell carcinoma and indicates poor prognosis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 571-576.	2.1	15
42	Prognostic significance of the epithelial-mesenchymal transition factor zinc finger E-box-binding homeobox 2 in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2017, 14, 2683-2690.	1.8	6
43	CMISG1701: a multicenter prospective randomized phase III clinical trial comparing neoadjuvant chemoradiotherapy to neoadjuvant chemotherapy followed by minimally invasive esophagectomy in patients with locally advanced resectable esophageal squamous cell carcinoma (cT3-4aN0-1M0) (NCT03001596). <i>BMC Cancer</i> , 2017, 17, 450.	2.6	26
44	Number of negative lymph nodes as a prognostic factor in esophageal squamous cell carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, e278-e283.	1.1	10
45	The Society for Translational Medicine: clinical practice guidelines for mechanical ventilation management for patients undergoing lobectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, 3246-3254.	1.4	21
46	The Society for Translational Medicine: clinical practice guidelines for the postoperative management of chest tube for patients undergoing lobectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, 3255-3264.	1.4	47
47	High expression of glucose-regulated protein 78 (GRP78) is associated with metastasis and poor prognosis in patients with esophageal squamous cell carcinoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 617-625.	2.0	19
48	Log odds of positive lymph nodes is a novel prognostic indicator for advanced ESCC after surgical resection. <i>Journal of Thoracic Disease</i> , 2017, 9, 1182-1189.	1.4	13
49	Krüppel-Like Factor 4 Enhances Sensitivity of Cisplatin to Esophageal Squamous Cell Carcinoma (ESCC) Cells. <i>Medical Science Monitor</i> , 2017, 23, 3353-3359.	1.1	7
50	Development of a novel biomarker model for predicting preoperative lymph node metastatic extent in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 105790-105799.	1.8	7
51	Pretreatment biopsy for histological diagnosis and induction therapy in thymic tumors. <i>Journal of Thoracic Disease</i> , 2016, 8, 656-664.	1.4	11
52	Metastatic lymph node ratio demonstrates better prognostic stratification than pN staging in patients with esophageal squamous cell carcinoma after esophagectomy. <i>Scientific Reports</i> , 2016, 6, 38804.	3.3	18
53	Tumor necrosis factor links chronic obstructive pulmonary disease and K-ras mutant lung cancer through induction of an immunosuppressive pro-tumor microenvironment. <i>OncImmunology</i> , 2016, 5, e1229724.	4.6	17
54	Does tumor size improve the accuracy of prognostic prediction in patients with esophageal squamous cell carcinoma after surgical resection?. <i>Oncotarget</i> , 2016, 7, 66623-66634.	1.8	14