Piero Sestili

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2113347/publications.pdf Version: 2024-02-01



DIEDO SESTILI

#	Article	IF	CITATIONS
1	Supplementing Soy-Based Diet with Creatine in Rats: Implications for Cardiac Cell Signaling and Response to Doxorubicin. Nutrients, 2022, 14, 583.	1.7	2
2	Nutraceuticals and Physical Activity as Antidepressants: The Central Role of the Gut Microbiota. Antioxidants, 2022, 11, 236.	2.2	6
3	A proposal for the reference intervals of the Italian microbiota "scaffold―in healthy adults. Scientific Reports, 2022, 12, 3952.	1.6	5
4	Antiinflammatory and Anticancer Properties of Grewia asiatica Crude Extracts and Fractions: A Bioassay-Guided Approach. BioMed Research International, 2022, 2022, 1-14.	0.9	8
5	Discovery of Sulforaphane as an Inducer of Ferroptosis in U-937 Leukemia Cells: Expanding Its Anticancer Potential. Cancers, 2022, 14, 76.	1.7	9
6	Characterization of the Biological Activity of the Ethanolic Extract from the Roots of Cannabis sativa L. Grown in Aeroponics. Antioxidants, 2022, 11, 860.	2.2	7
7	Coffee in cancer chemoprevention: an updated review. Expert Opinion on Drug Metabolism and Toxicology, 2021, 17, 69-85.	1.5	11
8	Treatment of Achilles Tendinopathy in Recreational Runners with Peritendinous Hyaluronic Acid Injections: A Viscoelastometric, Functional, and Biochemical Pilot Study. Journal of Clinical Medicine, 2021, 10, 1397.	1.0	13
9	Heterocyclic Aromatic Amines in Meat: Formation, Isolation, Risk Assessment, and Inhibitory Effect of Plant Extracts. Foods, 2021, 10, 1466.	1.9	57
10	Janus Kinase Inhibitors and Coronavirus Disease (COVID)-19: Rationale, Clinical Evidence and Safety Issues. Pharmaceuticals, 2021, 14, 738.	1.7	29
11	COVID-19 Disease, Women's Predominant Non-Heparin Vaccine-Induced Thrombotic Thrombocytopenia and Kounis Syndrome: A Passepartout Cytokine Storm Interplay. Biomedicines, 2021, 9, 959.	1.4	14
12	Yield, Characterization, and Possible Exploitation of Cannabis Sativa L. Roots Grown under Aeroponics Cultivation. Molecules, 2021, 26, 4889.	1.7	11
13	Nine weeks of high-intensity indoor cycling training induced changes in the microbiota composition in non-athlete healthy male college students. Journal of the International Society of Sports Nutrition, 2021, 18, 74.	1.7	12
14	Anticancer and anti-inflammatory perspectives of Pakistan's indigenous berry Grewia asiatica Linn (Phalsa). Journal of Berry Research, 2020, 10, 115-131.	0.7	23
15	Mutual Interactions among Exercise, Sport Supplements and Microbiota. Nutrients, 2020, 12, 17.	1.7	57
16	Gut Microbiota Status in COVID-19: An Unrecognized Player?. Frontiers in Cellular and Infection Microbiology, 2020, 10, 576551.	1.8	85
17	MicroRNAs Bioinformatics Analyses Identifying HDAC Pathway as a Putative Target for Existing Anti OVIDâ€19 Therapeutics. Frontiers in Pharmacology, 2020, 11, 582003.	1.6	33
18	Overview of the Anticancer Potential of the "King of Spices―Piper nigrum and Its Main Constituent Piperine. Toxins, 2020, 12, 747.	1.5	30

#	Article	IF	CITATIONS
19	Dietary Habits and Psychological States during COVID-19 Home Isolation in Italian College Students: The Role of Physical Exercise. Nutrients, 2020, 12, 3660.	1.7	73
20	Paracetamol-Induced Glutathione Consumption: Is There a Link With Severe COVID-19 Illness?. Frontiers in Pharmacology, 2020, 11, 579944.	1.6	41
21	Repositioning Chromones for Early Anti-inflammatory Treatment of COVID-19. Frontiers in Pharmacology, 2020, 11, 854.	1.6	17
22	Effects of a commercially available branched-chain amino acid-alanine-carbohydrate-based sports supplement on perceived exertion and performance in high intensity endurance cycling tests. Journal of the International Society of Sports Nutrition, 2020, 17, 6.	1.7	15
23	High-intensity Interval Training Promotes the Shift to a Health-Supporting Dietary Pattern in Young Adults. Nutrients, 2020, 12, 843.	1.7	18
24	Deuterium Incorporation Protects Cells from Oxidative Damage. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-13.	1.9	2
25	Maternal Creatine Supplementation Positively Affects Male Rat Hippocampal Synaptic Plasticity in Adult Offspring. Nutrients, 2019, 11, 2014.	1.7	7
26	Hemidesmus indicus induces apoptosis via proteasome inhibition and generation of reactive oxygen species. Scientific Reports, 2019, 9, 7199.	1.6	11
27	Time- and Kellgren–Lawrence Grade-Dependent Changes in Intra-Articularly Transplanted Stromal Vascular Fraction in Osteoarthritic Patients. Cells, 2019, 8, 308.	1.8	39
28	ldentification of a new tamoxifen-xanthene hybrid as pro-apoptotic anticancer agent. Bioorganic Chemistry, 2019, 86, 538-549.	2.0	17
29	Glycemic and Insulinemic Responses of Vegetables and Beans Powders Supplemented Chapattis in Healthy Humans: A Randomized, Crossover Trial. BioMed Research International, 2019, 2019, 1-7.	0.9	13
30	Postâ€Activation Potentiation Increases Recruitment of Fast Twitch Fibers: A Potential Practical Application in Runners. Journal of Human Kinetics, 2018, 65, 69-78.	0.7	6
31	Camel's milk concentrate inhibits streptozotocin induced diabetes. Food Bioscience, 2018, 26, 73-79.	2.0	6
32	Muscle and Bone Health in Postmenopausal Women: Role of Protein and Vitamin D Supplementation Combined with Exercise Training. Nutrients, 2018, 10, 1103.	1.7	78
33	The potential effects of <i>Ocimum basilicum</i> on health: a review of pharmacological and toxicological studies. Expert Opinion on Drug Metabolism and Toxicology, 2018, 14, 679-692.	1.5	58
34	Protective Role of Italian Juglans regia L. nut Ethanolic Extract in Human Keratinocytes under Oxidative and Inflammatory Stress. Current Pharmaceutical Biotechnology, 2018, 18, 925-934.	0.9	3
35	Effect of extremely lowâ€frequency electromagnetic fields on antioxidant activity in the human keratinocyte cell line NCTC 2544. Biotechnology and Applied Biochemistry, 2017, 64, 415-422.	1.4	33
36	The effect of topical thiocolchicoside in preventing and reducing the increase of muscle tone, stiffness, and soreness. Medicine (United States), 2017, 96, e7659.	0.4	10

#	Article	IF	CITATIONS
37	Muscular viscoelastic characteristics of athletes participating in the European Master Indoor Athletics Championship. European Journal of Applied Physiology, 2017, 117, 1739-1746.	1.2	45
38	Nrf2: a potential therapeutic target for naturally occurring anticancer drugs?. Expert Opinion on Therapeutic Targets, 2017, 21, 781-793.	1.5	32
39	Extracellular Vesicles Released by Oxidatively Injured or Intact C2C12 Myotubes Promote Distinct Responses Converging toward Myogenesis. International Journal of Molecular Sciences, 2017, 18, 2488.	1.8	41
40	The Combination of Physical Exercise with Muscle-Directed Antioxidants to Counteract Sarcopenia: A Biomedical Rationale for Pleiotropic Treatment with Creatine and Coenzyme Q10. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-19.	1.9	22
41	The Fast-Halo Assay for the Detection of DNA Damage. Methods in Molecular Biology, 2017, 1644, 75-93.	0.4	11
42	Creatine Prevents the Structural and Functional Damage to Mitochondria in Myogenic, Oxidatively Stressed C2C12 Cells and Restores Their Differentiation Capacity. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-12.	1.9	27
43	Withania somnifera Induces Cytotoxic and Cytostatic Effects on Human T Leukemia Cells. Toxins, 2016, 8, 147.	1.5	30
44	Ellagitannins in Cancer Chemoprevention and Therapy. Toxins, 2016, 8, 151.	1.5	83
45	Maternal creatine supplementation affects the morpho-functional development of hippocampal neurons in rat offspring. Neuroscience, 2016, 312, 120-129.	1.1	18
46	Antioxidant, Antimicrobial and Urease Inhibitory Activities of Phenolics-Rich Pomegranate Peel Hydro-Alcoholic Extracts. Journal of Food Biochemistry, 2016, 40, 550-558.	1.2	27
47	New insights into the trophic and cytoprotective effects of creatine in in vitro and in vivo models of cell maturation. Amino Acids, 2016, 48, 1897-1911.	1.2	24
48	Activity of Vitis vinifera Tendrils Extract Against Phytopathogenic Fungi. Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	17
49	Cytotoxic and Antitumor Activity of Sulforaphane: The Role of Reactive Oxygen Species. BioMed Research International, 2015, 2015, 1-9.	0.9	66
50	Pomegranate peel and peel extracts: Chemistry and food features. Food Chemistry, 2015, 174, 417-425.	4.2	406
51	Effects of Creatine in Skeletal Muscle Cells and in Myoblasts Differentiating Under Normal or Oxidatively Stressing Conditions. Mini-Reviews in Medicinal Chemistry, 2015, 16, 4-11.	1.1	12
52	Antileukemic Activity of Sulforaphane in Primary Blasts from Patients Affected by Myelo- and Lympho-Proliferative Disorders and in Hypoxic Conditions. PLoS ONE, 2014, 9, e101991.	1.1	19
53	Alkaline Nuclear Dispersion Assays for the Determination of DNA Damage at the Single Cell Level. Methods in Molecular Biology, 2014, 1094, 49-70.	0.4	5
54	Effects of sex hormones on inflammatory response in male and female vascular endothelial cells. Journal of Endocrinological Investigation, 2014, 37, 861-869.	1.8	41

#	Article	IF	CITATIONS
55	Exploiting RNA as a new biomolecular target for synthetic polyamines. Gene, 2013, 524, 232-240.	1.0	7
56	Shiga Toxin 1, as DNA Repair Inhibitor, Synergistically Potentiates the Activity of the Anticancer Drug, Mafosfamide, on Raji Cells. Toxins, 2013, 5, 431-444.	1.5	8
57	Cytotoxic Activity of Essential Oils of Aerial Parts and Ripe Fruits of Echinophora spinosa (Apiaceae). Natural Product Communications, 2013, 8, 1934578X1300801.	0.2	12
58	Mitohormesis in muscle cells: a morphological, molecular, and proteomic approach. Muscles, Ligaments and Tendons Journal, 2013, 3, 254-66.	0.1	11
59	Reactive Oxygen Species in Skeletal Muscle Signaling. Journal of Signal Transduction, 2012, 2012, 1-17.	2.0	277
60	Inhibition of AMPK signalling by doxorubicin: at the crossroads of the cardiac responses to energetic, oxidative, and genotoxic stress. Cardiovascular Research, 2012, 95, 290-299.	1.8	95
61	Pomegranate peel and fruit extracts: A review of potential anti-inflammatory and anti-infective effects. Journal of Ethnopharmacology, 2012, 143, 397-405.	2.0	448
62	Creatine affects in vitro electrophysiological maturation of neuroblasts and protects them from oxidative stress. Journal of Neuroscience Research, 2012, 90, 435-446.	1.3	16
63	Gene expression profile in cultured human umbilical vein endothelial cells exposed to a 300 mT static magnetic field. Bioelectromagnetics, 2012, 33, 65-74.	0.9	16
64	Sulforaphane Potentiates RNA Damage Induced by Different Xenobiotics. PLoS ONE, 2012, 7, e35267.	1.1	11
65	The expression analysis of mouse interleukin-6 splice variants argued against their biological relevance. BMB Reports, 2012, 45, 32-37.	1.1	4
66	Dietary supplementation with α-tocopherol reduces neuroinflammation and neuronal degeneration in the rat brain after kainic acid-induced status epilepticus. Free Radical Research, 2011, 45, 1136-1142.	1.5	43
67	Creatine as an antioxidant. Amino Acids, 2011, 40, 1385-1396.	1.2	148
68	Sulforaphane induces DNA single strand breaks in cultured human cells. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2010, 689, 65-73.	0.4	52
69	Effects of a 300 mT static magnetic field on human umbilical vein endothelial cells. Bioelectromagnetics, 2010, 31, 630-639.	0.9	18
70	Prunus spinosa Fresh Fruit Juice: Antioxidant Activity in Cell-free and Cellular Systems. Natural Product Communications, 2009, 4, 1934578X0900401.	0.2	16
71	Protective effect of creatine against RNA damage. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2009, 670, 59-67.	0.4	32
72	Lipoxygenase-mediated pro-radical effect of melatonin via stimulation of arachidonic acid metabolism. Toxicology and Applied Pharmacology, 2009, 238, 170-177.	1.3	42

#	Article	IF	CITATIONS
73	Creatine supplementation prevents the inhibition of myogenic differentiation in oxidatively injured C2C12 murine myoblasts. Molecular Nutrition and Food Research, 2009, 53, 1187-1204.	1.5	69
74	Apoptotic DNA fragmentation can be revealed in situ: An ultrastructural approach. Microscopy Research and Technique, 2009, 72, 913-923.	1.2	24
75	The Fast-Halo Assay for the Assessment of DNA Damage at the Single-Cell Level. Methods in Molecular Biology, 2009, 521, 517-533.	0.4	17
76	RNA as a new target for toxic and protective agents. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2008, 648, 15-22.	0.4	16
77	Differential effect of creatine on oxidatively-injured mitochondrial and nuclear DNA. Biochimica Et Biophysica Acta - General Subjects, 2008, 1780, 16-26.	1.1	65
78	Molecular Damage and Induction of Proinflammatory Cytokines in Human Endothelial Cells Exposed to Shiga Toxin 1, Shiga Toxin 2, and α-Sarcin. Infection and Immunity, 2007, 75, 2201-2207.	1.0	34
79	Cytoprotective effect of preparations from various parts of Punica granatum L. fruits in oxidatively injured mammalian cells in comparison with their antioxidant capacity in cell free systems. Pharmacological Research, 2007, 56, 18-26.	3.1	50
80	The fast halo assay: An improved method to quantify genomic DNA strand breakage at the single-cell level. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2006, 607, 205-214.	0.9	50
81	Creatine as a compatible osmolyte in muscle cells exposed to hypertonic stress. Journal of Physiology, 2006, 576, 391-401.	1.3	57
82	Creatine supplementation affords cytoprotection in oxidatively injured cultured mammalian cells via direct antioxidant activity. Free Radical Biology and Medicine, 2006, 40, 837-849.	1.3	168
83	Shiga toxin 1 and ricin inhibit the repair of H2O2-induced DNA single strand breaks in cultured mammalian cells. DNA Repair, 2005, 4, 271-277.	1.3	34
84	Hydrogen peroxide generated at the level of mitochondria in response to peroxynitrite promotes U937 cell death via inhibition of the cytoprotective signalling mediated by cytosolic phospholipase A2. Cell Death and Differentiation, 2004, 11, 974-984.	5.0	25
85	Damage to nuclear DNA induced by Shiga toxin 1 and ricin in human endothelial cells1. FASEB Journal, 2002, 16, 365-372.	0.2	133
86	Delayed Formation of Hydrogen Peroxide Mediates the Lethal Response Evoked by Peroxynitrite in U937 Cells. Molecular Pharmacology, 2002, 61, 870-878.	1.0	32
87	Plant-derived phenolic compounds prevent the DNA single-strand breakage and cytotoxicity induced by tert-butylhydroperoxide via an iron-chelating mechanism. Biochemical Journal, 2002, 364, 121-128.	1.7	89
88	Cell signaling and cytotoxicity by peroxynitrite Environmental Health Perspectives, 2002, 110, 823-825.	2.8	11
89	Cyclic GMP-dependent inhibition of acid sphingomyelinase by nitric oxide: an early step in protection against apoptosis. Cell Death and Differentiation, 2002, 9, 1248-1255.	5.0	44
90	Peroxynitrite stimulates the activity of cytosolic phospholipase A2 in U937 cells: the extent of arachidonic acid formation regulates the balance between cell survival or death. Cell Death and Differentiation, 2002, 9, 1368-1376.	5.0	31

#	Article	IF	CITATIONS
91	Peroxynitrite promotes mitochondrial permeability transition-dependent rapid U937 cell necrosis: Survivors proliferate with kinetics superimposable on those of untreated cells. Free Radical Research, 2001, 34, 513-527.	1.5	23
92	tert-Butylhydroperoxide induces peroxynitrite-dependent mitochondrial permeability transition leading PC12 cells to necrosis. Journal of Neuroscience Research, 2001, 65, 387-395.	1.3	21
93	Endogenous and exogenous nitric oxide enhance the DNA strand scission induced by tert-butylhydroperoxide in PC12 cells via peroxynitrite-dependent and independent mechanisms, respectively. European Journal of Neuroscience, 2000, 12, 145-154.	1.2	11
94	Arachidonic acid induces calcium-dependent mitochondrial formation of species promoting strand scission of genomic DNA. Free Radical Biology and Medicine, 2000, 28, 1619-1627.	1.3	5
95	Products of the phospholipase A2 pathway mediate the dihydrorhodamine fluorescence response evoked by endogenous and exogenous peroxynitrite in PC12 cells. Free Radical Biology and Medicine, 2000, 29, 783-789.	1.3	10
96	Nitric oxide inhibits tumor necrosis factor-alpha -induced apoptosis by reducing the generation of ceramide. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 5480-5485.	3.3	110
97	Apoptosis and necrosis following exposure of U937 cells to increasing concentrations of hydrogen peroxide: the effect of the poly(ADP-ribose)polymerase inhibitor 3-aminobenzamide. Biochemical Pharmacology, 1999, 58, 1743-1750.	2.0	61
98	Osmotically driven radial diffusion of single-stranded DNA fragments on an agarose bed as a convenient measure of DNA strand scission. Free Radical Biology and Medicine, 1999, 26, 1019-1026.	1.3	39
99	The antioxidant butylated hydroxytoluene induces apoptosis in human U937 cells: The role of hydrogen peroxide and altered redox state. Free Radical Research, 1999, 31, 93-101.	1.5	14
100	Rotenone and pyruvate prevent the tert -butylhydroperoxide-induced necrosis of U937 cells and allow them to proliferate. FEBS Letters, 1999, 457, 139-143.	1.3	14
101	Opposite effects of nitric oxide donors on DNA single strand breakage and cytotoxicity caused by tert -butylhydroperoxide. British Journal of Pharmacology, 1998, 123, 1311-1316.	2.7	20
102	Quercetin Prevents DNA Single Strand Breakage and Cytotoxicity Caused By tert-Butylhydroperoxide: Free Radical Scavenging Versus Iron Chelating Mechanism. Free Radical Biology and Medicine, 1998, 25, 196-200.	1.3	171
103	Mitochondrial respiratory chain deficiency leads to overexpression of antioxidant enzymes. FEBS Letters, 1997, 418, 247-250.	1.3	20
104	Isolation and preliminary characterization of a Chinese hamster ovary cell line with high-degree resistance to hydrogen peroxide. Biochemical Pharmacology, 1996, 51, 1021-1029.	2.0	8
105	Prevention of necrosis and activation of apoptosis in oxidatively injured human myeloid leukemia U937 cells. FEBS Letters, 1996, 390, 91-94.	1.3	42
106	Direct excision of 50 kb pair DNA fragments from megabase-sized fragments produced during apoptotic cleavage of genomic DNA. FEBS Letters, 1996, 396, 337-342.	1.3	24
107	Apoptosis of Human Lymphocytes in the Absence or Presence of Internucleosomal DNA Cleavage. Biochemical and Biophysical Research Communications, 1996, 229, 910-915.	1.0	28
108	Low levels of hydrogen peroxide and l-histidine induce DNA double-strand breakage and apoptosis. European Journal of Pharmacology, 1996, 318, 167-173.	1.7	13

#	Article	IF	CITATIONS
109	SHORT COMMUNICATION: AG8 cells, which are highly resistant to hydrogen peroxide, display collateral sensitivity to the combination of hydrogen peroxide and L-histidine. Carcinogenesis, 1996, 17, 885-888.	1.3	4
110	Simultaneous determination of DNA double strand breaks and DNA fragment size in cultured mammalian cells exposed to hydrogen peroxide/histidine or etoposide with CHEF electrophoresis. Carcinogenesis, 1995, 16, 703-706.	1.3	22
111	Evidence for separate mechanisms of cytotoxicity in mammalian cells treated with hydrogen peroxide in the absence or presence of L-histidine. Biochimica Et Biophysica Acta - Molecular Cell Research, 1995, 1268, 130-136.	1.9	22
112	The L-histidine-mediated enhancement of hydrogen peroxide-induced DNA double strand breakage and cytotoxicity does not involve metabolic processes. Biochemical Pharmacology, 1995, 50, 1823-1830.	2.0	10
113	L-histidine-mediated enhancement of hydrogen peroxide-induced cytotoxicity: relationships between dna single/double strand breakage and cell killing. Pharmacological Research, 1994, 29, 169-178.	3.1	13
114	Development and characterization of hydrogen preoxide-resistant Chinese hamster overy (CHO) cell variants—ll. Relationships between non-protein sulfydryl levels and the induction/stability of the oxidant-resistant phenotype. Biochemical Pharmacology, 1994, 47, 1258-1261.	2.0	11
115	The induction/loss of the oxidant-resistant phenotype of Chinese hamster ovary (CHO) cell variants does not correlate with sensitivity to DNA single strand breakage by hydrogen peroxide. Biochemical Pharmacology, 1994, 48, 1701-1706.	2.0	10
116	Thel-histidine-mediated enhancement of hydrogen peroxide-induced cytotoxicity is a general response in cultured mammalian cell lines and is always associated with the formation of DNA double strand breaks. FEBS Letters, 1994, 353, 75-78.	1.3	16
117	Hydrogen peroxide cytotoxicity under conditions of normal or reduced catalase activity in H2O2-sensitive and -resistant Chinese hamster ovary (CHO) cell variants. Toxicology Letters, 1994, 73, 193-199.	0.4	5
118	Development and characterization of hydrogen peroxide-resistant chinese hamster ovary cell variants—l. Biochemical Pharmacology, 1993, 45, 2251-2257.	2.0	23
119	The Role of Extracellular Medium Components and Specific Amino Acids in the Cytotoxic Response of Escherichia Coli and Chinese Hamster Ovary Cells to Hydrogen Peroxide. Free Radical Research Communications, 1992, 16, 41-49.	1.8	13
120	l-Glutamine prevents the l-histidine-mediated enhancement of hydrogen peroxide-induced cytotoxicity. Biochemical Pharmacology, 1992, 44, 2418-2421.	2.0	14
121	Electric and/or magnetic field effects on DNA structure and function in cultured human cells. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1992, 282, 25-29.	1.2	44
122	Induction of DNA double strand breaks in cultured mammalian cells exposed to hydrogen peroxide and histidine. Cytotechnology, 1991, 5, 80-81.	0.7	3
123	Oxidant-induced Inhibition of DNA Synthesis. ATLA Alternatives To Laboratory Animals, 1991, 19, 84-86.	0.7	0
124	Exogenous Histidine as a Co-factor which Exacerbates the Toxicity of Hydrogen Peroxide in Cultured Mammalian and Bacterial Cells. ATLA Alternatives To Laboratory Animals, 1991, 19, 68-70.	0.7	2
125	Inhibition of Chinese hamster ovary cell DNA synthesis by hydrogen peroxide. Chemico-Biological Interactions, 1990, 76, 129-139.	1.7	6
126	Structural requirements for inhibitors of poly(ADP-ribose) Polymerase. Journal of Cancer Research and Clinical Oncology, 1990, 116, 615-622.	1.2	22

#	Article	IF	CITATIONS
127	Comparative effects of doxorubicin and 4?-epi-doxorubicin on nucleic acid metabolism and cytotoxicity in a human tumor cell line. Cancer Chemotherapy and Pharmacology, 1990, 27, 47-51.	1.1	13
128	Cellular and molecular pharmacology of 4?-epidoxorubicin in HeLa Cells. Journal of Cancer Research and Clinical Oncology, 1989, 115, 373-378.	1.2	13
129	Calcium chelator Quin 2 prevents hydrogen-peroxide-induced DNA breakage and cytotoxicity. FEBS Journal, 1989, 182, 209-212.	0.2	145
130	Identification of 4 ataxia telangiectasia cell lines hypersensitive to Î ³ -irradiation but not to hydrogen peroxide. Mutation Research DNA Repair, 1989, 218, 143-148.	3.8	6
131	Analogues of benzamide as poly(ADP-ribose)transferase inhibitors: A study on structure activity relationships. Pharmacological Research Communications, 1988, 20, 613-614.	0.2	4
132	Randomly Distributed DNA Single Strand Breaks are not Lethal for Mammalian Cells. Xenobiotica, 1988, 18, 1481-1487.	0.5	7
133	The effect of temperature or anoxia on Escherichia coli killing induced by hydrogen peroxide. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1987, 190, 237-240.	1.2	24
134	Chilling followed by incubation at 37°C causes a reduction in NAD+ levels which can be prevented by the poly(ADP-ribose)transferase inhibitor 3-aminobenzamide. FEBS Letters, 1986, 204, 266-268.	1.3	2
135	1,3 Dideazaadenosine is a mitogen for cultured mammalian cells. Pharmacological Research Communications, 1986, 18, 333-342.	0.2	1
136	Regulatory role of extracellular medium components in metal induced cyto- and geno-toxicity. Bulletin of Environmental Contamination and Toxicology, 1986, 37, 883-889.	1.3	4
137	Inhibition of nucleic acids and protein synthesis by deazaadenosine derivatives: A study on structure-activity relationships. Pharmacological Research Communications, 1985, 17, 1087-1094.	0.2	2
138	Adriamycin does not affect the repair of X-ray induced DNA single strand breaks. Cancer Letters, 1985, 27, 215-219.	3.2	2