

Ruth Hogg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2113858/publications.pdf>

Version: 2024-02-01

121
papers

4,724
citations

117453

34
h-index

114278

63
g-index

124
all docs

124
docs citations

124
times ranked

6036
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Age-Related Macular Degeneration in Europe. <i>Ophthalmology</i> , 2017, 124, 1753-1763.	2.5	337
2	Increasing Prevalence of Myopia in Europe and the Impact of Education. <i>Ophthalmology</i> , 2015, 122, 1489-1497.	2.5	329
3	Prevalence of refractive error in Europe: the European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2015, 30, 305-315.	2.5	306
4	Risk factors and biomarkers of age-related macular degeneration. <i>Progress in Retinal and Eye Research</i> , 2016, 54, 64-102.	7.3	265
5	Common variants near FRK/COL10A1 and VEGFA are associated with advanced age-related macular degeneration. <i>Human Molecular Genetics</i> , 2011, 20, 3699-3709.	1.4	232
6	Visual function and dysfunction in early and late age-related maculopathy. <i>Progress in Retinal and Eye Research</i> , 2006, 25, 249-276.	7.3	149
7	Optical coherence tomography (OCT) for detection of macular oedema in patients with diabetic retinopathy. <i>The Cochrane Library</i> , 2015, 1, CD008081.	1.5	137
8	Cardiovascular Disease and Hypertension Are Strong Risk Factors for Choroidal Neovascularization. <i>Ophthalmology</i> , 2008, 115, 1046-1052.e2.	2.5	128
9	Disorganization of Inner Retina and Outer Retinal Morphology in Diabetic Macular Edema. <i>JAMA Ophthalmology</i> , 2018, 136, 202.	1.4	127
10	Individual differences in human eye movements: An oculomotor signature?. <i>Vision Research</i> , 2017, 141, 157-169.	0.7	122
11	Neovascular Age-Related Macular Degeneration Risk Based on CFH, LOC387715/HTRA1, and Smoking. <i>PLoS Medicine</i> , 2007, 4, e355.	3.9	101
12	The clinical relevance of visualising the peripheral retina. <i>Progress in Retinal and Eye Research</i> , 2019, 68, 83-109.	7.3	91
13	Clinical Characteristics of Reticular Pseudodrusen in the Fellow Eye of Patients with Unilateral Neovascular Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2014, 121, 1748-1755.	2.5	89
14	Increased High-Density Lipoprotein Levels Associated with Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2019, 126, 393-406.	2.5	88
15	Higher plasma levels of complement C3a, C4a and C5a increase the risk of subretinal fibrosis in neovascular age-related macular degeneration. <i>Immunity and Ageing</i> , 2016, 13, 4.	1.8	81
16	Dyslipidemia and Diabetic Macular Edema. <i>Ophthalmology</i> , 2015, 122, 1820-1827.	2.5	80
17	Heritability and Genome-Wide Association Study to Assess Genetic Differences between Advanced Age-related Macular Degeneration Subtypes. <i>Ophthalmology</i> , 2012, 119, 1874-1885.	2.5	73
18	A population study of binocular function. <i>Vision Research</i> , 2015, 110, 34-50.	0.7	70

#	ARTICLE	IF	CITATIONS
19	Small RNAs from plants, bacteria and fungi within the order Hypocreales are ubiquitous in human plasma. <i>BMC Genomics</i> , 2014, 15, 933.	1.2	64
20	Comparison of Associations with Different Macular Inner Retinal Thickness Parameters in a Large Cohort. <i>Ophthalmology</i> , 2020, 127, 62-71.	2.5	64
21	Mediterranean Diet Score and Its Association with Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2017, 124, 82-89.	2.5	63
22	Association Between Myopia, Ultraviolet B Radiation Exposure, Serum Vitamin D Concentrations, and Genetic Polymorphisms in Vitamin D Metabolic Pathways in a Multicountry European Study. <i>JAMA Ophthalmology</i> , 2017, 135, 47.	1.4	62
23	Systemic and Ocular Determinants of Peripapillary Retinal Nerve Fiber Layer Thickness Measurements in the European Eye Epidemiology (E3) Population. <i>Ophthalmology</i> , 2018, 125, 1526-1536.	2.5	62
24	Further Assessment of the Complement Component 2 and Factor B Region Associated with Age-Related Macular Degeneration. , 2009, 50, 533.		58
25	Genome-wide association meta-analysis for early age-related macular degeneration highlights novel loci and insights for advanced disease. <i>BMC Medical Genomics</i> , 2020, 13, 120.	0.7	56
26	STAT3 Activation in Circulating Monocytes Contributes to Neovascular Age-Related Macular Degeneration. <i>Current Molecular Medicine</i> , 2016, 16, 412-423.	0.6	52
27	AMD and micronutrient antioxidants. <i>Current Eye Research</i> , 2004, 29, 387-401.	0.7	51
28	Peripheral blood mononuclear cells from neovascular age-related macular degeneration patients produce higher levels of chemokines CCL2 (MCP-1) and CXCL8 (IL-8). <i>Journal of Neuroinflammation</i> , 2017, 14, 42.	3.1	49
29	IDENTIFYING FEATURES OF EARLY AND LATE AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2018, 38, 1751-1758.	1.0	49
30	Identification of lesion components that influence visual function in age related macular degeneration. <i>British Journal of Ophthalmology</i> , 2003, 87, 609-614.	2.1	47
31	The Effect of Statins on Intraocular Pressure and on the Incidence and Progression of Glaucoma: A Systematic Review and Meta-Analysis. , 2016, 57, 2729.		44
32	Genetic association suggests that SMOC1 mediates between prenatal sex hormones and digit ratio. <i>Human Genetics</i> , 2013, 132, 415-421.	1.8	43
33	Effect of a Local Vision Care Center on Eyeglasses Use and School Performance in Rural China. <i>JAMA Ophthalmology</i> , 2018, 136, 731.	1.4	43
34	Do different "magnocellular tasks" probe the same neural substrate?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4263-4271.	1.2	41
35	Low-dose (0.01%) atropine eye-drops to reduce progression of myopia in children: a multicentre placebo-controlled randomised trial in the UK (CHAMP-UK)" study protocol. <i>British Journal of Ophthalmology</i> , 2020, 104, 950-955.	2.1	39
36	Carotenoids and Co-Antioxidants in Age-Related Maculopathy: Design and Methods. <i>Ophthalmic Epidemiology</i> , 2008, 15, 389-401.	0.8	37

#	ARTICLE	IF	CITATIONS
37	Antioxidants and Diabetic Retinopathy. <i>Current Diabetes Reports</i> , 2013, 13, 481-487.	1.7	37
38	Alterations in Circulating Immune Cells in Neovascular Age-Related Macular Degeneration. <i>Scientific Reports</i> , 2015, 5, 16754.	1.6	34
39	Variants in the 1q21 risk region are associated with a visual endophenotype of autism and schizophrenia. <i>Genes, Brain and Behavior</i> , 2014, 13, 144-151.	1.1	32
40	Ophthalmic epidemiology in Europe: the "European Eye Epidemiology" (E3) consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 197-210.	2.5	32
41	The effect of lutein- and zeaxanthin-rich foods <i>v.</i> supplements on macular pigment level and serological markers of endothelial activation, inflammation and oxidation: pilot studies in healthy volunteers. <i>British Journal of Nutrition</i> , 2012, 108, 334-342.	1.2	29
42	Associations with Corneal Hysteresis in a Population Cohort. <i>Ophthalmology</i> , 2019, 126, 1500-1510.	2.5	29
43	Clinical features and long-term progression of reticular pseudodrusen in age-related macular degeneration: findings from a multicenter cohort. <i>Eye</i> , 2017, 31, 364-371.	1.1	28
44	An exploratory factor analysis of visual performance in a large population. <i>Vision Research</i> , 2017, 141, 303-316.	0.7	27
45	Quantile regression analysis reveals widespread evidence for gene-environment or gene-gene interactions in myopia development. <i>Communications Biology</i> , 2019, 2, 167.	2.0	27
46	Evidence for Structural and Functional Damage of the Inner Retina in Diabetes With No Diabetic Retinopathy. , 2021, 62, 35.		27
47	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E3) Consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 1101-1111.	2.5	26
48	Accuracy of trained rural ophthalmologists versus non-medical image graders in the diagnosis of diabetic retinopathy in rural China. <i>British Journal of Ophthalmology</i> , 2018, 102, 1471-1476.	2.1	24
49	In vivo macular pigment measurements: a comparison of resonance Raman spectroscopy and heterochromatic flicker photometry. <i>British Journal of Ophthalmology</i> , 2007, 91, 485-490.	2.1	22
50	Prevalence of diabetic retinopathy and visual impairment in patients with diabetes mellitus in Zambia through the implementation of a mobile diabetic retinopathy screening project in the Copperbelt province: a cross-sectional study. <i>Eye</i> , 2018, 32, 1201-1208.	1.1	22
51	Multi-trait genome-wide association study identifies new loci associated with optic disc parameters. <i>Communications Biology</i> , 2019, 2, 435.	2.0	22
52	Monitoring for neovascular age-related macular degeneration (AMD) reactivation at home: the MONARCH study. <i>Eye</i> , 2021, 35, 592-600.	1.1	21
53	<i>FLT1</i> Genetic Variation Predisposes to Neovascular AMD in Ethnically Diverse Populations and Alters Systemic FLT1 Expression. , 2014, 55, 3543.		20
54	Reticular Pseudodrusen in Age-Related Macular Degeneration. <i>Optometry and Vision Science</i> , 2014, 91, 854-859.	0.6	20

#	ARTICLE	IF	CITATIONS
55	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans. <i>Ophthalmology</i> , 2018, 125, 1149-1159.	2.5	20
56	Retinal asymmetry in multiple sclerosis. <i>Brain</i> , 2021, 144, 224-235.	3.7	20
57	The Reduction of Serum Soluble Flt-1 in Patients With Neovascular Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2015, 159, 92-100.e2.	1.7	17
58	Revisiting the Drasdo Model: Implications for Structure-Function Analysis of the Macular Region. <i>Translational Vision Science and Technology</i> , 2020, 9, 15.	1.1	17
59	Diagnostic Accuracy of Monitoring Tests of Fellow Eyes in Patients with Unilateral Neovascular Age-Related Macular Degeneration. <i>Ophthalmology</i> , 2021, 128, 1736-1747.	2.5	17
60	Health professionals' and service users' perspectives of shared care for monitoring wet age-related macular degeneration: a qualitative study alongside the ECHoES trial. <i>BMJ Open</i> , 2015, 5, e007400-e007400.	0.8	16
61	Patient-reported outcomes in randomised controlled trials on age-related macular degeneration. <i>British Journal of Ophthalmology</i> , 2015, 99, 1560-1564.	2.1	16
62	Glaucoma in the Northern Ireland Cohort for the Longitudinal Study of Ageing (NICOLA): cohort profile, prevalence, awareness and associations. <i>British Journal of Ophthalmology</i> , 2020, 104, bjophthalmol-2019-315330.	2.1	16
63	Gene-Environment Interactions and Aging Visual Function. <i>Ophthalmology</i> , 2009, 116, 263-269.e1.	2.5	14
64	Association of reduced inner retinal thicknesses with chronic kidney disease. <i>BMC Nephrology</i> , 2020, 21, 37.	0.8	14
65	Individual differences provide psychophysical evidence for separate on- and off-pathways deriving from short-wave cones. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2014, 31, A47.	0.8	13
66	Association of C-Reactive Protein Genetic Polymorphisms With Late Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2017, 135, 909.	1.4	13
67	Evaluation of coronary artery disease as a risk factor for reticular pseudodrusen. <i>British Journal of Ophthalmology</i> , 2018, 102, 483-489.	2.1	13
68	Changes in Retinal Layer Thickness in the Contralateral Eye of Patients with Unilateral Neovascular Age-Related Macular Degeneration. <i>Ophthalmology Retina</i> , 2019, 3, 112-121.	1.2	13
69	Diagnostic Accuracy of Spectral-Domain OCT Circumpapillary, Optic Nerve Head, and Macular Parameters in the Detection of Perimetric Glaucoma. <i>Ophthalmology Glaucoma</i> , 2019, 2, 336-345.	0.9	12
70	The cost-effectiveness of alternative vision screening models among preschool children in rural China. <i>Acta Ophthalmologica</i> , 2019, 97, e419-e425.	0.6	12
71	Vitreomacular interface abnormalities in patients with diabetic macular oedema and their implications on the response to anti-VEGF therapy. <i>Graefes' Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 1411-1418.	1.0	11
72	Assessment of the Vitreomacular Interface Using High-Resolution OCT in a Population-Based Cohort Study of Older Adults. <i>Ophthalmology Retina</i> , 2020, 4, 801-813.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Investigation of the effect of simulated lens yellowing, transparency loss and refractive error on in vivo resonance Raman spectroscopy. <i>Ophthalmic and Physiological Optics</i> , 2007, 27, 225-231.	1.0	10
74	Suggestive Association With Ocular Phoria at Chromosome 6p22. , 2014, 55, 345.		10
75	Association between hypertension and retinal vascular features in ultra-widefield fundus imaging. <i>Open Heart</i> , 2020, 7, e001124.	0.9	10
76	Early Features of AMD. <i>Ophthalmology</i> , 2007, 114, 1028-1028.e3.	2.5	9
77	Heritability of the spatial distribution and peak density of macular pigment: a classical twin study. <i>Eye</i> , 2012, 26, 1217-1225.	1.1	9
78	A Posterioriâ€œDerived Dietary Patterns and Retinal Vessel Caliber in an Elderly Population. , 2013, 54, 1337.		9
79	Rapid quantification of microRNAs in plasma using a fast real-time PCR system. <i>BioTechniques</i> , 2015, 58, 244-52.	0.8	9
80	Effectiveness of Community versus Hospital Eye Service follow-up for patients with neovascular age-related macular degeneration with quiescent disease (ECHOES): a virtual non-inferiority trial. <i>BMJ Open</i> , 2016, 6, e010685.	0.8	9
81	Cost-effectiveness of community versus hospital eye service follow-up for patients with quiescent treated age-related macular degeneration alongside the ECHOES randomised trial. <i>BMJ Open</i> , 2016, 6, e011121.	0.8	9
82	The Effectiveness, cost-effectiveness and acceptability of Community versus Hospital Eye Service follow-up for patients with neovascular age-related macular degeneration with quiescent disease (ECHOES): a virtual randomised balanced incomplete block trial. <i>Health Technology Assessment</i> , 2016, 20, 1-120.	1.3	9
83	Impact of car transport availability and drive time on eye examination uptake among adults aged â‰¥60 years: a record linkage study. <i>British Journal of Ophthalmology</i> , 2019, 103, 730-736.	2.1	8
84	Population prevalence of myopia, glasses wear and free glasses acceptance among minority versus Han schoolchildren in China. <i>PLoS ONE</i> , 2019, 14, e0215660.	1.1	8
85	Plasma level of lipocalin 2 is increased in neovascular age-related macular degeneration patients, particularly those with macular fibrosis. <i>Immunity and Ageing</i> , 2020, 17, 35.	1.8	8
86	Intraocular pressure and circumpapillary retinal nerve fibre layer thickness in the Northern Ireland Cohort for the Longitudinal Study of Ageing (NICOLA): distributions and associations. <i>British Journal of Ophthalmology</i> , 2021, 105, 948-956.	2.1	8
87	Association of retinal venular tortuosity with impaired renal function in the Northern Ireland Cohort for the Longitudinal Study of Ageing. <i>BMC Nephrology</i> , 2020, 21, 382.	0.8	8
88	Delayed attendance at routine eye examinations is associated with increased probability of general practitioner referral: a record linkage study in Northern Ireland. <i>Ophthalmic and Physiological Optics</i> , 2020, 40, 365-375.	1.0	8
89	Associations of Alcohol Consumption and Smoking With Disease Risk and Neurodegeneration in Individuals With Multiple Sclerosis in the United Kingdom. <i>JAMA Network Open</i> , 2022, 5, e220902.	2.8	8
90	GENOTYPEâ€œPHENOTYPE ASSOCIATIONS IN NEOVASCULAR AGE-RELATED MACULAR DEGENERATION. <i>Retina</i> , 2012, 32, 1950-1958.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Serum amyloid A levels are associated with polymorphic variants in the serum amyloid A 1 and 2 genes. Irish Journal of Medical Science, 2019, 188, 1175-1183.	0.8	7
92	Dietary patterns were not associated with age-related macular degeneration: a cross-sectional analysis in the Irish Nun Eye Study. Irish Journal of Medical Science, 2019, 188, 1005-1012.	0.8	7
93	Severity Staging by Early Features of Age-Related Maculopathy Exhibits Weak Relationships with Functional Deficits on SWS Grating Acuity. , 2006, 47, 4624.		6
94	Determinants of Test Variability in Scotopic Microperimetry: Effects of Dark Adaptation and Test Indices. Translational Vision Science and Technology, 2021, 10, 26.	1.1	6
95	Structure-Function Analysis in Macular Drusen With Mesopic and Scotopic Microperimetry. Translational Vision Science and Technology, 2020, 9, 43.	1.1	6
96	Design characteristic of randomised controlled trials for geographic atrophy in age-related macular degeneration: selection of outcomes and sample size calculation. Eye, 2015, 29, 1458-1463.	1.1	5
97	Can ultra-wide field retinal imaging replace colour digital stereoscopy for glaucoma detection?. Ophthalmic Epidemiology, 2018, 25, 63-69.	0.8	5
98	Mediterranean Diet and Age-Related Macular Degeneration: Is It Time to Attempt Dietary Modification?. Ophthalmology, 2019, 126, 391-392.	2.5	5
99	Core outcomes for geographic atrophy trials. British Journal of Ophthalmology, 2019, 104, bjophthalmol-2019-314949.	2.1	5
100	Simple non-mydratiac retinal photography is feasible and demonstrates retinal microvascular dilation in Chronic Obstructive Pulmonary Disease (COPD). PLoS ONE, 2020, 15, e0227175.	1.1	5
101	Non-invasive testing for early detection of neovascular macular degeneration in unaffected second eyes of older adults: EDNA diagnostic accuracy study. Health Technology Assessment, 2022, 26, 1-142.	1.3	5
102	GRADING OF AGE-RELATED MACULOPATHY. Retina, 2009, 29, 192-198.	1.0	4
103	Comparison of Goldmann applanation and Ocular Response Analyser tonometry: intraocular pressure agreement and patient preference. Eye, 2020, 34, 584-590.	1.1	4
104	Appearance of the Frequency-Doubling Stimulus at Threshold. , 2009, 50, 1477.		3
105	Counterphase modulation flicker photometry: phenotypic and genotypic associations. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, A226.	0.8	3
106	The design and implementation of a study to investigate the effectiveness of community vs hospital eye service follow-up for patients with neovascular age-related macular degeneration with quiescent disease. Eye, 2016, 30, 68-78.	1.1	3
107	Confocal infrared imaging with optical coherence tomography provides superior detection of a number of common macular lesions compared to colour fundus photography. Ophthalmic and Physiological Optics, 2018, 38, 574-583.	1.0	3
108	Author Response: Statin Use and Open-Angle Glaucoma: Evidence From Observational Studies. , 2017, 58, 158.		2

#	ARTICLE	IF	CITATIONS
109	Creating a virtual community of practice: an evaluation of ophthalmology-optometry Project ECHO. <i>Eye</i> , 2018, 32, 1910-1911.	1.1	2
110	Fast 3-dimensional estimation of the Foveal Avascular Zone from OCTA. , 2021, , .		2
111	Quantitative Parameters from OCT Angiography in Patients with Diabetic Retinopathy and in Those with Only Peripheral Retinopathy Compared with Control Participants. <i>Ophthalmology Science</i> , 2021, 1, 100030.	1.0	2
112	Author Response: A Meta-Analysis of Glaucoma Risk in Hyperlipidemic Individuals: A Critical Problem in Design. , 2016, 57, 6341.		1
113	Prognostic factors for the development and progression of proliferative diabetic retinopathy in people with diabetic retinopathy. <i>The Cochrane Library</i> , 2020, , .	1.5	1
114	Early detection of neovascular age-related macular degeneration: an economic evaluation based on data from the EDNA study. <i>British Journal of Ophthalmology</i> , 2022, 106, 1754-1761.	2.1	1
115	Abstract P400: Screening for Hypertension Using Retinal Vascular Calibre in Ultra-Widefield Fundus Imaging. <i>Hypertension</i> , 2018, 72, .	1.3	1
116	Interconnecting the Mediterranean Diet and Age-Related Macular Degeneration. , 2019, , 425-438.		0
117	Variation in retinal microvascular parameters is associated with mild cognitive impairment and Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e040893.	0.4	0
118	Authors' Reply. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 206-206.	1.0	0
119	Retinal microvascular parameters are not associated with diabetes in the Northern Ireland Cohort for the Longitudinal Study of Ageing. <i>Irish Journal of Medical Science</i> , 2021, , 1.	0.8	0
120	A Quick and Easy Eye Test for Identifying Those at Most Risk of Developing Early Age-Related Macular Degeneration. , 2016, 57, 1790.		0
121	Retinal Thickness Is Not Associated with Renal Function in Diabetes. <i>Diabetes</i> , 2018, 67, .	0.3	0