

Qiang Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/211403/qiang-li-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,251
citations

20
h-index

33
g-index

63
ext. papers

1,595
ext. citations

7.1
avg, IF

4.67
L-index

#	Paper	IF	Citations
61	Morphology-tunable synthesis of ZnO nanoforest and its photoelectrochemical performance. <i>Nanoscale</i> , 2014 , 6, 8769-80	7.7	120
60	Three-dimensional ZnO@MnO ₂ core@shell nanostructures for electrochemical energy storage. <i>Chemical Communications</i> , 2013 , 49, 4456-8	5.8	106
59	High-Strength Nanotwinned Al Alloys with 9R Phase. <i>Advanced Materials</i> , 2018 , 30, 1704629	24	60
58	High temperature deformability of ductile flash-sintered ceramics via in-situ compression. <i>Nature Communications</i> , 2018 , 9, 2063	17.4	56
57	Facile and Scalable Synthesis of Waterpillar-like ZnO Nanostructures with Enhanced Photoelectrochemical Water-Splitting Effect. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 13467-13475	3.8	52
56	Extrinsic Green Photoluminescence from the Edges of 2D Cesium Lead Halides. <i>Advanced Materials</i> , 2019 , 31, e1902492	24	48
55	Three-dimensional strain engineering in epitaxial vertically aligned nanocomposite thin films with tunable magnetotransport properties. <i>Materials Horizons</i> , 2018 , 5, 536-544	14.4	44
54	Mechanical behavior of structurally gradient nickel alloy. <i>Acta Materialia</i> , 2018 , 149, 57-67	8.4	44
53	Ultrastrong nanocrystalline stainless steel and its Hall-Petch relationship in the nanoscale. <i>Scripta Materialia</i> , 2018 , 155, 26-31	5.6	33
52	Microstructure and mechanical behavior of nanotwinned AlTi alloys with 9R phase. <i>Scripta Materialia</i> , 2018 , 148, 5-9	5.6	31
51	Understanding the Influence of Polypyrrole Coating over V ₂ O ₅ Nanofibers on Electrochemical Properties. <i>Electrochimica Acta</i> , 2015 , 174, 563-573	6.7	30
50	Tailoring the strength and ductility of T91 steel by partial tempering treatment. <i>Acta Materialia</i> , 2019 , 169, 209-224	8.4	29
49	High-velocity projectile impact induced 9R phase in ultrafine-grained aluminium. <i>Nature Communications</i> , 2017 , 8, 1653	17.4	28
48	In situ heavy ion irradiation studies of nanopore shrinkage and enhanced radiation tolerance of nanoporous Au. <i>Scientific Reports</i> , 2017 , 7, 39484	4.9	27
47	Size dependent strengthening in high strength nanotwinned Al/Ti multilayers. <i>Acta Materialia</i> , 2019 , 175, 466-476	8.4	26
46	High temperature thermal and mechanical stability of high-strength nanotwinned Al alloys. <i>Acta Materialia</i> , 2019 , 165, 142-152	8.4	25
45	Tailoring strength and plasticity of Ag/Nb nanolaminates via intrinsic microstructure and extrinsic dimension. <i>International Journal of Plasticity</i> , 2019 , 113, 145-157	7.6	23

44	High strength, deformable nanotwinned Al ₂ O ₃ alloys. <i>Materials Research Letters</i> , 2019 , 7, 33-39	7.4	22
43	Synchronous exfoliation and assembly of graphene on 3D Ni(OH) ₂ for supercapacitors. <i>Chemical Communications</i> , 2016 , 52, 13373-13376	5.8	22
42	Texture-directed twin formation propensity in Al with high stacking fault energy. <i>Acta Materialia</i> , 2018 , 144, 226-234	8.4	22
41	In situ studies on irradiation resistance of nanoporous Au through temperature-jump tests. <i>Acta Materialia</i> , 2018 , 143, 30-42	8.4	20
40	Key microstructural characteristics in flash sintered 3YSZ critical for enhanced sintering process. <i>Ceramics International</i> , 2019 , 45, 1251-1257	5.1	20
39	Ultra-strong nanotwinned Al-Ni solid solution alloys with significant plasticity. <i>Nanoscale</i> , 2018 , 10, 22025-22034	7.7	19
38	Helium irradiation induced ultra-high strength nanotwinned Cu with nanovoids. <i>Acta Materialia</i> , 2019 , 177, 107-120	8.4	18
37	Strain-driven nanodumbbell structure and enhanced physical properties in hybrid vertically aligned nanocomposite thin films. <i>Applied Materials Today</i> , 2019 , 16, 204-212	6.6	17
36	Deformation mechanisms in FCC Co dominated by high-density stacking faults. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 736, 12-21	5.3	17
35	Ductile Fracture of Metallic Glass Nanolaminates. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700510	4.6	16
34	Phase transformation induced plasticity in high-strength hexagonal close packed Co with stacking faults. <i>Scripta Materialia</i> , 2019 , 173, 32-36	5.6	15
33	Hierarchical nanotwins in single-crystal-like nickel with high strength and corrosion resistance produced via a hybrid technique. <i>Nanoscale</i> , 2020 , 12, 1356-1365	7.7	15
32	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part I: Texture effect. <i>Acta Materialia</i> , 2020 , 185, 181-192	8.4	15
31	Hierarchical nitrogen and cobalt co-doped TiO ₂ prepared by an interface-controlled self-aggregation process. <i>Journal of Alloys and Compounds</i> , 2013 , 575, 128-136	5.7	14
30	Strain and property tuning of the 3D framed epitaxial nanocomposite thin films via interlayer thickness variation. <i>Journal of Applied Physics</i> , 2019 , 125, 082530	2.5	13
29	Strong and plastic metallic composites with nanolayered architectures. <i>Acta Materialia</i> , 2020 , 195, 240-251	7.4	13
28	In situ study on surface roughening in radiation-resistant Ag nanowires. <i>Nanotechnology</i> , 2018 , 29, 215708	7.8	13
27	Dependence of Photoelectrochemical Properties on Geometry Factors of Interconnected Caterpillar-like ZnO Networks. <i>Electrochimica Acta</i> , 2016 , 222, 232-245	6.7	13

26	Tailoring plasticity of metallic glasses via interfaces in Cu/amorphous CuNb laminates. <i>Journal of Materials Research</i> , 2017 , 32, 2680-2689	2.5	13
25	Study of deformation mechanisms in flash-sintered yttria-stabilized zirconia by in-situ micromechanical testing at elevated temperatures. <i>Materials Research Letters</i> , 2019 , 7, 194-202	7.4	12
24	Plastic anisotropy and tension-compression asymmetry in nanotwinned AlBe alloys: An in-situ micromechanical investigation. <i>International Journal of Plasticity</i> , 2020 , 132, 102760	7.6	12
23	Enhanced Mechanical and Biological Performance of an Extremely Fine Nanograined 316L Stainless Steel Cell-Substrate Interface Fabricated by Ultrasonic Shot Peening. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 1609-1621	5.5	11
22	In-situ high temperature micromechanical testing of ultrafine grained yttria-stabilized zirconia processed by spark plasma sintering. <i>Acta Materialia</i> , 2018 , 155, 128-137	8.4	11
21	Strengthening mechanisms and deformability of nanotwinned AlMg alloys. <i>Journal of Materials Research</i> , 2018 , 33, 3739-3749	2.5	11
20	Mixed-valent VOx/polymer nanohybrid fibers for flexible energy storage materials. <i>Ceramics International</i> , 2014 , 40, 5073-5077	5.1	10
19	Thick grain boundary induced strengthening in nanocrystalline Ni alloy. <i>Nanoscale</i> , 2019 , 11, 23449-23458	7.7	10
18	Deformation behavior and phase transformation of nanotwinned Al/Ti multilayers. <i>Applied Surface Science</i> , 2020 , 527, 146776	6.7	9
17	Thermal stability and deformability of annealed nanotwinned Al/Ti multilayers. <i>Scripta Materialia</i> , 2020 , 186, 219-224	5.6	8
16	Coupled solute effects enable anomalous high-temperature strength and stability in nanotwinned Al alloys. <i>Acta Materialia</i> , 2020 , 200, 378-388	8.4	8
15	Asymmetric supercapacitors with dominant pseudocapacitance based on manganese oxide nanoflowers in a neutral aqueous electrolyte. <i>RSC Advances</i> , 2013 , 3, 24886	3.7	7
14	Role of Interlayer in 3D Vertically Aligned Nanocomposite Frameworks with Tunable Magnetotransport Properties. <i>Advanced Materials Interfaces</i> , 2020 , 7, 1901990	4.6	6
13	Strategies to tailor serrated flows in metallic glasses. <i>Journal of Materials Research</i> , 2019 , 34, 1595-1607	2.5	5
12	Design of super-strong and thermally stable nanotwinned Al alloys solute synergy. <i>Nanoscale</i> , 2020 , 12, 20491-20505	7.7	5
11	Microstructural evolution of nanotwinned Al-Zr alloy with significant 9R phase. <i>Materials Research Letters</i> , 2021 , 9, 91-98	7.4	5
10	High-strength and tunable plasticity in sputtered AlTi alloys with multistage phase transformations. <i>International Journal of Plasticity</i> , 2021 , 137, 102915	7.6	4
9	TiO ₂ Fibers: Tunable Polymorphic Phase Transformation and Electrochemical Properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 3750-6	1.3	3

8	Tailoring the formation of twins in Al by introducing epitaxial layer interfaces. <i>Scripta Materialia</i> , 2021 , 192, 1-6	5.6	3
7	First-principles calculations for understanding microstructures and mechanical properties of co-sputtered Al alloys. <i>Nanoscale</i> , 2021 , 13, 14987-15001	7.7	3
6	Heterogeneous Manganese Oxide-Encased Carbon Nanocomposite Fibers for High Performance Pseudocapacitors. <i>Ceramic Engineering and Science Proceedings</i> , 2013 , 41-55	0.1	2
5	High-strength nanocrystalline intermetallics with room temperature deformability enabled by nanometer thick grain boundaries. <i>Science Advances</i> , 2021 , 7,	14.3	2
4	Ultra-high strength and plasticity mediated by partial dislocations and defect networks: Part II: Layer thickness effect. <i>Acta Materialia</i> , 2021 , 204, 116494	8.4	2
3	Extrinsic size dependent plastic deformability of ZnS micropillars. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139706	5.3	1
2	Realization of ODS-Cu/T91 Tube-to-tube Joining with Rotary Friction Welding. <i>Fusion Engineering and Design</i> , 2020 , 158, 111699	1.7	1
1	Achieving strong and stable nanocrystalline Al alloys through compositional design. <i>Journal of Materials Research</i> , 1	2.5	0