

# Jens Cosedis Nielsen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2114310/jens-cosedis-nielsen-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177  
papers

7,865  
citations

33  
h-index

87  
g-index

200  
ext. papers

10,600  
ext. citations

5.6  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
177	Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. <i>New England Journal of Medicine</i> , <b>2016</b> , 375, 1221-30	59.2	876
176	HRS expert consensus statement on the diagnosis and management of arrhythmias associated with cardiac sarcoidosis. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1305-23	6.7	710
175	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , <b>2018</b> , 20, e1-e160	3.9	461
174	Complications after cardiac implantable electronic device implantations: an analysis of a complete, nationwide cohort in Denmark. <i>European Heart Journal</i> , <b>2014</b> , 35, 1186-94	9.5	440
173	Radiofrequency ablation as initial therapy in paroxysmal atrial fibrillation. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1587-95	59.2	419
172	A randomized comparison of atrial and dual-chamber pacing in 177 consecutive patients with sick sinus syndrome: echocardiographic and clinical outcome. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 42, 614-23	15.1	396
171	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , <b>2018</b> , 20, 157-208	3.9	227
170	A comparison of single-lead atrial pacing with dual-chamber pacing in sick sinus syndrome. <i>European Heart Journal</i> , <b>2011</b> , 32, 686-96	9.5	189
169	Heart failure and echocardiographic changes during long-term follow-up of patients with sick sinus syndrome randomized to single-chamber atrial or ventricular pacing. <i>Circulation</i> , <b>1998</b> , 97, 987-95	16.7	182
168	Rationale and design of the Apixaban for the Reduction of Thrombo-Embolism in Patients With Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. <i>American Heart Journal</i> , <b>2017</b> , 189, 137-145	4.9	170
167	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , <b>2017</b> , 33, 369-409	1.5	148
166	A Decade of Information on the Use of Cardiac Implantable Electronic Devices and Interventional Electrophysiological Procedures in the European Society of Cardiology Countries: 2017 Report from the European Heart Rhythm Association. <i>Europace</i> , <b>2017</b> , 19, ii1-ii90	3.9	133
165	2018 EHRA expert consensus statement on lead extraction: recommendations on definitions, endpoints, research trial design, and data collection requirements for clinical scientific studies and registries: endorsed by APHRS/HRS/LAHRs. <i>Europace</i> , <b>2018</b> , 20, 1217	3.9	126
164	Apixaban in patients at risk of stroke undergoing atrial fibrillation ablation. <i>European Heart Journal</i> , <b>2018</b> , 39, 2942-2955	9.5	121
163	Radiofrequency ablation vs. antiarrhythmic drug therapy as first line treatment of symptomatic atrial fibrillation: systematic review and meta-analysis. <i>Europace</i> , <b>2015</b> , 17, 370-8	3.9	117
162	His or para-His pacing preserves left ventricular function in atrioventricular block: a double-blind, randomized, crossover study. <i>Europace</i> , <b>2014</b> , 16, 1189-96	3.9	101
161	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , <b>2016</b> , 18, 37-50	3.9	90

160	Atrioventricular conduction during long-term follow-up of patients with sick sinus syndrome. <i>Circulation</i> , <b>1998</b> , 98, 1315-21	16.7	90
159	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , <b>2017</b> , 136, 1772-1780	16.7	89
158	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the 2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Heart Rhythm</i> , <b>2017</b> , 14, e445-e494	3.9	82
157	Incidence of device-related infection in 97750 patients: clinical data from the complete Danish device-cohort (1982-2018). <i>European Heart Journal</i> , <b>2019</b> , 40, 1862-1869	6.7	72
156	Multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 1365-1374	9.5	70
155	Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , <b>2018</b> , 20, 395-407	12.3	70
154	Infected cardiac-implantable electronic devices: prevention, diagnosis, and treatment. <i>European Heart Journal</i> , <b>2015</b> , 36, 2484-90	3.9	66
153	Pneumothorax in cardiac pacing: a population-based cohort study of 28,860 Danish patients. <i>Europace</i> , <b>2012</b> , 14, 1132-8	9.5	63
152	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2017</b> , 50, 1-55	3.9	60
151	Long-term efficacy of catheter ablation as first-line therapy for paroxysmal atrial fibrillation: 5-year outcome in a randomised clinical trial. <i>Heart</i> , <b>2017</b> , 103, 368-376	2.4	58
150	Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. <i>Europace</i> , <b>2012</b> , 14, 682-9	5.1	49
149	Early detection of atrial high rate episodes predicts atrial fibrillation and thromboembolic events in patients with cardiac resynchronization therapy. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2368-75	3.9	45
148	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care: A joint position statement from the Heart Failure Association (HFA), European Heart Rhythm Association (EHRA), and European Association of Cardiovascular Imaging (EACVI) of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 2016-2019	6.7	44
147	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID), and the Very long term follow-up of cardiac resynchronization therapy: clinical outcome and predictors of mortality. <i>European Journal of Heart Failure</i> , <b>2008</b> , 10, 796-801	12.3	38
146	Long-term outcome of ablative therapy of post-operative atrial tachyarrhythmias in patients with tetralogy of Fallot: a European multi-centre study. <i>Europace</i> , <b>2012</b> , 14, 522-7	9.5	35
145	The impact of co-morbidity burden on appropriate implantable cardioverter defibrillator therapy and all-cause mortality: insight from Danish nationwide clinical registers. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 377-386	12.3	33
144		3.9	31
143		12.3	30

142	Left and right ventricular lead positions are imprecisely determined by fluoroscopy in cardiac resynchronization therapy: a comparison with cardiac computed tomography. <i>Europace</i> , <b>2014</b> , 16, 1334-41	3.9	30
141	Clinical practice and implementation of guidelines for the prevention, diagnosis and management of cardiac implantable electronic device infections: results of a worldwide survey under the auspices of the European Heart Rhythm Association. <i>Europace</i> , <b>2019</b> , 21, 1270-1279	3.9	29
140	Managed ventricular pacing compared with conventional dual-chamber pacing for elective replacement in chronically paced patients: results of the Prefer for Elective Replacement Managed Ventricular Pacing randomized study. <i>Heart Rhythm</i> , <b>2014</b> , 11, 992-1000	6.7	29
139	The cost-effectiveness of radiofrequency catheter ablation as first-line treatment for paroxysmal atrial fibrillation: results from a MANTRA-PAF substudy. <i>Europace</i> , <b>2015</b> , 17, 48-55	3.9	27
138	30-year nationwide trends in incidence of atrial fibrillation in Denmark and associated 5-year risk of heart failure, stroke, and death. <i>International Journal of Cardiology</i> , <b>2016</b> , 225, 30-36	3.2	27
137	Thirteen-year nationwide trends in use of implantable cardioverter-defibrillators and subsequent long-term survival. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2018-27	6.7	25
136	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Europace</i> , <b>2020</b> , 22, 1147-1148	3.9	25
135	Radiofrequency ablation of accessory pathways in patients with the Wolff-Parkinson-White syndrome: the long-term mortality and risk of atrial fibrillation. <i>Europace</i> , <b>2015</b> , 17, 117-22	3.9	25
134	Radiofrequency Ablation Versus Antiarrhythmic Drug Therapy for Atrial Fibrillation: Meta-Analysis of Quality of Life, Morbidity, and Mortality. <i>JACC: Clinical Electrophysiology</i> , <b>2016</b> , 2, 170-180	4.6	25
133	Rationale and design of AXAFA-AFNET 5: an investigator-initiated, randomized, open, blinded outcome assessment, multi-centre trial to comparing continuous apixaban to vitamin K antagonists in patients undergoing atrial fibrillation catheter ablation. <i>Europace</i> , <b>2017</b> , 19, 132-138	3.9	24
132	Radiofrequency catheter ablation maintains its efficacy better than antiarrhythmic medication in patients with paroxysmal atrial fibrillation: On-treatment analysis of the randomized controlled MANTRA-PAF trial. <i>International Journal of Cardiology</i> , <b>2015</b> , 198, 108-14	3.2	24
131	The 110 commandments for the 2021 ESC guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , <b>2021</b> , 42, 4295	9.5	24
130	Regional myocardial perfusion during chronic biventricular pacing and after acute change of the pacing mode in patients with congestive heart failure and bundle branch block treated with an atrioventricular sequential biventricular pacemaker. <i>European Journal of Heart Failure</i> , <b>2003</b> , 5, 179-86	12.3	23
129	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), the Eastern Mediterranean Heart Rhythm Society (EMHRS), and the Middle East Heart Rhythm Society (MEHRS). <i>Europace</i> , <b>2019</b> , 21, 1270-1279	3	22
128	Should the Presence or Extent of Coronary Artery Disease be Quantified in the CHA2DS2-VASc Score in Atrial Fibrillation? A Report from the Western Denmark Heart Registry. <i>Thrombosis and Haemostasis</i> , <b>2018</b> , 118, 2162-2170	7	22
127	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). <i>American Heart Journal</i> , <b>2016</b> , 179, 136-41	4.9	20
126	Association between ventricular pacing and persistent atrial fibrillation in patients indicated to elective pacemaker replacement: Results of the Prefer for Elective Replacement MVP (PreFER MVP) randomized study. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2239-46	6.7	19
125	EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2021</b> , 23, 1003-1008	3.9	19

124	Management of Cardiac Electronic Device Infections: Challenges and Outcomes. <i>Arrhythmia and Electrophysiology Review</i> , <b>2016</b> , 5, 183-187	3.2	18
123	Single lead atrial vs. dual chamber pacing in sick sinus syndrome: extended register-based follow-up in the DANPACE trial. <i>Europace</i> , <b>2017</b> , 19, 1981-1987	3.9	17
122	Single-coil and dual-coil defibrillator leads and association with clinical outcomes in a complete Danish nationwide ICD cohort. <i>Heart Rhythm</i> , <b>2016</b> , 13, 706-12	6.7	15
121	Electrically vs. imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>Europace</i> , <b>2019</b> , 21, 1369-1377	3.9	15
120	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit: Insights From the DANISH Trial. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 717-724	7.9	14
119	Remote monitoring of cardiac implanted electronic devices: legal requirements and ethical principles - ESC Regulatory Affairs Committee/EHRA joint task force report. <i>Europace</i> , <b>2020</b> , 22, 1742-1758	3.9	14
118	Adding the implantable cardioverter-defibrillator to cardiac resynchronization therapy is associated with improved long-term survival in ischaemic, but not in non-ischaemic cardiomyopathy. <i>Europace</i> , <b>2016</b> , 18, 413-9	3.9	13
117	Nationwide experience of catecholaminergic polymorphic ventricular tachycardia caused by RyR2 mutations. <i>Heart</i> , <b>2017</b> , 103, 901-909	5.1	13
116	European Heart Rhythm Association (EHRA) position paper on arrhythmia management and device therapies in endocrine disorders, endorsed by Asia Pacific Heart Rhythm Society (APHRS) and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2018</b> , 20, 895-896	3.9	13
115	Coronary artery disease and risk of adverse cardiac events and stroke. <i>European Journal of Clinical Investigation</i> , <b>2017</b> , 47, 819-828	4.6	13
114	Prospective nationwide fluoroscopic and electrical longitudinal follow-up of recalled Riata defibrillator leads in Denmark. <i>Heart Rhythm</i> , <b>2014</b> , 11, 2141-7	6.7	13
113	Implant-based multi-parameter telemonitoring of patients with heart failure and a defibrillator with vs. without cardiac resynchronization therapy option: a subanalysis of the IN-TIME trial. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 1117-1127	6.1	12
112	Optimization of heart failure medication after cardiac resynchronization therapy and the impact on long-term survival. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2015</b> , 1, 182-8	6.4	12
111	Sex differences in catheter ablation of atrial fibrillation: results from AXAFA-AFNET 5. <i>Europace</i> , <b>2020</b> , 22, 1026-1035	3.9	12
110	Multisize Electrodes for Substrate Identification in Ischemic Cardiomyopathy: Validation by Integration of Whole Heart Histology. <i>JACC: Clinical Electrophysiology</i> , <b>2019</b> , 5, 1130-1140	4.6	12
109	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Journal of Arrhythmia</i> , <b>2020</b> , 36, 553-607	1.5	11
108	QTc interval in patients with schizophrenia receiving antipsychotic treatment as monotherapy or polypharmacy. <i>CNS Spectrums</i> , <b>2018</b> , 23, 278-283	1.8	11
107	Radiofrequency ablation lesions in low-, intermediate-, and normal-voltage myocardium: an in vivo study in a porcine heart model. <i>Europace</i> , <b>2019</b> , 21, 1919-1927	3.9	11

106	The role of implantable cardioverter-defibrillators and sudden cardiac death prevention: indications, device selection, and outcome. <i>European Heart Journal</i> , <b>2020</b> , 41, 2003-2011	9.5	11
105	Higher burden of supraventricular ectopic complexes early after catheter ablation for atrial fibrillation is associated with increased risk of recurrent atrial fibrillation. <i>Europace</i> , <b>2018</b> , 20, 50-57	3.9	10
104	Incidence of appropriate implantable cardioverter-defibrillator therapy and mortality after implantable cardioverter-defibrillator generator replacement: results from a real-world nationwide cohort. <i>Europace</i> , <b>2019</b> , 21, 1211-1219	3.9	8
103	Longer inter-lead electrical delay is associated with response to cardiac resynchronization therapy in patients with presumed optimal left ventricular lead position. <i>Europace</i> , <b>2018</b> , 20, 1630-1637	3.9	8
102	Remote monitoring and clinical outcomes: details on information flow and workflow in the IN-TIME study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2019</b> , 5, 136-144	4.6	8
101	Aetiologies and temporal trends of atrioventricular block in young patients: a 20-year nationwide study. <i>Europace</i> , <b>2019</b> , 21, 1710-1716	3.9	8
100	Optimizing heart failure treatment following cardiac resynchronization therapy. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 638-645	6.1	8
99	Is the knowledge of contact force beneficial in pulmonary vein antrum isolation?. <i>Scandinavian Cardiovascular Journal</i> , <b>2017</b> , 51, 129-137	2	7
98	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , <b>2019</b> , 21, 900-908	3.9	7
97	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Heart Rhythm</i> , <b>2020</b> , 17, e269-e316	6.7	7
96	An anterior left ventricular lead position is associated with increased mortality and non-response in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , <b>2016</b> , 222, 157-162	3.2	7
95	Study Design and Cohort Description of DEFIB-WOMEN: A National Danish Study in Patients with an ICD. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2016</b> , 39, 1261-1268	1.6	7
94	Implantable cardioverter-defibrillators and subsequent cancer risk: a nationwide population-based cohort study. <i>Europace</i> , <b>2015</b> , 17, 902-8	3.9	7
93	His Bundle Pacing: Techniques and Outcomes. <i>Current Cardiology Reports</i> , <b>2016</b> , 18, 76	4.2	7
92	Atrial fibrillation detected by external loop recording for seven days or two-day simultaneous Holter recording: A comparison in patients with ischemic stroke or transient ischemic attack. <i>Journal of Electrocardiology</i> , <b>2017</b> , 50, 287-293	1.4	6
91	External continuous ECG versus loop recording for atrial fibrillation detection in patients who had a stroke. <i>Heart</i> , <b>2019</b> , 105, 848-854	5.1	6
90	Targeted next generation sequencing in a young population with suspected inherited malignant cardiac arrhythmias. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 303-313	5.3	6
89	Retrieval of Medtronic Micra Transcatheter Pacing System after tether removal. <i>Europace</i> , <b>2016</b> , 18, 1203-9	3.9	6

88	Health economic evaluation of single-lead atrial pacing vs. dual-chamber pacing in sick sinus syndrome. <i>Europace</i> , <b>2014</b> , 16, 866-72	3.9	6
87	Refusing Implantable Cardioverter Defibrillator (ICD) Replacement in Elderly Persons-The Same as Giving Up Life: A Qualitative Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 1275-86	1.6	6
86	Pacing in sinus node disease to prevent atrial fibrillation. <i>Expert Review of Cardiovascular Therapy</i> , <b>2012</b> , 10, 851-8	2.5	6
85	Changes in quality of life, cognition and functional status following catheter ablation of atrial fibrillation. <i>Heart</i> , <b>2020</b> , 106, 1919-1926	5.1	6
84	Recurrent atrial flutter ablation and incidence of atrial fibrillation ablation after first-time ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , <b>2020</b> , 298, 44-51	3.2	6
83	Long-term outcomes in young patients with atrioventricular block of unknown aetiology. <i>European Heart Journal</i> , <b>2021</b> , 42, 2060-2068	9.5	6
82	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , <b>2021</b> ,	3.9	6
81	ICD Implantation in Patients with Nonischemic Heart Failure. <i>New England Journal of Medicine</i> , <b>2017</b> , 376, 92	59.2	5
80	Outcome after catheter ablation for left atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , <b>2019</b> , 53, 133-140	2	5
79	Ankyrin-2 variants associated with idiopathic ventricular fibrillation storm in patients with intermittent early repolarization pattern. <i>HeartRhythm Case Reports</i> , <b>2015</b> , 1, 337-341	1	5
78	The paced electrocardiogram cannot be used to identify left and right ventricular pacing sites in cardiac resynchronization therapy: validation by cardiac computed tomography. <i>Europace</i> , <b>2015</b> , 17, 432-389	3.9	5
77	Heart rate increases in liraglutide treated chronic heart failure patients: association with clinical parameters and adverse events. <i>Scandinavian Cardiovascular Journal</i> , <b>2020</b> , 54, 294-299	2	5
76	A randomized trial of contact force in atrial flutter ablation. <i>Europace</i> , <b>2020</b> , 22, 947-955	3.9	5
75	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , <b>2019</b> , 28, 2901-2908	3.7	5
74	The patient perspective on the Riata defibrillator lead advisory: a Danish nationwide study. <i>Heart Rhythm</i> , <b>2014</b> , 11, 2148-55	6.7	5
73	Predictors of recurrence of atrial fibrillation within the first 3 months after ablation. <i>Europace</i> , <b>2020</b> , 22, 1337-1344	3.9	5
72	Reproducibility of measuring QRS duration and implications for optimization of interventricular pacing delay in cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , <b>2019</b> , 24, e12621	1.5	5
71	Electrically guided versus imaging-guided implant of the left ventricular lead in cardiac resynchronization therapy: a study protocol for a double-blinded randomized controlled clinical trial (ElectroCRT). <i>Trials</i> , <b>2018</b> , 19, 600	2.8	5

70	Left atrial size and function as assessed by computed tomography in cardiac resynchronization therapy: Association to echocardiographic and clinical outcome. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 917-925	2.5	4
69	Antiarrhythmic medication is superior to catheter ablation in suppressing supraventricular ectopic complexes in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , <b>2017</b> , 244, 186-191	3.2	4
68	Clinical outcome in patients with implantable cardioverter-defibrillator and cancer: a nationwide study. <i>Europace</i> , <b>2019</b> , 21, 465-474	3.9	4
67	Predicting stroke in patients without atrial fibrillation. <i>European Journal of Clinical Investigation</i> , <b>2019</b> , 49, e13103	4.6	4
66	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , <b>2020</b> , 305, 92-98	3.2	4
65	Association between right ventricular lead position and clinical outcomes in patients with cardiac resynchronization therapy. <i>Europace</i> , <b>2018</b> , 20, 629-635	3.9	4
64	The use of guideline recommended beta-blocker therapy in primary prevention implantable cardioverter defibrillator patients: insight from Danish nationwide registers. <i>Europace</i> , <b>2018</b> , 20, 301-307	3.9	4
63	The impact of supraventricular ectopic complexes in different age groups and risk of recurrent atrial fibrillation after antiarrhythmic medication or catheter ablation. <i>International Journal of Cardiology</i> , <b>2018</b> , 250, 122-127	3.2	4
62	Beta-Blocker Therapy Early After Myocardial Infarction: A Comparison Between Medication at Hospital Discharge and Subsequent Pharmacy-Dispensed Medication. <i>Drugs - Real World Outcomes</i> , <b>2016</b> , 3, 279-288	2.2	4
61	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , <b>2021</b> , 23, 1324-1342	3.9	4
60	Venous thromboembolism in patients with implantable cardioverter-defibrillators. <i>Europace</i> , <b>2017</b> , 19, 991-1001	3.9	4
59	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , <b>2021</b> , 23, 587-595	3.9	4
58	New onset anxiety and depression in patients with an implantable cardioverter defibrillator during 24 months of follow-up (data from the national DEFIB-WOMEN study). <i>General Hospital Psychiatry</i> , <b>2021</b> , 72, 59-65	5.6	4
57	Premature atrial complexes in an ischemic stroke population and risk of recurrent stroke: a systematic review. <i>Expert Review of Cardiovascular Therapy</i> , <b>2017</b> , 15, 447-455	2.5	3
56	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , <b>2019</b> , 21, 1203-1210	3.9	3
55	Appropriate use of genetics in a young patient with atrioventricular block and family history of sudden cardiac death. <i>HeartRhythm Case Reports</i> , <b>2019</b> , 5, 169-172	1	3
54	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 137, 110220	4.1	3
53	Implantable cardioverter-defibrillator therapy and device-related complications in young patients with inherited cardiomyopathies or channelopathies: a 17-year cohort study. <i>Europace</i> , <b>2018</b> , 20, 1849-1855	3.9	3



52	Association between implantable cardioverter-defibrillator therapy and different lead positions in patients with cardiac resynchronization therapy. <i>Europace</i> , <b>2018</b> , 20, e133-e139	3.9	3
51	Effectiveness of a comprehensive interactive eHealth intervention on patient-reported and clinical outcomes in patients with an implantable cardioverter defibrillator [ACQUIRE-ICD trial]: study protocol of a national Danish randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , <b>2018</b> , 18, 136	2.3	3
50	Avoiding implant complications in cardiac implantable electronic devices: what works?. <i>Europace</i> , <b>2021</b> , 23, 163-173	3.9	3
49	Time until diagnosis of clinical events with different remote monitoring systems in implantable cardioverter-defibrillator patients. <i>Heart Rhythm</i> , <b>2018</b> , 15, 1648-1654	6.7	3
48	Outcomes of conduction system pacing compared to right ventricular pacing as a primary strategy for treating bradyarrhythmia: systematic review and meta-analysis. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 1	6.1	3
47	Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. <i>Circulation: Heart Failure</i> , <b>2019</b> , 12, e006022	7.6	2
46	Failure of ICD therapy in lethal arrhythmogenic right ventricular cardiomyopathy type 5 caused by the p.Ser358Leu mutation. <i>HeartRhythm Case Reports</i> , <b>2016</b> , 2, 217-222	1	2
45	Repeated molecular genetic analysis in Brugada syndrome revealed a novel disease-associated large deletion in the SCN5A gene. <i>HeartRhythm Case Reports</i> , <b>2016</b> , 2, 261-264	1	2
44	Normativity under change: Older persons with implantable cardioverter defibrillator. <i>Nursing Ethics</i> , <b>2016</b> , 23, 328-38	3.5	2
43	Safety and effectiveness of a 6-French MRI conditional pacemaker lead: The INGEVITY clinical investigation study results. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2017</b> , 40, 1121-1128	1.6	2
42	Anxiety and depression symptoms in Danish patients with an implantable cardioverter-defibrillator: prevalence and association with indication and sex up to 2 years of follow-up (data from the national DEFIB-WOMEN study). <i>Europace</i> , <b>2020</b> , 22, 1830-1840	3.9	2
41	Discontinuation of oral anticoagulation and risk of stroke and death after ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , <b>2021</b> , 333, 110-116	3.2	2
40	Hidden burden of arrhythmias in patients with small atrial septal defects: a nationwide study. <i>Open Heart</i> , <b>2019</b> , 6, e001056	3	2
39	Use of a snare to aid implanting leadless pacemaker in a patient with severely dilated atria. <i>Europace</i> , <b>2021</b> , 23, 246	3.9	2
38	Non-infective left ventricular lead complications requiring re-intervention following cardiac resynchronization therapy: prevalence, causes and outcomes. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2021</b> , 1	2.4	2
37	Recurrence after pulmonary vein isolation is associated with low contact force. <i>Scandinavian Cardiovascular Journal</i> , <b>2018</b> , 52, 28-33	2	2
36	European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , <b>2021</b> ,	3.9	2
35	Rate of device-related infections using an antibacterial envelope in patients undergoing cardiac resynchronization therapy reoperations. <i>Europace</i> , <b>2021</b> ,	3.9	2

34	Long-term follow-up of abandoned transvenous defibrillator leads: a nationwide cohort study. <i>Europace</i> , <b>2020</b> , 22, 1097-1102	3.9	1
33	The role of implantable cardioverter-defibrillators in asymptomatic patients with left ventricular dysfunction. <i>European Heart Journal</i> , <b>2020</b> , 41, 2035	9.5	1
32	Left ventricular regional remodeling and lead position during cardiac resynchronization therapy. <i>Heart Rhythm</i> , <b>2018</b> , 15, 1542-1549	6.7	1
31	Validation of defibrillator lead performance registry data: insight from the Danish Pacemaker and ICD Register. <i>Europace</i> , <b>2017</b> , 19, 1187-1192	3.9	1
30	Two Cases of Ventricular Proarrhythmia from Automatic Threshold Measurement Features in a CRTD and an ICD. <i>Annals of Noninvasive Electrocardiology</i> , <b>2015</b> , 20, 604-8	1.5	1
29	Effect of implantable cardioverter-defibrillators in patients with non-ischaemic systolic heart failure and concurrent coronary atherosclerosis.. <i>ESC Heart Failure</i> , <b>2022</b> ,	3.7	1
28	Long-term outcomes in a randomized controlled trial of multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy.. <i>Europace</i> , <b>2022</b> ,	3.9	1
27	Electroanatomical mapping- and CT scan image integration-guided pacing lead implantation: A case series and review of the recent literature. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 341-350	1.5	1
26	EHRA/HRS/APHRS/LAHS expert consensus on risk assessment in cardiac arrhythmias: AuthorsT reply. <i>Europace</i> , <b>2021</b> , 23, 649	3.9	1
25	Burden of Premature Atrial Complexes and Risk of Recurrent Stroke and Death in Patients with Mild to Moderate Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2020</b> , 29, 104490	2.8	1
24	Left Atrial Function Determined by Cardiac Computed Tomography Predicts Device-Detected Atrial High-Rate Episodes in Patients Treated With Cardiac Resynchronization Therapy. <i>Journal of Computer Assisted Tomography</i> , <b>2020</b> , 44, 784-789	2.2	1
23	Driving following defibrillator implantation: a nationwide register-linked survey study. <i>European Heart Journal</i> , <b>2021</b> , 42, 3529-3537	9.5	1
22	Temporal Incidence of Appropriate and Inappropriate Therapy and Mortality in Secondary Prevention ICD Patients by Cardiac Diagnosis. <i>JACC: Clinical Electrophysiology</i> , <b>2021</b> , 7, 781-792	4.6	1
21	Significant regional variation in use of implantable cardioverter-defibrillators in Denmark. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2019</b> , 5, 352-360	4.6	1
20	Risk of Cardiac Implantable Electronic Device Malfunctioning During Pencil Beam Proton Scanning in an In Vitro Setting. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 111, 186-195	4	1
19	Pacing mode selection in patients with sick sinus syndrome. <i>Danish Medical Bulletin</i> , <b>2007</b> , 54, 1-17		1
18	Recurrent atrial arrhythmia in a randomised controlled trial comparing contact force-guided and contact force-blinded ablation for typical atrial flutter.. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2022</b> , 1	2.4	0
17	Left ventricular performance during triggered left ventricular pacing in patients with cardiac resynchronization therapy and left bundle branch block. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2016</b> , 46, 345-51	2.4	0

16	Current status of interventional cardiac electrophysiology training in ESC member countries: an EHRA Young EP Report. <i>Europace</i> , <b>2019</b> , 21, 522-524	3.9	o
15	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failure-Results from the DANISH trial. <i>American Heart Journal</i> , <b>2021</b> , 232, 61-70	4.9	o
14	Reversible Complete Heart Block in a Pregnant Woman Related to Sertraline Treatment.. <i>CJC Open</i> , <b>2022</b> , 4, 240-242	2	o
13	Contemporary Patients With Congenital Heart Disease: Uniform Atrial Tachycardia Substrates Allow for Clear Ablation Endpoints With Improved Long-Term Outcome. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2021</b> , 14, e009695	6.4	o
12	NT-proBNP and ICD in Nonischemic Systolic Heart Failure: Extended Follow-Up of the DANISH Trial.. <i>JACC: Heart Failure</i> , <b>2022</b> , 10, 161-171	7.9	o
11	Two case reports of transcatheter valve-in-valve implantation of Sapien 3 and MyVal in degenerated biological tricuspid prosthesis valves.. <i>European Heart Journal - Case Reports</i> , <b>2022</b> , 6, ytae131	9.9	o
10	New approach to implantable cardioverter-defibrillators in small pediatric patients: dorsal positioning of superior vena cava shock lead in a 3-year-old. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2014</b> , 148, 358-60	1.5	
9	Guided left ventricular lead placement for cardiac resynchronization therapy - an opportunity for image integration: reply. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1344	12.3	
8	Attitudes toward Catheter Ablation for Atrial Fibrillation: A Nationwide Survey among Danish Cardiologists. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 1166-72	1.6	
7	Rate of permanent cardiac implantable electronic device infections after active fixation temporary transvenous pacing: A nationwide Danish cohort study.. <i>Heart Rhythm O2</i> , <b>2022</b> , 3, 50-56	1.5	
6	CHA DS -VASc impact on risk following percutaneous coronary intervention in atrial fibrillation. <i>European Journal of Clinical Investigation</i> , <b>2021</b> , e13717	4.6	
5	Risk Assessment in Cardiac Arrhythmias. <i>European Heart Journal</i> , <b>2020</b> , 41, 4455-4457	9.5	
4	Reproducibility and repeatability of identifying the latest electrical activation during mapping of coronary sinus branches in CRT recipients. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2940-2947	2.7	
3	Survey on the research activities within the EHRA Young EP community. <i>Europace</i> , <b>2019</b> , 21, 670-672	3.9	
2	Cardiac computed tomography-verified right ventricular lead position and outcomes in cardiac resynchronization therapy.. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2022</b> , 1	2.4	
1	Diagnostic Yield of Genetic Testing in Young Patients With Atrioventricular Block of Unknown Cause.. <i>Journal of the American Heart Association</i> , <b>2022</b> , e025643	6	