

# Jens Cosedis Nielsen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2114310/jens-cosedis-nielsen-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177  
papers

7,865  
citations

33  
h-index

87  
g-index

200  
ext. papers

10,600  
ext. citations

5.6  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
177	Recurrent atrial arrhythmia in a randomised controlled trial comparing contact force-guided and contact force-blinded ablation for typical atrial flutter.. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2022</b> , 1	2.4	0
176	Effect of implantable cardioverter-defibrillators in patients with non-ischaemic systolic heart failure and concurrent coronary atherosclerosis.. <i>ESC Heart Failure</i> , <b>2022</b> ,	3.7	1
175	Rate of permanent cardiac implantable electronic device infections after active fixation temporary transvenous pacing: A nationwide Danish cohort study.. <i>Heart Rhythm O2</i> , <b>2022</b> , 3, 50-56	1.5	
174	Long-term outcomes in a randomized controlled trial of multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy.. <i>Europace</i> , <b>2022</b> ,	3.9	1
173	Reversible Complete Heart Block in a Pregnant Woman Related to Sertraline Treatment.. <i>CJC Open</i> , <b>2022</b> , 4, 240-242	2	0
172	NT-proBNP and ICD in Nonischemic Systolic Heart Failure: Extended Follow-Up of the DANISH Trial.. <i>JACC: Heart Failure</i> , <b>2022</b> , 10, 161-171	7.9	0
171	Cardiac computed tomography-verified right ventricular lead position and outcomes in cardiac resynchronization therapy.. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2022</b> , 1	2.4	
170	Two case reports of transcatheter valve-in-valve implantation of Sapien 3 and MyVal in degenerated biological tricuspid prosthesis valves.. <i>European Heart Journal - Case Reports</i> , <b>2022</b> , 6, 131-137	9.9	0
169	Diagnostic Yield of Genetic Testing in Young Patients With Atrioventricular Block of Unknown Cause.. <i>Journal of the American Heart Association</i> , <b>2022</b> , e025643	6	
168	CHA DS -VASc impact on risk following percutaneous coronary intervention in atrial fibrillation. <i>European Journal of Clinical Investigation</i> , <b>2021</b> , e13717	4.6	
167	EHRA/HRS/APHRS/LAHRs expert consensus on risk assessment in cardiac arrhythmias: Authors' reply. <i>Europace</i> , <b>2021</b> , 23, 649	3.9	1
166	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , <b>2021</b> , 23, 1324-1342	3.9	4
165	Driving following defibrillator implantation: a nationwide register-linked survey study. <i>European Heart Journal</i> , <b>2021</b> , 42, 3529-3537	9.5	1
164	Temporal Incidence of Appropriate and Inappropriate Therapy and Mortality in Secondary Prevention ICD Patients by Cardiac Diagnosis. <i>JACC: Clinical Electrophysiology</i> , <b>2021</b> , 7, 781-792	4.6	1
163	Discontinuation of oral anticoagulation and risk of stroke and death after ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , <b>2021</b> , 333, 110-116	3.2	2
162	EHRA expert consensus statement and practical guide on optimal implantation technique for conventional pacemakers and implantable cardioverter-defibrillators: endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), and the Latin-American Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2021</b> , 23, 983-1008	3.9	19
161	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failure-Results from the DANISH trial. <i>American Heart Journal</i> , <b>2021</b> , 232, 61-70	4.9	0

160	Avoiding implant complications in cardiac implantable electronic devices: what works?. <i>Europace</i> , <b>2021</b> , 23, 163-173	3.9	3
159	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. <i>Europace</i> , <b>2021</b> , 23, 587-595	3.9	4
158	Use of a snare to aid implanting leadless pacemaker in a patient with severely dilated atria. <i>Europace</i> , <b>2021</b> , 23, 246	3.9	2
157	Non-infective left ventricular lead complications requiring re-intervention following cardiac resynchronization therapy: prevalence, causes and outcomes. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2021</b> , 1	2.4	2
156	Long-term outcomes in young patients with atrioventricular block of unknown aetiology. <i>European Heart Journal</i> , <b>2021</b> , 42, 2060-2068	9.5	6
155	Outcomes of conduction system pacing compared to right ventricular pacing as a primary strategy for treating bradyarrhythmia: systematic review and meta-analysis. <i>Clinical Research in Cardiology</i> , <b>2021</b> , 1	6.1	3
154	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , <b>2021</b> ,	3.9	6
153	European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. <i>Europace</i> , <b>2021</b> ,	3.9	2
152	Rate of device-related infections using an antibacterial envelope in patients undergoing cardiac resynchronization therapy reoperations. <i>Europace</i> , <b>2021</b> ,	3.9	2
151	The 10 commandments for the 2021 ESC guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , <b>2021</b> , 42, 4295	9.5	24
150	New onset anxiety and depression in patients with an implantable cardioverter defibrillator during 24 months of follow-up (data from the national DEFIB-WOMEN study). <i>General Hospital Psychiatry</i> , <b>2021</b> , 72, 59-65	5.6	4
149	Risk of Cardiac Implantable Electronic Device Malfunctioning During Pencil Beam Proton Scanning in an In Vitro Setting. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 111, 186-195	4	1
148	Contemporary Patients With Congenital Heart Disease: Uniform Atrial Tachycardia Substrates Allow for Clear Ablation Endpoints With Improved Long-Term Outcome. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2021</b> , 14, e009695	6.4	0
147	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 137, 110220	4.1	3
146	Long-term follow-up of abandoned transvenous defibrillator leads: a nationwide cohort study. <i>Europace</i> , <b>2020</b> , 22, 1097-1102	3.9	1
145	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Europace</i> , <b>2020</b> , 22, 1117-1118	3.9	25
144	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Journal of Arrhythmia</i> , <b>2020</b> , 36, 553-607	1.5	11
143	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Heart Rhythm</i> , <b>2020</b> , 17, e210-e216	6.7	7

142	Sex differences in catheter ablation of atrial fibrillation: results from AXAFA-AFNET 5. <i>Europace</i> , <b>2020</b> , 22, 1026-1035	3.9	12
141	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID), and the	9.5	35
140	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , <b>2020</b> , 305, 92-98	3.2	4
139	The role of implantable cardioverter-defibrillators in asymptomatic patients with left ventricular dysfunction. <i>European Heart Journal</i> , <b>2020</b> , 41, 2035	9.5	1
138	Heart rate increases in liraglutide treated chronic heart failure patients: association with clinical parameters and adverse events. <i>Scandinavian Cardiovascular Journal</i> , <b>2020</b> , 54, 294-299	2	5
137	A randomized trial of contact force in atrial flutter ablation. <i>Europace</i> , <b>2020</b> , 22, 947-955	3.9	5
136	Electroanatomical mapping- and CT scan image integration-guided pacing lead implantation: A case series and review of the recent literature. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 341-350	1.5	1
135	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the	3.9	82
134	The role of implantable cardioverter-defibrillators and sudden cardiac death prevention: on with indications, device selection, and outcome. <i>European Heart Journal</i> , <b>2020</b> , 41, 2003-2011	9.5	11
133	Burden of Premature Atrial Complexes and Risk of Recurrent Stroke and Death in Patients with Mild to Moderate Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2020</b> , 29, 104490	2.8	1
132	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections-endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the	3	22
131	Left Atrial Function Determined by Cardiac Computed Tomography Predicts Device-Detected Atrial High-Rate Episodes in Patients Treated With Cardiac Resynchronization Therapy. <i>Journal of Computer Assisted Tomography</i> , <b>2020</b> , 44, 784-789	2.2	1
130	Changes in quality of life, cognition and functional status following catheter ablation of atrial fibrillation. <i>Heart</i> , <b>2020</b> , 106, 1919-1926	5.1	6
129	Risk Assessment in Cardiac Arrhythmias. <i>European Heart Journal</i> , <b>2020</b> , 41, 4455-4457	9.5	
128	Predictors of recurrence of atrial fibrillation within the first 3 months after ablation. <i>Europace</i> , <b>2020</b> , 22, 1337-1344	3.9	5
127	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care: A joint position statement from the Heart Failure Association (HFA), European Heart Rhythm Association (EHRA), and European Association of Cardiovascular Imaging (EACVI) of the	12.3	38
126	Anxiety and depression symptoms in Danish patients with an implantable cardioverter-defibrillator: prevalence and association with indication and sex up to 2 years of follow-up (data from the national DEFIB-WOMEN study). <i>Europace</i> , <b>2020</b> , 22, 1830-1840	3.9	2
125	Reproducibility and repeatability of identifying the latest electrical activation during mapping of coronary sinus branches in CRT recipients. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2940-2947	2.7	

124	Remote monitoring of cardiac implanted electronic devices: legal requirements and ethical principles - ESC Regulatory Affairs Committee/EHRA joint task force report. <i>Europace</i> , <b>2020</b> , 22, 1742-1758	3.9	14
123	Recurrent atrial flutter ablation and incidence of atrial fibrillation ablation after first-time ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , <b>2020</b> , 298, 44-51	3.2	6
122	Optimizing heart failure treatment following cardiac resynchronization therapy. <i>Clinical Research in Cardiology</i> , <b>2020</b> , 109, 638-645	6.1	8
121	Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. <i>Circulation: Heart Failure</i> , <b>2019</b> , 12, e006022	7.6	2
120	Clinical outcome in patients with implantable cardioverter-defibrillator and cancer: a nationwide study. <i>Europace</i> , <b>2019</b> , 21, 465-474	3.9	4
119	Clinical practice and implementation of guidelines for the prevention, diagnosis and management of cardiac implantable electronic device infections: results of a worldwide survey under the auspices of the European Heart Rhythm Association. <i>Europace</i> , <b>2019</b> , 21, 1270-1279	3.9	29
118	Incidence of device-related infection in 97750 patients: clinical data from the complete Danish device-cohort (1982-2018). <i>European Heart Journal</i> , <b>2019</b> , 40, 1862-1869	9.5	70
117	Outcome after catheter ablation for left atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , <b>2019</b> , 53, 133-140	2	5
116	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , <b>2019</b> , 21, 1203-1210	3.9	3
115	Incidence of appropriate implantable cardioverter-defibrillator therapy and mortality after implantable cardioverter-defibrillator generator replacement: results from a real-world nationwide cohort. <i>Europace</i> , <b>2019</b> , 21, 1211-1219	3.9	8
114	External continuous ECG versus loop recording for atrial fibrillation detection in patients who had a stroke. <i>Heart</i> , <b>2019</b> , 105, 848-854	5.1	6
113	Predicting stroke in patients without atrial fibrillation. <i>European Journal of Clinical Investigation</i> , <b>2019</b> , 49, e13103	4.6	4
112	Appropriate use of genetics in a young patient with atrioventricular block and family history of sudden cardiac death. <i>HeartRhythm Case Reports</i> , <b>2019</b> , 5, 169-172	1	3
111	Implant-based multi-parameter telemonitoring of patients with heart failure and a defibrillator with vs. without cardiac resynchronization therapy option: a subanalysis of the IN-TIME trial. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 1117-1127	6.1	12
110	The impact of implantable cardioverter-defibrillator implantation on health-related quality of life in the DANISH trial. <i>Europace</i> , <b>2019</b> , 21, 900-908	3.9	7
109	Remote monitoring and clinical outcomes: details on information flow and workflow in the IN-TIME study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2019</b> , 5, 136-144	4.6	8
108	Multisize Electrodes for Substrate Identification in Ischemic Cardiomyopathy: Validation by Integration of Whole Heart Histology. <i>JACC: Clinical Electrophysiology</i> , <b>2019</b> , 5, 1130-1140	4.6	12
107	Aetiologies and temporal trends of atrioventricular block in young patients: a 20-year nationwide study. <i>Europace</i> , <b>2019</b> , 21, 1710-1716	3.9	8

106	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , <b>2019</b> , 28, 2901-2908	3.7	5
105	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit: Insights From the DANISH Trial. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 717-724	7.9	14
104	Electrically vs. imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>Europace</i> , <b>2019</b> , 21, 1369-1377	3.9	15
103	Radiofrequency ablation lesions in low-, intermediate-, and normal-voltage myocardium: an in vivo study in a porcine heart model. <i>Europace</i> , <b>2019</b> , 21, 1919-1927	3.9	11
102	Significant regional variation in use of implantable cardioverter-defibrillators in Denmark. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , <b>2019</b> , 5, 352-360	4.6	1
101	Hidden burden of arrhythmias in patients with small atrial septal defects: a nationwide study. <i>Open Heart</i> , <b>2019</b> , 6, e001056	3	2
100	Survey on the research activities within the EHRA Young EP community. <i>Europace</i> , <b>2019</b> , 21, 670-672	3.9	
99	Current status of interventional cardiac electrophysiology training in ESC member countries: an EHRA Young EP Report. <i>Europace</i> , <b>2019</b> , 21, 522-524	3.9	0
98	Reproducibility of measuring QRS duration and implications for optimization of interventricular pacing delay in cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , <b>2019</b> , 24, e12621	1.5	5
97	Left ventricular regional remodeling and lead position during cardiac resynchronization therapy. <i>Heart Rhythm</i> , <b>2018</b> , 15, 1542-1549	6.7	1
96	Association between right ventricular lead position and clinical outcomes in patients with cardiac resynchronization therapy. <i>Europace</i> , <b>2018</b> , 20, 629-635	3.9	4
95	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , <b>2018</b> , 20, e1-e160	3.9	461
94	Longer inter-lead electrical delay is associated with response to cardiac resynchronization therapy in patients with presumed optimal left ventricular lead position. <i>Europace</i> , <b>2018</b> , 20, 1630-1637	3.9	8
93	Targeted next generation sequencing in a young population with suspected inherited malignant cardiac arrhythmias. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 303-313	5.3	6
92	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , <b>2018</b> , 20, 157-208	3.9	227
91	Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , <b>2018</b> , 20, 395-407	3.9	66
90	Implantable cardioverter-defibrillator therapy and device-related complications in young patients with inherited cardiomyopathies or channelopathies: a 17-year cohort study. <i>Europace</i> , <b>2018</b> , 20, 1849-1855	3.9	3
89	2018 EHRA expert consensus statement on lead extraction: recommendations on definitions, endpoints, research trial design, and data collection requirements for clinical scientific studies and registries: endorsed by APHRS/HRS/LAHS. <i>Europace</i> , <b>2018</b> , 20, 1217	3.9	126

88	Apixaban in patients at risk of stroke undergoing atrial fibrillation ablation. <i>European Heart Journal</i> , <b>2018</b> , 39, 2942-2955	9.5	121
87	European Heart Rhythm Association (EHRA) position paper on arrhythmia management and device therapies in endocrine disorders, endorsed by Asia Pacific Heart Rhythm Society (APHRs) and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , <b>2018</b> , 20, 895-896	3.9	13
86	Higher burden of supraventricular ectopic complexes early after catheter ablation for atrial fibrillation is associated with increased risk of recurrent atrial fibrillation. <i>Europace</i> , <b>2018</b> , 20, 50-57	3.9	10
85	The use of guideline recommended beta-blocker therapy in primary prevention implantable cardioverter defibrillator patients: insight from Danish nationwide registers. <i>Europace</i> , <b>2018</b> , 20, 301-307	3.9	4
84	QTc interval in patients with schizophrenia receiving antipsychotic treatment as monotherapy or polypharmacy. <i>CNS Spectrums</i> , <b>2018</b> , 23, 278-283	1.8	11
83	Association between implantable cardioverter-defibrillator therapy and different lead positions in patients with cardiac resynchronization therapy. <i>Europace</i> , <b>2018</b> , 20, e133-e139	3.9	3
82	The impact of supraventricular ectopic complexes in different age groups and risk of recurrent atrial fibrillation after antiarrhythmic medication or catheter ablation. <i>International Journal of Cardiology</i> , <b>2018</b> , 250, 122-127	3.2	4
81	Effectiveness of a comprehensive interactive eHealth intervention on patient-reported and clinical outcomes in patients with an implantable cardioverter defibrillator [ACQUIRE-ICD trial]: study protocol of a national Danish randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , <b>2018</b> , 18, 136	2.3	3
80	Recurrence after pulmonary vein isolation is associated with low contact force. <i>Scandinavian Cardiovascular Journal</i> , <b>2018</b> , 52, 28-33	2	2
79	Should the Presence or Extent of Coronary Artery Disease be Quantified in the CHA2DS2-VASc Score in Atrial Fibrillation? A Report from the Western Denmark Heart Registry. <i>Thrombosis and Haemostasis</i> , <b>2018</b> , 118, 2162-2170	7	22
78	Electrically guided versus imaging-guided implant of the left ventricular lead in cardiac resynchronization therapy: a study protocol for a double-blinded randomized controlled clinical trial (ElectroCRT). <i>Trials</i> , <b>2018</b> , 19, 600	2.8	5
77	Time until diagnosis of clinical events with different remote monitoring systems in implantable cardioverter-defibrillator patients. <i>Heart Rhythm</i> , <b>2018</b> , 15, 1648-1654	6.7	3
76	Single lead atrial vs. dual chamber pacing in sick sinus syndrome: extended register-based follow-up in the DANPACE trial. <i>Europace</i> , <b>2017</b> , 19, 1981-1987	3.9	17
75	Atrial fibrillation detected by external loop recording for seven days or two-day simultaneous Holter recording: A comparison in patients with ischemic stroke or transient ischemic attack. <i>Journal of Electrocardiology</i> , <b>2017</b> , 50, 287-293	1.4	6
74	Long-term efficacy of catheter ablation as first-line therapy for paroxysmal atrial fibrillation: 5-year outcome in a randomised clinical trial. <i>Heart</i> , <b>2017</b> , 103, 368-376	5.1	49
73	Nationwide experience of catecholaminergic polymorphic ventricular tachycardia caused by RyR2 mutations. <i>Heart</i> , <b>2017</b> , 103, 901-909	5.1	13
72	Left atrial size and function as assessed by computed tomography in cardiac resynchronization therapy: Association to echocardiographic and clinical outcome. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 917-925	2.5	4
71	Rationale and design of the Apixaban for the Reduction of Thrombo-Embolism in Patients With Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. <i>American Heart Journal</i> , <b>2017</b> , 189, 137-145	4.9	170

70	The impact of co-morbidity burden on appropriate implantable cardioverter defibrillator therapy and all-cause mortality: insight from Danish nationwide clinical registers. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 377-386	12.3	30
69	Antiarrhythmic medication is superior to catheter ablation in suppressing supraventricular ectopic complexes in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , <b>2017</b> , 244, 186-191	3.2	4
68	Premature atrial complexes in an ischemic stroke population and risk of recurrent stroke: a systematic review. <i>Expert Review of Cardiovascular Therapy</i> , <b>2017</b> , 15, 447-455	2.5	3
67	Rationale and design of AXAFA-AFNET 5: an investigator-initiated, randomized, open, blinded outcome assessment, multi-centre trial to comparing continuous apixaban to vitamin K antagonists in patients undergoing atrial fibrillation catheter ablation. <i>Europace</i> , <b>2017</b> , 19, 132-138	3.9	24
66	Is the knowledge of contact force beneficial in pulmonary vein antrum isolation?. <i>Scandinavian Cardiovascular Journal</i> , <b>2017</b> , 51, 129-137	2	7
65	ICD Implantation in Patients with Nonischemic Heart Failure. <i>New England Journal of Medicine</i> , <b>2017</b> , 376, 92	59.2	5
64	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , <b>2017</b> , 33, 369-409	1.5	148
63	Validation of defibrillator lead performance registry data: insight from the Danish Pacemaker and ICD Register. <i>Europace</i> , <b>2017</b> , 19, 1187-1192	3.9	1
62	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2017</b> , 50, 1-55	2.4	58
61	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Heart Rhythm</i> , <b>2017</b> , 14, e445-e494	6.7	72
60	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. <i>Circulation</i> , <b>2017</b> , 136, 1772-1780	16.7	89
59	Safety and effectiveness of a 6-French MRI conditional pacemaker lead: The INGEVITY clinical investigation study results. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2017</b> , 40, 1121-1128	1.6	2
58	Guided left ventricular lead placement for cardiac resynchronization therapy - an opportunity for image integration: reply. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 1344	12.3	
57	Coronary artery disease and risk of adverse cardiac events and stroke. <i>European Journal of Clinical Investigation</i> , <b>2017</b> , 47, 819-828	4.6	13
56	A Decade of Information on the Use of Cardiac Implantable Electronic Devices and Interventional Electrophysiological Procedures in the European Society of Cardiology Countries: 2017 Report from the European Heart Rhythm Association. <i>Europace</i> , <b>2017</b> , 19, ii1-ii90	3.9	133
55	Venous thromboembolism in patients with implantable cardioverter-defibrillators. <i>Europace</i> , <b>2017</b> , 19, 991-1001	3.9	4
54	Adding the implantable cardioverter-defibrillator to cardiac resynchronization therapy is associated with improved long-term survival in ischaemic, but not in non-ischaemic cardiomyopathy. <i>Europace</i> , <b>2016</b> , 18, 413-9	3.9	13
53	Defibrillator Implantation in Patients with Nonischemic Systolic Heart Failure. <i>New England Journal of Medicine</i> , <b>2016</b> , 375, 1221-30	59.2	876



52	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). <i>American Heart Journal</i> , <b>2016</b> , 179, 136-41	4.9	20
51	An anterior left ventricular lead position is associated with increased mortality and non-response in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , <b>2016</b> , 222, 157-162	3.2	7
50	Study Design and Cohort Description of DEFIB-WOMEN: A National Danish Study in Patients with an ICD. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2016</b> , 39, 1261-1268	1.6	7
49	Failure of ICD therapy in lethal arrhythmogenic right ventricular cardiomyopathy type 5 caused by the p.Ser358Leu mutation. <i>HeartRhythm Case Reports</i> , <b>2016</b> , 2, 217-222	1	2
48	Beta-Blocker Therapy Early After Myocardial Infarction: A Comparison Between Medication at Hospital Discharge and Subsequent Pharmacy-Dispensed Medication. <i>Drugs - Real World Outcomes</i> , <b>2016</b> , 3, 279-288	2.2	4
47	Repeated molecular genetic analysis in Brugada syndrome revealed a novel disease-associated large deletion in the SCN5A gene. <i>HeartRhythm Case Reports</i> , <b>2016</b> , 2, 261-264	1	2
46	Normativity under change: Older persons with implantable cardioverter defibrillator. <i>Nursing Ethics</i> , <b>2016</b> , 23, 328-38	3.5	2
45	Retrieval of Medtronic Micra Transcatheter Pacing System after tether removal. <i>Europace</i> , <b>2016</b> , 18, 1203-9	3.9	6
44	Single-coil and dual-coil defibrillator leads and association with clinical outcomes in a complete Danish nationwide ICD cohort. <i>Heart Rhythm</i> , <b>2016</b> , 13, 706-12	6.7	15
43	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , <b>2016</b> , 18, 37-50	3.9	90
42	Management of Cardiac Electronic Device Infections: Challenges and Outcomes. <i>Arrhythmia and Electrophysiology Review</i> , <b>2016</b> , 5, 183-187	3.2	18
41	Multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 1365-1374	12.3	70
40	His Bundle Pacing: Techniques and Outcomes. <i>Current Cardiology Reports</i> , <b>2016</b> , 18, 76	4.2	7
39	Radiofrequency Ablation Versus Antiarrhythmic Drug Therapy for Atrial Fibrillation: Meta-Analysis of Quality of Life, Morbidity, and Mortality. <i>JACC: Clinical Electrophysiology</i> , <b>2016</b> , 2, 170-180	4.6	25
38	30-year nationwide trends in incidence of atrial fibrillation in Denmark and associated 5-year risk of heart failure, stroke, and death. <i>International Journal of Cardiology</i> , <b>2016</b> , 225, 30-36	3.2	27
37	Left ventricular performance during triggered left ventricular pacing in patients with cardiac resynchronization therapy and left bundle branch block. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2016</b> , 46, 345-51	2.4	0
36	Ankyrin-2 variants associated with idiopathic ventricular fibrillation storm in patients with intermittent early repolarization pattern. <i>HeartRhythm Case Reports</i> , <b>2015</b> , 1, 337-341	1	5
35	Early detection of atrial high rate episodes predicts atrial fibrillation and thromboembolic events in patients with cardiac resynchronization therapy. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2368-75	6.7	44

34	Optimization of heart failure medication after cardiac resynchronization therapy and the impact on long-term survival. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2015</b> , 1, 182-8	6.4	12
33	Thirteen-year nationwide trends in use of implantable cardioverter-defibrillators and subsequent long-term survival. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2018-27	6.7	25
32	Association between ventricular pacing and persistent atrial fibrillation in patients indicated to elective pacemaker replacement: Results of the Prefer for Elective Replacement MVP (PreFER MVP) randomized study. <i>Heart Rhythm</i> , <b>2015</b> , 12, 2239-46	6.7	19
31	The paced electrocardiogram cannot be used to identify left and right ventricular pacing sites in cardiac resynchronization therapy: validation by cardiac computed tomography. <i>Europace</i> , <b>2015</b> , 17, 432-8 <sup>9</sup>	3.9	5
30	Radiofrequency catheter ablation maintains its efficacy better than antiarrhythmic medication in patients with paroxysmal atrial fibrillation: On-treatment analysis of the randomized controlled MANTRA-PAF trial. <i>International Journal of Cardiology</i> , <b>2015</b> , 198, 108-14	3.2	24
29	The cost-effectiveness of radiofrequency catheter ablation as first-line treatment for paroxysmal atrial fibrillation: results from a MANTRA-PAF substudy. <i>Europace</i> , <b>2015</b> , 17, 48-55	3.9	27
28	Two Cases of Ventricular Proarrhythmia from Automatic Threshold Measurement Features in a CRTD and an ICD. <i>Annals of Noninvasive Electrocardiology</i> , <b>2015</b> , 20, 604-8	1.5	1
27	Attitudes toward Catheter Ablation for Atrial Fibrillation: A Nationwide Survey among Danish Cardiologists. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 1166-72	1.6	
26	Refusing Implantable Cardioverter Defibrillator (ICD) Replacement in Elderly Persons-The Same as Giving Up Life: A Qualitative Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 1275-86	1.6	6
25	Infected cardiac-implantable electronic devices: prevention, diagnosis, and treatment. <i>European Heart Journal</i> , <b>2015</b> , 36, 2484-90	9.5	63
24	Radiofrequency ablation of accessory pathways in patients with the Wolff-Parkinson-White syndrome: the long-term mortality and risk of atrial fibrillation. <i>Europace</i> , <b>2015</b> , 17, 117-22	3.9	25
23	Implantable cardioverter-defibrillators and subsequent cancer risk: a nationwide population-based cohort study. <i>Europace</i> , <b>2015</b> , 17, 902-8	3.9	7
22	Radiofrequency ablation vs. antiarrhythmic drug therapy as first line treatment of symptomatic atrial fibrillation: systematic review and meta-analysis. <i>Europace</i> , <b>2015</b> , 17, 370-8	3.9	117
21	Managed ventricular pacing compared with conventional dual-chamber pacing for elective replacement in chronically paced patients: results of the Prefer for Elective Replacement Managed Ventricular Pacing randomized study. <i>Heart Rhythm</i> , <b>2014</b> , 11, 992-1000	6.7	29
20	His or para-His pacing preserves left ventricular function in atrioventricular block: a double-blind, randomized, crossover study. <i>Europace</i> , <b>2014</b> , 16, 1189-96	3.9	101
19	Health economic evaluation of single-lead atrial pacing vs. dual-chamber pacing in sick sinus syndrome. <i>Europace</i> , <b>2014</b> , 16, 866-72	3.9	6
18	HRS expert consensus statement on the diagnosis and management of arrhythmias associated with cardiac sarcoidosis. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1305-23	6.7	710
17	New approach to implantable cardioverter-defibrillators in small pediatric patients: dorsal positioning of superior vena cava shock lead in a 3-year-old. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2014</b> , 148, 358-60	1.5	

16	Left and right ventricular lead positions are imprecisely determined by fluoroscopy in cardiac resynchronization therapy: a comparison with cardiac computed tomography. <i>Europace</i> , <b>2014</b> , 16, 1334-41	3.9	30
15	The patient perspective on the Riata defibrillator lead advisory: a Danish nationwide study. <i>Heart Rhythm</i> , <b>2014</b> , 11, 2148-55	6.7	5
14	Prospective nationwide fluoroscopic and electrical longitudinal follow-up of recalled Riata defibrillator leads in Denmark. <i>Heart Rhythm</i> , <b>2014</b> , 11, 2141-7	6.7	13
13	Complications after cardiac implantable electronic device implantations: an analysis of a complete, nationwide cohort in Denmark. <i>European Heart Journal</i> , <b>2014</b> , 35, 1186-94	9.5	440
12	Radiofrequency ablation as initial therapy in paroxysmal atrial fibrillation. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1587-95	59.2	419
11	Pacing in sinus node disease to prevent atrial fibrillation. <i>Expert Review of Cardiovascular Therapy</i> , <b>2012</b> , 10, 851-8	2.5	6
10	Pneumothorax in cardiac pacing: a population-based cohort study of 28,860 Danish patients. <i>Europace</i> , <b>2012</b> , 14, 1132-8	3.9	60
9	Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. <i>Europace</i> , <b>2012</b> , 14, 682-9	3.9	45
8	Long-term outcome of ablative therapy of post-operative atrial tachyarrhythmias in patients with tetralogy of Fallot: a European multi-centre study. <i>Europace</i> , <b>2012</b> , 14, 522-7	3.9	31
7	A comparison of single-lead atrial pacing with dual-chamber pacing in sick sinus syndrome. <i>European Heart Journal</i> , <b>2011</b> , 32, 686-96	9.5	189
6	Very long term follow-up of cardiac resynchronization therapy: clinical outcome and predictors of mortality. <i>European Journal of Heart Failure</i> , <b>2008</b> , 10, 796-801	12.3	33
5	Pacing mode selection in patients with sick sinus syndrome. <i>Danish Medical Bulletin</i> , <b>2007</b> , 54, 1-17		1
4	Regional myocardial perfusion during chronic biventricular pacing and after acute change of the pacing mode in patients with congestive heart failure and bundle branch block treated with an atrioventricular sequential biventricular pacemaker. <i>European Journal of Heart Failure</i> , <b>2003</b> , 5, 179-86	12.3	23
3	A randomized comparison of atrial and dual-chamber pacing in 177 consecutive patients with sick sinus syndrome: echocardiographic and clinical outcome. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 42, 614-23	15.1	396
2	Atrioventricular conduction during long-term follow-up of patients with sick sinus syndrome. <i>Circulation</i> , <b>1998</b> , 98, 1315-21	16.7	90
1	Heart failure and echocardiographic changes during long-term follow-up of patients with sick sinus syndrome randomized to single-chamber atrial or ventricular pacing. <i>Circulation</i> , <b>1998</b> , 97, 987-95	16.7	182