Kyriakos Komvopoulos

List of Publications by Citations

Source: https://exaly.com/author-pdf/2116182/kyriakos-komvopoulos-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

304 10,340 51 87 g-index

331 11,287 3.2 6.58 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|------------------|-----------|
| 304 | Platinum nanoparticle shape effects on benzene hydrogenation selectivity. <i>Nano Letters</i> , 2007 , 7, 3097 | - 1:0:1 5 | 747 |
| 303 | Contact analysis of elastic-plastic fractal surfaces. <i>Journal of Applied Physics</i> , 1998 , 84, 3617-3624 | 2.5 | 402 |
| 302 | Surface engineering and microtribology for microelectromechanical systems. Wear, 1996, 200, 305-327 | 3.5 | 302 |
| 301 | Elastic-Plastic Finite Element Analysis of Indented Layered Media. <i>Journal of Tribology</i> , 1989 , 111, 430-4 | 1 3:9 8 | 175 |
| 300 | Electrical contact resistance theory for conductive rough surfaces. <i>Journal of Applied Physics</i> , 2003 , 94, 3153-3162 | 2.5 | 172 |
| 299 | A Fractal Theory of the Interfacial Temperature Distribution in the Slow Sliding Regime: Part I E lastic Contact and Heat Transfer Analysis. <i>Journal of Tribology</i> , 1994 , 116, 812-822 | 1.8 | 170 |
| 298 | Failure mechanisms of single-crystal silicon electrodes in lithium-ion batteries. <i>Nature Communications</i> , 2016 , 7, 11886 | 17.4 | 156 |
| 297 | Finite Element Analysis of a Layered Elastic Solid in Normal Contact With a Rigid Surface. <i>Journal of Tribology</i> , 1988 , 110, 477-485 | 1.8 | 151 |
| 296 | Femtosecond laser aperturless near-field nanomachining of metals assisted by scanning probe microscopy. <i>Applied Physics Letters</i> , 2003 , 82, 1146-1148 | 3.4 | 147 |
| 295 | Cell-shape regulation of smooth muscle cell proliferation. <i>Biophysical Journal</i> , 2009 , 96, 3423-32 | 2.9 | 143 |
| 294 | Adhesion and friction forces in microelectromechanical systems: mechanisms, measurement, surface modification techniques, and adhesion theory. <i>Journal of Adhesion Science and Technology</i> , 2003 , 17, 477-517 | 2 | 141 |
| 293 | Finite Element Modeling of Orthogonal Metal Cutting. <i>Journal of Engineering for Industry</i> , 1991 , 113, 253-267 | | 138 |
| 292 | Directional adhesion of gecko-inspired angled microfiber arrays. <i>Applied Physics Letters</i> , 2008 , 93, 1919 | 19.4 | 131 |
| 291 | Three-Dimensional Contact Analysis of Elastic-Plastic Layered Media With Fractal Surface Topographies. <i>Journal of Tribology</i> , 2001 , 123, 632-640 | 1.8 | 130 |
| 290 | Effect of vacuum arc deposition parameters on the properties of amorphous carbon thin films. <i>Surface and Coatings Technology</i> , 1994 , 68-69, 388-393 | 4.4 | 121 |
| 289 | Elastic-Plastic Finite Element Analysis of Repeated Indentation of a Half-Space by a Rigid Sphere. Journal of Applied Mechanics, Transactions ASME, 1993 , 60, 829-841 | 2.7 | 120 |
| 288 | Analysis of the spherical indentation cycle for elastic-perfectly plastic solids. <i>Journal of Materials</i> Research 2004, 19, 3641-3653 | 2.5 | 114 |

| 287 | A Fractal Theory of the Interfacial Temperature Distribution in the Slow Sliding Regime: Part IIMultiple Domains, Elastoplastic Contacts and Applications. <i>Journal of Tribology</i> , 1994 , 116, 824-832 | 1.8 | 111 |
|-----|--|-----------------|-----|
| 286 | Surface nanostructuring by nano-/femtosecond laser-assisted scanning force microscopy. <i>Journal of Applied Physics</i> , 2005 , 97, 104319 | 2.5 | 108 |
| 285 | A Fractal Analysis of Stiction in Microelectromechanical Systems. <i>Journal of Tribology</i> , 1997 , 119, 391-4 | 8. 00 .8 | 107 |
| 284 | Mechanotransduction of bovine articular cartilage superficial zone protein by transforming growth factor beta signaling. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3706-14 | | 105 |
| 283 | Nanomechanical Properties of Polymers Determined From Nanoindentation Experiments. <i>Journal of Tribology</i> , 2001 , 123, 624-631 | 1.8 | 103 |
| 282 | CO oxidation on PtSn nanoparticle catalysts occurs at the interface of Pt and Sn oxide domains formed under reaction conditions. <i>Journal of Catalysis</i> , 2014 , 312, 17-25 | 7.3 | 99 |
| 281 | Furan hydrogenation over Pt(111) and Pt(100) single-crystal surfaces and Pt nanoparticles from 1 to 7 nm: a kinetic and sum frequency generation vibrational spectroscopy study. <i>Journal of the American Chemical Society</i> , 2010 , 132, 13088-95 | 16.4 | 98 |
| 280 | Highly Stretchable Microsupercapacitor Arrays with Honeycomb Structures for Integrated Wearable Electronic Systems. <i>ACS Nano</i> , 2016 , 10, 9306-9315 | 16.7 | 95 |
| 279 | Electrical contact resistance theory for conductive rough surfaces separated by a thin insulating film. <i>Journal of Applied Physics</i> , 2004 , 95, 576-585 | 2.5 | 90 |
| 278 | The interface of functional biotribology and regenerative medicine in synovial joints. <i>Tissue Engineering - Part B: Reviews</i> , 2008 , 14, 235-47 | 7.9 | 89 |
| 277 | The Mechanism of Friction in Boundary Lubrication. <i>Journal of Tribology</i> , 1985 , 107, 452-462 | 1.8 | 89 |
| 276 | Increased friction coefficient and superficial zone protein expression in patients with advanced osteoarthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2680-7 | | 86 |
| 275 | Elastic Finite Element Analysis of Multi-Asperity Contacts. <i>Journal of Tribology</i> , 1992 , 114, 823-831 | 1.8 | 86 |
| 274 | Nanoscale pseudoelastic behavior of indented titanium lickel films. <i>Applied Physics Letters</i> , 2003 , 83, 3773-3775 | 3.4 | 85 |
| 273 | Plasma surface chemical treatment of electrospun poly(L-lactide) microfibrous scaffolds for enhanced cell adhesion, growth, and infiltration. <i>Tissue Engineering - Part A</i> , 2013 , 19, 1188-98 | 3.9 | 83 |
| 272 | The Role of Hard Layers in Lubricated and Dry Sliding. <i>Journal of Tribology</i> , 1987 , 109, 223-231 | 1.8 | 81 |
| 271 | Atomic force microscope investigation of the boundary-lubricant layer in articular cartilage. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 956-63 | 6.2 | 80 |
| 270 | | | 78 |

| 269 | Plowing Friction in Dry and Lubricated Metal Sliding. <i>Journal of Tribology</i> , 1986 , 108, 301-312 | 1.8 | 73 |
|-----|--|------|----|
| 268 | Synthesis of ultrathin carbon films by direct current filtered cathodic vacuum arc. <i>Journal of Applied Physics</i> , 2009 , 105, 083305 | 2.5 | 66 |
| 267 | Viscoelastic properties of polymer surfaces investigated by nanoscale dynamic mechanical analysis. <i>Applied Physics Letters</i> , 2006 , 88, 131901 | 3.4 | 64 |
| 266 | Tuning the electronic structure of titanium oxide support to enhance the electrochemical activity of platinum nanoparticles. <i>Nano Letters</i> , 2013 , 13, 4469-74 | 11.5 | 63 |
| 265 | Finite Element Analysis of Repeated Indentation of an Elastic-Plastic Layered Medium by a Rigid Sphere, Part I: Surface Results. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1995 , 62, 20-28 | 2.7 | 61 |
| 264 | Surface modification of magnetic recording media by filtered cathodic vacuum arc. <i>Journal of Applied Physics</i> , 2009 , 106, 093504 | 2.5 | 60 |
| 263 | Finite Element Analysis of Repeated Indentation of an Elastic-Plastic Layered Medium by a Rigid Sphere, Part II: Subsurface Results. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1995 , 62, 29-42 | 2.7 | 59 |
| 262 | A catalytic path for electrolyte reduction in lithium-ion cells revealed by in situ attenuated total reflection-Fourier transform infrared spectroscopy. <i>Journal of the American Chemical Society</i> , 2015 , 137, 3181-4 | 16.4 | 58 |
| 261 | Elasticplastic spherical indentation: Deformation regimes, evolution of plasticity, and hardening effect. <i>Mechanics of Materials</i> , 2013 , 61, 91-100 | 3.3 | 57 |
| 260 | Molecular restructuring at poly(n-butyl methacrylate) and poly(methyl methacrylate) surfaces due to compression by a sapphire prism studied by infrared-visible sum frequency generation vibrational spectroscopy. <i>Langmuir</i> , 2005 , 21, 3647-52 | 4 | 57 |
| 259 | Carbon monoxide adsorption and oxidation on monolayer films of cubic platinum nanoparticles investigated by infrared-visible sum frequency generation vibrational spectroscopy. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 15920-5 | 3.4 | 56 |
| 258 | Tribological Properties and Microstructure Evolution of Ultra-High Molecular Weight Polyethylene. Journal of Tribology, 1999 , 121, 394-402 | 1.8 | 55 |
| 257 | Processing and Characterization of Laser-Cladded Coating Materials. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 1990 , 112, 131-143 | 1.8 | 55 |
| 256 | Three-Dimensional Finite Element Analysis of Subsurface Stress and Strain Fields Due to Sliding Contact on an Elastic-Plastic Layered Medium. <i>Journal of Tribology</i> , 1997 , 119, 332-341 | 1.8 | 53 |
| 255 | Microstructure and nanomechanical properties of nitrogenated amorphous carbon thin films synthesized by reactive radio frequency sputtering. <i>Journal of Applied Physics</i> , 1999 , 85, 2642-2651 | 2.5 | 53 |
| 254 | The Chemistry of Electrolyte Reduction on Silicon Electrodes Revealed by in Situ ATR-FTIR Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 14476-14483 | 3.8 | 52 |
| 253 | Direct-current cathodic vacuum arc system with magnetic-field mechanism for plasma stabilization. <i>Review of Scientific Instruments</i> , 2008 , 79, 073905 | 1.7 | 51 |
| 252 | Headdisk interface contact mechanics for ultrahigh density magnetic recording. <i>Wear</i> , 2000 , 238, 1-11 | 3.5 | 51 |

(2012-2015)

| 251 | Electrospun bilayer fibrous scaffolds for enhanced cell infiltration and vascularization in vivo. <i>Acta Biomaterialia</i> , 2015 , 13, 131-41 | 10.8 | 50 | |
|-----|---|---------------------------|----|--|
| 250 | Three-Dimensional Finite Element Analysis of Elastic-Plastic Layered Media Under Thermomechanical Surface Loading. <i>Journal of Tribology</i> , 2003 , 125, 52-59 | 1.8 | 50 | |
| 249 | Three-Dimensional Finite Element Analysis of Surface Deformation and Stresses in an Elastic-Plastic Layered Medium Subjected to Indentation and Sliding Contact Loading. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1996 , 63, 365-375 | 2.7 | 49 | |
| 248 | Regulation of the friction coefficient of articular cartilage by TGF-beta1 and IL-1beta. <i>Journal of Orthopaedic Research</i> , 2009 , 27, 249-56 | 3.8 | 48 | |
| 247 | Differential regulation of endothelial cell adhesion, spreading, and cytoskeleton on low-density polyethylene by nanotopography and surface chemistry modification induced by argon plasma treatment. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 828-36 | 5.4 | 48 | |
| 246 | Surface modification of low-density polyethylene by inductively coupled argon plasma. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 17623-9 | 3.4 | 48 | |
| 245 | Mechanical and Thermomechanical Elastic-Plastic Contact Analysis of Layered Media With Patterned Surfaces. <i>Journal of Tribology</i> , 2004 , 126, 9-17 | 1.8 | 48 | |
| 244 | Finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact. <i>Wear</i> , 1997 , 209, 57-68 | 3.5 | 46 | |
| 243 | An experimental study of sidewall adhesion in microelectromechanical systems. <i>Journal of Microelectromechanical Systems</i> , 2005 , 14, 1356-1363 | 2.5 | 46 | |
| 242 | Effect of graphitic carbon films on diamond nucleation by microwave-plasma-enhanced chemical-vapor deposition. <i>Journal of Applied Physics</i> , 1993 , 74, 2841-2849 | 2.5 | 46 | |
| 241 | Indentation Analysis of Elastic-Plastic Homogeneous and Layered Media: Criteria for Determining the Real Material Hardness. <i>Journal of Tribology</i> , 2003 , 125, 685-691 | 1.8 | 45 | |
| 240 | Nanotribological and Nanomechanical Properties of Ultrathin Amorphous Carbon Films Synthesized by Radio Frequency Sputtering. <i>Journal of Tribology</i> , 2001 , 123, 641-650 | 1.8 | 45 | |
| 239 | The Effect of Tribofilm Formation and Humidity on the Friction and Wear Properties of Ceramic Materials. <i>Journal of Tribology</i> , 1992 , 114, 131-140 | 1.8 | 44 | |
| 238 | An adhesive wear model of fractal surfaces in normal contact. <i>International Journal of Solids and Structures</i> , 2010 , 47, 912-921 | 3.1 | 43 | |
| 237 | Pseudoelasticity of shape-memory titanium lickel films subjected to dynamic nanoindentation. <i>Applied Physics Letters</i> , 2004 , 84, 4274-4276 | 3.4 | 42 | |
| 236 | The role of lubricant entrapment at biological interfaces: reduction of friction and adhesion in articular cartilage. <i>Journal of Biomechanics</i> , 2011 , 44, 2015-20 | 2.9 | 41 | |
| 235 | Sliding Friction Mechanisms of Boundary-Lubricated Layered Surfaces: Part IIII heoretical Analysis. <i>Tribology Transactions</i> , 1991 , 34, 281-291 | 1.8 | 41 | |
| 234 | Sum Frequency Generation Vibrational Spectroscopy of Colloidal Platinum Nanoparticle Catalysts: Disordering versus Removal of Organic Capping. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 17540-175 | 4 <i>6</i> ^{3.8} | 40 | |

| 233 | Hardness of Thin-Film Media: Scratch Experiments and Finite Element Simulations. <i>Journal of Tribology</i> , 1996 , 118, 1-11 | 1.8 | 40 |
|-----|--|------|----|
| 232 | Effect of reactive species on surface crosslinking of plasma-treated polymers investigated by surface force microscopy. <i>Applied Physics Letters</i> , 2006 , 89, 124102 | 3.4 | 40 |
| 231 | Stability and Resolution Analysis of a Phase-Locked Loop Natural Frequency Tracking System for MEMS Fatigue Testing. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2002 , 124, 599-605 | 1.6 | 40 |
| 230 | Highly n-Type Titanium Oxide as an Electronically Active Support for Platinum in the Catalytic Oxidation of Carbon Monoxide. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 16006-16011 | 3.8 | 38 |
| 229 | Electrical contact resistance as a diagnostic tool for MEMS contact interfaces. <i>Journal of Microelectromechanical Systems</i> , 2004 , 13, 977-987 | 2.5 | 38 |
| 228 | Engineering the microstructure of electrospun fibrous scaffolds by microtopography. <i>Biomacromolecules</i> , 2013 , 14, 1349-60 | 6.9 | 37 |
| 227 | Effect of Surface Patterning on Contact Deformation of Elastic-Plastic Layered Media. <i>Journal of Tribology</i> , 2003 , 125, 16-24 | 1.8 | 37 |
| 226 | A Fractal Theory of the Temperature Distribution at Elastic Contacts of Fast Sliding Surfaces. Journal of Tribology, 1995 , 117, 203-214 | 1.8 | 37 |
| 225 | Highly flexible, foldable, and rollable microsupercapacitors on an ultrathin polyimide substrate with high power density. <i>Microsystems and Nanoengineering</i> , 2018 , 4, 16 | 7.7 | 36 |
| 224 | Carbon Overcoat Oxidation in Heat-Assisted Magnetic Recording. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 3721-3724 | 2 | 36 |
| 223 | Structural stability of hydrogenated amorphous carbon overcoats used in heat-assisted magnetic recording investigated by rapid thermal annealing. <i>Journal of Applied Physics</i> , 2013 , 113, 083517 | 2.5 | 36 |
| 222 | Sum frequency generation vibrational spectroscopy of 1,3-butadiene hydrogenation on 4 nm Pt@SiO2, Pd@SiO2, and Rh@SiO2 core-shell catalysts. <i>Nano Letters</i> , 2015 , 15, 39-44 | 11.5 | 36 |
| 221 | Thermal Stability of Ultrathin Amorphous Carbon Films for Energy-Assisted Magnetic Recording. <i>IEEE Transactions on Magnetics</i> , 2011 , 47, 2277-2282 | 2 | 36 |
| 220 | Sum Frequency Generation Vibrational Spectroscopy of Pyridine Hydrogenation on Platinum Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11865-11868 | 3.8 | 36 |
| 219 | A Mechanics Approach to Static Friction of Elastic Plastic Fractal Surfaces. <i>Journal of Tribology</i> , 2005 , 127, 315-324 | 1.8 | 36 |
| 218 | A Molecular Dynamics Analysis of Surface Interference and Tip Shape and Size Effects on Atomic-Scale Friction. <i>Journal of Tribology</i> , 2005 , 127, 513-521 | 1.8 | 36 |
| 217 | Wear Mechanisms of Multi-Layer Coated Cemented Carbide Cutting Tools. <i>Journal of Tribology</i> , 1997 , 119, 8-17 | 1.8 | 35 |
| 216 | Three-Dimensional Elastic-Plastic Fractal Analysis of Surface Adhesion in Microelectromechanical Systems. <i>Journal of Tribology</i> , 1998 , 120, 808-813 | 1.8 | 35 |

| 215 | Subsurface crack mechanisms under indentation loading. Wear, 1996, 199, 9-23 | 3.5 | 35 | |
|-----|---|------|----|--|
| 214 | High-energy-density, all-solid-state microsupercapacitors with three-dimensional interdigital electrodes of carbon/polymer electrolyte composite. <i>Nanotechnology</i> , 2016 , 27, 045701 | 3.4 | 34 | |
| 213 | Structure Sensitivity in Pt Nanoparticle Catalysts for Hydrogenation of 1,3-Butadiene: In Situ Study of Reaction Intermediates Using SFG Vibrational Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 1809-1817 | 3.8 | 34 | |
| 212 | Plasma-assisted surface chemical patterning for single-cell culture. <i>Biomaterials</i> , 2009 , 30, 4203-10 | 15.6 | 34 | |
| 211 | Antiwear Tribofilm Formation on Steel Surfaces Lubricated With Gear Oil Containing Borate, Phosphorus, and Sulfur Additives. <i>Tribology Transactions</i> , 2002 , 45, 568-575 | 1.8 | 34 | |
| 210 | Stress analysis of a layered elastic solid in contact with a rough surface exhibiting fractal behavior. <i>International Journal of Solids and Structures</i> , 2007 , 44, 2109-2129 | 3.1 | 33 | |
| 209 | Effects of film thickness and contact load on nanotribological properties of sputtered amorphous carbon thin films. <i>Wear</i> , 2003 , 254, 1010-1018 | 3.5 | 32 | |
| 208 | Thickness effect on thermally induced phase transformations in sputtered titanium-nickel shape-memory films. <i>Journal of Materials Research</i> , 2005 , 20, 1606-1612 | 2.5 | 32 | |
| 207 | Molecular dynamics simulation of single and repeated indentation. <i>Journal of Applied Physics</i> , 1997 , 82, 4823-4830 | 2.5 | 31 | |
| 206 | Sum Frequency Generation Vibrational Spectroscopy and Kinetic Study of 2-Methylfuran and 2,5-Dimethylfuran Hydrogenation over 7 nm Platinum Cubic Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 8104-8109 | 3.8 | 30 | |
| 205 | Effect of Residual Stress in Surface Layer on Contact Deformation of Elastic-Plastic Layered Media. Journal of Tribology, 2003 , 125, 692-699 | 1.8 | 30 | |
| 204 | Pseudoelasticity of martensitic titanium-nickel shape-memory films studied by in situ heating nanoindentation and transmission electron microscopy. <i>Applied Physics Letters</i> , 2005 , 87, 263108 | 3.4 | 30 | |
| 203 | Self-assembled monolayer film for enhanced imaging of rough surfaces with atomic force microscopy. <i>Journal of Applied Physics</i> , 1994 , 76, 5731-5737 | 2.5 | 30 | |
| 202 | Diamond-Like Carbon Films for Silicon Passivation in Microelectromechanical Devices. <i>Materials Research Society Symposia Proceedings</i> , 1995 , 383, 391 | | 30 | |
| 201 | Wear of boundary-lubricated metal surfaces. Wear, 1986, 107, 107-132 | 3.5 | 30 | |
| 200 | Identification of Diethyl 2,5-Dioxahexane Dicarboxylate and Polyethylene Carbonate as Decomposition Products of Ethylene Carbonate Based Electrolytes by Fourier Transform Infrared Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 14732-14738 | 3.8 | 29 | |
| 199 | Dependence of nanoscale friction and adhesion properties of articular cartilage on contact load. Journal of Biomechanics, 2011 , 44, 1340-5 | 2.9 | 29 | |
| 198 | The Effect of Adhesion on the Static Friction Properties of Sidewall Contact Interfaces of Microelectromechanical Devices. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 1612-1621 | 2.5 | 28 | |

| 197 | Transitions from nanoscale to microscale dynamic friction mechanisms on polyethylene and silicon surfaces. <i>Journal of Applied Physics</i> , 2000 , 87, 3143-3150 | 2.5 | 28 |
|-----|--|-------------------|----|
| 196 | Diamond nucleation on unscratched silicon substrates coated with various non-diamond carbon films by microwave plasma-enhanced chemical vapor deposition. <i>Journal of Materials Research</i> , 1995 , 10, 165-174 | 2.5 | 28 |
| 195 | Mechanical properties of electrospun bilayer fibrous membranes as potential scaffolds for tissue engineering. <i>Acta Biomaterialia</i> , 2014 , 10, 2718-26 | 10.8 | 27 |
| 194 | Tribological and Nanomechanical Properties of Unmodified and Crosslinked Ultra-High Molecular Weight Polyethylene for Total Joint Replacements. <i>Journal of Tribology</i> , 2004 , 126, 386-394 | 1.8 | 27 |
| 193 | Vacancies for controlling the behavior of microstructured three-dimensional mechanical metamaterials. <i>Mathematics and Mechanics of Solids</i> , 2019 , 24, 511-524 | 2.3 | 27 |
| 192 | Analytical currentwoltage relationships for electron tunneling across rough interfaces. <i>Journal of Applied Physics</i> , 2005 , 97, 073701 | 2.5 | 26 |
| 191 | Intertwined microlattices greatly enhance the performance of mechanical metamaterials. <i>Mathematics and Mechanics of Solids</i> , 2019 , 24, 2636-2648 | 2.3 | 25 |
| 190 | Nanoscale Pseudoelasticity of Single-crystal CuAlNi shape-memory Alloy Induced by Cyclic Nanoindentation. <i>Journal of Materials Science</i> , 2006 , 41, 5021-5024 | 4.3 | 25 |
| 189 | A review of graphene synthesis by indirect and direct deposition methods. <i>Journal of Materials Research</i> , 2020 , 35, 76-89 | 2.5 | 24 |
| 188 | Dependence of nanomechanical modification of polymers on plasma-induced cross-linking. <i>Journal of Applied Physics</i> , 2007 , 101, 014307 | 2.5 | 24 |
| 187 | Mechanical and friction properties of thermoplastic polyurethanes determined by scanning force microscopy. <i>Journal of Applied Physics</i> , 2001 , 89, 5712-5719 | 2.5 | 24 |
| 186 | Microstructural and microhardness characteristics of laser-synthesized Fe-Cr-W-C Coatings. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1995, 26, 2131-213 | 3 2 .3 | 24 |
| 185 | Three-Dimensional Finite Element Analysis of Subsurface Stresses and Shakedown Due to Repeated Sliding on a Layered Medium. <i>Journal of Applied Mechanics, Transactions ASME</i> , 1996 , 63, 967 | -973 | 24 |
| 184 | Plasma-assisted heparin conjugation on electrospun poly(L-lactide) fibrous scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 1408-14 | 5.4 | 23 |
| 183 | Friction Reduction and Antiwear Capacity of Engine Oil Blends Containing Zinc Dialkyl Dithiophosphate and Molybdenum-Complex Additives. <i>Tribology Transactions</i> , 2006 , 49, 151-165 | 1.8 | 23 |
| 182 | Microdevice for measuring friction and adhesion properties of sidewall contact interfaces of microelectromechanical systems. <i>Review of Scientific Instruments</i> , 2007 , 78, 065106 | 1.7 | 23 |
| 181 | Tetrahedral and Trigonal Carbon Atom Hybridization in Thin Amorphous Carbon Films Synthesized by Radio-Frequency Sputtering. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 9891-9896 | 3.8 | 23 |
| 180 | Stability of ultrathin amorphous carbon films deposited on smooth silicon substrates by radio frequency sputtering. <i>Journal of Applied Physics</i> , 2001 , 89, 2422-2433 | 2.5 | 23 |

| 179 | Nanomechanical properties and morphology of thick polyurethane films under contact pressure and stretching. <i>Journal of Applied Physics</i> , 2002 , 91, 375 | 2.5 | 23 | |
|-----|---|------|----|--|
| 178 | Static friction in polysilicon surface micromachines. <i>Journal of Microelectromechanical Systems</i> , 2005 , 14, 651-663 | 2.5 | 22 | |
| 177 | Surface and interface viscoelastic behaviors of thin polymer films investigated by nanoindentation. Journal of Applied Physics, 2006 , 100, 114329 | 2.5 | 22 | |
| 176 | Thermomechanical Analysis of Semi-infinite Solid in Sliding Contact With a Fractal Surface. <i>Journal of Tribology</i> , 2005 , 127, 331-342 | 1.8 | 22 | |
| 175 | In situ transmission electron microscopy and nanoindentation studies of phase transformation and pseudoelasticity of shape-memory titanium-nickel films. <i>Journal of Materials Research</i> , 2005 , 20, 1808-1 | 1813 | 22 | |
| 174 | Chemical and biological characteristics of low-temperature plasma treated ultra-high molecular weight polyethylene for biomedical applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2001 , 12, 549-56 | 4.5 | 22 | |
| 173 | Implanted argon atoms as sensing probes of residual stress in ultrathin films. <i>Applied Physics Letters</i> , 2000 , 76, 3206-3208 | 3.4 | 22 | |
| 172 | The multilayered structure of ultrathin amorphous carbon films synthesized by filtered cathodic vacuum arc deposition. <i>Journal of Materials Research</i> , 2013 , 28, 2124-2131 | 2.5 | 21 | |
| 171 | Titanium Oxide/Platinum Catalysis: Charge Transfer from a Titanium Oxide Support Controls Activity and Selectivity in Methanol Oxidation on Platinum. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 22960-22964 | 3.8 | 21 | |
| 170 | Adhesion-induced instabilities in elastic and elasticplastic contacts during single and repetitive normal loading. <i>Journal of the Mechanics and Physics of Solids</i> , 2011 , 59, 884-897 | 5 | 21 | |
| 169 | Synthesis of Polyethylene Glycol-Like Films from Capacitively Coupled Plasma of Diethylene Glycol Dimethyl Ether Monomer. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 213-219 | 3.8 | 21 | |
| 168 | Friction properties of amorphous carbon ultrathin films deposited by filtered cathodic vacuum arc and radio-frequency sputtering. <i>Thin Solid Films</i> , 2015 , 579, 167-173 | 2.2 | 20 | |
| 167 | An elasticplastic analysis of spherical indentation: Constitutive equations for single-indentation unloading and development of plasticity due to repeated indentation. <i>Mechanics of Materials</i> , 2014 , 76, 93-101 | 3.3 | 20 | |
| 166 | Effect of Sulfur- and Phosphorus-Containing Additives and Metal Deactivator on the Tribological Properties of Boundary-Lubricated Steel Surfaces. <i>Tribology Transactions</i> , 2003 , 46, 315-325 | 1.8 | 20 | |
| 165 | Nanomechanical properties of energetically treated polyethylene surfaces. <i>Journal of Materials Research</i> , 2002 , 17, 423-430 | 2.5 | 20 | |
| 164 | Nanoscale Indentation Hardness and Wear Characterization of Hydrogenated Carbon Thin Films. Journal of Tribology, 1996 , 118, 431-438 | 1.8 | 20 | |
| 163 | A pretreatment process for enhanced diamond nucleation on smooth silicon substrates coated with hard carbon films. <i>Journal of Materials Research</i> , 1994 , 9, 2148-2153 | 2.5 | 20 | |
| 162 | In vitro measurement of the mechanical properties of skin by nano/microindentation methods. Journal of Biomechanics, 2014 , 47, 1186-92 | 2.9 | 19 | |

| 161 | Tribological altruism: A sacrificial layer mechanism of synovial joint lubrication in articular cartilage. <i>Journal of Biomechanics</i> , 2012 , 45, 2426-31 | 2.9 | 19 |
|-----|--|---------------|----|
| 160 | Effect of fluorocarbon self-assembled monolayer films on sidewall adhesion and friction of surface micromachines with impacting and sliding contact interfaces. <i>Journal of Applied Physics</i> , 2013 , 113, 224 | 5 65 5 | 19 |
| 159 | Correlation Between Acoustic Emission and Wear of Multi-Layer Ceramic Coated Carbide Tools. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 1997, 119, 238-246 | 3.3 | 19 |
| 158 | Effects of multi-scale roughness and frictional heating on solid body contact deformation. <i>Comptes Rendus - Mecanique</i> , 2008 , 336, 149-162 | 2.1 | 19 |
| 157 | Impact of a Rigid Sphere on an Elastic Homogeneous Half-Space. <i>Journal of Tribology</i> , 2005 , 127, 325-3 | 30 .8 | 19 |
| 156 | Nanomechanical and Nanotribological Properties of Carbon, Chromium, and Titanium Carbide Ultrathin Films. <i>Journal of Tribology</i> , 2001 , 123, 717-724 | 1.8 | 19 |
| 155 | Dependence of growth and nanomechanical properties of ultrathin amorphous carbon films on radio frequency sputtering conditions. <i>Journal of Applied Physics</i> , 1999 , 86, 2268-2277 | 2.5 | 19 |
| 154 | Surface modification of magnetic recording heads by plasma immersion ion implantation and deposition. <i>Journal of Applied Physics</i> , 1994 , 76, 1656-1664 | 2.5 | 19 |
| 153 | Incidence Angle Effect of Energetic Carbon Ions on Deposition Rate, Topography, and Structure of Ultrathin Amorphous Carbon Films Deposited by Filtered Cathodic Vacuum Arc. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 2220-2227 | 2 | 18 |
| 152 | High-Pressure Adsorption of Ethylene on Cubic Pt Nanoparticles and Pt(100) Single Crystals Probed by in Situ Sum Frequency Generation Vibrational Spectroscopy. <i>ACS Catalysis</i> , 2012 , 2, 2377-2386 | 13.1 | 18 |
| 151 | Scale-dependent nanomechanical behavior and anisotropic friction of nanotextured silicon surfaces. <i>Journal of Materials Research</i> , 2009 , 24, 3038-3043 | 2.5 | 18 |
| 150 | Friction and Wear of Hemiarthroplasty Biomaterials in Reciprocating Sliding Contact With Articular Cartilage. <i>Journal of Tribology</i> , 2011 , 133, | 1.8 | 18 |
| 149 | Wear of Polysilicon Surface Micromachines Operated in High Vacuum. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 229-238 | 2.5 | 18 |
| 148 | Dynamic Indentation of an Elastic-Plastic Multi-Layered Medium by a Rigid Cylinder. <i>Journal of Tribology</i> , 2004 , 126, 18-27 | 1.8 | 18 |
| 147 | Transmission electron microscopy and electron energy loss spectroscopy analysis of ultrathin amorphous carbon films. <i>Journal of Materials Research</i> , 2004 , 19, 2131-2136 | 2.5 | 18 |
| 146 | X-Ray Photoelectron Spectroscopy Analysis of Antiwear Tribofilms Produced on Boundary-Lubricated Steel Surfaces from Sulfur- and Phosphorus-Containing Additives and Metal Deactivator Additive. <i>Tribology Transactions</i> , 2004 , 47, 321-327 | 1.8 | 18 |
| 145 | Microstructural characterization and In Situ transmission electron microscopy analysis of laser-processed and thermally treated Fe-Cr-W-C clad coatings. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1993 , 24, 1621-1629 | | 18 |
| 144 | The Significance of Oxide Layers in Boundary Lubrication. <i>Journal of Tribology</i> , 1986 , 108, 502-513 | 1.8 | 18 |

(2000-2005)

| 143 | Entropically mediated polyolefin blend segregation at buried sapphire and air interfaces investigated by infrared-visible sum frequency generation vibrational spectroscopy. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 23415-8 | 3.4 | 16 |
|-----|--|-----|----|
| 142 | Effect of ion energy fluence on the topography and wettability of low-density polyethylene exposed to inductively coupled argon plasma. <i>Journal Physics D: Applied Physics</i> , 2006 , 39, 1084-1094 | 3 | 16 |
| 141 | Elastic-Plastic Finite Element Analysis for the Head-Disk Interface With Fractal Topography Description. <i>Journal of Tribology</i> , 2002 , 124, 775-784 | 1.8 | 16 |
| 140 | Effect of pretreatment process parameters on diamond nucleation on unscratched silicon substrates coated with amorphous carbon films. <i>Journal of Applied Physics</i> , 1996 , 79, 485-492 | 2.5 | 16 |
| 139 | The effect of Argon ion irradiation on the thickness and structure of ultrathin amorphous carbon films. <i>Journal of Applied Physics</i> , 2016 , 119, 095304 | 2.5 | 15 |
| 138 | Physicochemical Properties and Morphology of Fluorocarbon Films Synthesized on Crosslinked Polyethylene by Capacitively Coupled Octafluorocyclobutane Plasma. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 4358-4367 | 3.8 | 15 |
| 137 | Nanoscale plastic deformation and fracture of polymers studied by in situ nanoindentation in a transmission electron microscope. <i>Applied Physics Letters</i> , 2006 , 88, 181908 | 3.4 | 15 |
| 136 | Conformational changes at polymer gel interfaces upon saturation with various liquids studied by infrared-visible sum frequency generation vibrational spectroscopy. <i>Applied Physics Letters</i> , 2006 , 88, 134105 | 3.4 | 15 |
| 135 | Interfacial viscoelasticity of thin polymer films studied by nanoscale dynamic mechanical analysis. <i>Applied Physics Letters</i> , 2007 , 90, 021910 | 3.4 | 15 |
| 134 | Analysis of interfacial adhesion based on electrical contact resistance measurements. <i>Journal of Applied Physics</i> , 2003 , 94, 6386-6390 | 2.5 | 15 |
| 133 | Effect of stress-induced phase transformation on nanomechanical properties of sputtered amorphous carbon films. <i>Applied Physics Letters</i> , 2003 , 82, 2437-2439 | 3.4 | 15 |
| 132 | Synergistic Effects of Boron-, Sulfur-, and Phosphorus-Containing Lubricants in Boundary Lubrication of Steel Surfaces. <i>Tribology Transactions</i> , 2005 , 48, 218-229 | 1.8 | 15 |
| 131 | Microstructural analysis and oxidation behavior of laser-processed Fe-Cr-AI-Y alloy coatings. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996 , 27, 381-390 | 2.3 | 15 |
| 130 | Design Challenges in Polymeric Scaffolds for Tissue Engineering. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 617141 | 5.8 | 15 |
| 129 | Peridynamics analysis of the nanoscale friction and wear properties of amorphous carbon thin films. <i>Journal of Mechanics of Materials and Structures</i> , 2015 , 10, 559-572 | 1.2 | 14 |
| 128 | Thermoelastic Finite Element Analysis of Subsurface Cracking Due to Sliding Surface Traction. Journal of Engineering Materials and Technology, Transactions of the ASME, 1997, 119, 71-78 | 1.8 | 14 |
| 127 | Electromechanically induced transition from nonohmic to ohmic behavior at contact interfaces. <i>Applied Physics Letters</i> , 2004 , 84, 4842-4844 | 3.4 | 14 |
| 126 | Static Friction and Initiation of Slip at Magnetic Head-Disk Interfaces. <i>Journal of Tribology</i> , 2000 , 122, 246-256 | 1.8 | 14 |

| 125 | Regulating the mechanical behavior of metamaterial microlattices by tactical structure modification. <i>Journal of the Mechanics and Physics of Solids</i> , 2020 , 144, 104112 | 5 | 14 |
|-----|---|-----|----|
| 124 | Adhesive contact of an elastic semi-infinite solid with a rigid rough surface: Strength of adhesion and contact instabilities. <i>International Journal of Solids and Structures</i> , 2014 , 51, 1197-1207 | 3.1 | 13 |
| 123 | Friction and Wear Micromechanisms of Amorphous Carbon Thin Films. <i>Journal of Tribology</i> , 1997 , 119, 823-829 | 1.8 | 13 |
| 122 | Microstructure and nanomechanical and optical properties of single- and multi-layer carbon films synthesized by radio frequency sputtering. <i>Surface and Coatings Technology</i> , 2003 , 168, 12-22 | 4.4 | 13 |
| 121 | Effect of Process Parameters on the Microstructure, Geometry and Microhardness of Laser-Clad Coating Materials. <i>Materials Science Forum</i> , 1994 , 163-165, 417-422 | 0.4 | 13 |
| 120 | Sliding Friction Mechanisms of Boundary-Lubricated Layered Surfaces: Part I B asic Mechanical Aspects and Experimental Results. <i>Tribology Transactions</i> , 1991 , 34, 266-280 | 1.8 | 13 |
| 119 | Anisotropic and curved lattice members enhance the structural integrity and mechanical performance of architected metamaterials. <i>International Journal of Solids and Structures</i> , 2020 , 193-194, 287-301 | 3.1 | 12 |
| 118 | Skin viscoelasticity studied in vitro by microprobe-based techniques. <i>Journal of Biomechanics</i> , 2014 , 47, 553-9 | 2.9 | 12 |
| 117 | A slip-line plasticity analysis of abrasive wear of a smooth and soft surface sliding against a rough (fractal) and hard surface. <i>International Journal of Solids and Structures</i> , 2012 , 49, 121-131 | 3.1 | 12 |
| 116 | Sidewall Adhesion and Sliding Contact Behavior of Polycrystalline Silicon Microdevices Operated in High Vacuum. <i>Journal of Microelectromechanical Systems</i> , 2012 , 21, 359-369 | 2.5 | 12 |
| 115 | Surface chemical patterning for long-term single-cell culture. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 507-12 | 5.4 | 12 |
| 114 | Levitation compensation method for dynamic electrostatic comb-drive actuators. <i>Sensors and Actuators A: Physical</i> , 2008 , 143, 383-389 | 3.9 | 12 |
| 113 | Enhancement of the photoprotection and nanomechanical properties of polycarbonate by deposition of thin ceramic coatings. <i>Journal of Applied Physics</i> , 2006 , 99, 104310 | 2.5 | 12 |
| 112 | Dynamic analysis of single and cyclic indentation of an elasticplastic multi-layered medium by a rigid fractal surface. <i>Journal of the Mechanics and Physics of Solids</i> , 2006 , 54, 927-950 | 5 | 12 |
| 111 | Cutting Force Variation Due to Wear of Multi-Layer Ceramic Coated Tools. <i>Journal of Tribology</i> , 1998 , 120, 75-81 | 1.8 | 12 |
| 110 | Nanoscale Indentation Hardness and Wear Characterization of Hydrogenated Carbon Thin Films. Journal of Tribology, 1995 , 117, 594-601 | 1.8 | 12 |
| 109 | Dynamic spherical indentation of elastic-plastic solids. <i>International Journal of Solids and Structures</i> , 2018 , 146, 180-191 | 3.1 | 11 |
| 108 | Ultrathin amorphous carbon films synthesized by filtered cathodic vacuum arc used as protective overcoats of heat-assisted magnetic recording heads. <i>Scientific Reports</i> , 2018 , 8, 9647 | 4.9 | 11 |

| 107 | Microscale friction phenomena in oscillatory sliding contacts. <i>Journal of Applied Physics</i> , 2007 , 102, 123 | 35 0 3 5 | 11 |
|-----|--|----------------------------|----|
| 106 | Nanomechanical and Nanotribological Properties of an Antiwear Tribofilm Produced from Phosphorus-Containing Additives on Boundary-Lubricated Steel Surfaces. <i>Journal of Tribology</i> , 2004 , 126, 775-780 | 1.8 | 11 |
| 105 | Surface Cracking in Elastic-Plastic Multi-Layered Media Due to Repeated Sliding Contact. <i>Journal of Tribology</i> , 2004 , 126, 655-663 | 1.8 | 11 |
| 104 | Correlation of surface molecular composition to nanoscale elastic behavior and topography of stretched polyurethane films. <i>Applied Physics Letters</i> , 2002 , 80, 1829-1831 | 3.4 | 11 |
| 103 | Boundary Lubrication of Steel Surfaces with Borate, Phosphorus, and Sulfur Containing Lubricants at Relatively Low and Elevated Temperatures. <i>Tribology Transactions</i> , 2000 , 43, 569-578 | 1.8 | 11 |
| 102 | Three-Dimensional Molecular Dynamics Analysis of Atomic-Scale Indentation. <i>Journal of Tribology</i> , 1998 , 120, 385-392 | 1.8 | 11 |
| 101 | Structure evolution during deposition and thermal annealing of amorphous carbon ultrathin films investigated by molecular dynamics simulations. <i>Scientific Reports</i> , 2020 , 10, 8089 | 4.9 | 10 |
| 100 | Nanostructure, structural stability, and diffusion characteristics of layered coatings for heat-assisted magnetic recording head media. <i>Scientific Reports</i> , 2018 , 8, 9807 | 4.9 | 10 |
| 99 | The effect of deposition energy of energetic atoms on the growth and structure of ultrathin amorphous carbon films studied by molecular dynamics simulations. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 245303 | 3 | 10 |
| 98 | A discrete dislocation plasticity analysis of a single-crystal semi-infinite medium indented by a rigid surface exhibiting multi-scale roughness. <i>Philosophical Magazine</i> , 2012 , 92, 2984-3005 | 1.6 | 9 |
| 97 | Delamination of an elastic film from an elasticplastic substrate during adhesive contact loading and unloading. <i>International Journal of Solids and Structures</i> , 2013 , 50, 2549-2560 | 3.1 | 9 |
| 96 | In situ synchrotron X-ray microdiffraction analysis of thermomechanically induced phase transformations in CuAlNi shape-memory alloy. <i>Philosophical Magazine</i> , 2010 , 90, 2235-2248 | 1.6 | 9 |
| 95 | Nanoscale Pseudoelastic Behavior of CuAlNi Shape-Memory Alloy Induced by Partial Indentation Unloading. <i>Nanoscience and Nanotechnology Letters</i> , 2010 , 2, 332-336 | 0.8 | 9 |
| 94 | Effect of low-pressure plasma discharge conditions on the thickness and roughness of ultrathin films of amorphous carbon. <i>Journal of Applied Physics</i> , 2006 , 100, 063307 | 2.5 | 9 |
| 93 | Surface Reordering of Stretched Polyurethane Block Copolymer Films Studied by Sum Frequency Generation Vibrational Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 6377-6383 | 3.4 | 9 |
| 92 | Ion implantation post-processing of amorphous carbon films. <i>Diamond and Related Materials</i> , 1999 , 8, 451-456 | 3.5 | 9 |
| 91 | Effect of amorphous carbon film structure on diamond nucleation. <i>Journal of Applied Physics</i> , 1995 , 78, 2720-2724 | 2.5 | 9 |
| 90 | Single-cell mechanicsAn experimental-computational method for quantifying the membrane-cytoskeleton elasticity of cells. <i>Acta Biomaterialia</i> , 2015 , 27, 224-235 | 10.8 | 8 |

| 89 | Hybridization and tribomechanical properties of ultrathin amorphous carbon films synthesized by radio-frequency low-pressure plasma discharges. <i>Surface and Coatings Technology</i> , 2015 , 262, 15-20 | 4.4 | 8 |
|----|---|-----|---|
| 88 | A stress analysis method for molecular dynamics systems. <i>International Journal of Solids and Structures</i> , 2020 , 193-194, 98-105 | 3.1 | 8 |
| 87 | Contact mechanics analysis of oscillatory sliding of a rigid fractal surface against an elasticplastic half-space. <i>Philosophical Magazine</i> , 2014 , 94, 3215-3233 | 1.6 | 8 |
| 86 | Integration of plasma-assisted surface chemical modification, soft lithography, and protein surface activation for single-cell patterning. <i>Applied Physics Letters</i> , 2010 , 97, 043705 | 3.4 | 8 |
| 85 | Thermomechanical effects on phase transformations in single-crystal Cu-Al-Ni shape-memory alloy. <i>Journal of Materials Research</i> , 2007 , 22, 994-1003 | 2.5 | 8 |
| 84 | Evolution of interfacial adhesion force in dynamic micromachines due to repetitive impact loading. <i>Applied Physics Letters</i> , 2007 , 91, 063102 | 3.4 | 8 |
| 83 | Effects of electrical and thermal phenomena on the evolution of adhesion at contact interfaces of electrostatically activated surface microstructures. <i>Applied Physics Letters</i> , 2007 , 90, 093510 | 3.4 | 8 |
| 82 | Dynamic spherical indentation of strain hardening materials with and without strain rate dependent deformation behavior. <i>Mechanics of Materials</i> , 2019 , 133, 128-137 | 3.3 | 8 |
| 81 | Thermal stability of ultrathin amorphous carbon films synthesized by plasma-enhanced chemical vapor deposition and filtered cathodic vacuum arc. <i>Philosophical Magazine</i> , 2017 , 97, 820-832 | 1.6 | 7 |
| 80 | Antiwear Properties of Blends Containing Mixtures of Zinc Dialkyl Dithiophosphate and Different Detergents. <i>Tribology Transactions</i> , 2008 , 52, 73-85 | 1.8 | 7 |
| 79 | Probabilistic analysis of tetrahedral carbon hybridization in amorphous carbon films. <i>Applied Physics Letters</i> , 2006 , 88, 221908 | 3.4 | 7 |
| 78 | Friction Force, Contact Resistance, and Lubricant Shear Behavior at the Magnetic Head-Disk Interface During Starting. <i>Journal of Tribology</i> , 1997 , 119, 830-839 | 1.8 | 7 |
| 77 | A slip-line plasticity analysis of sliding friction of rough surfaces exhibiting self-affine (fractal) behavior. <i>Journal of the Mechanics and Physics of Solids</i> , 2012 , 60, 538-555 | 5 | 6 |
| 76 | Fracture mechanics analysis of asperity cracking due to adhesive normal contact. <i>International Journal of Fracture</i> , 2013 , 181, 273-283 | 2.3 | 6 |
| 75 | Evolution of sidewall adhesion in surface micromachines due to repetitive impact loading. <i>Journal of Applied Physics</i> , 2012 , 111, 054507 | 2.5 | 6 |
| 74 | Dynamic Finite Element Analysis of Failure in Alternating Phase-Shift Masks Caused by Megasonic Cleaning. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2010 , 33, 46-55 | | 6 |
| 73 | Wear Mechanisms of Untreated and Gamma Irradiated Ultra-High Molecular Weight Polyethylene for Total Joint Replacements. <i>Journal of Tribology</i> , 2005 , 127, 273-279 | 1.8 | 6 |
| 72 | Dynamic MEMS devices for multi-axial fatigue and elastic modulus measurement 2003, | | 6 |

(2012-2005)

| 71 | Contact Fatigue Analysis of an Elastic-Plastic Layered Medium With a Surface Crack in Sliding Contact With a Fractal Surface. <i>Journal of Tribology</i> , 2005 , 127, 503-512 | 1.8 | 6 | |
|----|---|-------------------|---|---|
| 70 | Transmission electron microscopy study of diamond nucleation and growth on smooth silicon surfaces coated with a thin amorphous carbon film. <i>Diamond and Related Materials</i> , 2000 , 9, 274-282 | 3.5 | 6 | |
| 69 | Cyclohexene and 1,4-Cyclohexadiene Hydrogenation Occur through Mutually Exclusive Intermediate Pathways on Platinum Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 8246-825 | 50 ^{3.8} | 6 | • |
| 68 | A fracture mechanics analysis of asperity cracking due to sliding contact. <i>International Journal of Solids and Structures</i> , 2019 , 171, 1-9 | 3.1 | 5 | |
| 67 | In vitro investigation of skin damage due to microscale shearing. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 4078-86 | 5.4 | 5 | |
| 66 | Surface adhesion and hardening effects on elasticplastic deformation, shakedown and ratcheting behavior of half-spaces subjected to repeated sliding contact. <i>International Journal of Solids and Structures</i> , 2013 , 50, 876-886 | 3.1 | 5 | |
| 65 | Adhesive Contact of Elastic-Plastic Layered Media: Effective Tabor Parameter and Mode of Surface Separation. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2013 , 80, | 2.7 | 5 | |
| 64 | Nanoindentation of polycrystalline silicon-carbide thin films studied by acoustic emission. <i>Applied Physics Letters</i> , 2004 , 85, 1695-1697 | 3.4 | 5 | |
| 63 | Effects of copolymer segment length and reversible deformation on the molecular surface structure of polyurethane. <i>Applied Physics Letters</i> , 2003 , 83, 3066-3068 | 3.4 | 5 | |
| 62 | Breakdown of ultrathin native oxide films at contact interfaces of electromechanically stressed silicon microdevices. <i>Journal of Applied Physics</i> , 2005 , 97, 124102 | 2.5 | 5 | |
| 61 | PLASMA-ENHANCED SURFACE MODIFICATION OF LOW LINEAR-DENSITY POLYETHYLENE CATHETERS. <i>Journal of Mechanics in Medicine and Biology</i> , 2001 , 01, 17-31 | 0.7 | 5 | |
| 60 | Plasma Surface Modification of Medical-Grade Ultra-High Molecular Weight Polyethylene for Improved Tribological Properties. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 550, 331 | | 5 | |
| 59 | Diamond growth on hard carbon films. <i>Diamond and Related Materials</i> , 1996 , 5, 1080-1086 | 3.5 | 5 | |
| 58 | Molecular dynamics simulations of internal stress evolution in ultrathin amorphous carbon films subjected to thermal annealing. <i>Thin Solid Films</i> , 2020 , 713, 138247 | 2.2 | 5 | |
| 57 | Bilayer amorphous carbon films synthesized by filtered cathodic vacuum arc deposition. <i>Journal of Materials Research</i> , 2016 , 31, 3161-3167 | 2.5 | 5 | |
| 56 | Mechanical designs employing buckling physics for reversible and omnidirectional stretchability in microsupercapacitor arrays. <i>Materials Research Letters</i> , 2019 , 7, 110-116 | 7.4 | 4 | |
| 55 | The Role of Duty Cycle of Substrate Pulse Biasing in Filtered Cathodic Vacuum Arc Deposition of Amorphous Carbon Films. <i>IEEE Transactions on Magnetics</i> , 2015 , 51, 1-9 | 2 | 4 | |
| 54 | Nanoscale mechanical and tribological properties of fluorocarbon films grafted onto plasma-treated low-density polyethylene surfaces. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 095401 | 3 | 4 | |

| 53 | Surface texturing and chemical treatment methods for reducing high adhesion forces at micromachine interfaces 1998 , 3512, 106 | | 4 |
|----|--|-----|---|
| 52 | Microstructure modification of amorphous carbon films by ion-implantation techniques. <i>Journal of Materials Research</i> , 1999 , 14, 2181-2190 | 2.5 | 4 |
| 51 | Processing Effects on Microstructural Charcteristics and Properties of Reactively Ion-Plated Titanium Nitride Coatings. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 854-863 | 3.8 | 4 |
| 50 | Processing and Characterization of Multi-Layered Wear-Resistant Ceramic Coatings. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 1990 , 112, 164-174 | 1.8 | 4 |
| 49 | Comparison of the mechanical performance of architected three-dimensional intertwined lattices at the macro/microscale. <i>Extreme Mechanics Letters</i> , 2020 , 40, 100930 | 3.9 | 4 |
| 48 | A Discrete Dislocation Plasticity Analysis of a Single-Crystal Half-Space Indented by a Rigid Cylinder. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2011 , 78, | 2.7 | 3 |
| 47 | The effect of impact velocity on interfacial adhesion of contact-mode surface micromachines. <i>Applied Physics Letters</i> , 2012 , 101, 053506 | 3.4 | 3 |
| 46 | Formation of diamondlike nanocrystallites in amorphous carbon films synthesized by radio-frequency sputtering. <i>Journal of Materials Research</i> , 2008 , 23, 700-703 | 2.5 | 3 |
| 45 | In-Situ SEM Study of Boundary Lubricated Contacts. <i>Tribology Transactions</i> , 1988 , 31, 360-369 | 1.8 | 3 |
| 44 | Effect of material optical properties on thermo-plasmonics of heat-assisted magnetic recording devices. <i>Journal of Applied Physics</i> , 2018 , 124, 185109 | 2.5 | 3 |
| 43 | A 3D all-solid-state microsupercapacitor with electrodes consisting of activated carbon/polymer electrolyte composite 2015 , | | 2 |
| 42 | An inverse finite element method for determining residual and current stress fields in solids. <i>Computational Mechanics</i> , 2016 , 58, 797-817 | 4 | 2 |
| 41 | Elastic-Plastic Analysis of Adhesive Sliding Contacts. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2013 , 80, | 2.7 | 2 |
| 40 | A reverse updated Lagrangian finite element formulation for determining material properties from measured force and displacement data. <i>Computational Mechanics</i> , 2014 , 54, 1375-1394 | 4 | 2 |
| 39 | High-vacuum adhesion and friction properties of sliding contact-mode micromachines. <i>Applied Physics Letters</i> , 2013 , 103, 033507 | 3.4 | 2 |
| 38 | A Quasi-Static Mechanics Analysis of Three-Dimensional Nanoscale Surface Polishing. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2010 , 132, | 3.3 | 2 |
| 37 | Closure to D iscussion of A Fractal Theory of the Interfacial Temperature Distribution in the Slow Sliding Regime: Part I E lastic Contact and Heat Transfer Analysis (1994, ASME J. Tribol., 116, p. 822). <i>Journal of Tribology</i> , 1994 , 116, 822-823 | 1.8 | 2 |
| 36 | On the mechanics of metal imprinting by nominally flat and patterned rigid surfaces. <i>International Journal of Solids and Structures</i> , 2020 , 206, 426-435 | 3.1 | 2 |

| 35 | A molecular dynamics study of the oxidation mechanism, nanostructure evolution, and friction characteristics of ultrathin amorphous carbon films in vacuum and oxygen atmosphere. <i>Scientific Reports</i> , 2021 , 11, 3914 | 4.9 | 2 |
|----|--|---------------|---|
| 34 | Viscoelastic properties of plasma-treated low-density polyethylene surfaces determined by nanoscale dynamic mechanical analysis. <i>Materials Research Letters</i> , 2019 , 7, 320-326 | 7.4 | 1 |
| 33 | Influence of Si on the Microstructure and Mechanical and Tribological Properties of Ag/a-C:H Films. <i>Tribology Transactions</i> , 2020 , 63, 897-905 | 1.8 | 1 |
| 32 | A Multiscale Theoretical Analysis of the Mechanical, Thermal, and Electrical Characteristics of Rough Contact Interfaces Demonstrating Fractal Behavior. <i>Frontiers in Mechanical Engineering</i> , 2020 , 6, | 2.6 | 1 |
| 31 | Stretchable microsupercapacitor arrays with a composite honeycomb structure 2016 , | | 1 |
| 30 | Nanomechanical and Friction Properties of Ultrathin Amorphous Carbon Films Studied by Molecular Dynamics Analysis 2010 , | | 1 |
| 29 | The Role of Surface Topography in MEMS Switches and Relays 2004 , 107 | | 1 |
| 28 | Effects of Counterface Roughness and Conformity on the Tribological Performance of Crosslinked and Non-crosslinked Medical-Grade Ultra-High Molecular Weight Polyethylene. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 724, N5.10.1 | | 1 |
| 27 | Nanomechanical and Nanotribological Properties of an Antiwear Tribofilm Produced From Phosphorus-Containing Additives on Boundary-Lubricated Steel Surfaces 2004 , | | 1 |
| 26 | Nanoconfinement Effect on the Mechanical Behavior of Polymer Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 880, 1 | | 1 |
| 25 | Discussion: Effects of Friction on Contact of Transverse Ground Surfaces[Mann, J. B., Farris, T. N., and Chandrasekar, S., 1994, ASME J. Tribol., 116, pp. 430[437). <i>Journal of Tribology</i> , 1994 , 116, 437-437 | 1.8 | 1 |
| 24 | Closure to D iscussions of P lowing Friction in Dry and Lubricated Metal Sliding[[1986, ASME J. Tribol., 108, p. 312). <i>Journal of Tribology</i> , 1986 , 108, 313-313 | 1.8 | 1 |
| 23 | Fracture and fatigue of the surface layer of layered media due to adhesive sliding contact. <i>Engineering Fracture Mechanics</i> , 2020 , 223, 106697 | 4.2 | 1 |
| 22 | A molecular dynamics analysis of the effect of surface passivation on the adhesion, deformation behavior and structure stability of amorphous carbon ultrathin films. <i>Materials Letters</i> , 2021 , 289, 1294. | 3 3 .3 | 1 |
| 21 | Friction, nanostructure, and residual stress of single-layer and multi-layer amorphous carbon films deposited by radio-frequency sputtering. <i>Journal of Materials Research</i> , 2016 , 31, 1857-1864 | 2.5 | 1 |
| 20 | A generalized mechanics theory of idealized rough surfaces under dry and liquid-mediated plastic contact conditions. <i>International Journal of Solids and Structures</i> , 2018 , 155, 304-318 | 3.1 | 1 |
| 19 | Nanoindentation-induced deformation, microfracture, and phase transformation in crystalline materials investigated in situ by acoustic emission. <i>Journal of Materials Research</i> , 2020 , 35, 380-390 | 2.5 | О |
| 18 | An electrostatic finite element analysis of the electrospinning process of bilayer constructs using a parallel-plate collector. <i>Materials Letters</i> , 2022 , 313, 131649 | 3.3 | O |

| 17 | Thermal stability and diffusion characteristics of ultrathin amorphous carbon films grown on crystalline and nitrogenated silicon substrates by filtered cathodic vacuum arc deposition. <i>Scientific Reports</i> , 2021 , 11, 13106 | 4.9 | O |
|----|--|------------------|---|
| 16 | Single-step metal-catalyzed synthesis of hybrid planar graphene B rbicular graphitic carbon structures using an amorphous carbon thin film as a precursor. <i>Applied Surface Science</i> , 2021 , 552, 1490 | 1 ^{6.7} | Ο |
| 15 | A Reduced-Order Dynamic Model of Nonlinear Oscillating Devices. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2007 , 129, 514-521 | 1.6 | |
| 14 | Regulation of Cell Adhesion and Proliferation by Physicochemical Surface Modification and Protein Enhancement Due to Mechanotransduction 2007 , 973 | | |
| 13 | Determination of Real Material Properties From Nanoindentation Experiments 2003, 89 | | |
| 12 | Thermomechanical Analysis of Semi-Infinite Solid in Sliding Contact With a Fractal Surface 2004 , 1307 | | |
| 11 | A Mechanics Approach to Static Friction of Elastic-Plastic Fractal Surfaces 2004 , 1361 | | |
| 10 | Significance of Surface Topography on Performance and Lifetime of MEMS Switches and Relays. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 872, 1 | | |
| 9 | Closure to D iscussion of A Fractal Theory of the Temperature Distribution at Elastic Contacts of Fast Sliding Surfaces (1995, ASME J. Tribol., 117, pp. 214 (215). <i>Journal of Tribology</i> , 1995 , 117, 215-215 | 1.8 | |
| 8 | Discussion: Contact Stress Analysis of a Layered Transversely Isotropic Half-Space[Kuo, C. H., and Keer, L. M., 1992, ASME J. Tribol., 114, pp. 253261). <i>Journal of Tribology</i> , 1992 , 114, 261-262 | 1.8 | |
| 7 | Discussion: A Preliminary Analysis of Subsurface Crack Branching Under a Surface Compressive Load[[Miller, G. R., 1988, ASME J. Tribol., 110, pp. 292[296]). <i>Journal of Tribology</i> , 1988 , 110, 296-297 | 1.8 | |
| 6 | Enhancement of Photoprotection and Mechanical Properties of Polymers by Deposition of Thin Coatings 2009 , 327-343 | | |
| 5 | Electromechanical devices for microscale fatigue testing 2001 , 221-230 | | |
| 4 | Nanoengineering and Tribophysics for Microelectromechanical Systems 2003 , 139-164 | | |
| 3 | Tailoring 3D Buckling and Post Contact in Microlattice Metamaterials. <i>Advanced Structured Materials</i> , 2020 , 471-484 | 0.6 | |
| 2 | A molecular dynamics analysis of ion irradiation of ultrathin amorphous carbon films. <i>Journal of Applied Physics</i> , 2016 , 120, 125311 | 2.5 | |
| 1 | Electromagnetic and Thermomechanical Analysis of Near-Field Heat Transfer in Heat-Assisted Magnetic Recording Heads. <i>IEEE Transactions on Magnetics</i> , 2018 , 54, 1-6 | 2 | |