

Marjolein Kok

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2117151/publications.pdf>

Version: 2024-02-01

59
papers

1,573
citations

393982

19
h-index

329751

37
g-index

61
all docs

61
docs citations

61
times ranked

1757
citing authors

#	ARTICLE	IF	CITATIONS
1	The Usability and Effectiveness of Mobile Health Technology-Based Lifestyle and Medical Intervention Apps Supporting Health Care During Pregnancy: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2018, 6, e109.	1.8	153
2	External Cephalic Version-Related Risks. <i>Obstetrics and Gynecology</i> , 2008, 112, 1143-1151.	1.2	124
3	Decision aids to improve informed decision-making in pregnancy care: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 257-266.	1.1	111
4	Term breech deliveries in the Netherlands: did the increased cesarean rate affect neonatal outcome? A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 888-896.	1.3	100
5	Impact of fetal gender on the risk of preterm birth, a national cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1034-1041.	1.3	86
6	Clinical factors to predict the outcome of external cephalic version: a metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 630.e1-630.e7.	0.7	78
7	Continuous glucose monitoring during diabetic pregnancy (GlucoMOMS): A multicentre randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1894-1902.	2.2	77
8	Nifedipine versus atosiban for threatened preterm birth (APOSTEL III): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 2117-2124.	6.3	65
9	Mode of Delivery After Successful External Cephalic Version. <i>Obstetrics and Gynecology</i> , 2014, 123, 1327-1334.	1.2	51
10	Prediction of Success of External Cephalic Version after 36 Weeks. <i>American Journal of Perinatology</i> , 2011, 28, 103-110.	0.6	47
11	The predictive value of quantitative fibronectin testing in combination with cervical length measurement in asymptomatic women. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 793.e1-793.e8.	0.7	43
12	Contraindications for external cephalic version in breech position at term: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 137-142.	1.3	39
13	Quantitative fetal fibronectin testing in combination with cervical length measurement in the prediction of spontaneous preterm delivery in symptomatic women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1965-1971.	1.1	38
14	Barriers and Facilitators for the Use of a Medical Mobile App to Prevent Work-Related Risks in Pregnancy: A Qualitative Analysis. <i>JMIR Research Protocols</i> , 2017, 6, e163.	0.5	32
15	Preterm birth in singleton and multiple pregnancies: evaluation of costs and perinatal outcomes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 186, 34-41.	0.5	30
16	Prediction models for successful external cephalic version: a systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 195, 160-167.	0.5	26
17	Preterm Breech Presentation. <i>Obstetrics and Gynecology</i> , 2015, 126, 1223-1230.	1.2	24
18	Nifedipine as a Uterine Relaxant for External Cephalic Version. <i>Obstetrics and Gynecology</i> , 2008, 112, 271-276.	1.2	23

#	ARTICLE	IF	CITATIONS
19	Expectant parents' preferences for mode of delivery and trade-offs of outcomes for breech presentation. <i>Patient Education and Counseling</i> , 2008, 72, 305-310.	1.0	21
20	Patients' and professionals' barriers and facilitators to external cephalic version for breech presentation at term, a qualitative analysis in the Netherlands. <i>Midwifery</i> , 2014, 30, 324-330.	1.0	21
21	Tobacco control policies and perinatal health: a national quasi-experimental study. <i>Scientific Reports</i> , 2016, 6, 23907.	1.6	21
22	Risk of developmental dysplasia of the hip in breech presentation: the effect of successful external cephalic version. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 607-612.	1.1	20
23	Implementation of External Cephalic Version in the Netherlands: A Retrospective Cohort Study. <i>Birth</i> , 2014, 41, 323-329.	1.1	20
24	Usability and Usefulness of a Mobile Health App for Pregnancy-Related Work Advice: Mixed-Methods Approach. <i>JMIR MHealth and UHealth</i> , 2019, 7, e11442.	1.8	20
25	Nifedipine versus placebo in the treatment of preterm prelabor rupture of membranes: a randomized controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 205, 79-84.	0.5	19
26	Early nasogastric tube feeding in optimising treatment for hyperemesis gravidarum: the MOTHER randomised controlled trial (Maternal and Offspring outcomes after Treatment of HyperEmesis by Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		
27	Low dose aspirin in the prevention of recurrent spontaneous preterm labour – the APRIL study: a multicenter randomized placebo controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 223.	0.9	18
28	External Validation of a Prediction Model for Successful External Cephalic Version. <i>American Journal of Perinatology</i> , 2012, 29, 231-236.	0.6	17
29	Patient's willingness to opt for external cephalic version. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2013, 34, 15-21.	1.1	17
30	Cervical Pessary After Arrested Preterm Labor. <i>Obstetrics and Gynecology</i> , 2018, 132, 741-749.	1.2	16
31	Implementation of the external cephalic version in breech delivery. Dutch national implementation study of external cephalic version. <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 20.	0.9	15
32	Facilitators and barriers to external cephalic version for breech presentation at term among health care providers in the Netherlands: A quantitative analysis. <i>Midwifery</i> , 2014, 30, e145-e150.	1.0	14
33	Risk stratification with cervical length and fetal fibronectin in women with threatened preterm labor before 34 weeks and not delivering within 7 days. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 715-721.	1.3	14
34	Risk factors for cesarean section and instrumental vaginal delivery after successful external cephalic version. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 2005-2007.	0.7	14
35	Nifedipine versus atosiban in the treatment of threatened preterm labour (Assessment of Perinatal) Tj ETQq1 1 0.784314 rgBT /Overlock 13 2014, 14, 93.	0.9	13
36	Which factors play a role in clinical decision-making in external cephalic version?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 31-35.	1.3	12

#	ARTICLE	IF	CITATIONS
37	Development and internal validation of a clinical prediction model for external cephalic version. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 228, 137-142.	0.5	12
38	Comment on: A meta-analysis of common risk factors associated with the diagnosis of developmental dysplasia of the hip in newborns. <i>European Journal of Radiology</i> , 2013, 82, 199.	1.2	10
39	Effectiveness of a cervical pessary for women who did not deliver 48h after threatened preterm labor (Assessment of perinatal outcome after specific treatment in early labor: Apostel VI trial). <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 154.	0.9	9
40	More home births during the COVID-19 pandemic in the Netherlands. <i>Birth</i> , 2022, 49, 792-804.	1.1	9
41	Atosiban versus fenoterol as a uterine relaxant for external cephalic version: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2017, 356, i6773.	2.4	8
42	Impact of a randomized trial on maintenance tocolysis on length of hospital admission of women with threatened preterm labor in The Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 186, 8-11.	0.5	7
43	Implementation of client versus care-provider strategies to improve external cephalic version rates: a cluster randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 518-526.	1.3	7
44	Perinatal outcomes according to the mode of delivery in women with a triplet pregnancy in The Netherlands. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3771-3777.	0.7	6
45	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. <i>BMJ Open</i> , 2019, 9, e029101.	0.8	6
46	Evaluation of a blended care programme for caregivers and working pregnant women to prevent adverse pregnancy outcomes: an intervention study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 809-817.	1.3	6
47	764: Effect of increased caesarean section rate due to term breech presentation on maternal and fetal outcome in subsequent pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S321.	0.7	5
48	Mode of childbirth and neonatal outcome after external cephalic version: A prospective cohort study. <i>Midwifery</i> , 2016, 39, 44-48.	1.0	5
49	Which Factors Contribute to False-Positive, False-Negative, and Invalid Results in Fetal Fibronectin Testing in Women with Symptoms of Preterm Labor?. <i>American Journal of Perinatology</i> , 2017, 34, 234-239.	0.6	5
50	Cost effectiveness of nifedipine compared with atosiban in the treatment of threatened preterm birth (APOSTEL III trial). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 875-883.	1.1	4
51	The impact of mode of delivery on the outcome in very preterm twins. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2089-2095.	0.7	4
52	Ethnic differences in the impact of male fetal gender on the risk of spontaneous preterm birth. <i>Journal of Perinatology</i> , 2021, 41, 2165-2172.	0.9	4
53	Subsequent pregnancy outcome after preterm breech delivery, a population based cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 2540-2544.	0.7	3
54	Risk factors for spontaneous preterm birth among healthy nulliparous pregnant women in the Netherlands, a prospective cohort study. <i>Health Science Reports</i> , 2022, 5, .	0.6	3

#	ARTICLE	IF	CITATIONS
55	Working conditions in low risk nulliparous women in The Netherlands: are legislation and guidelines a guarantee for a healthy working environment? A cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1305-1315.	1.1	2
56	Risks of vaginal breech delivery at term compared to elective cesarean section - Reply to comment by Page. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 442-442.	1.3	1
57	Contraindications for External Cephalic Version in Breech Position at Term. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 418-420.	0.2	0
58	Risks of vaginal breech delivery at term compared with elective cesarean section - Reply to comments by Walker and Powell, and Sholapurkar. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 119-119.	1.3	0
59	Nifedipine Versus Atosiban for Threatened Preterm Birth (APOSTEL III). <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 514-516.	0.2	0