Marjolein Kok

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2117151/marjolein-kok-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54	1,060	17	31
papers	citations	h-index	g-index
61	1,331 ext. citations	3⋅5	3.88
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
54	Ethnic differences in the impact of male fetal gender on the risk of spontaneous preterm birth. Journal of Perinatology, 2021 , 41, 2165-2172	3.1	2
53	Evaluation of a blended care programme for caregivers and working pregnant women to prevent adverse pregnancy outcomes: an intervention study. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 809-817	2.1	0
52	The impact of mode of delivery on the outcome in very preterm twins. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 2089-2095	2	2
51	Cost effectiveness of nifedipine compared with atosiban in the treatment of threatened preterm birth (APOSTEL III trial). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 875-88	3 ^{3.7}	1
50	Perinatal outcomes according to the mode of delivery in women with a triplet pregnancy in The Netherlands. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3771-3777	2	2
49	Usability and Usefulness of a Mobile Health App for Pregnancy-Related Work Advice: Mixed-Methods Approach. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11442	5.5	6
48	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. <i>BMJ Open</i> , 2019 , 9, e029101	3	4
47	Continuous glucose monitoring during diabetic pregnancy (GlucoMOMS): A multicentre randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1894-1902	6.7	48
46	Cervical Pessary After Arrested Preterm Labor: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2018 , 132, 741-749	4.9	13
45	The Usability and Effectiveness of Mobile Health Technology-Based Lifestyle and Medical Intervention Apps Supporting Health Care During Pregnancy: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e109	5.5	71
44	Development and internal validation of a clinical prediction model for external cephalic version. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 228, 137-142	2.4	6
43	Low dose aspirin in the prevention of recurrent spontaneous preterm labour - the APRIL study: a multicenter randomized placebo controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 223	3.2	12
42	Which Factors Contribute to False-Positive, False-Negative, and Invalid Results in Fetal Fibronectin Testing in Women with Symptoms of Preterm Labor?. <i>American Journal of Perinatology</i> , 2017 , 34, 234-2	3 ³ 3	3
41	Atosiban versus fenoterol as a uterine relaxant for external cephalic version: randomised controlled trial. <i>BMJ, The</i> , 2017 , 356, i6773	5.9	5
40	Barriers and Facilitators for the Use of a Medical Mobile App to Prevent Work-Related Risks in Pregnancy: A Qualitative Analysis. <i>JMIR Research Protocols</i> , 2017 , 6, e163	2	13
39	Subsequent pregnancy outcome after preterm breech delivery, a population based cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2016 , 29, 2540-4	2	0
38	Nifedipine versus placebo in the treatment of preterm prelabor rupture of membranes: a randomized controlled trial: Assessment of perinatal outcome by use of tocolysis in early labor-APOSTEL IV trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016,	2.4	7

The predictive value of quantitative fibronectin testing in combination with cervical length 37 measurement in symptomatic women. American Journal of Obstetrics and Gynecology, $\overline{2016}$, 215, 793.e1- $\overline{793}$ 3.e8³¹ Tobacco control policies and perinatal health: a national quasi-experimental study. Scientific 36 4.9 15 Reports, 2016, 6, 23907 Nifedipine versus atosiban for threatened preterm birth (APOSTEL III): a multicentre, randomised 40 49 35 controlled trial. Lancet, The, 2016, 387, 2117-2124 Impact of fetal gender on the risk of preterm birth, a national cohort study. Acta Obstetricia Et 3.8 34 Gynecologica Scandinavica, 2016, 95, 1034-41 Quantitative fetal fibronectin testing in combination with cervical length measurement in the prediction of spontaneous preterm delivery in symptomatic women. BJOG: an International Journal 33 3.7 30 of Obstetrics and Gynaecology, 2016, 123, 1965-1971 Effectiveness of a cervical pessary for women who did not deliver 48 h after threatened preterm labor (Assessment of perinatal outcome after specific treatment in early labor: Apostel VI trial). 6 32 3.2 BMC Pregnancy and Childbirth, 2016, 16, 154 Mode of childbirth and neonatal outcome after external cephalic version: A prospective cohort 2.8 31 4 study. Midwifery, 2016, 39, 44-8 Early nasogastric tube feeding in optimising treatment for hyperemesis gravidarum: the MOTHER 30 randomised controlled trial (Maternal and Offspring outcomes after Treatment of HyperEmesis by 3.2 15 Refeeding). BMC Pregnancy and Childbirth, 2016, 16, 22 Risk factors for cesarean section and instrumental vaginal delivery after successful external 8 2 29 cephalic version. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 2005-7 Risk stratification with cervical length and fetal fibronectin in women with threatened preterm 28 labor before 34 weeks and not delivering within 7 days. Acta Obstetricia Et Gynecologica 3.8 13 Scandinavica, 2015, 94, 715-721 Risks of vaginal breech delivery at term compared to elective cesarean section--reply to comment 27 3.8 1 by Page. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 442 Implementation of client versus care-provider strategies to improve external cephalic version rates: 26 3.8 5 a cluster randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 518-26 Prediction models for successful external cephalic version: a systematic review. European Journal of 18 25 2.4 Obstetrics, Gynecology and Reproductive Biology, 2015, 195, 160-7 Risks of vaginal breech delivery at term compared with elective cesarean section - reply to comments by Walker and Powell, and Sholapurkar. Acta Obstetricia Et Gynecologica Scandinavica, 3.8 24 **2015**, 94, 119 Preterm Breech Presentation: A Comparison of Intended Vaginal and Intended Cesarean Delivery. 23 4.9 10 Obstetrics and Gynecology, **2015**, 126, 1223-1230 Preterm birth in singleton and multiple pregnancies: evaluation of costs and perinatal outcomes. 22 2.4 20 European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 186, 34-41 Impact of a randomized trial on maintenance tocolysis on length of hospital admission of women with threatened preterm labor in The Netherlands. European Journal of Obstetrics, Gynecology and 6 21 2.4 Reproductive Biology, 2015, 186, 8-11 Nifedipine versus atosiban in the treatment of threatened preterm labour (Assessment of Perinatal Outcome after Specific Tocolysis in Early Labour: APOSTEL III-Trial). BMC Pregnancy and Childbirth, 20 3.2 12 **2014**, 14, 93

19	Patients Land professionals Larriers and facilitators to external cephalic version for breech presentation at term, a qualitative analysis in the Netherlands. <i>Midwifery</i> , 2014 , 30, 324-30	2.8	17
18	Facilitators and barriers to external cephalic version for breech presentation at term among health care providers in the Netherlands: a quantitative analysis. <i>Midwifery</i> , 2014 , 30, e145-50	2.8	11
17	Mode of delivery after successful external cephalic version: a systematic review and meta-analysis. <i>Obstetrics and Gynecology</i> , 2014 , 123, 1327-1334	4.9	42
16	Term breech deliveries in the Netherlands: did the increased cesarean rate affect neonatal outcome? A population-based cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014 , 93, 88	8- 3 6-8	69
15	Implementation of external cephalic version in the Netherlands: a retrospective cohort study. <i>Birth</i> , 2014 , 41, 323-9	3.1	15
14	Decision aids to improve informed decision-making in pregnancy care: a systematic review. <i>BJOG:</i> an International Journal of Obstetrics and Gynaecology, 2013 , 120, 257-66	3.7	90
13	Contraindications for external cephalic version in breech position at term: a systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2013 , 92, 137-42	3.8	34
12	Comment on: a meta-analysis of common risk factors associated with the diagnosis of developmental dysplasia of the hip in newborns. <i>European Journal of Radiology</i> , 2013 , 82, 199	4.7	6
11	764: Effect of increased caesarean section rate due to term breech presentation on maternal and fetal outcome in subsequent pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, S321	6.4	5
10	Patient willingness to opt for external cephalic version. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2013 , 34, 15-21	3.6	13
9	Risk of developmental dysplasia of the hip in breech presentation: the effect of successful external cephalic version. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 607-12	3.7	9
8	External validation of a prediction model for successful external cephalic version. <i>American Journal of Perinatology</i> , 2012 , 29, 231-6	3.3	12
7	Prediction of success of external cephalic version after 36 weeks. <i>American Journal of Perinatology</i> , 2011 , 28, 103-10	3.3	36
6	Implementation of the external cephalic version in breech delivery. Dutch national implementation study of external cephalic version. <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 20	3.2	12
5	Nifedipine as a uterine relaxant for external cephalic version: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 112, 271-6	4.9	19
4	External cephalic version-related risks: a meta-analysis. Obstetrics and Gynecology, 2008, 112, 1143-51	4.9	95
3	Expectant parents\preferences for mode of delivery and trade-offs of outcomes for breech presentation. <i>Patient Education and Counseling</i> , 2008 , 72, 305-10	3.1	14
2	Which factors play a role in clinical decision-making in external cephalic version?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 31-5	3.8	11

Clinical factors to predict the outcome of external cephalic version: a metaanalysis. *American Journal of Obstetrics and Gynecology*, **2008**, 199, 630.e1-7; discussion e1-5

6.4 60