

Rasit Tukul

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2117745/rasit-tukul-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

957
citations

19
h-index

30
g-index

47
ext. papers

1,090
ext. citations

4.9
avg, IF

3.84
L-index

#	Paper	IF	Citations
44	The Features of Comorbidity of Childhood ADHD in Patients With Obsessive Compulsive Disorder. <i>Journal of Attention Disorders</i> , 2020 , 24, 973-980	3.7	2
43	Intrinsic functional connectivity in social anxiety disorder with and without comorbid attention deficit hyperactivity disorder. <i>Brain Research</i> , 2019 , 1722, 146364	3.7	5
42	Comorbidity in social anxiety disorder: diagnostic and therapeutic challenges. <i>Drugs in Context</i> , 2019 , 8, 212573	5.2	33
41	Is there a prodrom period in patients with social anxiety disorder? A discussion on the hypothesis of social anxiety disorder development secondary to attention-deficit/hyperactivity disorder. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 343-351	3.1	3
40	Clinical Effects of ADHD Subtypes in Patients With Social Anxiety Disorder. <i>Journal of Attention Disorders</i> , 2019 , 23, 1464-1469	3.7	16
39	Development of social anxiety disorder secondary to attention deficit/hyperactivity disorder (the developmental hypothesis). <i>Microbial Biotechnology</i> , 2018 , 12, 269-272	3.3	11
38	Evidence for alterations of the right inferior and superior longitudinal fasciculi in patients with social anxiety disorder. <i>Brain Research</i> , 2017 , 1662, 16-22	3.7	5
37	The Presence of Childhood Attention Deficit/Hyperactivity Disorder May Be Associated With Interpersonal Sensitivity in Patients With Social Anxiety Disorder. <i>Journal of Psychiatric Practice</i> , 2017 , 23, 254-259	1.3	2
36	Extended-release methylphenidate monotherapy in patients with comorbid social anxiety disorder and adult attention-deficit/hyperactivity disorder: retrospective case series. <i>Therapeutic Advances in Psychopharmacology</i> , 2017 , 7, 241-247	4.9	8
35	The Relationship Between Social Anxiety Disorder and ADHD. <i>The ADHD Report</i> , 2016 , 24, 8-12	1.4	1
34	The Relationship Between Social Anxiety Disorder and ADHD. <i>Child and Adolescent Psychopharmacology News</i> , 2016 , 21, 1-6		1
33	Serotonin transporter promoter polymorphism is associated with executive function impairments in patients with obsessive compulsive disorder. <i>Clinical Neuropsychologist</i> , 2016 , 30, 536-46	4.4	6
32	Attention deficit and hyperactivity in social anxiety disorder: relationship with trauma history and impulsivity. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2016 , 8, 95-100	3.1	15
31	Proton Magnetic Resonance Spectroscopy in Social Anxiety Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016 , 28, 138-42	2.7	3
30	Gray matter abnormalities in patients with social anxiety disorder: A voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 106-12	2.9	18
29	Predominantly Inattentive Type of ADHD is Associated With Social Anxiety Disorder. <i>Journal of Attention Disorders</i> , 2015 , 19, 856-64	3.7	30
28	¹ H-magnetic resonance spectroscopy in obsessive-compulsive disorder: effects of 12 weeks of sertraline treatment on brain metabolites. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 219-26	5.1	8

27	Relationship between atypical depression and social anxiety disorder. <i>Psychiatry Research</i> , 2015 , 225, 79-84	9.9	14
26	The role of the brain-derived neurotrophic factor SNP rs2883187 in the phenotypic expression of obsessive-compulsive disorder. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 790-3	2.2	7
25	N2 and P3 potentials in early-onset and late-onset patients with obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2014 , 31, 997-1006	8.4	6
24	Proton magnetic resonance spectroscopy in obsessive-compulsive disorder: evidence for reduced neuronal integrity in the anterior cingulate. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 275-80	2.9	12
23	Obsessive compulsive symptoms are related to lower quality of life in patients with Schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014 , 18, 243-7	2.4	8
22	The clinical impact of mood disorder comorbidity on social anxiety disorder. <i>Comprehensive Psychiatry</i> , 2014 , 55, 363-9	7.3	20
21	P.1.a.009 The SNP rs2883187 of brain-derived neurotrophic factor (BDNF) is associated with symptom severity in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, S164-S165	1.2	1
20	COMT Val158Met polymorphism and executive functions in obsessive-compulsive disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013 , 25, 214-21	2.7	11
19	Decreased IFN- γ and IL-12 levels in panic disorder. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 63-7	4.1	30
18	Neuropsychological function in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 167-75	7.5	47
17	Brain-derived neurotrophic factor gene Val66Met polymorphism and cognitive function in obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 850-8	3.5	21
16	Obsessive compulsive disorder and symptoms may have different effects on schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 429-33	5.5	32
15	Impact of obsessive-compulsive disorder comorbidity on the sociodemographic and clinical features of patients with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2010 , 51, 293-7	7.3	39
14	Comparison of clinical characteristics in episodic and chronic obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2007 , 24, 251-5	8.4	28
13	Clinical predictors of response to pharmacotherapy with selective serotonin reuptake inhibitors in obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 404-9	6.2	28
12	The clinical impact of mood disorder comorbidity on obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 240-5	5.1	49
11	Influence of age of onset on clinical features in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2005 , 21, 112-7	8.4	60
10	Gender-related differences among Turkish patients with obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2004 , 45, 362-6	7.3	42

9	Audiovestibular functioning in patients with panic disorder. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 177-82	4.1	25
8	Evaluation of regional cerebral blood flow changes in panic disorder with Tc99m-HMPAO SPECT. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 123, 135-43	2.9	45
7	Clinical characteristics in obsessive-compulsive disorder with schizophrenia. <i>Comprehensive Psychiatry</i> , 2003 , 44, 311-6	7.3	19
6	Comorbid conditions in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2002 , 43, 204-9	7.3	113
5	Comparison of clinical characteristics in good and poor insight obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 2002 , 16, 413-23	10.9	59
4	Clinical features and co-morbidity of social phobics in Turkey. <i>European Psychiatry</i> , 2001 , 16, 115-21	6	18
3	Comparison of clinical characteristics in trichotillomania and obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 2001 , 15, 433-41	10.9	28
2	Prolactin response to TRH in patients with panic disorder. <i>Psychiatry Research</i> , 2000 , 95, 75-81	9.9	1
1	Thyrotropin stimulating hormone response to thyrotropin releasing hormone in patients with panic disorder. <i>Psychoneuroendocrinology</i> , 1999 , 24, 155-60	5	12