Leonid Gladilin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2118418/publications.pdf

Version: 2024-02-01

567 papers 28,741 citations

79 h-index 135 g-index

597 all docs

597 docs citations

times ranked

597

10481 citing authors

#	Article	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	1.4	6
2	Measurement of the c-jet mistagging efficiency in $\frac{1}{s}$ detector. European Physical Journal C, 2022, 82, .	1.4	14
3	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at $$$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb \hat{a} of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
6	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
7	Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from $\W^{pm} $ ightarrow au ${pm }$ ightarrow pi ${pm } u _{au }$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
8	The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
9	Impact of jet-production data on the next-to-next-to-leading-order determination of HERAPDF2.0 parton distributions. European Physical Journal C, 2022, 82, 1.	1.4	8
10	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\$$ sqrt $\{s\}=13\$$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
11	Measurement of the energy asymmetry in $tar{t}}$ production at \$13,\$TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
12	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$\$qrt\{s\} = 7\$\$$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.	1.4	12
13	Measurement of hadronic event shapes in high-pT multijet final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
14	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbâ^1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
15	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
16	Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp collisions at \$\$13,ext {Te}ext $\{V\}$ \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
17	Search for dark matter in association with an energetic photon in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
18	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\$\$$ sqrt $\$$ = 13, $\{$ ext $\{$ TeV $\}\}$ $\$\$$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17

#	Article	IF	Citations
19	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^1 of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
20	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
21	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
22	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
23	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
24	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
25	Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^-\$\$ and \$\$ell ^+ell ^-u {{ar{u }}}\$\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
26	Search for new phenomena in final states with b-jets and missing transverse momentum in $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
27	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at $$\sqrt{s}=13$$ \$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
28	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
29	Measurements of W+Wâ^'+ â $\%$ ¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
30	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
31	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ \$. European Physical Journal C, 2021, 81, 1.	1.4	14
32	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \ddot{l}_{n} -lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
33	Search for supersymmetry in events with four or more charged leptons in 139 fbâ^1 of $\$$ sqrt{s} $\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
34	Determination of the parton distribution functions of the proton from ATLAS measurements of differential \hat{WA} and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
35	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
36	A search for the decays of stopped long-lived particles at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5

#	Article	IF	CITATIONS
37	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
38	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\$$ sqrt $\{s\}$ =13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
39	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s=0.01$, and the single-lepton channel at $s=0.$	1.4	3
40	Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
41	Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
42	Search for dark matter produced in association with a single top quark in $\$$ sqrt $\{s\}=13$ \$ÂTeV $\$$ pp $\$$ \$ collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
43	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\$$ sqrt{mathrm{s}} \\$ = 13 TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
44	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
45	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
46	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\$$ sqrt $\{s\} = 13$ hbox $\{ TeV \}$ protonâ \in "proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
47	Measurement of the t \$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
48	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
49	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
50	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
51	Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
52	Azimuthal correlations in photoproduction and deep inelastic ep scattering at HERA. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
53	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
54	Measurement of b-quark fragmentation properties in jets using the decay $B\hat{A}\pm\hat{a}\uparrow'J/\hat{\Gamma}K\hat{A}\pm\hat{n}$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3

#	Article	IF	CITATIONS
55	Measurements of inclusive and differential cross-sections of combined \$\$ toverline{t}gamma \$\$ and $tW\hat{l}^3$ production in the $e\hat{l}^{1/4}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
56	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
57	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
58	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4 \$ell \$\$ decay channel at \$\$sqrt{s}\$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
59	Fluctuations of anisotropic flow in Pb+Pb collisions at $\$$ sqrt{{mathrm{s}}_{mathrm{NN}}} $\$$ = 5.02 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
60	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $p=0$ collisions at $p=0$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
61	Measurement of differential cross sections for single diffractive dissociation in \$\$ sqrt{s} \$\$ = 8 TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
62	Measurement of isolated-photon plus two-jet production in pp collisions at $\$\$ $ sqrt $\$\$ = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
63	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
64	Search for the HH \hat{a} †' \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
65	Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s} \$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
66	Measurement of the transverse momentum distribution of Drellâ€"Yan lepton pairs in protonâ€"proton collisions at \$\$sqrt{s}=13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
67	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\$$ sqrt $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
68	Measurements of top-quark pair spin correlations in the $\$$ emu $\$$ channel at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
69	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\$$ sqrt $\$$ $\$$ = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
70	Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$ decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
71	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\$\$$ sqrt $\$\$$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
72	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ^1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19

#	Article	IF	CITATIONS
73	Search for dijet resonances in events with an isolated charged lepton using $\$\$ $ sqrt $\$\$ = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
74	Measurement of the $Z(\hat{a}^{\dagger}, \hat{a}, \hat{a}^{\dagger}, \hat{a}^{\dagger})\hat{a}$ production cross-section in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with th ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	e 1.6	9
75	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at \$\$\$qrt{s}=8\$\$ and 13ÂTeV. European Physical Journal C, 2020, 80, 1.	1.4	5
76	Transverse momentum and process dependent azimuthal anisotropies in $\$$ sqrt $\{s_{mathrm} \{NN\}\}\}=8.16\$$ ÂTeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
77	Measurement of J/ $\ddot{\Gamma}$ production in association with a W± boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
78	Search for new resonances in mass distributions of jet pairs using 139 fb \hat{a} 1 of pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
79	Two-particle azimuthal correlations as a probe of collective behaviour in deep inelastic ep scattering at HERA. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
80	Search for $\$$ toverline $\{t\}$ $\$$ resonances in fully hadronic final states in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
81	Reconstruction and identification of boosted di-ï,, systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
82	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
83	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\frac{1}{5}=13$ \$\times \times \ti	1.4	124
84	Search for top squarks in events with a Higgs or Z boson using $139 \text{ Åfb} $ of pp collision data at \$\$sqrt{s}=13\$\$ ATeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
85	Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
86	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\$$ sqrt $\{s\}=13$ \$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
87	Search for light long-lived neutral particles produced in pp collisions at $\$$ sqrt $\{s\} = 13$ ~mathrm $\{TeV\}$ \$\$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
88	Search for a scalar partner of the top quark in the all-hadronic $f(x)$ plus missing transverse momentum final state at $f(x)$ by the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
89	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
90	Determination of jet calibration and energy resolution in proton–proton collisions at \$\$\$qrt{s} = 8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15

#	Article	IF	Citations
91	Constraints on mediator-based dark matter and scalar dark energy models using $\$\$ $ sqrt $\$\$ = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
92	Search for long-lived neutral particles in pp collisions at $\{\text{sqrt}\{s\}\} = 13-\{\text{ext}\{\text{TeV}\}\}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
93	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
94	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
95	Measurement of $\$ pm }Z\$\$ production cross sections and gauge boson polarisation in pp collisions at \$\$sqrt{s} = 13~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
96	FCC-hh: The Hadron Collider. European Physical Journal: Special Topics, 2019, 228, 755-1107.	1.2	367
97	Searches for third-generation scalar leptoquarks in $\$\$ $ sqrt $\{\$\}$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
98	Search for scalar resonances decaying into $\hat{1}\frac{1}{4}+\hat{1}\frac{1}{4}\hat{a}^{-1}$ in events with and without b-tagged jets produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
99	HE-LHC: The High-Energy Large Hadron Collider. European Physical Journal: Special Topics, 2019, 228, 1109-1382.	1.2	108
100	FCC-ee: The Lepton Collider. European Physical Journal: Special Topics, 2019, 228, 261-623.	1.2	424
101	Search for diboson resonances in hadronic final states in 139 fb \hat{a} °1 of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
102	Search for excited electrons singly produced in proton–proton collisions at \$\$sqrt{s} ~=~13~ext {Te}ext {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
103	ldentification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, .	1.4	21
104	Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
105	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
106	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ \in proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019, 79, 1.	1.4	77
107	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\$$ sqrt $\{s\}$ \$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
108	FCC Physics Opportunities. European Physical Journal C, 2019, 79, 1.	1.4	346

#	Article	lF	Citations
109	Search for single production of vector-like quarks decaying into Wb in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
110	Search for top-quark decays t \hat{a} †' Hq with 36 fb \hat{a} "'1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
111	Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
112	Charm production in charged current deep inelastic scattering at HERA. Journal of High Energy Physics, 2019, 2019, 1.	1.6	4
113	Measurements of W and Z boson production in pp collisions at $\$$ sqrt $\{s\}$ =5.02 $\$$ s = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
114	Performance of top-quark and $\$ varvec $\{W\}$ \$ W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
115	Measurements of inclusive and differential fiducial cross-sections of $\pi \$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
116	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
117	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
118	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
119	In situ calibration of large-radius jet energy and mass in 13ÂTeVÂproton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
120	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
121	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at \$\$ sqrt{s} \$\$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
122	Measurement of the top quark mass in the $\frac{t}{d}$ Tarange \hat{A}^- At \hat{A}^- At \hat{A}^- European Physical Journal C, 2019, 79, 1.	1.4	47
123	Search for pair production of Higgs bosons in the $\$\$$ boverline $\{b\}$ boverline $\{b\}$ \$\$ final state using proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
124	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, $2019, 79, 1$.	1.4	25
125	Measurement of the top-quark mass in $$$ toverline ${t}$ $$$ + 1-jet events collected with the ATLAS detector in pp collisions at $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
126	Measurement of fiducial and differential $$W^+W^-$ production cross-sections at $$\sqrt{s}=13$$ ATeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24

#	Article	IF	CITATIONS
127	Measurement of ZZ production in the \hat{a} , \hat{a} , \hat{i} / \hat{i} /2 final state with the ATLAS detector in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
128	Measurement of $\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1.4	8
129	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
130	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
131	Measurement of $\$ boson production in Pb+Pb collisions at $\$ at $\$ mathrm{NN}} = 5.02~ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
132	ATLAS b-jet identification performance and efficiency measurement with $\$t{ar{t}}$ events in pp collisions at $\$sqrt{s}=13\$$ ATeV. European Physical Journal C, 2019, 79, 1.	1.4	130
133	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions atÂ\$\$sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
134	Measurements of top-quark pair differential and double-differential cross-sections in the $\$$ ell $\$$ +jets channel with pp collisions at $\$$ qrt $\{s\}=13$ \$TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
135	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
136	Measurement of the inclusive isolated-photon cross section in pp collisions at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV using 36 fbâ^1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
137	Measurement of K_S^0 and L and L and L are dispersional or all phases of the collisions at L are dispersional conditions at L and L are dispersional conditions at L are dispersional conditions.	1.4	4
138	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ^1 of pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
139	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 $ sqrt $s=13 $ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
140	Measurement of the W-boson mass in pp collisions at $\$$ sqrt $\{s\}$ =7, hbox $\{TeV\}$ \$\$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
141	Search for new phenomena in high-mass final states with a photon and a jet from \$\$pp\$\$ pp collisions at \$\$sqrt{s}\$\$ s. European Physical Journal C, 2018, 78, 102.	1.4	13
142	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\frac{s}{s} = 13$, mathrm{TeV}\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
143	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\$$ sqrt $\{s_{ext} \}$ 8 NN = 2.76 and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
144	Measurement of quarkonium production in proton–lead and proton–proton collisions at \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75

#	Article	IF	CITATIONS
145	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\$ q=13 ext {TeV}$ s = 13 TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
146	Search for heavy ZZ resonances in the \$\$ell ^+ell ^-ell ^+ell ^-\$\$ â,," + â," - â,," + â," - and \$\$ell ^+ell ^-u ar{u }\$\$ â,," + â,," - Î $\frac{1}{2}$ Î $\frac{1}{2}$ Â $^-$ final states using protonâ \in " proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 Â \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
147	A search for pair-produced resonances in four-jet final states at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
148	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
149	Search for heavy resonances decaying into WW in the \$\$eu mu u \$\$ e $1\frac{1}{2}$ $1\frac{1}{4}$ final state in pp collisions at \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
150	Direct top-quark decay width measurement in the $\$ mathbf {varvec{tar{t}}}\$\$ t t lepton+jets channel at \$\$sqrt{s}=8~ext {TeV}\$\$ s = 8 TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
151	Search for W W/W Z resonance production in \hat{a} , " $\hat{1}$ /2qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
152	Measurement of the Higgs boson coupling properties in the H \hat{a} †' $ZZ\hat{a}$ — \hat{a} †' $4\hat{a}$," decay channel at \$\$ sqrt{s}=13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	\$\$ 1.6	46
153	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \hat{a} †' aa \hat{a} †' 4b channel in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
154	Measurement of the $\$ Zgamma o u overline{u}gamma $\$ production cross section in pp collisions at $\$ sqrt{s}=13 $\$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
155	Prompt and non-prompt $\$J/psi \$J/\ddot{\Gamma}$ elliptic flow in Pb+Pb collisions at $\$sqrt\{s_{ext} \{NN\}\}\} = 5.02\$$ s NN = 5.02 Tev with the ATLAS detectorÂ. European Physical Journal C, 2018, 78, 784.	1.4	19
156	Search for Higgs boson pair production in the \$\$gamma gamma WW^*\$\$ \hat{I}^3 \hat{I}^3 W W \hat{a} — channel using \$\$pp\$\$ pp collision data recorded at \$\$sqrt{s}\$\$ s \$\$=13\$\$ = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
157	Measurement of colour flow using jet-pull observables in $\frac{\hat{A}}{t} \approx \hat{A}$ events with the ATLAS experiment at $\frac{\hat{A}}{t} = 13$, hbox $\frac{TeV}{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
158	Angular analysis of BO d â†' Kâ^—μ+μâ^' decays in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS Journal of High Energy Physics, 2018, 2018, 1.	detector. 1.6	76
159	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb \$\$^{-1}\$\$ - 1 of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
160	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
161	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
162	Search for Higgs boson pair production in the \$\$ upgamma upgamma boverline{b} \$\$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38

#	Article	lF	CITATIONS
163	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\$\$$ sqrt $\$=13$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
164	Measurement of the azimuthal anisotropy of charged particles produced in \$\$sqrt{s_{_ext {NN}}}\$\$ s NN = 5.02ÂTeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
165	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
166	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\$$ sqrt $\{s\}=13$ hbox $\{TeV\}$ \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
167	Search for charged Higgs bosons decaying into top and bottom quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
168	Operation and performance of the ATLAS Tile Calorimeter in RunÂ1. European Physical Journal C, 2018, 78, 987.	1.4	25
169	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at \s sqrt \s =13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
170	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
171	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fba $^{\circ}$ 1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
172	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
173	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
174	Search for charged Higgs bosons decaying via $H\hat{A}\pm\hat{a}\uparrow'\hat{l}_{,a}\hat{A}\pm\hat{l}_{,a}$	a^'l 1.6	59
175	Prompt and non-prompt \$\$J/psi \$\$ J / $\ddot{\Gamma}$ and \$\$psi (2mathrm {S})\$\$ $\ddot{\Gamma}$ (2 S) suppression at high transverse momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
176	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
177	Combination and QCD analysis of charm and beauty production cross-section measurements in deep inelastic ep scattering at HERA. European Physical Journal C, 2018, 78, 1.	1.4	49
178	Search for exclusive Higgs and Z boson decays to $\tilde{\bf i}\cdot\hat{\bf l}^3$ and $\tilde{\bf i}\cdot\hat{\bf l}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
179	Measurements of b-jet tagging efficiency with the ATLAS detector using $$$ \$ toverline{t} $$$ \$ events at $$$ \$ sqrt{s}=13 $$$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
180	Search for flavour-changing neutral current top-quark decays t → qZ in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17

#	Article	IF	Citations
181	Measurement of the inclusive and fiducial $\frac{1}{s}$ t t \hat{A} production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
182	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
183	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\$$ sqrt $\{s\}=13$ \$ s = 13 Â $\$$ ext $\{Te\}$ ext $\{V\}$ \$ Te pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
184	Further studies of isolated photon production with a jet in deep inelastic scattering at HERA. Journal of High Energy Physics, $2018, 2018, 1$.	1.6	3
185	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
186	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
187	Search for dark matter produced in association with bottom or top quarks in \$\$\$qrt{s}=13\$\$s=13ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
188	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at \$\$sqrt{s}=13,ext {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
189	Measurement of \$\$au \$\$ \ddot{i} , polarisation in \$\$Z/gamma ^{*}ightarrow au au \$\$ Z / \hat{i} 3. European Physical Journal C, 2018, 78, 163.	1.4	7
190	Searches for heavy ZZ and ZW resonances in the â, "â, "qq and $\hat{l}/2\hat{l}/2$ qq final states in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
191	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
192	Measurement of differential cross sections and W+/W \hat{a} cross-section ratios for W boson production in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
193	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ^1 of ($sqrt{s}=13$) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
194	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector. , 2018, 78, 1.		1
195	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at (sqrt{s}=13,ext {TeV}). , 2018, 78, 1.		1
196	Measurement of the f^- W production cross sections in multilepton final states using 3.2 fb f^- and f^- of f^- w production sharp sections in multilepton final states using 3.2 fb f^- of f^- of f^- or $f^$	1.4	41
197	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
198	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29

#	Article	IF	Citations
199	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $$$ sqrt ${s}=13$ \$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
200	Measurement of the W boson polarisation in $\frac{1}{5}$ t t \hat{A} events from pp collisions at $\frac{1}{5}$ s = 8 TeV in the lepton \hat{A} + \hat{A} et annel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
201	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
202	Measurements of top-quark pair differential cross-sections in the $\$$ emu $\$$ e $1\frac{1}{4}$ channel in pp collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
203	Performance of algorithms that reconstruct missing transverse momentum in \$\$\$qrt{s}\$\$ s = 8 TeV protonâ€"proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
204	Measurement of the prompt J/ $\$$ psi $\$$ $\ddot{\Gamma}$ pair production cross-section in pp collisions at $\$$ sqrt $\{s\}$ = 8 $\$$ s = 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
205	Search for triboson $\W^{pm}W^{pm}W^{mp}\$ W ± W ± W â-" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
206	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
207	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
208	Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
209	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
210	Measurement of multi-particle azimuthal correlations in pp, p \hat{A} + \hat{A} Pb and low-multiplicity Pb \hat{A} + \hat{A} Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
211	Measurement of inclusive and differential cross sections in the H \hat{a} † ZZ * \hat{a} † 4 \hat{a} , decay channel in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
212	Measurement of lepton differential distributions and the top quark mass in $\frac{\hat{A}}{t}$ t t \hat{A} . European Physical Journal C, 2017, 77, 804.	1.4	28
213	Measurement of the \$\$ toverline{t}gamma \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
214	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
215	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
216	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\$$ varvec $\{$ sqrt $\{$ s $\}$ =13 $\}$ \$\$ s = 13 Â $\$$ \$ext $\{$ TeV $\}$ \$\$ TeV $\$$ varvec $\{$ pp $\}$ \$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12

#	Article	IF	Citations
217	Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ZZ → â,,"â~'â,,"+â,,"â \in 2â^'â,,"â \in 2+ and Z Z → â,," â^' â,," + ν ν ¯ \$\$ ZZo {ell}^{-}{-}{ell}^{-}+}u over with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	ˈli ne {u} \$\$	decay char
218	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
219	Measurements of $\ddot{\Gamma}(2S)$ and X(3872) \hat{a}^{\dagger} J/ $\ddot{\Gamma}\ddot{l}$ + \ddot{l} \hat{a}° production in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
220	Measurements of top-quark pair to Z-boson cross-section ratios at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
221	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
222	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
223	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
224	Measurements of the production cross section of a 25 Z boson in association with jets in pp collisions at 15 s. European Physical Journal C, 2017, 77, 361.	1.4	47
225	Precision measurement and interpretation of inclusive $\$W^+\W^+ , $\$W^-\W^- . European Physical Journal C, 2017, 77, 367.	1.4	145
226	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\$$ sqrt{ $\{$ s_mathrm{ NN } $\}$ } = 2.76 $\$$ \$ s NN = 2.76. European Physical Journal C, 2017, 77, 379.	1.4	51
227	Search for dark matter at $\$$ sqrt $\{s\}=13$ -mathrm $\{TeV\}$ \$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
228	Measurement of charged-particle distributions sensitive to the underlying event in $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
229	Search for direct top squark pair production in final states with two leptons in $\$\$qrt\{s\} = 13\$\$ s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
230	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
231	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\svert{s} p p collisions at \$mathbf {sqrt{s}=13}$$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.$	1.4	19
232	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
233	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
234	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23

#	Article	IF	CITATIONS
235	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
236	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
237	Measurement of $\$WW/WZ$ ightarrow ell u q q^{prime }\\$\ W W / W Z ât' â," $1^{1}/2$ q q 1^{2} production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\$$ qrt{s} =8~ext {TeV}\\$\\$ s = 8 TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C. 2017, 77, 563.	1.4	28
238	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s=13 \$$ sqrt $\{s\}=13 \$$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
239	Searches for the $Z\hat{1}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
240	Studies of $Z\hat{I}^3$ production in association with a high-mass dijet system in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
241	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
242	Search for top quark decays t ât' qH, with H ât' $\hat{1}^3\hat{1}^3$, in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
243	Study of \$\$WWgamma \$\$ W W γ and \$\$WZgamma \$\$ W Z. European Physical Journal C, 2017, 77, 646.	1.4	30
244	Measurements of top quark spin observables in t t \hat{A}^- \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
245	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
246	Top-quark mass measurement in the all-hadronic t t \hat{A}^- \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
247	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
248	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
249	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbâ^1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
250	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
251	Measurement of the k t splitting scales in Z \hat{a} 1 \hat{a} 3, \hat{a} 4 events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
252	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8

#	Article	IF	CITATIONS
253	Evidence for the H \hat{a} †' b b \hat{A}^- \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
254	Search for new high-mass phenomena in the dilepton final state using 36 fbâ '1 of proton-proton collision data at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
255	Determination of the strong coupling constant \$\$alpha _mathrm {s}\$\$ α s from transverse energy–energy correlations in multijet events at \$\$sqrt{s} = 8~hbox {TeV}\$\$. European Physical Journal C, 2017, 77, 872.	1.4	32
256	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{ s }=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
257	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
258	Measurement of event-shape observables in $\$Z$ ightarrow ell $^{+}$ ell $^{-}$ \$\$ Z â†' â," + â," - events in pp collisions at $\$$ sqrt $\{s\}$ =7\$\$ s = 7 $\$$ {mathrm $\{TeV\}$ }\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
259	Charged-particle distributions in pp interactions at $\$\$qrt\{s\}=8$ mathrm $\{$, TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
260	Charged-particle distributions at low transverse momentum in $\$$ sqrt $\{s\}$ = 13 $\$$ s s = 13 $\$$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
261	Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
262	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/A$ and for a \$\$Z^{prime}\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ \ddot{a} , \ddot{a} , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
263	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
264	Measurement of the $\$$ boverline $\{b\}$ \$\$ b b \hat{A}^- dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
265	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
266	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ free with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
267	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
268	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$\$qrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	1.4	453
269	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
270	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s=13 \text{ Te V}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31

#	Article	IF	CITATIONS
271	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
272	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s=8 $ sqrt $\{s\}=8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
273	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\varphi varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\varphi varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	1.4	39
274	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.75$ mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	1.4	39
275	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
276	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\uparrow$ ' tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
277	Study of the rare decays of \$\$B^0_s\$\$ B s 0 and \$\$B^0\$\$ B 0 into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
278	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\$ in $\$ varvec{sqrt{s}}\$\$ s Â=Â13ÂTeV $\$ varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	1.4	24
279	Search for resonances in diphoton events at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
280	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$$ sqrt $\{s\}$ = 8 \$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
281	Measurement of the relative width difference of the B 0 \hat{a} \hat{A} 0 \$\$ {B}^0hbox{-} {overline{B}}^0 \$\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
282	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
283	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$\$qrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	1.4	298
284	Measurement of the charged-particle multiplicity inside jets from $\$\$qrt\{s\}=8\$\$ s=8$ $\$\$\{mathrm\{TeV\}\}\$\$ TeV $App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.$	1.4	51
285	Measurement of jet activity in top quark events using the $el^{1}/4$ final state with two b-tagged jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
286	Measurement of the transverse momentum and \$\$phi ^*_{eta}\$\$ $i \cdot \hat{i} \cdot \hat{a}$ — distributions of Drellâ \in Yan lepton pairs in protonâ \in proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
287	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW \hat{a} $-\hat{a}$ †' \hat{e} \hat{l} / \hat{l} / \hat{l} / \hat{l} with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
288	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt{ s }=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20

#	Article	IF	CITATIONS
289	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
290	Identification of high transverse momentum top quarks in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
291	A search for an excited muon decaying to a muon and two jets inppcollisions at $\frac{1}{5};=\frac{1}{5},073021$.	1.2	2
292	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
293	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s=0,-\{mathrm \{TeV\}\}$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
294	Measurement of the differential cross-sections of prompt and non-prompt production of \$\$J/psi \$\$ J / Γ and \$\$psi (2mathrm {S})\$\$ Γ (2 S) in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
295	Luminosity determination in pp collisions at $\$\$qrt\{s\}$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
296	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ĀTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
297	Addendum to $\widehat{a}\in \mathbb{C}$ Measurement of the \$\$tar{t}\$\$ t t \widehat{A}^- production cross-section using \$\$emu \$\$ e $\widehat{1}$ /4 events with b-tagged jets in pp collisions at \$\$sqrt{s}\$\$ s = 7 and 8 \widehat{A} \$\$,mathrm{TeV}\$\$ TeV with the ATLAS detector $\widehat{a}\in \mathbb{C}$. European Physical Journal C, 2016, 76, 1.	1.4	19
298	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
299	Searches for heavy diboson resonances in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
300	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
301	Search for the Standard Model Higgs boson decaying into b b \hat{A}^- \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
302	Measurement of the CP-violating phase Ï• s and the B s 0 meson decay width difference with B s 0  → J∬' decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	Ϊ• 1.6	13
303	Search for squarks and gluinos in final states with jets and missing transverse momentum at $$$ sqrt{s}\$\$ s =13 \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
304	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
305	A search for prompt lepton-jets in pp collisions at s = $8 $ \$\$ sqrt{mathrm{s}}= $8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
306	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	Article	IF	Citations
307	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in protonâ \in "lead collisions at \$\$sqrt{s_{_ext} {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
308	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
309	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
310	Search for strong gravity in multijet final states produced in pp collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
311	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\$$ sqrt $\{s\}$ = 8 \$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	1.4	62
312	Search for new phenomena in events with at least three photons collected in pp collisions at $\frac{s}{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
313	Probing lepton flavour violation via neutrinoless $\$ varvec{au longrightarrow 3mu }\$\$ $\$ i,, âY¶ 3 $\$ 1¼ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
314	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
315	Search for supersymmetry at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
316	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
317	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
318	Searches for scalar leptoquarks in pp collisions at $\$$ varvec $\{$ sqrt $\{$ s $\}\}$ $\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
319	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $s=7$ and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
320	Measurements of fiducial cross-sections for $\frac{t}{s}$ t t \hat{A} production with one or two additional b-jets in pp collisions at $\frac{s}{s}$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
321	Study of the SB_c^+ ightarrow J/psi D_s^+\$\$ B c + â†' J / Ï^ D s + and SB_c^+ ightarrow J/psi D_s^{*+}\$\$ B c + â†' J / Ï^ D s â^— + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
322	Production of exclusive dijets in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2016, 76, 1.	1.4	10
323	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
324	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8,m)$ with the ATLAS detector., 2016, 76, 1.		1

#	Article	IF	CITATIONS
325	Combination of measurements of inclusive deep inelastic $fe^{pm}p$ \$ e fe^{t} p scattering cross sections and QCD analysis of HERA data. European Physical Journal C, 2015, 75, 1.	1.4	383
326	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
327	A search for high-mass resonances decaying to $\ddot{\parallel}$, $+\ddot{\parallel}$, \hat{a} in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
328	Combination of differential Dâ $^-$ Â $^\pm$ cross-section measurements in deep-inelastic ep scattering at HERA. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
329	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
330	Search for lepton-flavour-violating H \hat{a}^{\dagger} , \hat{l}^{\dagger} , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
331	Measurement of four-jet differential cross sections in $s=8$ \$\$ sqrt{s}=8 \$\$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
332	A search for t t \hat{A}^- \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
333	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ sqrt $s=7 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
334	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{NN}}}=2.76 $\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
335	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
336	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
337	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
338	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 $ \$\$ $sqrt{s}=7 $ \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
339	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}=8$ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
340	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 $ \$ sqrt{ s }= $8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
341	Search for new phenomena in events with three or more charged leptons in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
342	Summary of the searches for squarks and gluinos using $s = 8 \$\$ $ sqrt $\{s\}=8 \$\$ $ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60

#	Article	IF	CITATIONS
343	Determination of the top-quark pole mass using t t \hat{A}^- \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
344	Measurement of the tt \hat{A}^- W \$\$ toverline{t}W \$\$ and tt \hat{A}^- Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
345	Search for flavour-changing neutral current top quark decays t \hat{a} † Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
346	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
347	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ \$\$ sqrt $s=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
348	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
349	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
350	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W $\hat{a} \in ^2$ \hat{a} †' t b \hat{a} †' q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s \hat{A} = \hat{A} 8 \hat{A} TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
351	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s=7 \text{ TeV}$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
352	Search for direct pair production of a chargino and a neutralino decaying to the 125ÂGeV Higgs boson in $\$$ sqrt{varvec{s}} = 8\$\$ s = 8 ÂTeV $\$$ varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
353	Study of (W/Z)H production and Higgs boson couplings using H→ W W â^— decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
354	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
355	Measurement of the production and lepton charge asymmetry of $\$W$ \$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
356	Jet energy measurement and its systematic uncertainty in proton $\hat{a}\in \text{``proton collisions at $$sqrt{s}=7$$}$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
357	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
358	Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â,, $q q \hat{A}$ final state in \$\$pp\$\$ p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
359	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
360	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77

#	Article	IF	CITATIONS
361	Measurement of the t t \hat{A}^- \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
362	Measurement of the WW+WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$ sqrt{s}= $7 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
363	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
364	Search for the b b \hat{A}^- \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
365	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
366	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
367	Search for charged Higgs bosons decaying via H $\hat{A}\pm\hat{a}\uparrow'\hat{I}_{x}$, $\hat{A}\pm\hat{I}\frac{1}{2}$ in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
368	Search for production of $\$WW/WZ\WW/WZ resonances decaying to a lepton, neutrino and jets in $\$pp\$\$ p$ collisions at $\$\$qrt\{s\}=8\$\$ s=8$ ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
369	Performance of the ATLAS muon trigger in pp collisions at $\$sqrt\{s\}=8$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
370	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b \hat{A}^- b b \hat{A}^- final state from pp collisions at $\$$ sqrt $\{s\}$ = 8\$\$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
371	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W \hat{a} — \hat{a} †' e \hat{l} ½ \hat{l} ½ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
372	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\$$ qrt $\{s\}=8-\$$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
373	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," / â," \hat{l}_2 " \hat{l}_2 / \hat{l}_2 + b b \hat{A} final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
374	Measurement of three-jet production cross-sections in pp p collisions at 7Â $mathrm$ { Te,V}\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
375	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
376	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$\$qrt{s}=8\$\$ s=8\$,hbox {TeV}\$$ TeV. European Physical Journal C, 2015, 75, 303.$	1.4	70
377	PERTURBATIVE QCD AT HERA. , 2015, , .		O
378	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174

#	Article	IF	Citations
379	Observation and measurements of the production of prompt and non-prompt \$\$varvec{ext {J}uppsi }\$\$ J Î` mesons in association with a \$\$varvec{Z}\$\$ Z boson in \$\$varvec{pp}\$\$ p p collisions at \$\$varvec{sqrt{s}= 8,ext {TeV}}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229	1.4	64
380	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\$$ varvec{bar{b}}\$\$ b b \hat{A}^- in $\$$ varvec{pp}\$\$ p p collisions at $\$$ sqrt{mathbf{s}}= varvec{8{{,mathrm TeV}}}\$\$ s = 8 T e V with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
381	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
382	Search for heavy long-lived multi-charged particles in pp collisions at $\$\$qrt\{s\}=8\$\$ s=8 \ ATeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.$	1.4	36
383	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
384	Measurement of the top quark mass in the $\frac{t}{ightarrow}$ ext{ lepton+jets } \$\$ t t $\hat{A}^ \hat{a}^+$ lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t $\hat{A}^ \hat{a}^+$ dilepton channels using \$\$sqrt{s}=7\$\$ s = 7 \hat{A} \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
385	Measurement of the inclusive jet cross-section in proton-proton collisions at ($sqrt{s}=7$) TeV using 4.5 fbâ^'1 of data with the ATLAS detector., 2015, 2015, 1.		3
386	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt $\{s\}=8$) TeV with the ATLAS detector., 2015, 75, 1.		1
387	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt{s}=8~)TeV with the ATLAS detector., 2015, 75, 1.		2
388	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
389	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
390	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. Journal of High Energy Physics, 2014, 2014, 1.	1.6	33
391	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp p collisions at $s^2 = 7$, mathrm TeV s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
392	A measurement of the ratio of the production cross sections for $\$W$ and $\$Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
393	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
394	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fba $^{\circ}$ 1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
395	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 $ sqrt $s=8 $ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
396	Measurement of the \$\$toverline{t}\$\$ t t \hat{A}^- production cross-section using \$\$emu \$\$ e \hat{I} 4 events with \$\$b\$\$ b -tagged jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=7\$\$ s = 7 and 8 \hat{A} TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143

#	Article	IF	Citations
397	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s \$ sqrt{s} \$\$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
398	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
399	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
400	Search for contact interactions and large extra dimensions in the dilepton channel using protonâ \in "proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
401	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{s_{mathrm {NN}}}{2.76}$ s NN = 2.76 ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
402	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $points P = 7 $ in the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
403	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
404	Measurement of the production cross-section of Ï^(2S) → J/Ĩ^(→μ + μ â~')Ĭ€ + Ï€ â~' in pp collisions at s \$\$ sqr = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	t{s},\$\$ 1.6	21
405	Measurement of the $Z \hat{I}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
406	Measurement of D \hat{a} photoproduction at three different centre-of-mass energies at HERA. Journal of High Energy Physics, 2014, 2014, 1.	1.6	1
407	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt $s=8$ \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
408	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. Journal of High Energy Physics, 2014, 2014, 1.	1.6	14
409	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
410	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
411	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
412	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\$ sqrt{s} $\$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
413	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$ sqrt{ $s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
414	The differential production cross section of the \$\$phi \$\$ Ï• (1020) meson in \$\$sqrt{s}\$\$ s = 7ÂTeV \$\$pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13

#	Article	IF	Citations
415	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
416	Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
417	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
418	Light-quark and gluon jet discrimination in $pspsp p collisions at prop q collisions at properties of the ATLAS detector. European Physical Journal C, 2014, 74, 3023.$	1.4	77
419	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at	1.6	22
420	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\$ sqrt $\{s\}$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
421	Measurement of the production cross section of prompt $J/\tilde{\Gamma}$ mesons in association with a W $\hat{A}\pm$ boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
422	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
423	Measurement of the production of a W boson in association with a charm quark in pp collisions at $q=1$ sqrt $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ sqrt $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of $q=1$ and $q=1$ are the production of a W boson in association with a charm quark in pp collisions at $q=1$ and $q=1$ are the production of $q=1$ and $q=1$ are the production o	1.6	59
424	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $ \text{sqrt}\{s\} $ = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
425	Search for supersymmetry at $sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
426	Measurement of the low-mass Drell-Yan differential cross section at s $\$\$$ sqrt $\$\$$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
427	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
428	Measurement of \ddot{i} ‡ c1 and \ddot{i} ‡ c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
429	Further studies of the photoproduction of isolated photons with a jet at HERA. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
430	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
431	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
432	Search for direct top squark pair production in events with a $ZSSZSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS$	1.4	55

#	Article	IF	Citations
433	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. , 2014 , 2014 , 1 .		2
434	Measurement of the (toverline $\{t\}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}$ =7) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
435	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
436	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $q=1$ at $q=1$ at $q=1$ at $q=1$ at $q=1$ and $q=1$ are $q=1$ and $q=1$ are $q=1$ are $q=1$ are $q=1$ and $q=1$ are $q=1$ are $q=1$ are $q=1$ and $q=1$ are $q=1$	1.6	53
437	Search for third generation scalar leptoquarks in pp collisions at $\frac{1}{5}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 1.	1.6	32
438	Measurement of D* \hat{A} ± production in deep inelastic scattering at HERA. Journal of High Energy Physics, 2013, 2013, 1.	1.6	8
439	Measurement of D $\hat{A}\pm$ production in deep inelastic ep scattering with the ZEUS detector at HERA. Journal of High Energy Physics, 2013, 2013, 1.	1.6	8
440	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
441	Measurement of ZZ production in pp collisions at $\frac{5}{7}$ TeV and limits on anomalous ZZZ and ZZ $\hat{1}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
442	Search for charged Higgs bosons through the violation of lepton universality in $\$ toverline{t} \$ events using pp collision data at $\$ sqrt{s}=7 $\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
443	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
444	Measurement of inelastic J/l̇ˆ and l̈ˆâ€² photoproduction at HERA. Journal of High Energy Physics, 2013, 2013, 1.	1.6	7
445	Measurement of k T splitting scales in Wâ†'â,,"ν events at $q = 7 \text{ mathrm} \text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
446	Search for a light charged Higgs boson in the decay channel H^{+} ightarrow car{s}\$ in $t=0$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
447	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\$ sqrt{s}=8 $\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
448	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\$ sqrt{s}=8 \$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
449	Measurement of the differential cross-section of B + meson production in pp collisions at $\frac{1}{5}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
450	Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52

#	Article	IF	CITATIONS
451	Measurement of charm fragmentation fractions in photoproduction at HERA. Journal of High Energy Physics, 2013, 2013, 1.	1.6	23
452	Improved luminosity determination in pp collisions at $q = 7 \text{ mathrm{TeV}}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
453	Measurement of the inclusive jet cross-section in pp collisions at $q=2.76 \text{ mbox} $ and comparison to the inclusive jet cross-section at $q=7 \text{ mbox} $ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
454	Multi-channel search for squarks and gluinos in \$sqrt{s}=7mbox{ TeV}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
455			

#	Article	IF	CITATIONS
469	Measurement of the $tar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
470	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
471	Measurement of the cross section for top-quark pair production in pp collisions at $q = 7$, $ext{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
472	Jet mass and substructure of inclusive jets in $\$ sqrt $\{s\} = 7$; $\{\text{ext}\{\text{TeV}\}\}\$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
473	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
474	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb \hat{a} °1 of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
475	A search for $\$$ toverline t $\$$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\$$ sqrt $\{s\} = 7$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
476	Search for the Standard Model Higgs boson in the H → Ï,, + Ï,, â^' decay mode in \$ sqrt {s} = 7,{mathrm{ \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	TeV}}	43
477	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\$ sqrt{s}=7;TeV $\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
478	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\$ sqrt $\{s\}=7\$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
479	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
480	Search for high-mass resonances decaying to dilepton final states in pp collisions at $q=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
481	Search for anomalous production of prompt like-sign lepton pairs at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
482	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
483	Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
484	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
485	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q = 7 mbox{-TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	100
486	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\frac{sqrt}{s} = 7-mathrm{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	13

#	Article	IF	CITATIONS
487	Measurement of $f = 1$ production with a veto on additional central jet activity in pp collisions at $f = 1$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
488	A search for $tar{t}\$ resonances with the ATLAS detector in 2.05 fbâ of proton-proton collisions at $q = 7\$ mathrm{TeV}\$. European Physical Journal C, 2012, 72, 2083.	1.4	25
489	Search for second generation scalar leptoquarks in pp collisions at $q=7-mbox{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
490	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
491	Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
492	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
493	Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA. European Physical Journal C, 2012, 72, 1.	1.4	33
494	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\frac{1}{s}$ mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	22
495	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
496	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
497	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $sqrt{s} = 7 \text{ mathrm{TeV}}$. European Physical Journal C, 2012, 72, 1.	1.4	36

Article	IF	CITATIONS
Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\frac{1}{2}$ = 7 mbox{TeV}\$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1. Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$ with the ATLAS experiment. European Physical Journal C, 2012,	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1. Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$ with the ATLAS experiment. European Physical Journal C, 2012, 1.4

#	Article	IF	CITATIONS
523	Measurement of the jet fragmentation function and transverse profile in proton–proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
524	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb \hat{a} °1 of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
525	Search for massive colored scalars in four-jet final states in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
526	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $q=0.00000000000000000000000000000000000$	1.4	73
527	Study of taupair production at HERA. Journal of High Energy Physics, 2011, 2011, 1.	1.6	1
528	Measurement of $W\hat{l}^3$ and $Z\hat{l}^3$ production in proton-proton collisions at \$ sqrt {s} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
529	Inclusive search for same-sign dilepton signatures in pp collisions at $\$ sqrt $\{s\} = 7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
530	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $q = 7 \text{ TeV pp}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
531	Measurement of charm and beauty production in deep inelastic ep scattering from decays into muons at HERA. European Physical Journal C, 2010, 65, 65-79.	1.4	46
532	Measurement of beauty production in DIS and extraction atÂZEUS. European Physical Journal C, 2010, 69, 347-360.	1.4	19
533	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
534	Measurement of high-Q 2 charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. European Physical Journal C, 2010, 70, 945-963.	1.4	29
535	Inclusive dijet cross sections inÂneutralÂcurrentÂdeepÂinelastic scatteringÂatÂHERA. European Physical Journal C, 2010, 70, 965-982.	1.4	27
536	Combined measurement and QCD analysis of the inclusive e $\hat{A}\pm$ p scattering cross sections at HERA. Journal of High Energy Physics, 2010, 2010, 1.	1.6	458
537	Events with an isolated lepton and missing transverse momentum and measurement of W production at HERA. Journal of High Energy Physics, 2010, 2010, 1.	1.6	8
538	Measurement of J/ $\hat{\Gamma}$ photoproduction at large momentum transfer at HERA. Journal of High Energy Physics, 2010, 2010, 1.	1.6	12
539	Scaled momentum spectra in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	1.6	2
540	Measurement of D + and \hat{I}_{0} c + production in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	1.6	5

#	Article	IF	CITATIONS
541	Measurement of the longitudinal proton structure function at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 682, 8-22.	1.5	62
542	Production of excited charm and charm-strange mesons at HERA. European Physical Journal C, 2009, 60, 25-45.	1.4	28
543	Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA. European Physical Journal C, 2009, 61, 223-235.	1.4	28
544	Measurement of high-Q 2 neutral current deep inelastic e â^' pÂscattering cross sections with a longitudinally polarised electronÂbeamÂat HERA. European Physical Journal C, 2009, 62, 625-658.	1.4	30
545	Measurement of D \hat{A}_{\pm} and D 0 production in deep inelastic scattering using a lifetime tag at HERA. European Physical Journal C, 2009, 63, 171-188.	1.4	47
546	Subjet distributions in deep inelastic scattering at HERA. European Physical Journal C, 2009, 63, 527-548.	1.4	7
547	Diffractive photoproduction of dijets in ep collisions at HERA. European Physical Journal C, 2008, 55, 177-191.	1.4	41
548	Measurement of prompt photons with associated jets in photoproduction at HERA. European Physical Journal C, 2007, 49, 511-522.	1.4	24
549	Measurement of neutral current cross sections at high Bjorken-x with the ZEUS detector at HERA. European Physical Journal C, 2007, 49, 523-544.	1.4	4
550	Search for stop production in R-parity-violating supersymmetry at HERA. European Physical Journal C, 2007, 50, 269.	1.4	18
551	Photoproduction of events with rapidity gaps between jets at HERA. European Physical Journal C, 2007, 50, 283-297.	1.4	10
552	Measurement of open beauty production at HERA in the D* \hat{l} $\frac{1}{4}$ final state. European Physical Journal C, 2007, 50, 299-314.	1.4	19
553	Measurement of KO S, $\hat{\mathfrak{b}}$ and $\hat{\mathfrak{b}}$, production at HERA. European Physical Journal C, 2007, 51, 1-23.	1.4	17
554	Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA. European Physical Journal C, 2007, 51, 289-299.	1.4	13
555	Diffractive photoproduction of D* \hat{A} ±(2010) at HERA. European Physical Journal C, 2007, 51, 301-315.	1.4	18
556	Forward-jet production in deep inelastic ep scattering at HERA. European Physical Journal C, 2007, 52, 515-530.	1.4	12
557	Dijet production in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2007, 52, 813-832.	1.4	31
558	EXPERIMENTAL RESULTS ON HEAVY QUARK FRAGMENTATION. , 2007, , .		0

#	Article	IF	CITATIONS
559	CHARM SPECTROSCOPY AND EXOTICS AT ZEUS., 2007,,.		O
560	Inclusive charged particle distributions in deep inelastic scattering events at HERA. Zeitschrift FÃ $\frac{1}{4}$ r Physik C-Particles and Fields, 1996, 70, 1-15.	1.5	35
561	Measurement of the F2 structure function in deep inelastice + p scattering using 1994 data from the ZEUS detector at HERA. Zeitschrift FÃ $\frac{1}{4}$ r Physik C-Particles and Fields, 1996, 72, 399-424.	1.5	137
562	Study of chargedâ€"currentep interactions atQ 2>200 GeV2 with the ZEUS detector at HERA. Zeitschrift Fù⁄4r Physik C-Particles and Fields, 1996, 72, 47-64.	1.5	19
563	Study of charged-current \$ep\$ interactions at \$Q^2>200,{m GeV}^2\$ with the ZEUS detector at HERA. Zeitschrift Fýr Physik C-Particles and Fields, 1996, 72, 47-64.	1.5	4
564	Measurement of the F2 structure function in deep inelastice + p scattering using 1994 data from the ZEUS detector at HERA. Zeitschrift FÃ $\frac{1}{4}$ r Physik C-Particles and Fields, 1996, 72, 399-424.	1.5	0
565	Measurement of elasticï•O photoproduction at HERA. Zeitschrift Fýr Physik C-Particles and Fields, 1995, 69, 39-54.	1.5	2
566	Hadronic energy distributions in deep-inelastic electron-proton scattering. Zeitschrift Für Physik C-Particles and Fields, 1993, 59, 231-242.	1.5	22
567	Characteristics of charged particle multiplicity for \hat{A} -nn and nn interactions and \hat{A} -nn annihilations at \hat{A} - \hat{A}	0.4	1