

Tingting Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2119508/publications.pdf>

Version: 2024-02-01

41
papers

670
citations

516561

16
h-index

610775

24
g-index

42
all docs

42
docs citations

42
times ranked

855
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Network Pharmacology to Explore the Mechanism of Panax notoginseng in the Treatment of Myocardial Fibrosis. <i>Journal of Diabetes Research</i> , 2022, 2022, 1-13.	1.0	10
2	Editorial: Molecular Pathophysiology of Diabetes-Related Organ Injury. <i>Frontiers in Medicine</i> , 2022, 9, 875444.	1.2	0
3	Using Network Pharmacology to Explore the Mechanism of Peach Kernel-Safflower in the Treatment of Diabetic Nephropathy. <i>BioMed Research International</i> , 2021, 2021, 1-12.	0.9	5
4	A Review of Traditional Chinese Medicine in Treating Renal Interstitial Fibrosis via Endoplasmic Reticulum Stress-Mediated Apoptosis. <i>BioMed Research International</i> , 2021, 2021, 1-10.	0.9	2
5	A novel and comprehensive strategy for quality control in complex Chinese medicine formula using UHPLC-Q-Orbitrap HRMS and UHPLC-MS/MS combined with network pharmacology analysis: Take Tangshen formula as an example. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1183, 122889.	1.2	10
6	Subproteomic profiling from renal cortices in OLETF rats reveals mutations of multiple novel genes in diabetic nephropathy. <i>Genes and Genomics</i> , 2021, , 1.	0.5	0
7	Tangshen Formula Improves Diabetes-Associated Myocardial Fibrosis by Inhibiting TGF- β ² /Smads and Wnt/ β ² -Catenin Pathways. <i>Frontiers in Medicine</i> , 2021, 8, 732042.	1.2	4
8	Association between <i>PNPLA2</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	1.0	3
9	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110325.	2.5	34
10	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. <i>International Journal of Hypertension</i> , 2020, 2020, 1-7.	0.5	5
11	Role of Transient Receptor Potential Canonical Channel 6 (TRPC6) in Diabetic Kidney Disease by Regulating Podocyte Actin Cytoskeleton Rearrangement. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-11.	1.0	24
12	Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyroptotic Effects via the TXNIP-NLRP3-GSDMD Axis. <i>Frontiers in Pharmacology</i> , 2020, 11, 623489.	1.6	26
13	Protective Role of Tangshen Formula on the Progression of Renal Damage in <i>db/db</i> Mice by TRPC6/Talin1 Pathway in Podocytes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-19.	1.0	12
14	Association between LXR- β and ABCA1 Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	1.0	6
15	Application and efficacy of extracorporeal shockwave treatment for knee osteoarthritis: A systematic review and meta-analysis. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 2843-2850.	0.8	12
16	Formononetin alleviates hepatic steatosis by facilitating TFEB-mediated lysosome biogenesis and lipophagy. <i>Journal of Nutritional Biochemistry</i> , 2019, 73, 108214.	1.9	51
17	Tangshen Formula Alleviates Hepatic Steatosis by Inducing Autophagy Through the AMPK/SIRT1 Pathway. <i>Frontiers in Physiology</i> , 2019, 10, 494.	1.3	19
18	Genetically elevated circulating homocysteine concentrations increase the risk of diabetic kidney disease in Chinese diabetic patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2794-2800.	1.6	19

#	ARTICLE	IF	CITATIONS
19	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. <i>Journal of Human Genetics</i> , 2019, 64, 23-28.	1.1	9
20	Knowledge, attitude, and practice of healthcare professionals toward clinically applying graduated compression stockings: results of a Chinese web-based survey. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 102-108.	1.0	22
21	Glucofucogalactan, a heterogeneous low-sulfated polysaccharide from <i>Saccharina japonica</i> and its bioactivity. <i>International Journal of Biological Macromolecules</i> , 2018, 113, 90-97.	3.6	15
22	Association of <i>EPHX2</i> R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	1.0	10
23	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. <i>Frontiers in Physiology</i> , 2018, 9, 343.	1.3	27
24	Association between <i>MYH9</i> and <i>APOL1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	1.0	12
25	Low molecular weight fucoidan and its fractions inhibit renal epithelial mesenchymal transition induced by TGF- β 1 or FGF-2. <i>International Journal of Biological Macromolecules</i> , 2017, 105, 1482-1490.	3.6	22
26	Positive Effects of Extracorporeal Shock Wave Therapy on Spasticity in Poststroke Patients: A Meta-Analysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2470-2476.	0.7	45
27	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-12.	1.0	14
28	Effects of Apolipoprotein E Isoforms in Diabetic Nephropathy of Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-6.	1.0	10
29	Synergistic Effect of the <i>MTHFR</i> C677T and <i>EPHX2</i> G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-8.	1.0	19
30	Tangshen Formula Attenuates Colonic Structure Remodeling in Type 2 Diabetic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-9.	0.5	2
31	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. <i>PLoS ONE</i> , 2017, 12, e0171475.	1.1	21
32	Therapeutic Effects of Tangshen Formula on Diabetic Nephropathy in Rats. <i>PLoS ONE</i> , 2016, 11, e0147693.	1.1	43
33	Effects of Tangshen Formula on urinary and plasma liver-type fatty acid binding protein levels in patients with type 2 diabetic kidney disease: post-hoc findings from a multi-center, randomized, double-blind, placebo-controlled trial investigating the efficacy and safety of Tangshen Formula in patients with type 2 diabetic kidney disease. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 246.	3.7	23
34	The decreased expression of electron transfer flavoprotein β 2 is associated with tubular cell apoptosis in diabetic nephropathy. <i>International Journal of Molecular Medicine</i> , 2016, 37, 1290-1298.	1.8	13
35	A recombinant TGF- β 1 vaccine ameliorates diabetic nephropathy in OLETF rats. <i>Immunotherapy</i> , 2016, 8, 1045-1057.	1.0	0
36	Tangshen formula attenuates hepatic steatosis by inhibiting hepatic lipogenesis and augmenting fatty acid oxidation in db/db mice. <i>International Journal of Molecular Medicine</i> , 2016, 38, 1715-1726.	1.8	49

#	ARTICLE	IF	CITATIONS
37	Metabolomic and lipidomic study of the protective effect of Chaihuang-Yishen formula on rats with diabetic nephropathy. <i>Journal of Ethnopharmacology</i> , 2015, 166, 31-41.	2.0	15
38	Yi Qi Qing Re Gao formula ameliorates puromycin aminonucleoside-induced nephrosis by suppressing inflammation and apoptosis. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 155.	3.7	3
39	Yi Qi Qing Re Gao Attenuates Podocyte Injury and Inhibits Vascular Endothelial Growth Factor Overexpression in Puromycin Aminonucleoside Rat Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-13.	0.5	3
40	Attenuation of diabetic nephropathy by Chaihuang-Yishen granule through anti-inflammatory mechanism in streptozotocin-induced rat model of diabetics. <i>Journal of Ethnopharmacology</i> , 2014, 151, 556-564.	2.0	40
41	Diabetes Results in Structural Alteration of Chondroitin Sulfate in the Urine. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2013, 16, 486.	0.9	11